R 3850-1.13

Geriatric Length of Stay in PAS Hospitals,

by Diagnosis and Operation,

United States,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals"...

Volumes include:

- ... by Diagnosis, United States, 1979
- ... by Diagnosis, United States, North Central Region, 1979
- ... by Diagnosis, United States, Northeastern Region, 1979
- ... by Diagnosis, United States, Southern Region, 1979
- ... by Diagnosis, United States, Western Region, 1979
- ... by Diagnosis, Canada, 1979

- ... by Operation, United States, 1979
- ... by Operation, United States, North Central Region, 1979
- ... by Operation, United States, Northeastern Region, 1979
- ... by Operation, United States, Southern Region, 1979
- ... by Operation, United States, Western Region, 1979
- ... by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List A: Hospital Diagnosis Groups 7
  - *ICD-9-CM* List B: Hospital Procedure Groups 8
  - Definition of Multiple Dx Patients 8
  - Definition of Operated Patients 9
- Explanation of Statistics 9
- Exclusions 10
- Defining the Extended Stay Case 11

Length of Stay Tables 21

- Summary of All Patients in Diagnosis Groups 22
- Diagnosis Groups 1-398 23
- Summary of All Patients in Operation Groups. 224
- Operation Groups 501-764 225

Distribution Tables 291

- Table 1: Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 293
- Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Geriatric Discharges 311
- Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care for Geriatric Patients 324
- Table 4: Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 337
- Table 5: Ranking of *ICD-9-CM* List B Operation Groups by Live Geriatric Discharges 349
- Table 6: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care for Geriatric Patients 359

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** 369

Index to Length of Stay Tables 373

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,516,246 geriatric patients discharged during 1979 from 1,660 nonfederal, short-term* hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals and hospitals without geriatric discharges participating in PAS. Patients studied were selected from a total of 2,814,462 discharges.

Characteristics of all U.S. hospitals that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups*[1] and the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[2] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. Within each operation group, the patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflect the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[3] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E Codes (external causes of injury and poisoning)

---

[3] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the List B tables, an operated patient is one whose principal procedure is among the 249 List B groups that contain at least one Class 1 procedure. In the List A tables, however, a patient is considered operated if he has at least one Class 1 procedure recorded either as the principal procedure or as a secondary procedure. As a result, the total count of operated patients in the diagnosis tables exceeds the total count of operated patients in the procedure tables.

Explanation of Statistics

The diagnosis (operation) group titles heading the tables are followed in parentheses by the diagnosis (operation) codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1".

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay diagnosis and operation tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions from the diagnosis and operation tables include patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies.

Additional exclusions from the operation tables only include patients with illegal or unrecorded principal procedure, and patients with operation-age and operation-sex inconsistencies.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented for Geriatric patients are 65-69 years, 70-74 years, 75-79 years, 80-84 years, and 85 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 67-year-old patient is admitted to a United States hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	468	4.7	9	1	2	4	6	9	11	14
70-74	391	5.4	16	1	2	4	7	10	12	19
75-79	321	5.7	17	1	2	5	7	11	12	21
80-84	239	6.6	14	2	3	6	9	12	14	19
85+	184	6.4	26	2	2	6	8	11	13	34
B. *Operated*										
65-69 YRS	3260	9.9	20	5	6	9	11	15	18	25
70-74	2222	10.6	23	6	6	9	12	17	20	27
75-79	1194	11.6	26	6	7	10	14	18	21	28
80-84	533	12.8	32	6	7	11	16	20	22	32
85+	285	15.0	62	6	7	13	18	24	28	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1676	6.9	28	2	3	6	8	12	16	25
70-74	1733	7.2	29	2	3	6	9	13	16	28
75-79	1592	7.9	32	2	3	6	10	14	18	28
80-84	1366	8.1	30	2	3	7	10	14	17	28
85+	1269	9.1	48	3	3	7	11	17	21	35
B. *Operated*										
65-69 YRS	6553	13.4	60	6	7	11	16	22	27	44
70-74	5328	14.5	64	6	7	12	17	24	29	45
75-79	3639	16.1	74	7	8	14	19	26	32	49
80-84	2004	18.7	108	8	9	16	23	31	39	57
85+	1210	20.1	122	8	10	18	24	33	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*	18734	15.2	77	6	7	13	18	25	31	49
1. SINGLE DX	9097	9.9	28	3	5	9	12	16	20	27
2. MULTIPLE DX	26370	13.1	76	3	5	11	16	23	29	46
A. NOT OPERATED	9239	7.4	31	2	3	6	9	13	17	27
B. OPERATED	26228	14.0	67	6	7	12	17	23	29	46
TOTAL 65-69 YRS	11957	11.2	50	4	5	9	14	19	23	37
70-74	9674	11.9	56	3	5	10	15	21	25	40
75-79	6746	12.9	67	3	5	11	16	23	28	43
80-84	4142	13.7	92	3	4	11	18	25	31	48
85+	2948	14.0	107	3	4	12	18	26	33	56
GRAND TOTAL	**35467**	**12.2**	**66**	**3**	**5**	**10**	**15**	**22**	**27**	**43**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



1,660 PAS Hospitals, United States, January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	 10th (6)	 50th (7)	 75th (8)	 90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	1
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7	1		
LE DX								
	1676	6.9						

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



1,660 PAS Hospitals, United States, January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	 10th (6)	 50th (7)	 75th (8)	 90 (9)
1. INGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	1
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7	1		
LE DX								
	1676	6.9						

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.



1,660 PAS Hospitals, United States, January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7			
LE DX								
	1676	6.9						

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the ninth day after admission to be the day that this patient comes up for extended stay review.



1,660 PAS Hospitals, United States, January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7			
LE DX								
	1676	6.9						

The patient was admitted on 3 November; therefore, the ninth day will fall on 12 November. Prior to or on 12 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62072	7.3	50	1	2	5	9	15	20	37
70-74	51966	7.5	51	1	2	6	9	15	20	38
75-79	40893	7.9	58	1	2	6	10	16	21	40
80-84	27679	8.1	62	1	2	6	10	16	22	42
85+	23114	8.2	60	1	2	6	10	16	22	43
B. *Operated*										
65-69 YRS	107207	7.3	50	1	2	5	10	16	20	34
70-74	86920	7.6	56	1	2	5	10	17	21	36
75-79	62938	8.0	64	2	2	5	11	18	23	38
80-84	37479	8.8	76	2	2	6	12	20	25	42
85+	25788	10.1	93	2	2	7	14	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	302677	9.2	63	2	3	7	12	18	23	42
70-74	301456	9.7	70	2	3	7	12	19	25	44
75-79	276492	10.2	77	2	3	8	13	20	26	48
80-84	208731	10.7	82	2	3	8	13	21	28	50
85+	184451	11.0	88	2	3	8	14	21	28	54
B. *Operated*										
65-69 YRS	213516	12.1	130	2	2	9	16	25	34	63
70-74	188331	13.1	144	2	3	10	17	28	37	66
75-79	149522	14.0	156	2	3	11	18	29	39	69
80-84	95175	15.0	165	2	3	12	20	31	41	71
85+	69839	16.3	177	2	3	13	22	33	43	76
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	205724	7.7	55	1	2	6	10	15	21	39
B. *Operated*	320332	7.9	62	1	2	5	10	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	1273807	10.0	75	2	3	8	13	20	26	47
B. *Operated*	716383	13.6	150	2	3	10	18	28	38	68
1. SINGLE DX	526056	7.8	59	1	2	5	10	17	22	38
2. MULTIPLE DX	1990190	11.3	105	2	3	8	14	23	31	57
A. NOT OPERATED	1479531	9.7	73	2	3	7	12	19	25	46
B. OPERATED	1036715	11.8	129	2	2	9	16	25	34	61
TOTAL 65-69 YRS	685472	9.6	84	2	2	7	12	20	27	49
70-74	628673	10.2	93	2	2	8	13	21	28	52
75-79	529845	10.9	101	2	3	8	14	22	30	55
80-84	369064	11.4	107	2	3	8	15	23	31	57
85+	303192	11.9	113	2	3	9	15	24	32	61
GRAND TOTAL	**2516246**	**10.6**	**97**	**2**	**2**	**8**	**14**	**22**	**29**	**54**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	9.1	28	2	3	8	12	15	19	29
70-74	55	9.2	28	2	3	8	12	16	18	27
75-79	53	11.7	78	4	5	9	14	20	27	57
80-84	25	11.1	50	3	4	9	16	21	24	31
85+	30	14.2	87	3	4	12	19	25	36	41
B. *Operated*										
65-69 YRS	2	29.0	450	14	14	29	44	44	44	44
70-74	6	27.7	138	12	13	28	38	40	40	40
75-79	2	27.0		27	27	27	27	27	27	27
80-84	3	19.7	649	3	3	7	38	49	49	49
85+	2	13.5	13	11	11	13	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	571	13.5	88	4	6	11	15	24	32	63
70-74	749	14.6	100	4	5	12	18	27	35	76
75-79	767	15.2	114	5	7	12	18	27	35	62
80-84	690	15.4	105	5	6	13	19	27	37	54
85+	769	15.4	94	5	6	13	19	28	35	91
B. *Operated*										
65-69 YRS	201	24.5	323	6	8	19	32	53	73	99+
70-74	212	25.2	319	7	9	20	33	51	65	93
75-79	210	26.4	254	8	10	23	33	51	64	99+
80-84	133	25.4	285	8	10	21	32	50	65	99+
85+	112	27.1	309	7	11	22	37	55	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	10.7	54	3	4	9	14	19	23	38
B. *Operated*	15	24.3	205	4	7	20	37	44	48	49
2. MULTIPLE DX										
A. *Not Operated*	3546	14.9	101	5	6	12	18	27	35	63
B. *Operated*	868	25.6	297	7	9	21	33	52	66	99+
1. SINGLE DX	224	11.6	75	3	4	9	15	21	28	45
2. MULTIPLE DX	4414	17.0	158	5	6	13	21	33	43	83
A. NOT OPERATED	3755	14.7	99	5	6	12	18	27	35	63
B. OPERATED	883	25.6	295	7	9	21	33	52	66	99+
TOTAL 65-69 YRS	820	16.0	167	4	6	12	19	32	44	86
70-74	1022	16.6	163	4	6	13	21	33	43	89
75-79	1032	17.3	162	5	7	13	21	32	43	76
80-84	851	16.9	146	5	7	14	21	32	42	68
85+	913	16.8	135	5	6	14	21	32	40	99
GRAND TOTAL	**4638**	**16.7**	**155**	**5**	**6**	**13**	**21**	**32**	**42**	**82**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.7	13	2	2	5	7	8	13	20
70-74	29	8.5	31	2	3	7	12	15	21	26
75-79	22	7.0	7	4	4	6	9	10	13	15
80-84	13	10.1	49	4	4	8	15	23	23	23
85+	7	7.7	15	4	4	6	11	14	14	14
B. *Operated*										
65-69 YRS	16	15.1	249	1	1	9	22	43	50	52
70-74	5	12.4	63	2	2	13	18	23	23	23
75-79	6	17.0	60	9	9	15	22	29	30	30
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	10.1	70	2	3	8	13	20	27	47
70-74	140	11.4	46	3	4	10	15	21	25	33
75-79	123	11.5	86	3	4	8	14	25	34	43
80-84	86	12.5	68	4	5	11	15	21	29	46
85+	85	11.4	67	3	4	9	14	19	34	37
B. *Operated*										
65-69 YRS	51	24.5	424	5	7	18	32	52	67	94
70-74	46	21.9	222	7	8	16	29	45	54	60
75-79	16	16.9	339	1	1	11	24	41	61	69
80-84	27	21.0	180	5	7	19	32	41	59	99+
85+	17	22.5	191	7	8	20	28	39	54	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	7.4	23	2	3	6	8	14	17	24
B. *Operated*	27	15.0	167	1	2	13	22	30	46	52
2. MULTIPLE DX										
A. *Not Operated*	598	11.2	67	3	4	9	14	21	28	43
B. *Operated*	157	22.1	287	4	7	17	30	45	56	94
1. SINGLE DX	133	9.0	61	2	3	7	11	17	23	46
2. MULTIPLE DX	755	13.5	132	3	4	10	16	28	37	56
A. NOT OPERATED	704	10.7	62	3	4	8	13	20	26	42
B. OPERATED	184	21.1	275	3	6	16	29	45	54	93
TOTAL 65-69 YRS	266	12.6	176	2	3	8	15	27	45	66
70-74	220	13.2	101	3	5	10	16	26	32	55
75-79	167	11.6	103	3	4	8	14	26	34	44
80-84	126	14.1	102	4	4	12	19	28	39	65
85+	109	12.9	99	3	4	10	16	28	36	49
GRAND TOTAL	**888**	**12.8**	**124**	**3**	**4**	**9**	**16**	**27**	**36**	**55**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	250	4.4	13	1	2	4	5	8	11	19
70-74	223	4.5	13	1	2	4	6	9	11	21
75-79	190	5.0	14	1	2	4	6	9	13	17
80-84	125	4.8	14	1	2	4	6	9	11	21
85+	123	4.7	12	1	2	4	6	9	12	99+
B. *Operated*										
65-69 YRS	6	12.5	173	4	4	8	10	36	39	39
70-74	9	8.1	11	3	4	7	11	12	13	13
75-79	5	9.8	7	7	7	9	12	13	13	13
80-84	4	8.5	30	3	3	7	12	16	16	16
85+	4	7.3	6	4	4	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1006	6.2	26	2	2	5	8	11	15	26
70-74	956	6.8	28	2	2	5	8	14	18	27
75-79	930	7.3	50	2	2	6	9	14	17	41
80-84	758	7.3	42	2	2	6	9	14	18	40
85+	613	7.6	35	2	3	6	9	14	19	39
B. *Operated*										
65-69 YRS	83	14.7	101	4	5	12	19	29	41	83
70-74	83	15.5	193	3	4	11	18	36	48	63
75-79	57	13.5	92	3	5	11	16	24	36	50
80-84	61	14.8	110	3	5	13	19	27	44	94
85+	26	16.0	141	4	7	12	18	31	44	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	4.7	13	1	2	4	6	9	11	21
B. *Operated*	28	9.3	44	3	4	8	10	13	18	39
2. MULTIPLE DX										
A. *Not Operated*	4263	7.0	36	2	2	5	9	13	17	30
B. *Operated*	310	14.8	128	3	5	11	18	29	42	60
1. SINGLE DX	939	4.8	15	1	2	4	6	9	11	22
2. MULTIPLE DX	4573	7.5	46	2	2	6	9	14	19	41
A. NOT OPERATED	5174	6.6	33	2	2	5	8	12	16	29
B. OPERATED	338	14.4	123	3	5	11	17	29	42	57
TOTAL 65-69 YRS	1345	6.4	34	2	2	5	8	12	16	29
70-74	1271	7.0	42	2	2	5	8	14	19	34
75-79	1182	7.2	48	2	2	5	9	14	17	40
80-84	948	7.5	47	2	2	6	9	15	20	42
85+	766	7.4	38	2	2	6	9	14	19	52
GRAND TOTAL	**5512**	**7.0**	**42**	**2**	**2**	**5**	**9**	**14**	**18**	**39**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	11.6	62	2	3	10	18	22	26	39
70-74	46	13.0	102	3	4	10	17	23	28	62
75-79	31	16.8	218	2	2	14	22	52	60	99+
80-84	22	12.8	136	2	3	9	18	24	37	54
85+	21	12.4	89	1	2	10	17	27	29	31
B. *Operated*										
65-69 YRS	29	14.7	170	2	4	12	16	26	39	69
70-74	40	14.9	74	4	5	13	20	24	31	45
75-79	27	15.3	103	2	4	13	22	33	36	37
80-84	14	13.6	62	4	4	12	17	23	31	33
85+	8	17.3	48	8	8	17	22	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	15.5	171	3	4	13	20	31	42	86
70-74	159	16.9	148	3	4	15	22	36	44	96
75-79	131	17.7	198	3	4	14	22	34	48	77
80-84	109	19.9	254	4	5	15	29	38	51	81
85+	79	17.8	222	2	5	14	22	36	55	69
B. *Operated*										
65-69 YRS	135	18.1	144	4	6	16	23	33	42	61
70-74	123	19.0	182	4	7	15	24	40	51	99+
75-79	106	22.3	266	5	6	18	30	45	59	90
80-84	59	24.1	349	4	5	18	37	53	63	98
85+	25	27.4	410	6	8	20	33	60	72	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	13.1	113	2	3	11	18	25	29	62
B. *Operated*	118	14.9	99	4	4	13	20	26	34	53
2. MULTIPLE DX										
A. *Not Operated*	647	17.3	192	3	4	14	22	35	49	80
B. *Operated*	448	20.7	230	4	6	16	27	43	56	83
1. SINGLE DX	294	13.8	108	2	4	12	18	25	32	62
2. MULTIPLE DX	1095	18.7	210	3	5	15	24	38	52	82
A. NOT OPERATED	823	16.4	178	3	4	14	21	34	46	76
B. OPERATED	566	19.5	208	4	6	16	25	40	52	82
TOTAL 65-69 YRS	389	15.8	149	3	4	14	20	29	41	65
70-74	368	16.9	148	3	5	14	21	35	45	94
75-79	295	19.1	220	3	4	16	25	37	51	84
80-84	204	19.9	266	4	4	15	28	43	54	82
85+	133	18.7	244	2	5	15	24	35	56	72
GRAND TOTAL	**1389**	**17.7**	**192**	**3**	**4**	**14**	**23**	**36**	**50**	**81**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	8.0	28	3	3	7	11	16	16	16
70-74	5	12.8	84	1	1	13	20	24	24	24
75-79	3	7.3	32	1	1	9	11	12	12	12
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	9	16.3	245	1	1	14	25	41	49	49
70-74	9	12.8	165	2	2	9	17	34	42	42
75-79	4	12.5	65	<1	<1	15	18	19	19	19
80-84	5	23.2	372	<1	<1	33	37	43	43	43
85+	4	26.3	445	5	5	24	43	51	51	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	14.3	89	3	5	12	21	28	48	99+
70-74	26	15.8	216	4	5	10	20	35	44	70
75-79	13	15.5	169	5	5	12	16	33	50	54
80-84	9	23.4	209	4	7	21	37	44	46	46
85+	12	11.5	51	4	4	9	17	22	25	26
B. *Operated*										
65-69 YRS	35	23.5	312	3	5	19	39	55	90	99+
70-74	35	22.1	506	2	2	16	29	65	76	85
75-79	27	24.3	314	6	7	22	35	72	99+	99+
80-84	6	25.7	93	11	12	27	30	38	39	39
85+	10	23.8	145	6	7	24	30	40	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.5	46	1	1	8	13	19	23	24
B. *Operated*	31	17.2	236	<1	1	14	28	42	49	51
2. MULTIPLE DX										
A. *Not Operated*	88	15.5	148	4	5	12	20	34	45	88
B. *Operated*	113	23.4	338	2	5	20	35	47	83	99+
1. SINGLE DX	45	14.8	187	1	1	12	20	36	44	51
2. MULTIPLE DX	201	19.9	269	3	5	16	29	46	66	99+
A. NOT OPERATED	102	14.6	138	3	4	12	19	30	43	84
B. OPERATED	144	22.1	321	2	3	19	34	47	73	99+
TOTAL 65-69 YRS	77	18.3	224	2	3	14	27	46	64	99+
70-74	75	18.2	343	2	3	11	24	42	65	83
75-79	47	19.8	259	1	6	17	27	46	90	99+
80-84	20	24.1	192	2	4	24	35	42	44	46
85+	27	18.1	171	5	5	15	28	36	46	51
GRAND TOTAL	**246**	**19.0**	**257**	**2**	**4**	**14**	**27**	**45**	**57**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.0	5	2	3	5	6	9	10	10
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	2	3.0		3	3	3	3	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	5.7	9	1	2	5	7	10	11	12
70-74	24	6.2	8	2	3	6	7	10	12	13
75-79	21	6.0	22	1	2	4	8	13	17	18
80-84	10	4.9	5	2	2	4	7	8	9	9
85+	7	19.7	555	3	3	9	25	60	69	69
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	4	19.8	86	6	6	23	25	26	26	26
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.0	5	2	3	5	6	8	9	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	101	6.8	56	2	2	5	8	11	15	47
B. *Operated*	8	15.4	72	3	4	15	23	25	26	26
1. SINGLE DX	21	5.0	5	2	3	5	6	8	9	10
2. MULTIPLE DX	109	7.4	62	2	2	5	9	13	22	44
A. NOT OPERATED	122	6.4	48	2	2	5	7	10	13	38
B. OPERATED	8	15.4	72	3	4	15	23	25	26	26
TOTAL 65-69 YRS	55	5.7	9	2	2	5	7	10	12	15
70-74	30	7.9	38	2	4	6	9	18	24	26
75-79	24	6.0	21	2	2	4	8	12	17	18
80-84	12	4.8	4	2	2	4	6	8	9	9
85+	9	17.9	433	3	3	9	23	52	69	69
GRAND TOTAL	**130**	**7.0**	**53**	**2**	**2**	**5**	**8**	**12**	**18**	**35**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	9.5	35	3	3	7	14	18	19	19
70-74	5	7.2	10	2	2	8	9	10	10	10
75-79	3	9.0	9	6	6	9	11	12	12	12
80-84	2	13.5	265	2	2	13	25	25	25	25
85+	4	6.3	30	1	1	6	11	11	11	11
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	10.9	26	5	6	10	12	20	22	23
70-74	22	10.1	41	2	3	9	12	21	23	25
75-79	7	14.9	59	4	4	16	21	24	24	24
80-84	5	25.2	968	5	5	11	35	80	80	80
85+	3	13.3	42	7	7	13	18	20	20	20
B. *Operated*										
65-69 YRS	5	23.8	68	15	15	21	32	33	33	33
70-74										
75-79	2	22.0	128	14	14	22	30	30	30	30
80-84	1	47.0		47	47	47	47	47	47	47
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.7	35	1	2	8	11	18	21	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	12.7	132	4	4	10	16	22	24	80
B. *Operated*	8	26.3	128	14	14	25	32	43	47	47
1. SINGLE DX	22	8.7	35	1	2	8	11	18	21	25
2. MULTIPLE DX	58	14.6	152	4	5	11	19	25	33	77
A. NOT OPERATED	72	11.5	105	2	3	9	15	21	24	68
B. OPERATED	8	26.3	128	14	14	25	32	43	47	47
TOTAL 65-69 YRS	26	13.0	63	4	5	10	18	23	32	33
70-74	27	9.6	36	2	3	9	12	19	22	25
75-79	12	14.6	64	4	5	15	19	26	29	30
80-84	8	25.0	698	2	3	15	36	70	80	80
85+	7	9.3	44	1	1	11	13	19	20	20
GRAND TOTAL	**80**	**12.9**	**126**	**2**	**4**	**10**	**17**	**23**	**31**	**70**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	201	6.8	20	2	2	6	9	13	15	21
70-74	216	7.3	29	2	3	6	9	13	16	32
75-79	174	8.1	38	2	3	7	10	14	18	35
80-84	140	8.1	35	1	2	7	11	15	21	28
85+	90	9.7	46	2	3	8	12	19	24	33
B. *Operated*										
65-69 YRS	10	5.2	14	1	2	4	7	11	13	13
70-74	11	6.5	16	2	2	7	11	12	12	12
75-79	13	13.4	99	<1	2	14	17	27	35	37
80-84	4	11.0	87	2	2	9	17	24	24	24
85+	4	18.3	113	6	6	19	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	614	9.1	52	2	3	7	11	18	24	39
70-74	678	10.2	72	3	3	8	13	19	26	48
75-79	793	11.1	72	3	4	9	14	21	27	43
80-84	627	11.4	84	2	3	9	15	22	31	46
85+	508	11.7	79	3	4	9	15	23	29	44
B. *Operated*										
65-69 YRS	73	15.7	139	3	4	13	23	30	43	53
70-74	72	13.3	106	2	3	10	18	29	34	45
75-79	86	18.3	189	4	4	17	24	40	45	93
80-84	51	20.1	366	5	6	12	26	46	72	81
85+	45	20.8	221	5	7	17	27	54	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	7.8	32	2	3	6	10	14	18	29
B. *Operated*	42	9.9	70	1	2	8	13	24	27	37
2. MULTIPLE DX										
A. *Not Operated*	3220	10.7	72	3	3	8	13	21	27	43
B. *Operated*	327	17.2	197	3	4	13	24	38	46	86
1. SINGLE DX	863	7.9	34	2	3	6	10	14	19	31
2. MULTIPLE DX	3547	11.3	87	3	3	9	14	22	29	47
A. NOT OPERATED	4041	10.1	66	2	3	8	12	20	26	40
B. OPERATED	369	16.4	187	3	4	12	23	36	46	82
TOTAL 65-69 YRS	898	9.1	56	2	3	7	11	18	25	40
70-74	977	9.7	67	2	3	8	12	18	25	41
75-79	1066	11.2	82	3	3	9	14	22	29	46
80-84	822	11.3	99	2	3	8	14	22	31	47
85+	647	12.1	90	3	4	10	15	24	32	55
GRAND TOTAL	**4410**	**10.6**	**79**	**2**	**3**	**8**	**13**	**21**	**28**	**46**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	9.2	43	2	3	7	11	19	25	30
70-74	42	10.8	56	3	4	9	13	23	28	32
75-79	23	10.2	27	4	5	9	14	18	20	21
80-84	6	11.5	21	6	6	11	14	18	19	19
85+	14	10.5	65	2	4	8	12	23	28	30
B. *Operated*										
65-69 YRS	12	13.6	64	1	4	14	16	24	31	32
70-74	10	13.2	120	3	5	10	13	29	43	43
75-79	4	19.5	84	10	10	18	25	32	32	32
80-84	1	11.0		11	11	11	11	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	11.4	57	3	4	10	14	18	30	38
70-74	86	10.8	80	3	3	8	13	22	24	51
75-79	88	13.1	115	3	5	11	15	23	29	65
80-84	43	12.1	72	4	5	9	15	20	26	50
85+	25	12.6	55	4	5	11	17	24	27	35
B. *Operated*										
65-69 YRS	42	17.6	129	4	5	16	21	33	38	60
70-74	26	21.8	260	7	8	16	29	44	55	72
75-79	19	17.9	118	2	5	18	26	35	38	38
80-84	14	16.6	45	7	8	16	21	26	30	31
85+	7	25.4	282	8	10	20	29	54	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	10.0	45	3	4	8	12	20	25	30
B. *Operated*	27	14.2	83	3	6	12	17	29	34	43
2. MULTIPLE DX										
A. *Not Operated*	367	11.9	78	3	4	9	15	21	28	49
B. *Operated*	108	19.1	158	4	7	16	23	35	41	65
1. SINGLE DX	191	10.6	52	3	4	9	14	20	27	32
2. MULTIPLE DX	475	13.5	105	3	4	11	17	24	34	57
A. NOT OPERATED	531	11.3	68	3	4	9	14	21	27	43
B. OPERATED	135	18.1	146	4	7	16	22	33	41	62
TOTAL 65-69 YRS	258	11.9	72	3	4	10	15	23	30	40
70-74	164	12.7	118	3	4	9	16	25	35	53
75-79	134	13.5	103	4	5	11	17	24	33	60
80-84	64	13.0	62	5	6	11	17	21	26	47
85+	46	13.9	111	4	4	11	18	24	32	60
GRAND TOTAL	**666**	**12.6**	**91**	**3**	**4**	**10**	**16**	**23**	**31**	**51**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	8.5	19	5	5	7	9	16	17	17
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.7	8	2	2	5	7	9	9	9
70-74	10	7.0	6	3	3	7	8	10	12	12
75-79	3	10.7	16	6	6	13	13	13	13	13
80-84	2	10.5	25	7	7	10	14	14	14	14
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	3	19.7	158	8	8	18	29	33	33	33
75-79	3	12.7	58	6	6	11	18	21	21	21
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.6	19	4	4	7	12	15	17	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	7.2	14	2	2	7	9	13	14	14
B. *Operated*	7	14.9	96	6	6	11	20	31	33	33
1. SINGLE DX	10	8.6	19	4	4	7	12	15	17	17
2. MULTIPLE DX	31	8.9	41	2	3	7	12	16	21	33
A. NOT OPERATED	34	7.6	16	2	3	7	9	14	14	17
B. OPERATED	7	14.9	96	6	6	11	20	31	33	33
TOTAL 65-69 YRS	14	6.5	15	2	2	6	7	10	15	17
70-74	14	9.5	60	3	4	7	9	19	30	33
75-79	7	11.7	26	6	6	12	13	19	21	21
80-84	2	10.5	25	7	7	10	14	14	14	14
85+	4	9.0	34	3	3	9	14	14	14	14
GRAND TOTAL	**41**	**8.9**	**35**	**2**	**3**	**7**	**12**	**15**	**19**	**33**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	5.0	32	<1	<1	4	9	9	9	9
75-79										
80-84										
85+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
65-69 YRS	33	2.8	3	<1	<1	2	3	6	7	8
70-74	16	3.4	7	<1	1	3	4	9	9	9
75-79	10	3.4	5	<1	<1	3	4	7	8	8
80-84	7	4.4	7	2	2	4	6	9	9	9
85+	5	5.8	36	<1	<1	5	8	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	7.7	1	7	7	7	9	9	9	9
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	3.0		3	3	3	3	3	3	3
85+	2	9.0	18	6	6	9	12	12	12	12
B. *Operated*										
65-69 YRS	31	5.6	19	1	2	4	6	11	18	19
70-74	28	6.1	26	1	2	5	8	13	20	21
75-79	17	6.4	22	2	2	4	8	15	16	16
80-84	8	6.0	20	2	2	5	7	14	16	16
85+	5	3.8	4	2	2	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	12	<1	<1	1	4	9	9	9
B. *Operated*	71	3.4	7	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	8	6.5	9	3	3	6	8	11	12	12
B. *Operated*	89	5.9	21	2	2	4	7	13	16	21
1. SINGLE DX	76	3.4	7	<1	<1	3	4	7	9	14
2. MULTIPLE DX	97	5.9	20	2	2	4	7	12	16	21
A. NOT OPERATED	13	5.2	12	<1	<1	5	8	10	12	12
B. OPERATED	160	4.8	16	<1	1	3	6	9	14	20
TOTAL 65-69 YRS	68	4.3	13	<1	1	3	6	8	11	19
70-74	46	5.2	21	1	1	4	7	9	14	21
75-79	28	5.3	17	1	2	4	7	12	16	16
80-84	17	5.0	13	2	2	4	6	9	14	16
85+	14	5.0	18	<1	<1	4	6	12	15	16
GRAND TOTAL	**173**	**4.8**	**16**	**<1**	**1**	**3**	**6**	**9**	**13**	**20**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	111	5.5	34	2	2	4	6	10	14	33
70-74	116	4.6	14	2	2	4	5	8	9	25
75-79	48	4.5	6	1	1	4	6	8	8	14
80-84	49	4.9	8	1	2	4	6	9	11	15
85+	53	6.5	99	2	2	4	6	13	28	99
B. *Operated*										
65-69 YRS	4	14.8	222	2	2	11	26	34	34	34
70-74	6	8.2	99	2	2	4	8	26	28	28
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	471	6.4	29	2	2	5	7	12	15	30
70-74	474	6.7	44	2	2	5	8	12	16	29
75-79	457	7.3	46	2	2	6	9	13	17	29
80-84	359	7.1	41	2	3	6	8	13	17	30
85+	315	8.1	53	2	2	6	10	16	19	48
B. *Operated*										
65-69 YRS	48	16.1	203	3	4	10	23	40	44	62
70-74	31	11.4	100	2	4	8	12	26	32	47
75-79	35	13.6	122	3	4	11	20	25	33	56
80-84	23	12.6	97	4	5	10	16	22	37	46
85+	7	13.0	122	5	5	7	24	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	5.2	30	1	2	4	6	9	12	31
B. *Operated*	15	10.1	93	2	2	7	11	28	32	34
2. MULTIPLE DX										
A. *Not Operated*	2076	7.0	42	2	2	5	8	13	17	30
B. *Operated*	144	13.8	140	3	4	9	18	31	42	56
1. SINGLE DX	392	5.3	33	2	2	4	6	9	13	33
2. MULTIPLE DX	2220	7.5	51	2	2	6	9	14	19	40
A. NOT OPERATED	2453	6.8	41	2	2	5	8	13	17	30
B. OPERATED	159	13.4	136	3	4	9	18	31	40	55
TOTAL 65-69 YRS	634	7.0	51	2	2	5	8	14	20	43
70-74	627	6.6	44	2	2	5	8	11	16	31
75-79	542	7.4	50	2	2	6	9	14	19	30
80-84	432	7.2	42	2	3	6	8	13	17	31
85+	377	7.9	60	2	2	5	10	16	20	51
GRAND TOTAL	**2612**	**7.2**	**49**	**2**	**2**	**5**	**8**	**14**	**18**	**39**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	6.5	15	<1	2	6	11	12	12	12
70-74	4	6.3	9	3	3	6	8	10	10	10
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	13.0		13	13	13	13	13	13	13
85+	4	6.3	21	3	3	4	9	13	13	13
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	9.5	78	2	4	8	10	15	31	43
70-74	11	11.5	33	1	3	12	15	18	21	21
75-79	4	13.5	126	6	6	9	20	30	30	30
80-84	4	20.0	39	13	13	19	24	28	28	28
85+	3	13.7	34	7	7	16	17	18	18	18
B. *Operated*										
65-69 YRS	5	19.8	396	5	5	12	30	53	53	53
70-74	5	18.2	297	2	2	10	34	41	41	41
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.7	14	2	3	6	11	12	13	13
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	41	11.8	68	3	4	10	15	21	29	43
B. *Operated*	10	19.0	309	2	3	11	32	47	53	53
1. SINGLE DX	24	7.1	17	2	3	6	11	13	14	16
2. MULTIPLE DX	51	13.2	118	2	4	10	16	29	41	53
A. NOT OPERATED	64	10.0	54	2	3	8	13	18	23	41
B. OPERATED	11	18.7	279	2	4	12	30	46	52	53
TOTAL 65-69 YRS	37	9.8	106	2	3	7	11	15	36	53
70-74	20	12.2	99	1	2	10	15	26	36	41
75-79	6	12.8	85	6	6	9	16	29	30	30
80-84	5	18.6	39	13	13	18	23	28	28	28
85+	7	9.4	38	3	3	7	15	18	18	18
GRAND TOTAL	**75**	**11.2**	**93**	**2**	**3**	**8**	**13**	**21**	**31**	**50**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.0	11	1	1	3	7	9	11	11
70-74	14	4.8	23	<1	1	3	7	9	17	19
75-79	10	6.1	17	1	1	6	9	11	13	13
80-84	4	9.3	26	2	2	10	12	14	14	14
85+	3	12.7	70	3	3	17	18	18	18	18
B. *Operated*										
65-69 YRS	13	4.5	12	1	1	3	7	10	12	12
70-74	5	4.6	23	2	2	2	6	13	13	13
75-79	6	6.0	18	2	2	5	6	13	14	14
80-84	3	3.3		3	3	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	7.8	44	1	1	6	10	17	23	32
70-74	47	10.2	45	2	2	8	16	20	23	25
75-79	56	9.2	47	1	2	8	13	18	20	34
80-84	25	11.8	79	2	4	10	15	18	35	40
85+	23	11.1	94	4	5	10	10	21	32	49
B. *Operated*										
65-69 YRS	28	12.6	136	2	2	9	18	31	34	48
70-74	30	16.4	526	2	2	8	19	58	94	99+
75-79	8	16.6	228	2	3	15	21	41	49	49
80-84	5	15.6	111	4	4	11	23	31	31	31
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.9	25	1	1	4	8	13	17	19
B. *Operated*	27	4.7	13	1	2	3	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	195	9.7	56	1	2	8	13	18	23	37
B. *Operated*	72	14.8	300	2	2	10	20	33	49	99
1. SINGLE DX	68	5.4	20	1	1	4	7	13	15	19
2. MULTIPLE DX	267	11.1	126	2	2	8	14	23	32	84
A. NOT OPERATED	236	9.0	52	1	2	7	12	18	22	35
B. OPERATED	99	12.0	241	2	2	6	14	31	41	97
TOTAL 65-69 YRS	95	8.4	71	1	1	6	10	18	28	41
70-74	96	11.1	204	1	2	7	15	23	33	97
75-79	80	9.3	63	1	2	8	13	18	21	44
80-84	37	11.4	76	2	3	10	14	20	32	40
85+	27	11.0	86	3	4	10	13	20	27	49
GRAND TOTAL	**335**	**9.9**	**109**	**1**	**2**	**7**	**13**	**20**	**30**	**55**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.5	70	4	4	8	15	27	29	29
70-74	9	12.3	88	3	4	6	20	26	28	28
75-79	10	8.7	43	2	2	8	11	18	24	24
80-84	9	6.9	52	1	1	5	9	19	23	23
85+	6	6.5	28	2	2	5	9	15	16	16
B. *Operated*										
65-69 YRS	53	7.8	38	1	2	6	10	19	22	25
70-74	27	13.1	168	2	3	10	17	30	69	99+
75-79	13	14.6	421	2	2	9	14	34	71	80
80-84	7	4.6	31	1	1	3	4	14	17	17
85+	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	11.5	154	3	3	8	12	20	35	77
70-74	76	9.4	34	3	4	8	11	17	24	31
75-79	61	11.4	77	2	3	8	16	25	32	34
80-84	41	10.4	128	2	3	7	13	19	25	70
85+	52	13.3	91	3	5	10	17	25	34	49
B. *Operated*										
65-69 YRS	80	17.9	349	2	3	11	26	55	62	94
70-74	69	16.7	316	2	2	10	19	40	58	79
75-79	49	16.0	365	2	2	9	18	47	73	99+
80-84	19	22.5	433	3	4	18	30	59	68	75
85+	17	13.9	100	4	4	14	17	40	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	9.5	59	2	2	7	13	23	26	29
B. *Operated*	102	9.9	125	2	2	8	12	21	25	89
2. MULTIPLE DX										
A. *Not Operated*	314	11.1	96	3	3	8	13	22	31	51
B. *Operated*	234	17.2	330	2	3	11	20	50	65	99+
1. SINGLE DX	148	9.8	104	2	2	7	13	22	26	80
2. MULTIPLE DX	548	13.7	205	2	3	9	16	32	49	80
A. NOT OPERATED	360	10.9	92	2	3	8	13	22	29	48
B. OPERATED	336	15.0	279	2	2	10	18	38	61	99+
TOTAL 65-69 YRS	229	12.9	205	2	3	9	14	32	52	82
70-74	181	12.9	173	2	3	8	15	27	40	78
75-79	133	13.2	215	2	2	9	16	29	34	90
80-84	76	12.5	217	1	2	7	16	23	51	74
85+	77	12.8	89	2	4	10	16	23	35	86
GRAND TOTAL	**696**	**12.9**	**186**	**2**	**3**	**9**	**15**	**29**	**40**	**80**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	7	4	4	5	8	10	10	10
70-74										
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	8.5	113	1	1	8	16	16	16	16
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	2	5.5	25	2	2	5	9	9	9	9
70-74	1	23.0		23	23	23	23	23	23	23
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	9.2	41	1	3	8	12	19	23	24
70-74	14	7.4	19	4	4	6	9	10	19	21
75-79	8	7.1	60	2	3	5	6	20	26	26
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	5	14.6	264	4	4	11	19	43	43	43
B. *Operated*										
65-69 YRS	2	6.5	25	3	3	6	10	10	10	10
70-74	3	4.3	17	1	1	3	7	9	9	9
75-79	2	20.5	61	15	15	20	26	26	26	26
80-84	6	10.7	270	1	1	5	6	40	44	44
85+	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.4	24	1	1	4	7	14	16	16
B. *Operated*	4	12.5	82	2	2	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	43	8.8	59	3	4	6	10	19	25	43
B. *Operated*	15	9.3	133	1	1	5	10	26	39	44
1. SINGLE DX	13	7.6	48	1	1	5	11	18	22	23
2. MULTIPLE DX	58	8.9	76	2	3	6	10	20	26	44
A. NOT OPERATED	52	8.2	54	1	3	6	10	17	24	43
B. OPERATED	19	10.0	119	1	2	5	14	25	36	44
TOTAL 65-69 YRS	22	8.1	31	2	3	7	10	15	21	24
70-74	18	7.7	32	2	3	6	9	18	22	23
75-79	13	9.0	78	1	2	5	15	26	26	26
80-84	10	9.6	165	1	1	5	9	30	44	44
85+	8	10.8	179	4	4	5	11	33	43	43
GRAND TOTAL	**71**	**8.7**	**71**	**1**	**2**	**5**	**10**	**20**	**26**	**44**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	6.8	28	1	4	5	8	15	20	22
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84										
85+	4	11.8	91	6	6	7	17	26	26	26
B. *Operated*										
65-69 YRS	31	8.2	26	1	2	8	12	15	17	19
70-74	17	7.8	50	1	2	5	10	21	24	25
75-79	4	15.5	105	5	5	14	23	29	29	29
80-84	3	12.0	117	3	3	9	20	24	24	24
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	11.2	71	2	3	9	14	27	32	33
70-74	48	13.1	209	2	3	9	14	26	36	90
75-79	34	10.8	57	3	4	8	14	22	29	34
80-84	26	11.2	61	4	4	8	18	21	29	31
85+	15	14.1	479	2	3	8	18	83	97	99+
B. *Operated*										
65-69 YRS	52	12.8	163	2	3	9	16	25	42	63
70-74	31	14.8	143	2	2	13	21	28	31	58
75-79	12	14.0	280	2	2	6	23	35	56	59
80-84	9	17.9	106	5	6	14	26	33	36	36
85+	8	15.0	178	2	3	11	20	37	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.4	36	2	4	5	8	17	23	26
B. *Operated*	56	8.8	43	1	2	8	12	17	23	29
2. MULTIPLE DX										
A. *Not Operated*	187	11.8	132	2	3	9	14	26	32	90
B. *Operated*	112	14.0	162	2	2	10	19	28	42	61
1. SINGLE DX	79	8.4	41	1	2	7	11	17	23	28
2. MULTIPLE DX	299	12.7	144	2	3	9	16	27	32	76
A. NOT OPERATED	210	11.3	123	2	3	8	14	24	31	89
B. OPERATED	168	12.3	128	2	2	9	16	25	29	60
TOTAL 65-69 YRS	163	10.7	90	2	2	8	14	21	30	58
70-74	97	12.6	161	2	2	9	15	26	31	75
75-79	52	11.6	109	2	3	8	14	24	30	58
80-84	38	12.9	79	3	4	9	19	27	30	36
85+	28	13.7	309	2	3	8	17	36	90	99+
GRAND TOTAL	**378**	**11.8**	**126**	**2**	**3**	**8**	**15**	**25**	**31**	**62**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	11.5	13	9	9	11	14	14	14	14
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	7.8	28	4	4	6	9	17	17	17
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	9.3	31	2	4	7	13	15	20	26
70-74	19	11.9	160	2	2	9	16	23	41	56
75-79	12	10.6	36	4	4	9	14	20	22	22
80-84	8	14.6	427	3	4	7	12	50	65	65
85+	7	13.3	249	3	3	8	13	41	48	48
B. *Operated*										
65-69 YRS	11	14.4	55	3	4	17	18	24	26	26
70-74	7	8.7	50	2	2	8	10	20	23	23
75-79	6	9.3	17	4	4	10	11	15	15	15
80-84	3	38.7	716	9	9	53	80	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.0	43	<1	<1	9	13	14	14	14
B. *Operated*	8	7.0	20	2	3	6	8	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	67	11.3	130	3	3	8	13	21	29	63
B. *Operated*	27	14.5	173	3	4	11	18	40	65	99+
1. SINGLE DX	11	7.3	23	<1	1	7	9	15	17	17
2. MULTIPLE DX	94	12.2	143	3	3	10	15	23	47	84
A. NOT OPERATED	70	11.2	126	2	3	8	13	20	26	63
B. OPERATED	35	12.8	147	2	4	10	17	26	56	99+
TOTAL 65-69 YRS	39	10.6	40	3	4	10	15	18	24	26
70-74	28	10.6	124	1	2	7	14	23	26	56
75-79	20	9.7	29	3	4	9	12	18	20	22
80-84	11	21.2	568	3	4	10	53	75	96	99+
85+	7	13.3	249	3	3	8	13	41	48	48
GRAND TOTAL	**105**	**11.7**	**132**	**2**	**3**	**9**	**14**	**22**	**46**	**80**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	128	6.4	54	1	2	4	7	14	23	61
70-74	82	6.7	68	1	2	4	7	11	21	47
75-79	52	5.7	16	1	2	5	7	11	14	21
80-84	33	8.6	87	1	3	6	8	23	28	47
85+	17	9.1	61	2	2	7	12	23	27	28
B. *Operated*										
65-69 YRS	527	7.4	85	1	2	4	9	18	25	57
70-74	392	7.3	78	1	2	4	9	17	25	45
75-79	255	7.5	81	1	2	4	9	15	24	50
80-84	164	7.4	91	1	2	4	9	14	27	50
85+	108	6.5	58	1	2	4	7	13	19	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	311	11.4	145	2	2	7	14	27	34	71
70-74	221	10.5	130	1	2	7	13	23	33	49
75-79	171	9.1	68	1	2	6	12	19	25	38
80-84	94	11.1	79	2	3	8	16	24	33	75
85+	80	11.3	133	2	3	8	13	22	36	95
B. *Operated*										
65-69 YRS	817	13.5	223	2	2	9	17	32	45	95
70-74	605	14.5	239	2	2	9	19	36	50	86
75-79	383	13.4	232	2	2	8	16	33	47	92
80-84	220	12.9	181	2	2	8	16	29	42	69
85+	167	12.4	175	2	2	8	15	31	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	6.8	56	1	2	4	8	13	22	48
B. *Operated*	1446	7.3	81	1	2	4	9	16	25	50
2. MULTIPLE DX										
A. *Not Operated*	877	10.7	118	1	2	7	14	23	32	52
B. *Operated*	2192	13.6	221	2	2	9	17	32	47	89
1. SINGLE DX	1758	7.2	76	1	2	4	9	16	25	49
2. MULTIPLE DX	3069	12.8	193	2	2	8	16	30	43	83
A. NOT OPERATED	1189	9.6	105	1	2	6	12	22	31	51
B. OPERATED	3638	11.1	175	2	2	6	14	27	38	79
TOTAL 65-69 YRS	1783	10.8	164	1	2	6	14	27	37	84
70-74	1300	11.2	172	1	2	7	14	26	39	76
75-79	861	10.3	150	2	2	6	13	23	34	65
80-84	511	10.5	133	2	2	7	13	24	34	66
85+	372	10.3	133	2	2	7	12	24	35	67
GRAND TOTAL	**4827**	**10.8**	**158**	**2**	**2**	**6**	**13**	**25**	**37**	**75**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	7.4	42	2	2	6	9	15	21	36
70-74	45	10.0	122	1	2	5	10	31	36	42
75-79	31	9.6	128	1	1	5	9	30	32	43
80-84	16	10.8	98	3	3	8	13	27	36	39
85+	17	9.1	81	<1	1	7	11	25	30	32
B. *Operated*										
65-69 YRS	148	14.0	197	2	2	10	20	28	42	70
70-74	110	16.3	229	2	3	12	25	34	50	71
75-79	77	11.6	183	2	2	8	13	23	36	76
80-84	37	15.9	212	1	3	12	20	39	50	63
85+	22	15.8	226	4	5	11	20	31	54	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	203	10.8	86	2	3	8	14	23	31	45
70-74	133	10.9	97	2	2	8	13	25	36	60
75-79	114	12.5	167	1	2	9	16	29	42	78
80-84	70	9.0	55	2	3	7	11	16	19	40
85+	37	12.1	82	2	3	11	15	24	32	43
B. *Operated*										
65-69 YRS	304	19.2	249	3	5	15	24	42	54	75
70-74	251	20.0	302	3	4	16	27	47	65	99+
75-79	159	20.2	285	2	4	17	26	40	51	98
80-84	111	20.1	270	3	4	15	27	43	59	88
85+	43	18.1	114	3	5	17	24	33	37	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	8.9	86	1	2	6	10	27	31	41
B. *Operated*	394	14.5	207	2	2	10	20	29	44	73
2. MULTIPLE DX										
A. *Not Operated*	557	11.0	101	2	3	8	14	25	35	53
B. *Operated*	868	19.7	266	3	4	16	26	42	57	95
1. SINGLE DX	570	12.8	176	2	2	8	17	29	38	67
2. MULTIPLE DX	1425	16.3	219	2	3	12	22	36	48	84
A. NOT OPERATED	733	10.5	98	2	2	7	13	25	34	48
B. OPERATED	1262	18.0	253	2	3	14	24	39	54	84
TOTAL 65-69 YRS	722	14.7	191	2	3	10	19	32	44	73
70-74	539	16.2	237	2	3	11	22	37	53	94
75-79	381	15.3	232	2	2	11	21	35	44	91
80-84	234	15.5	208	3	3	11	20	36	46	73
85+	119	14.5	128	2	3	12	20	27	36	56
GRAND TOTAL	**1995**	**15.3**	**209**	**2**	**3**	**11**	**20**	**35**	**45**	**77**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	6.9	64	1	2	4	9	12	16	54
70-74	66	8.9	88	1	1	6	13	17	25	51
75-79	67	7.7	68	1	1	5	9	16	28	41
80-84	45	7.6	34	1	2	6	10	16	19	26
85+	40	10.6	114	2	2	6	14	26	38	43
B. *Operated*										
65-69 YRS	144	17.3	104	4	7	15	21	29	35	58
70-74	155	17.2	96	3	6	16	22	33	38	47
75-79	118	15.8	97	2	5	15	20	27	37	70
80-84	78	19.6	148	3	5	19	26	33	40	63
85+	60	18.6	123	2	5	16	26	33	39	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	287	9.5	89	1	2	7	12	19	27	48
70-74	312	10.8	86	2	3	8	14	22	31	47
75-79	266	10.7	93	2	3	8	14	24	32	47
80-84	203	11.3	95	3	3	8	14	23	29	51
85+	184	10.7	65	2	3	9	14	22	30	37
B. *Operated*										
65-69 YRS	648	21.6	192	5	8	18	28	39	50	80
70-74	636	21.9	195	5	8	19	27	40	51	84
75-79	572	22.9	210	6	9	20	28	40	57	81
80-84	365	23.2	223	7	8	20	29	44	51	82
85+	260	24.6	248	6	8	21	33	47	59	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	8.2	73	1	1	5	11	17	24	44
B. *Operated*	555	17.4	109	3	6	16	22	32	38	57
2. MULTIPLE DX										
A. *Not Operated*	1252	10.6	87	2	3	8	13	22	30	47
B. *Operated*	2481	22.5	208	6	8	19	28	41	52	82
1. SINGLE DX	836	14.3	116	1	2	12	20	29	36	54
2. MULTIPLE DX	3733	18.5	199	3	4	15	24	37	48	74
A. NOT OPERATED	1533	10.1	85	2	2	7	13	21	29	47
B. OPERATED	3036	21.6	194	5	8	18	27	39	50	79
TOTAL 65-69 YRS	1142	17.2	179	2	4	15	23	33	44	70
70-74	1169	17.6	173	3	4	15	23	35	44	66
75-79	1023	17.9	192	2	4	15	24	35	44	75
80-84	691	18.3	199	3	4	15	24	37	48	69
85+	544	18.2	205	3	4	15	25	38	49	72
GRAND TOTAL	**4569**	**17.7**	**187**	**3**	**4**	**15**	**24**	**35**	**45**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.7	8	3	3	4	4	9	12	12
70-74	6	5.7	2	3	3	6	6	7	7	7
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	11	12.9	6	10	10	13	15	16	16	16
70-74	10	17.0	46	7	8	17	23	25	27	27
75-79	5	18.2	107	9	9	15	21	36	36	36
80-84	5	14.0	94	2	2	17	21	25	25	25
85+	3	21.0	97	13	13	18	28	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	8.1	39	2	3	6	11	15	20	30
70-74	33	9.8	80	1	1	7	12	20	34	38
75-79	13	10.8	139	2	4	7	10	23	43	48
80-84	9	8.4	31	2	2	11	12	16	17	17
85+	5	14.0	81	5	5	15	19	27	27	27
B. *Operated*										
65-69 YRS	86	21.0	212	5	8	17	26	41	50	78
70-74	83	21.9	172	8	10	18	27	36	49	74
75-79	44	21.7	191	10	10	18	27	48	76	99+
80-84	44	23.8	141	8	11	22	32	38	47	57
85+	21	22.0	58	12	14	21	27	34	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.2	5	3	3	4	6	8	10	12
B. *Operated*	34	15.8	52	6	9	15	18	25	31	36
2. MULTIPLE DX										
A. *Not Operated*	89	9.5	69	2	2	7	12	18	27	44
B. *Operated*	278	21.9	173	8	10	19	27	39	51	82
1. SINGLE DX	53	12.0	61	3	4	11	16	23	27	36
2. MULTIPLE DX	367	18.9	175	4	5	16	25	36	46	77
A. NOT OPERATED	108	8.8	60	2	3	6	11	17	23	42
B. OPERATED	312	21.2	163	8	10	18	27	37	48	81
TOTAL 65-69 YRS	135	16.5	182	3	4	13	21	33	43	70
70-74	132	17.8	164	3	5	15	23	32	44	68
75-79	64	18.8	188	5	7	16	22	43	68	99+
80-84	59	20.3	154	3	4	17	27	36	42	57
85+	30	20.0	75	5	8	19	26	32	35	39
GRAND TOTAL	**420**	**18.0**	**166**	**3**	**4**	**15**	**23**	**35**	**45**	**73**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	158	7.4	57	1	1	5	8	16	22	39
70-74	148	7.5	49	1	1	5	10	16	23	29
75-79	99	7.6	44	1	2	5	11	18	22	29
80-84	77	8.3	52	1	2	5	11	19	26	29
85+	58	7.8	48	1	2	5	9	16	25	29
B. *Operated*										
65-69 YRS	929	15.0	68	3	8	14	18	23	27	45
70-74	859	15.6	71	6	9	14	18	24	29	47
75-79	729	16.6	78	5	9	15	20	27	33	50
80-84	439	17.6	95	5	10	16	21	28	34	52
85+	302	19.7	105	9	10	17	23	33	40	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	885	9.9	93	2	3	7	13	21	28	48
70-74	971	10.1	92	2	3	7	13	21	29	49
75-79	796	10.8	113	2	3	8	14	23	32	58
80-84	546	11.3	105	2	3	8	14	24	30	52
85+	491	10.9	94	2	3	8	14	22	31	50
B. *Operated*										
65-69 YRS	3111	19.6	134	7	10	17	24	34	43	66
70-74	3214	20.1	133	8	10	17	24	34	43	68
75-79	3004	21.6	147	9	11	19	26	37	45	73
80-84	2032	22.7	146	9	11	20	27	40	48	68
85+	1401	23.9	150	10	12	21	29	41	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	7.6	50	1	1	5	10	17	24	32
B. *Operated*	3258	16.3	80	5	9	15	19	26	32	49
2. MULTIPLE DX										
A. *Not Operated*	3689	10.5	99	2	3	7	13	22	30	51
B. *Operated*	12762	21.2	143	8	10	18	26	36	45	70
1. SINGLE DX	3798	15.1	85	2	4	14	18	25	31	48
2. MULTIPLE DX	16451	18.8	153	4	5	16	24	34	43	67
A. NOT OPERATED	4229	10.1	94	2	3	7	13	22	29	49
B. OPERATED	16020	20.2	134	8	10	17	24	34	43	68
TOTAL 65-69 YRS	5083	16.7	129	3	5	15	21	30	38	63
70-74	5192	17.1	130	3	5	15	21	31	39	61
75-79	4628	18.7	147	4	6	16	23	33	42	68
80-84	3094	19.6	151	4	6	17	25	35	44	65
85+	2252	20.1	161	3	6	18	26	36	44	68
GRAND TOTAL	**20249**	**18.1**	**142**	**3**	**5**	**16**	**23**	**33**	**41**	**64**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	7.6	43	2	2	6	9	16	24	30
70-74	85	7.4	77	2	2	5	7	14	23	54
75-79	61	10.6	242	1	1	5	10	25	46	88
80-84	62	10.4	140	1	2	5	11	31	38	48
85+	63	10.2	111	1	1	7	12	28	31	51
B. *Operated*										
65-69 YRS	680	15.4	83	2	4	15	19	26	32	46
70-74	624	16.4	100	2	4	15	21	27	33	52
75-79	451	16.2	100	2	3	15	22	29	33	48
80-84	311	16.4	132	2	4	15	21	30	42	53
85+	218	14.3	133	2	3	12	20	27	34	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	494	11.1	145	2	3	7	13	25	35	58
70-74	485	10.8	106	2	3	8	14	22	33	72
75-79	362	11.3	145	2	3	7	13	23	42	63
80-84	289	11.2	108	2	2	8	15	23	32	57
85+	258	11.7	88	2	3	9	16	24	35	57
B. *Operated*										
65-69 YRS	1610	20.4	157	4	7	18	26	35	45	70
70-74	1590	21.5	170	5	8	19	27	37	47	74
75-79	1392	22.1	187	5	7	19	29	40	50	75
80-84	884	22.8	204	5	8	20	29	41	54	75
85+	594	22.8	206	5	7	20	30	43	53	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	8.9	111	1	2	5	10	22	31	53
B. *Operated*	2284	15.9	103	2	4	15	21	28	33	50
2. MULTIPLE DX										
A. *Not Operated*	1888	11.2	121	2	3	8	14	23	35	62
B. *Operated*	6070	21.6	180	5	7	19	27	38	49	74
1. SINGLE DX	2662	14.9	110	2	3	14	20	28	33	50
2. MULTIPLE DX	7958	19.2	186	3	4	17	25	37	46	73
A. NOT OPERATED	2266	10.8	120	2	3	7	14	23	34	60
B. OPERATED	8354	20.1	165	4	6	18	26	36	45	69
TOTAL 65-69 YRS	2891	17.2	149	3	4	15	22	32	40	64
70-74	2784	18.1	160	3	4	16	24	34	43	67
75-79	2266	18.9	183	3	4	16	25	36	46	69
80-84	1546	18.8	193	3	4	16	25	37	48	69
85+	1133	17.9	187	3	4	15	24	36	45	69
GRAND TOTAL	**10620**	**18.1**	**170**	**3**	**4**	**16**	**24**	**34**	**44**	**68**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	8.9	83	<1	1	6	10	20	33	43
70-74	47	7.8	57	1	1	5	11	17	20	41
75-79	37	8.8	36	1	2	7	14	18	20	22
80-84	26	13.7	166	2	3	9	19	32	45	54
85+	15	10.7	98	1	2	8	15	29	33	35
B. *Operated*										
65-69 YRS	122	16.8	90	3	7	17	21	27	33	74
70-74	78	16.3	160	3	4	13	22	29	39	76
75-79	79	17.8	169	3	4	15	24	35	46	94
80-84	43	16.1	71	3	7	15	22	26	33	36
85+	25	17.3	180	2	3	15	19	40	47	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	11.3	131	2	3	8	13	24	35	56
70-74	230	10.2	99	2	2	7	13	20	27	52
75-79	194	12.0	126	2	3	8	16	30	38	87
80-84	111	14.4	237	2	3	10	18	28	36	94
85+	99	12.6	164	3	3	9	14	23	32	80
B. *Operated*										
65-69 YRS	367	22.7	245	6	8	18	30	42	58	77
70-74	391	22.2	197	7	9	19	27	42	51	78
75-79	353	21.2	172	5	9	18	26	39	48	76
80-84	194	22.7	150	9	11	20	28	38	45	77
85+	147	20.5	124	7	9	18	25	39	46	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	9.4	81	1	1	7	12	19	30	44
B. *Operated*	347	16.9	127	3	6	15	22	29	40	80
2. MULTIPLE DX										
A. *Not Operated*	861	11.7	140	2	3	8	14	24	34	70
B. *Operated*	1452	22.0	189	7	9	19	28	40	50	77
1. SINGLE DX	532	14.3	123	2	3	12	19	27	36	61
2. MULTIPLE DX	2313	18.2	195	3	5	15	24	36	46	76
A. NOT OPERATED	1046	11.3	130	2	3	8	14	23	33	62
B. OPERATED	1799	21.0	181	6	8	18	26	38	48	77
TOTAL 65-69 YRS	776	17.4	204	2	4	14	22	34	44	69
70-74	746	17.0	187	2	4	14	22	36	44	69
75-79	663	17.4	170	3	5	14	23	35	46	77
80-84	374	18.9	183	4	5	16	25	35	42	83
85+	286	17.0	155	3	5	14	22	32	41	62
GRAND TOTAL	**2845**	**17.4**	**184**	**3**	**4**	**14**	**23**	**35**	**44**	**74**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	8.6	62	1	2	6	11	17	23	43
70-74	91	10.5	101	2	2	7	14	22	32	51
75-79	73	9.5	49	1	3	7	13	20	24	32
80-84	33	9.5	91	2	3	7	10	20	36	44
85+	30	12.1	54	4	5	10	16	22	26	36
B. *Operated*										
65-69 YRS	119	20.2	175	3	7	18	26	35	47	71
70-74	120	21.4	167	6	8	19	26	35	46	71
75-79	96	20.5	145	8	10	18	24	32	44	71
80-84	50	21.5	148	4	6	19	28	34	51	53
85+	19	23.4	163	3	8	23	33	47	77	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	393	11.3	147	2	3	8	14	23	33	69
70-74	307	11.8	123	2	3	9	15	24	38	64
75-79	252	12.1	108	2	3	9	16	25	32	49
80-84	162	12.3	98	2	4	10	15	24	30	60
85+	136	10.6	63	3	3	8	14	21	25	43
B. *Operated*										
65-69 YRS	656	22.0	158	7	9	20	27	38	47	75
70-74	581	22.4	145	8	10	20	28	39	45	70
75-79	480	23.4	167	9	11	21	28	40	47	73
80-84	266	23.6	141	9	11	21	29	41	49	59
85+	182	25.0	185	10	12	22	30	44	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	9.8	72	2	2	7	13	20	26	43
B. *Operated*	404	20.9	160	4	9	18	26	35	49	71
2. MULTIPLE DX										
A. *Not Operated*	1250	11.6	118	2	3	8	15	24	33	62
B. *Operated*	2165	22.9	157	8	10	20	28	39	48	67
1. SINGLE DX	727	16.0	152	2	3	14	22	30	40	61
2. MULTIPLE DX	3415	18.8	172	3	5	16	24	36	44	66
A. NOT OPERATED	1573	11.3	109	2	3	8	14	23	31	54
B. OPERATED	2569	22.6	158	8	10	20	28	39	48	70
TOTAL 65-69 YRS	1264	17.5	178	3	4	15	24	33	43	68
70-74	1099	18.4	164	3	5	16	24	35	44	66
75-79	901	18.8	170	3	5	17	24	36	43	69
80-84	511	18.9	156	4	5	17	25	36	44	58
85+	367	18.5	176	4	5	16	24	36	47	62
GRAND TOTAL	**4142**	**18.3**	**170**	**3**	**4**	**16**	**24**	**35**	**44**	**66**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	688	7.8	60	1	1	5	10	16	23	40
70-74	471	8.4	72	1	1	6	11	17	24	42
75-79	306	8.6	70	1	2	6	12	19	27	45
80-84	127	8.6	91	1	2	6	10	16	23	49
85+	54	10.8	94	2	2	7	15	24	34	45
B. *Operated*										
65-69 YRS	1531	12.9	96	2	3	11	17	25	31	50
70-74	1166	12.6	90	2	2	11	17	24	30	42
75-79	715	12.3	102	2	2	10	17	25	31	51
80-84	268	12.6	104	2	2	10	17	26	34	53
85+	93	10.3	49	2	2	9	14	21	24	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3283	10.5	87	1	2	8	14	22	30	48
70-74	2573	10.8	97	2	2	8	14	23	29	50
75-79	1752	11.8	103	2	3	9	15	25	31	51
80-84	775	12.1	114	2	3	9	15	23	32	55
85+	434	12.4	102	2	3	10	16	24	33	57
B. *Operated*										
65-69 YRS	4527	16.6	143	3	4	14	22	32	40	63
70-74	3452	16.7	155	3	4	14	22	32	42	62
75-79	2116	17.1	163	3	4	14	22	34	43	66
80-84	790	17.1	126	3	5	15	23	32	39	52
85+	283	16.6	128	3	5	14	23	32	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1646	8.3	69	1	1	6	11	17	24	42
B. *Operated*	3773	12.6	95	2	3	11	17	24	30	49
2. MULTIPLE DX										
A. *Not Operated*	8817	11.1	97	2	2	8	14	23	30	50
B. *Operated*	11168	16.8	149	3	4	14	22	32	41	62
1. SINGLE DX	5419	11.3	91	1	2	9	15	23	29	47
2. MULTIPLE DX	19985	14.2	134	2	3	11	19	29	37	58
A. NOT OPERATED	10463	10.6	94	1	2	8	14	22	30	49
B. OPERATED	14941	15.7	139	2	4	13	21	30	39	59
TOTAL 65-69 YRS	10029	13.4	122	2	3	11	18	27	35	57
70-74	7662	13.6	129	2	3	11	18	28	36	57
75-79	4889	14.0	135	2	3	11	18	29	37	58
80-84	1960	13.9	123	2	3	11	19	28	36	54
85+	864	13.5	109	2	3	11	18	27	34	51
GRAND TOTAL	**25404**	**13.6**	**126**	**2**	**3**	**11**	**18**	**28**	**36**	**57**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	7.2	78	1	1	4	8	17	30	44
70-74	58	4.9	33	1	1	3	6	10	21	27
75-79	34	7.2	77	1	2	4	10	19	22	44
80-84	12	3.7	18	1	1	2	4	9	15	16
85+	5	12.8	218	4	4	7	16	39	39	39
B. *Operated*										
65-69 YRS	497	7.9	96	1	1	3	12	21	27	50
70-74	363	7.4	78	1	2	3	11	18	28	45
75-79	214	7.7	83	1	1	3	12	20	27	45
80-84	89	8.1	136	1	1	3	8	25	36	58
85+	48	5.6	35	1	1	3	7	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	156	10.0	121	1	2	7	13	18	28	67
70-74	143	10.7	146	1	2	7	13	23	34	75
75-79	88	9.6	79	2	3	6	13	22	32	39
80-84	49	15.8	294	3	4	8	18	40	55	81
85+	32	12.7	158	2	2	8	17	35	42	51
B. *Operated*										
65-69 YRS	472	15.4	210	1	2	12	21	33	45	72
70-74	406	14.9	238	2	2	11	20	34	49	94
75-79	227	15.3	265	2	2	10	21	39	49	93
80-84	128	13.5	161	2	2	10	19	31	48	99+
85+	61	13.7	246	1	2	10	18	30	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.4	64	1	1	4	7	16	24	42
B. *Operated*	1211	7.6	89	1	1	3	11	19	27	46
2. MULTIPLE DX										
A. *Not Operated*	468	10.9	143	2	2	7	13	23	35	67
B. *Operated*	1294	15.0	225	2	2	11	20	34	48	90
1. SINGLE DX	1397	7.5	86	1	1	3	11	19	27	46
2. MULTIPLE DX	1762	13.9	207	2	2	10	18	32	44	85
A. NOT OPERATED	654	9.7	125	1	2	6	11	21	32	55
B. OPERATED	2505	11.4	173	1	2	7	16	28	39	74
TOTAL 65-69 YRS	1202	11.1	155	1	2	7	16	26	35	63
70-74	970	10.9	166	1	2	6	14	27	38	78
75-79	563	11.0	168	1	2	6	16	29	39	76
80-84	278	11.8	180	1	2	7	16	29	43	76
85+	146	10.8	166	1	2	6	16	24	39	90
GRAND TOTAL	**3159**	**11.1**	**163**	**1**	**2**	**6**	**16**	**27**	**38**	**70**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	7.6	58	<1	1	5	7	24	25	27
70-74	34	5.2	14	1	1	5	6	12	14	16
75-79	40	8.3	141	1	1	3	8	28	38	47
80-84	9	19.2	226	3	4	16	37	40	40	40
85+	17	6.7	25	1	2	5	9	15	19	20
B. *Operated*										
65-69 YRS	138	8.9	87	1	2	5	12	21	31	42
70-74	167	10.6	134	1	2	6	15	22	29	55
75-79	137	8.7	76	2	2	6	11	18	25	51
80-84	79	10.8	135	1	2	6	15	23	31	64
85+	62	8.2	96	1	2	5	9	17	36	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	118	8.5	72	1	2	6	12	17	27	69
70-74	133	9.4	86	2	3	6	12	18	24	48
75-79	91	12.2	122	2	2	9	16	32	34	52
80-84	46	14.0	140	2	3	9	21	33	37	44
85+	40	11.0	124	2	2	7	14	30	39	43
B. *Operated*										
65-69 YRS	188	17.5	253	2	3	13	23	40	53	76
70-74	190	16.5	230	2	3	13	24	32	42	79
75-79	176	16.0	224	2	3	12	20	36	47	67
80-84	122	18.4	285	2	3	13	26	40	52	73
85+	90	15.9	148	2	3	13	22	33	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	7.9	89	1	1	5	8	20	32	42
B. *Operated*	583	9.5	105	1	2	6	13	21	29	54
2. MULTIPLE DX										
A. *Not Operated*	428	10.4	101	2	2	7	13	24	33	48
B. *Operated*	766	16.9	233	2	3	13	23	36	48	71
1. SINGLE DX	708	9.2	103	1	2	5	12	21	29	51
2. MULTIPLE DX	1194	14.5	195	2	3	10	20	32	41	68
A. NOT OPERATED	553	9.8	99	1	2	6	12	23	33	46
B. OPERATED	1349	13.7	191	2	2	9	18	31	41	67
TOTAL 65-69 YRS	469	12.2	166	1	2	7	16	29	41	70
70-74	524	12.1	161	2	2	8	16	26	32	68
75-79	444	12.3	160	1	2	8	16	27	38	62
80-84	256	15.3	220	2	2	11	21	36	43	67
85+	209	11.9	130	2	2	8	16	30	38	45
GRAND TOTAL	**1902**	**12.6**	**167**	**2**	**2**	**8**	**17**	**29**	**38**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	6.6	43	2	2	5	8	14	19	35
70-74	30	8.0	40	2	3	6	12	14	19	32
75-79	21	5.1	6	2	2	5	7	8	10	11
80-84	10	8.0	22	<1	2	6	12	14	16	16
85+	4	7.3	57	2	2	5	12	18	18	18
B. *Operated*										
65-69 YRS	217	8.3	47	1	2	7	11	16	19	38
70-74	173	7.4	42	1	2	5	11	16	20	25
75-79	115	7.8	80	2	2	5	10	18	23	45
80-84	78	6.6	42	1	2	5	8	12	23	33
85+	49	6.6	34	2	2	5	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	97	8.6	78	1	2	6	9	18	28	50
70-74	66	7.9	72	2	2	5	7	19	29	45
75-79	58	9.0	103	1	2	6	9	18	35	53
80-84	36	13.2	134	4	4	8	16	33	43	44
85+	28	11.6	149	3	4	8	12	25	32	64
B. *Operated*										
65-69 YRS	189	10.2	65	2	3	8	13	19	29	41
70-74	169	10.8	71	2	2	8	15	22	27	40
75-79	122	13.5	206	2	2	9	15	33	45	72
80-84	89	11.0	90	2	2	8	17	25	30	41
85+	72	11.6	92	2	3	8	17	25	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	6.9	33	2	2	5	8	14	16	33
B. *Operated*	632	7.6	50	1	2	6	10	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	285	9.4	97	2	3	6	10	21	30	52
B. *Operated*	641	11.3	101	2	2	8	15	24	31	45
1. SINGLE DX	741	7.5	48	1	2	5	10	16	20	33
2. MULTIPLE DX	926	10.7	100	2	3	8	14	23	31	47
A. NOT OPERATED	394	8.7	81	2	2	6	9	18	29	46
B. OPERATED	1273	9.5	79	2	2	7	12	20	26	44
TOTAL 65-69 YRS	547	8.9	59	2	2	7	11	18	24	39
70-74	438	8.8	59	2	2	6	12	18	23	38
75-79	316	10.1	136	2	2	6	12	23	34	57
80-84	213	9.6	82	2	2	6	12	24	30	42
85+	153	9.9	87	2	2	7	13	23	28	49
GRAND TOTAL	**1667**	**9.3**	**79**	**2**	**2**	**6**	**12**	**19**	**27**	**44**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	4.3	16	1	1	3	5	10	14	16
70-74	35	4.6	15	1	1	4	7	8	10	21
75-79	26	4.7	21	<1	1	4	4	14	16	19
80-84	20	9.9	112	2	2	7	11	23	35	45
85+	28	6.9	45	1	2	4	10	18	24	25
B. *Operated*										
65-69 YRS	712	3.6	21	<1	1	2	4	7	10	23
70-74	706	3.7	23	<1	1	2	4	8	12	22
75-79	602	3.9	15	<1	1	3	4	9	12	18
80-84	459	4.3	17	1	1	3	5	9	12	22
85+	464	4.4	18	1	1	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	5.6	25	1	1	4	8	11	19	20
70-74	55	11.2	218	1	1	7	13	24	40	84
75-79	64	8.4	53	1	1	7	12	16	24	35
80-84	56	11.8	156	2	3	8	15	28	44	98
85+	72	11.9	177	2	3	7	14	29	36	76
B. *Operated*										
65-69 YRS	754	6.2	59	1	2	3	7	15	21	46
70-74	794	7.0	73	1	2	4	9	16	22	50
75-79	752	7.3	65	1	2	4	9	16	24	48
80-84	609	7.5	80	1	2	4	9	16	25	49
85+	641	7.7	67	1	2	5	10	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	5.8	40	1	1	4	7	12	20	28
B. *Operated*	2943	3.9	19	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	289	10.1	135	1	2	7	12	21	34	80
B. *Operated*	3550	7.1	69	1	2	4	9	16	23	47
1. SINGLE DX	3077	4.0	20	<1	1	2	4	9	12	23
2. MULTIPLE DX	3839	7.3	74	1	2	4	9	16	24	48
A. NOT OPERATED	423	8.7	108	1	1	6	11	19	27	64
B. OPERATED	6493	5.7	49	1	1	3	7	13	18	38
TOTAL 65-69 YRS	1533	4.9	41	1	1	3	5	11	17	37
70-74	1590	5.6	58	<1	1	3	6	13	18	44
75-79	1444	5.9	46	1	1	3	7	13	19	37
80-84	1144	6.5	63	1	2	4	8	14	21	45
85+	1205	6.6	58	1	2	4	8	15	22	39
GRAND TOTAL	**6916**	**5.8**	**53**	**1**	**1**	**3**	**7**	**13**	**19**	**40**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	139	7.2	43	1	2	5	9	16	22	32
70-74	113	9.5	80	2	3	7	11	21	29	45
75-79	77	10.9	101	1	3	9	13	21	32	54
80-84	46	6.6	31	1	1	6	10	17	31	99+
85+	29	10.9	125	1	3	7	15	19	27	60
B. *Operated*										
65-69 YRS	1835	8.9	22	3	4	8	11	14	16	26
70-74	1495	9.2	23	3	4	9	11	14	17	26
75-79	1112	9.3	24	3	4	9	11	15	17	26
80-84	681	9.3	26	3	4	9	11	14	18	29
85+	507	9.0	35	2	3	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1055	11.2	121	1	2	8	14	25	34	52
70-74	906	12.1	140	2	2	8	15	27	36	58
75-79	690	12.1	117	2	3	9	16	26	34	54
80-84	391	13.0	158	2	3	9	16	27	40	82
85+	302	13.2	149	2	3	10	16	26	37	66
B. *Operated*										
65-69 YRS	2791	12.3	74	4	5	10	14	21	29	51
70-74	2508	12.6	84	4	5	10	15	22	29	55
75-79	1900	12.8	82	4	5	11	16	23	30	57
80-84	1233	12.9	88	4	5	11	15	23	32	54
85+	858	13.1	113	3	5	10	15	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	8.8	71	1	2	6	11	18	26	58
B. *Operated*	5630	9.1	24	3	4	8	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	3344	12.0	132	2	2	9	15	26	35	57
B. *Operated*	9290	12.6	84	4	5	10	15	22	30	55
1. SINGLE DX	6034	9.1	27	2	4	8	11	14	17	29
2. MULTIPLE DX	12634	12.5	97	3	4	10	15	23	32	56
A. NOT OPERATED	3748	11.7	127	2	2	8	15	25	34	58
B. OPERATED	14920	11.3	64	3	5	9	13	19	26	46
TOTAL 65-69 YRS	5820	10.9	68	2	4	9	13	19	26	45
70-74	5022	11.4	78	3	4	9	13	20	28	51
75-79	3779	11.6	74	3	4	10	14	21	28	49
80-84	2351	11.8	83	3	4	10	14	21	29	54
85+	1696	11.8	100	3	4	10	14	21	30	59
GRAND TOTAL	**18668**	**11.4**	**77**	**3**	**4**	**9**	**13**	**20**	**28**	**51**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	174	4.7	19	1	2	4	5	8	11	29
70-74	130	5.2	29	2	3	4	5	8	11	29
75-79	95	6.2	100	[illegible]	2	4	6	9	19	67
80-84	49	6.4	46	[illegible]	1	5	6	12	25	32
85+	35	7.9	61	2	3	5	9	17	24	40
B. *Operated*										
65-69 YRS	229	6.1	25	2	2	5	8	11	16	29
70-74	164	6.6	49	1	2	4	8	13	18	40
75-79	91	6.7	41	2	2	4	8	13	20	36
80-84	59	8.1	74	2	2	6	8	15	25	47
85+	41	10.3	151	2	3	7	10	20	45	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	201	7.3	47	1	2	5	9	17	24	34
70-74	181	10.1	103	2	3	6	13	21	28	52
75-79	149	11.7	124	2	3	8	15	27	38	47
80-84	77	9.2	113	1	2	6	11	18	35	56
85+	88	10.8	154	2	2	7	11	24	37	70
B. *Operated*										
65-69 YRS	359	12.3	143	2	3	8	15	26	36	68
70-74	253	12.1	154	2	3	8	14	25	33	61
75-79	145	13.4	166	2	3	10	17	29	39	69
80-84	94	16.1	232	3	4	11	22	42	58	99+
85+	68	12.7	117	2	3	9	19	31	39	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	5.5	44	1	2	4	5	9	13	38
B. *Operated*	584	6.8	49	2	2	5	8	12	19	44
2. MULTIPLE DX										
A. *Not Operated*	696	9.6	101	2	2	6	12	22	28	52
B. *Operated*	919	12.8	158	2	3	9	16	29	38	70
1. SINGLE DX	1067	6.3	47	2	2	4	7	11	17	41
2. MULTIPLE DX	1615	11.4	136	2	2	8	15	25	36	66
A. NOT OPERATED	1179	8.0	82	2	2	5	9	17	25	47
B. OPERATED	1503	10.5	124	2	2	7	12	23	33	62
TOTAL 65-69 YRS	963	8.4	82	2	2	5	10	19	26	56
70-74	728	9.1	103	2	2	6	10	20	27	54
75-79	480	10.2	125	2	2	6	12	23	32	50
80-84	279	10.8	147	2	2	6	13	28	41	72
85+	232	10.8	129	2	3	7	12	25	38	63
GRAND TOTAL	**2682**	**9.4**	**107**	**2**	**2**	**6**	**11**	**21**	**30**	**58**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	208	4.6	13	1	2	4	5	8	10	21
70-74	160	4.9	24	1	2	4	5	7	12	29
75-79	83	5.0	11	2	2	4	6	9	11	21
80-84	52	7.2	48	2	3	5	8	16	25	36
85+	31	7.5	64	1	3	5	8	13	20	45
B. *Operated*										
65-69 YRS	776	7.1	29	1	2	7	9	13	16	28
70-74	541	7.5	36	1	2	7	10	13	16	29
75-79	363	7.7	39	2	2	7	10	14	17	30
80-84	158	8.8	46	2	2	8	11	14	19	31
85+	89	8.7	73	2	2	7	10	16	27	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	316	8.2	76	1	2	5	10	18	26	42
70-74	279	9.6	102	2	2	5	12	25	30	50
75-79	172	8.3	72	1	2	5	10	18	27	49
80-84	121	11.0	116	2	3	7	14	28	36	70
85+	69	13.4	217	2	3	9	18	23	45	82
B. *Operated*										
65-69 YRS	1389	10.2	71	2	2	8	12	18	24	45
70-74	1012	11.2	82	2	2	9	13	21	28	49
75-79	705	12.1	109	2	3	10	15	23	31	59
80-84	322	13.4	121	2	3	10	18	25	34	62
85+	173	14.0	130	2	3	11	18	29	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	5.2	23	1	2	4	5	9	13	27
B. *Operated*	1927	7.5	36	1	2	7	10	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	957	9.4	100	1	2	5	11	21	30	51
B. *Operated*	3601	11.3	90	2	2	9	13	21	29	51
1. SINGLE DX	2461	7.0	34	1	2	6	9	13	16	30
2. MULTIPLE DX	4558	10.9	93	2	2	9	13	21	29	51
A. NOT OPERATED	1491	7.8	76	1	2	5	9	18	26	45
B. OPERATED	5528	10.0	75	2	2	8	12	19	25	45
TOTAL 65-69 YRS	2689	8.6	58	2	2	7	11	16	21	39
70-74	1992	9.5	72	2	2	8	12	18	25	44
75-79	1323	10.0	84	2	2	8	12	19	27	48
80-84	653	11.3	101	2	3	9	14	22	31	59
85+	362	12.0	132	2	3	9	15	25	35	55
GRAND TOTAL	**7019**	**9.5**	**76**	**2**	**2**	**8**	**12**	**18**	**25**	**45**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	225	4.5	28	1	1	3	5	9	14	30
70-74	128	4.7	16	1	1	3	6	11	12	21
75-79	70	5.3	69	1	1	3	5	11	24	92
80-84	12	9.1	143	1	1	3	11	30	38	39
85+	9	9.2	62	2	2	9	15	21	24	24
B. *Operated*										
65-69 YRS	129	12.8	54	4	6	11	15	22	26	41
70-74	81	14.4	69	5	6	13	19	23	33	43
75-79	50	14.0	40	7	7	13	16	21	26	38
80-84	34	13.9	29	7	9	12	17	23	23	31
85+	13	17.8	88	8	9	19	22	28	39	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	606	7.8	95	1	1	5	10	19	28	53
70-74	404	8.4	99	1	2	5	10	21	30	47
75-79	256	9.8	121	1	2	6	12	22	33	54
80-84	98	10.6	110	2	2	6	14	25	31	79
85+	53	12.3	74	2	3	11	18	23	32	36
B. *Operated*										
65-69 YRS	592	17.3	133	5	7	15	21	32	41	69
70-74	445	18.8	140	7	8	16	24	33	43	67
75-79	277	20.8	167	7	9	18	26	37	48	91
80-84	166	21.1	136	8	9	18	27	37	45	62
85+	105	22.7	227	7	10	19	25	45	57	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	4.9	35	1	1	3	6	11	15	35
B. *Operated*	307	13.8	55	5	7	12	17	23	26	41
2. MULTIPLE DX										
A. *Not Operated*	1417	8.7	102	1	2	5	11	21	30	53
B. *Operated*	1585	19.1	150	6	8	16	23	35	44	69
1. SINGLE DX	751	8.5	62	1	1	6	12	19	23	38
2. MULTIPLE DX	3002	14.2	154	2	2	11	19	30	39	63
A. NOT OPERATED	1861	7.8	89	1	1	4	10	18	28	51
B. OPERATED	1892	18.2	138	6	8	15	22	33	42	67
TOTAL 65-69 YRS	1552	11.4	122	1	2	9	15	24	32	59
70-74	1058	12.8	134	1	2	10	18	27	35	59
75-79	653	14.3	163	2	2	11	20	31	43	63
80-84	310	16.5	140	2	3	14	23	32	39	60
85+	180	18.6	188	3	5	16	22	35	47	72
GRAND TOTAL	**3753**	**13.1**	**141**	**1**	**2**	**10**	**18**	**28**	**36**	**61**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.6	27	1	1	2	7	12	18	20
70-74	16	6.8	73	2	3	4	6	8	29	38
75-79	25	5.6	28	1	2	5	7	10	15	28
80-84	14	7.1	57	1	2	4	7	16	27	30
85+	12	6.5	27	2	2	4	8	16	17	17
B. *Operated*										
65-69 YRS	80	8.5	80	1	2	6	13	18	29	84
70-74	84	9.4	109	1	2	7	11	22	28	59
75-79	65	8.8	57	1	2	6	13	21	23	35
80-84	46	9.8	86	2	3	7	13	18	26	54
85+	42	10.3	79	3	3	7	10	26	29	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	8.0	99	1	1	4	11	31	36	99+
70-74	41	11.0	253	2	2	5	14	19	55	72
75-79	49	11.2	103	1	3	8	13	23	35	49
80-84	40	12.0	150	2	2	7	19	25	30	66
85+	24	11.9	91	2	3	8	18	26	31	39
B. *Operated*										
65-69 YRS	153	17.8	237	2	3	12	26	43	51	82
70-74	129	16.9	199	2	3	13	21	39	48	62
75-79	129	18.8	228	3	4	14	26	43	50	78
80-84	85	19.3	295	2	4	15	25	44	56	99
85+	86	12.6	102	2	3	10	18	27	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.9	39	1	2	4	7	12	17	35
B. *Operated*	317	9.2	83	2	2	6	12	20	27	55
2. MULTIPLE DX										
A. *Not Operated*	198	10.7	141	1	2	7	14	25	35	72
B. *Operated*	582	17.3	218	2	3	13	24	41	49	72
1. SINGLE DX	406	8.5	75	1	2	6	11	19	26	51
2. MULTIPLE DX	780	15.6	206	2	3	11	20	37	48	72
A. NOT OPERATED	287	9.2	114	1	2	5	11	20	31	70
B. OPERATED	899	14.4	185	2	2	10	19	34	47	68
TOTAL 65-69 YRS	299	12.9	185	1	2	9	17	34	47	91
70-74	270	13.1	184	2	2	8	17	30	45	64
75-79	268	13.8	169	2	2	10	18	34	44	67
80-84	185	14.4	213	2	3	9	19	32	48	87
85+	164	11.5	91	2	3	8	16	26	29	43
GRAND TOTAL	**1186**	**13.2**	**173**	**2**	**2**	**9**	**17**	**31**	**43**	**68**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	221	6.0	28	1	1	4	8	12	16	25
70-74	192	7.2	40	1	2	6	9	15	18	32
75-79	196	7.9	48	1	2	6	11	15	24	34
80-84	111	6.8	27	1	2	6	9	13	18	26
85+	105	8.3	60	1	2	6	11	16	20	44
B. *Operated*										
65-69 YRS	1914	8.3	36	2	2	7	11	16	19	28
70-74	1932	8.1	39	2	2	7	10	15	18	32
75-79	1504	8.6	36	2	3	7	11	15	19	29
80-84	927	9.0	39	2	3	8	11	16	20	33
85+	536	10.3	49	3	4	9	13	18	24	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1077	9.8	86	1	2	7	13	20	29	48
70-74	1415	10.0	95	1	2	7	12	20	28	52
75-79	1394	10.1	75	2	3	8	13	21	27	46
80-84	1036	10.3	99	2	3	8	13	21	27	55
85+	774	11.1	93	2	3	8	14	23	30	51
B. *Operated*										
65-69 YRS	3134	11.5	79	2	4	9	15	22	28	51
70-74	3868	11.6	81	2	4	9	14	22	29	46
75-79	3672	12.1	84	3	4	10	15	23	29	50
80-84	2544	13.1	88	3	4	11	16	25	31	50
85+	1736	14.3	104	4	5	12	18	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	7.1	40	1	2	5	9	14	19	32
B. *Operated*	6813	8.6	39	2	2	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	5696	10.2	89	2	2	8	13	21	28	49
B. *Operated*	14954	12.3	86	3	4	10	15	23	30	49
1. SINGLE DX	7638	8.4	39	2	2	7	11	15	19	31
2. MULTIPLE DX	20650	11.7	88	2	3	9	15	23	29	49
A. NOT OPERATED	6521	9.8	84	2	2	7	12	20	27	48
B. OPERATED	21767	11.1	74	2	3	9	14	21	27	46
TOTAL 65-69 YRS	6346	10.1	68	2	2	8	13	19	25	46
70-74	7407	10.3	74	2	3	8	13	20	26	44
75-79	6766	10.8	73	2	3	9	14	21	26	46
80-84	4618	11.5	82	2	3	9	14	22	29	49
85+	3151	12.6	94	3	4	10	16	24	31	51
GRAND TOTAL	**28288**	**10.8**	**77**	**2**	**3**	**9**	**14**	**21**	**27**	**46**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	15	2.9	16	1	1	2	3	3	14	17
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	4	5.5	22	1	1	4	8	12	12	12
85+	1	35.0		35	35	35	35	35	35	35
B. *Operated*										
65-69 YRS	32	9.4	53	2	3	7	13	21	26	28
70-74	32	7.9	78	1	2	6	9	14	20	50
75-79	16	9.8	74	1	2	5	15	21	29	32
80-84	6	9.3	25	1	2	9	12	16	16	16
85+	12	14.2	570	1	3	7	10	38	82	89
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	7.6	23	4	4	5	12	15	16	16
70-74	5	15.8	160	1	1	14	20	36	36	36
75-79	9	5.0	15	2	2	3	6	12	14	14
80-84	1	13.0		13	13	13	13	13	13	13
85+	4	7.5	28	3	3	7	12	13	13	13
B. *Operated*										
65-69 YRS	43	12.4	97	1	3	10	17	23	31	50
70-74	43	12.6	79	2	3	11	16	25	34	37
75-79	39	15.9	208	4	5	12	20	27	44	81
80-84	25	14.6	130	3	4	14	19	24	40	54
85+	20	10.9	88	3	3	7	14	23	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	55	<1	1	2	4	12	22	35
B. *Operated*	98	9.5	123	1	2	7	11	19	24	70
2. MULTIPLE DX										
A. *Not Operated*	30	8.4	51	2	3	5	13	15	16	36
B. *Operated*	170	13.4	122	3	3	11	17	25	36	53
1. SINGLE DX	122	8.6	113	1	2	6	10	18	24	61
2. MULTIPLE DX	200	12.7	114	2	3	10	16	24	36	52
A. NOT OPERATED	54	6.7	55	1	1	4	11	15	17	36
B. OPERATED	268	12.0	125	2	3	9	16	23	32	53
TOTAL 65-69 YRS	88	10.5	74	2	2	8	15	20	26	46
70-74	95	9.7	84	1	2	7	14	20	32	44
75-79	66	12.6	159	2	3	9	16	25	33	76
80-84	36	12.7	105	2	3	11	17	21	32	54
85+	37	12.2	242	3	3	8	13	25	38	89
GRAND TOTAL	**322**	**11.1**	**117**	**1**	**2**	**8**	**15**	**21**	**30**	**52**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	5.3	36	1	1	3	5	12	16	33
70-74	132	5.8	42	<1	1	4	7	13	19	36
75-79	138	8.2	98	1	2	5	10	16	35	48
80-84	69	8.4	73	1	2	5	9	23	27	36
85+	58	9.3	74	2	3	6	11	22	31	39
B. *Operated*										
65-69 YRS	2089	6.2	37	1	2	4	7	13	18	32
70-74	2112	6.3	35	1	2	4	8	13	19	31
75-79	1740	6.4	45	1	2	4	7	13	18	35
80-84	1161	6.4	37	1	2	5	8	13	17	34
85+	768	7.3	37	2	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	357	8.4	75	1	1	6	11	19	26	46
70-74	355	9.2	91	1	2	6	12	20	28	54
75-79	351	10.6	116	2	2	7	13	24	31	56
80-84	262	10.4	102	2	3	7	14	21	29	55
85+	242	11.3	106	2	3	8	14	25	35	49
B. *Operated*										
65-69 YRS	2361	9.9	97	2	2	7	12	22	30	51
70-74	2596	10.3	108	2	2	7	13	22	30	58
75-79	2482	10.6	105	2	2	7	13	23	31	55
80-84	1791	11.0	105	2	3	8	14	23	31	54
85+	1325	12.3	111	2	3	9	16	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	7.1	66	1	1	4	8	16	26	41
B. *Operated*	7870	6.4	38	1	2	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	1567	9.9	98	1	2	7	12	22	29	54
B. *Operated*	10555	10.6	105	2	2	7	13	23	31	55
1. SINGLE DX	8374	6.4	40	1	2	4	8	13	19	34
2. MULTIPLE DX	12122	10.5	104	2	2	7	13	23	31	54
A. NOT OPERATED	2071	9.2	92	1	2	6	12	21	28	50
B. OPERATED	18425	8.8	81	2	2	6	11	19	26	47
TOTAL 65-69 YRS	4914	8.1	72	1	2	5	10	18	25	43
70-74	5195	8.5	79	1	2	5	10	19	25	48
75-79	4711	9.0	88	2	2	6	11	20	27	49
80-84	3283	9.2	85	2	2	6	11	20	27	51
85+	2393	10.5	91	2	3	8	13	22	29	48
GRAND TOTAL	**20496**	**8.9**	**82**	**2**	**2**	**6**	**11**	**19**	**26**	**47**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	8.0	34	1	1	7	13	17	18	19
70-74	20	7.9	86	1	2	4	8	20	31	39
75-79	25	12.0	122	1	2	11	17	33	37	39
80-84	15	5.9	15	2	2	4	8	12	13	13
85+	8	6.3	7	3	3	6	8	10	11	11
B. *Operated*										
65-69 YRS	229	13.0	47	2	4	13	16	21	26	33
70-74	200	13.4	57	3	4	12	18	23	27	35
75-79	157	14.0	62	2	4	13	18	25	28	42
80-84	84	15.2	94	3	4	13	20	26	32	54
85+	38	15.3	80	4	5	14	22	25	34	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	193	12.8	143	3	3	8	16	28	38	56
70-74	187	10.6	101	1	2	7	15	27	33	84
75-79	157	11.0	112	2	3	8	14	23	30	78
80-84	87	12.6	94	3	3	10	19	29	39	99+
85+	63	13.1	168	2	3	9	16	30	44	97
B. *Operated*										
65-69 YRS	571	18.3	153	4	6	16	22	33	42	69
70-74	623	16.7	124	3	5	15	21	30	38	60
75-79	409	19.7	164	4	7	17	25	34	40	81
80-84	220	20.5	138	5	7	19	27	35	42	59
85+	148	21.7	202	6	7	18	28	42	52	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	8.5	66	1	2	6	12	18	23	39
B. *Operated*	708	13.7	61	2	4	13	18	24	28	39
2. MULTIPLE DX										
A. *Not Operated*	687	11.8	121	2	3	8	16	26	36	80
B. *Operated*	1971	18.6	150	4	6	16	23	33	42	68
1. SINGLE DX	802	13.1	64	2	3	12	17	23	28	39
2. MULTIPLE DX	2658	16.8	151	3	4	14	22	32	40	70
A. NOT OPERATED	781	11.4	115	2	3	8	15	24	36	78
B. OPERATED	2679	17.3	131	3	6	15	22	31	38	64
TOTAL 65-69 YRS	1019	15.8	132	3	4	13	20	29	38	65
70-74	1030	14.8	113	2	3	13	20	27	35	58
75-79	748	16.4	143	3	4	14	22	30	37	72
80-84	406	17.2	130	3	4	15	23	33	39	60
85+	257	18.2	187	4	5	15	23	36	47	91
GRAND TOTAL	**3460**	**16.0**	**133**	**3**	**4**	**14**	**21**	**30**	**37**	**64**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.0	27	1	1	1	8	10	10	10
70-74	3	7.7	49	1	1	7	13	15	15	15
75-79	4	9.5	50	2	2	8	14	19	19	19
80-84	1	14.0		14	14	14	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	38	4.5	10	1	2	4	6	9	12	15
70-74	28	5.6	20	2	2	4	7	13	17	18
75-79	30	4.9	8	2	2	4	7	9	9	12
80-84	19	8.9	203	<1	1	4	9	18	44	64
85+	11	5.5	27	<1	1	4	8	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	7.8	40	2	2	5	11	17	22	23
70-74	10	6.5	29	2	2	4	7	16	19	19
75-79	5	7.2	15	3	3	6	10	13	13	13
80-84	5	8.6	25	4	4	9	15	91	99+	99+
85+	9	9.3	103	1	1	6	12	27	33	33
B. *Operated*										
65-69 YRS	30	6.3	20	2	2	5	8	14	17	19
70-74	30	11.1	117	2	3	7	13	29	39	43
75-79	33	10.6	103	2	3	7	14	24	35	46
80-84	12	5.8	16	2	2	4	8	11	15	16
85+	9	18.4	435	3	3	9	32	52	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.9	39	1	1	8	13	17	19	19
B. *Operated*	126	5.6	43	1	2	4	7	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	41	7.9	43	2	2	6	12	18	27	99+
B. *Operated*	114	9.7	109	2	3	6	12	20	34	52
1. SINGLE DX	137	5.8	42	1	2	4	7	12	16	25
2. MULTIPLE DX	155	9.2	92	2	2	6	12	19	33	63
A. NOT OPERATED	52	7.9	42	1	2	6	12	17	22	98
B. OPERATED	240	7.6	78	2	2	4	8	16	21	48
TOTAL 65-69 YRS	83	5.6	19	1	2	4	7	12	15	22
70-74	71	8.1	68	2	2	5	10	17	25	42
75-79	72	7.9	60	2	2	6	9	17	23	44
80-84	37	8.0	113	1	2	5	10	16	46	99+
85+	29	10.7	194	1	2	4	11	32	35	64
GRAND TOTAL	**292**	**7.6**	**71**	**2**	**2**	**5**	**9**	**16**	**22**	**56**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	13.8	175	2	2	9	19	37	42	55
70-74	66	14.7	202	2	3	10	22	31	47	68
75-79	28	12.6	86	2	3	10	21	27	29	30
80-84	12	14.3	128	4	4	9	22	34	34	34
85+	7	19.7	83	11	11	16	26	33	35	35
B. *Operated*										
65-69 YRS	164	22.9	300	3	7	18	27	46	60	88
70-74	120	23.8	320	3	5	20	30	52	64	95
75-79	53	28.1	364	6	10	25	33	52	74	96
80-84	12	23.2	109	9	12	22	29	38	44	45
85+	4	22.3	58	12	12	24	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	161	16.5	221	2	4	12	19	36	51	98
70-74	99	16.1	271	2	2	11	21	36	51	93
75-79	76	14.2	147	3	3	11	19	32	43	92
80-84	32	14.3	113	4	4	11	17	33	36	43
85+	13	30.8	627	4	8	27	53	99+	99+	99+
B. *Operated*										
65-69 YRS	186	29.6	417	7	9	24	38	65	80	99+
70-74	124	29.4	294	9	11	26	38	56	68	99+
75-79	67	30.4	367	8	11	27	41	71	92	99+
80-84	22	26.6	368	7	10	19	35	57	69	73
85+	3	41.0	133	29	29	42	49	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	14.1	166	2	3	10	20	33	39	58
B. *Operated*	353	24.0	307	3	7	20	30	49	61	93
2. MULTIPLE DX										
A. *Not Operated*	381	16.2	230	2	3	12	20	36	51	99+
B. *Operated*	402	29.6	364	8	10	25	39	63	78	99+
1. SINGLE DX	593	20.0	273	2	4	16	26	42	56	82
2. MULTIPLE DX	783	23.1	343	3	5	19	32	52	72	99+
A. NOT OPERATED	621	15.4	206	2	3	11	20	35	48	93
B. OPERATED	755	27.0	345	5	9	23	34	56	70	99+
TOTAL 65-69 YRS	638	21.4	326	2	5	17	28	48	64	93
70-74	409	22.2	314	3	4	19	30	49	64	95
75-79	224	22.1	315	3	5	19	30	49	72	99+
80-84	78	19.1	211	4	5	14	26	36	45	71
85+	27	27.8	373	8	9	27	43	76	99+	99+
GRAND TOTAL	**1376**	**21.8**	**315**	**3**	**5**	**18**	**29**	**48**	**64**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.5	41	4	4	8	13	13	13	13
70-74	3	18.7	166	8	8	15	28	33	33	33
75-79	2	10.0	72	4	4	10	16	16	16	16
80-84	2	4.0	2	3	3	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	7	13.3	83	2	2	16	19	26	27	27
70-74	8	38.9	605	10	10	42	55	73	77	77
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	13.2	71	1	2	14	20	25	25	25
70-74	13	16.2	505	1	2	7	14	61	69	71
75-79	7	19.3	341	5	6	12	26	52	57	57
80-84	4	24.8	609	4	4	19	44	56	56	56
85+	4	10.0	28	5	5	9	14	17	17	17
B. *Operated*										
65-69 YRS	18	34.0	691	3	4	33	65	99+	99+	99+
70-74	11	38.9	268	18	21	39	57	72	96	99+
75-79	7	24.6	215	2	5	23	31	46	49	49
80-84	2	28.5	841	8	8	28	49	49	49	49
85+	1	36.0		36	36	36	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	11.2	92	3	3	8	15	26	33	33
B. *Operated*	19	22.3	484	2	3	16	35	57	71	77
2. MULTIPLE DX										
A. *Not Operated*	37	16.3	311	2	3	10	19	51	58	71
B. *Operated*	39	33.5	460	3	7	32	55	97	99+	99+
1. SINGLE DX	28	18.8	378	2	3	12	23	47	64	77
2. MULTIPLE DX	76	25.1	457	2	3	21	47	61	98	99+
A. NOT OPERATED	46	15.3	269	2	3	10	17	33	57	71
B. OPERATED	58	29.8	488	2	4	26	49	73	99+	99+
TOTAL 65-69 YRS	36	23.4	485	2	3	19	35	86	99+	99+
70-74	35	28.7	518	2	3	23	51	63	75	99+
75-79	18	18.9	240	3	4	14	30	44	54	57
80-84	9	18.4	465	2	2	6	37	53	56	56
85+	6	13.3	146	4	4	9	17	34	36	36
GRAND TOTAL	**104**	**23.4**	**440**	**2**	**3**	**17**	**36**	**60**	**79**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	6.4	20	1	1	6	10	11	15	18
70-74	19	3.8	7	1	1	4	4	8	11	11
75-79	15	4.7	18	1	1	3	8	13	13	13
80-84	7	3.1	5	1	1	2	5	7	7	7
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	62	8.1	29	3	4	6	10	15	22	24
70-74	57	7.4	25	3	3	6	9	13	15	30
75-79	32	10.6	75	3	3	8	12	24	31	38
80-84	21	12.2	90	3	4	10	15	23	34	45
85+	8	10.4	9	8	8	9	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	10.4	132	1	2	6	13	32	45	99+
70-74	58	8.6	85	2	2	5	11	21	29	45
75-79	51	11.7	145	2	3	8	13	26	44	60
80-84	26	11.2	129	3	3	8	14	18	33	59
85+	12	13.9	344	2	3	7	22	74	95	99+
B. *Operated*										
65-69 YRS	123	12.3	143	4	4	8	14	25	37	69
70-74	104	14.8	177	3	4	10	18	33	46	63
75-79	104	15.2	149	4	4	12	20	29	39	66
80-84	54	13.2	72	4	6	11	15	22	36	44
85+	26	21.4	152	4	6	22	28	36	45	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.8	14	1	1	4	7	11	12	18
B. *Operated*	180	8.9	44	3	4	7	10	16	23	36
2. MULTIPLE DX										
A. *Not Operated*	194	10.5	133	2	2	6	12	27	43	85
B. *Operated*	411	14.4	148	3	4	11	17	30	41	59
1. SINGLE DX	240	7.9	40	2	2	6	10	15	22	33
2. MULTIPLE DX	605	13.2	146	3	3	9	16	29	41	67
A. NOT OPERATED	254	9.2	111	1	2	6	11	20	32	67
B. OPERATED	591	12.7	122	3	4	9	15	26	36	52
TOTAL 65-69 YRS	250	10.5	107	2	3	7	12	22	32	68
70-74	238	10.7	119	2	3	7	12	23	34	50
75-79	202	12.8	134	2	3	9	16	27	36	56
80-84	108	11.9	89	3	4	10	14	22	33	51
85+	47	17.3	190	4	4	13	25	36	53	99+
GRAND TOTAL	**845**	**11.6**	**121**	**2**	**3**	**8**	**14**	**25**	**36**	**59**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	498	8.4	84	1	1	6	10	18	27	48
70-74	392	9.4	72	2	2	7	13	21	27	55
75-79	273	10.4	123	1	2	7	14	22	29	66
80-84	147	8.7	51	1	2	7	11	17	23	35
85+	112	11.2	122	1	3	8	13	21	38	55
B. *Operated*										
65-69 YRS	663	10.5	112	1	2	8	14	24	30	59
70-74	535	10.7	108	1	2	8	14	22	28	53
75-79	362	10.2	89	2	2	8	14	22	28	58
80-84	212	10.4	119	2	2	7	14	23	28	64
85+	173	8.9	106	1	2	6	11	20	31	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4724	10.8	102	2	2	8	14	22	30	49
70-74	4050	11.8	120	2	3	8	15	26	34	56
75-79	3136	11.8	114	2	3	9	15	25	33	57
80-84	1904	12.2	101	2	3	10	16	25	32	54
85+	1205	12.7	122	2	3	9	16	27	36	56
B. *Operated*										
65-69 YRS	3953	15.8	164	2	3	13	21	33	42	68
70-74	3245	16.2	174	2	3	13	22	33	43	67
75-79	2336	16.3	174	2	3	13	21	34	43	70
80-84	1348	16.0	159	2	3	13	21	33	41	58
85+	832	15.6	145	2	4	13	21	31	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1422	9.3	88	1	2	6	12	20	27	52
B. *Operated*	1945	10.3	107	1	2	8	14	22	29	58
2. MULTIPLE DX										
A. *Not Operated*	15019	11.6	111	2	3	8	15	24	33	54
B. *Operated*	11714	16.0	167	2	3	13	21	33	42	67
1. SINGLE DX	3367	9.9	99	1	2	7	13	21	28	56
2. MULTIPLE DX	26733	13.5	140	2	3	10	18	29	37	61
A. NOT OPERATED	16441	11.4	110	2	3	8	15	24	32	54
B. OPERATED	13659	15.2	162	2	3	12	20	32	41	66
TOTAL 65-69 YRS	9838	12.6	134	2	2	9	17	27	36	60
70-74	8222	13.4	144	2	3	10	18	28	37	61
75-79	6107	13.3	141	2	3	10	18	28	38	66
80-84	3611	13.4	126	2	3	10	17	28	36	56
85+	2322	13.4	132	2	3	10	18	28	37	58
GRAND TOTAL	**30100**	**13.1**	**137**	**2**	**3**	**10**	**17**	**28**	**37**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	5.2	43	<1	1	3	6	11	24	30
70-74	33	6.8	61	1	1	4	9	16	24	36
75-79	17	6.6	47	1	2	4	8	18	23	25
80-84	2	3.0		3	3	3	3	3	3	3
85+	5	11.2	40	4	4	9	15	21	21	21
B. *Operated*										
65-69 YRS	58	11.9	59	2	4	11	18	21	23	37
70-74	54	12.5	158	1	3	9	18	23	24	83
75-79	26	10.9	84	1	4	9	13	19	37	38
80-84	11	15.2	311	1	2	11	21	40	60	62
85+	8	10.1	52	2	3	9	11	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	11.8	181	1	2	7	15	32	39	97
70-74	97	7.6	59	1	1	4	12	17	23	37
75-79	58	12.0	85	1	2	10	16	24	30	43
80-84	27	10.4	60	1	3	8	16	23	26	29
85+	11	12.4	87	5	5	9	13	28	35	36
B. *Operated*										
65-69 YRS	91	19.6	315	2	3	14	28	45	61	76
70-74	74	17.0	98	3	6	16	25	32	36	85
75-79	55	15.9	130	2	4	14	20	34	42	55
80-84	34	21.3	200	5	8	19	28	34	57	65
85+	16	17.2	96	2	3	17	24	31	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.2	49	1	1	4	8	16	24	33
B. *Operated*	157	12.1	112	2	3	10	17	23	26	60
2. MULTIPLE DX										
A. *Not Operated*	256	10.1	99	1	1	7	14	23	31	47
B. *Operated*	270	18.2	191	2	4	15	25	34	45	73
1. SINGLE DX	260	9.8	95	1	1	7	14	21	25	38
2. MULTIPLE DX	526	14.3	162	1	2	11	20	31	38	67
A. NOT OPERATED	359	9.0	88	1	1	6	13	23	28	46
B. OPERATED	427	16.0	171	2	3	13	21	31	39	67
TOTAL 65-69 YRS	258	13.4	201	1	2	8	18	32	44	76
70-74	258	11.3	107	1	1	9	17	24	30	46
75-79	156	12.6	103	1	2	11	17	24	34	49
80-84	74	15.9	184	2	3	12	23	29	38	64
85+	40	13.7	81	3	4	10	20	27	32	36
GRAND TOTAL	**786**	**12.8**	**145**	**1**	**2**	**10**	**18**	**28**	**34**	**64**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	7.1	62	1	1	5	10	15	18	50
70-74	78	8.0	55	1	1	5	11	20	22	32
75-79	50	6.7	16	1	2	6	9	12	14	19
80-84	35	8.1	66	<1	1	6	10	18	29	36
85+	20	9.1	27	1	2	8	12	17	19	20
B. *Operated*										
65-69 YRS	61	10.2	125	2	2	8	12	22	29	62
70-74	52	11.5	139	2	3	8	12	29	40	58
75-79	28	8.9	63	1	2	6	13	22	25	29
80-84	16	12.5	145	2	3	8	14	38	41	41
85+	17	9.8	50	2	3	9	12	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	257	9.3	78	1	2	7	12	18	23	50
70-74	301	9.8	69	2	2	8	13	19	26	41
75-79	266	9.5	83	1	2	7	13	21	27	48
80-84	231	11.1	105	2	2	8	15	21	30	58
85+	204	10.3	61	2	3	8	13	19	25	41
B. *Operated*										
65-69 YRS	197	14.4	210	2	3	10	19	31	47	84
70-74	197	15.6	209	2	4	11	19	33	49	83
75-79	175	13.9	109	3	4	11	18	28	35	51
80-84	139	12.9	82	2	3	11	17	27	31	50
85+	84	15.1	140	4	5	11	20	34	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	7.6	48	1	1	6	10	16	20	32
B. *Operated*	174	10.6	112	2	2	8	12	23	31	57
2. MULTIPLE DX										
A. *Not Operated*	1259	9.9	79	2	2	8	13	20	26	48
B. *Operated*	792	14.4	158	2	4	11	19	30	41	75
1. SINGLE DX	413	8.8	77	1	2	7	11	19	25	47
2. MULTIPLE DX	2051	11.7	114	2	3	9	15	24	32	55
A. NOT OPERATED	1498	9.6	75	1	2	7	12	19	25	48
B. OPERATED	966	13.7	151	2	3	10	18	28	40	69
TOTAL 65-69 YRS	571	10.9	133	2	2	8	13	22	31	64
70-74	628	11.5	125	2	2	8	14	24	33	60
75-79	519	10.7	90	1	2	8	14	22	29	49
80-84	421	11.5	97	2	2	9	16	23	31	53
85+	325	11.4	83	2	3	9	15	23	28	45
GRAND TOTAL	**2464**	**11.2**	**109**	**2**	**2**	**8**	**14**	**23**	**31**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.5	46	<1	1	3	7	12	19	37
70-74	150	5.3	39	1	1	4	6	13	16	27
75-79	117	6.5	125	1	1	4	7	14	18	75
80-84	78	6.7	40	1	1	5	8	16	22	28
85+	38	7.5	46	1	1	5	13	17	20	30
B. *Operated*										
65-69 YRS	87	14.8	193	2	2	10	21	39	43	57
70-74	82	13.3	200	3	4	8	15	36	52	89
75-79	50	9.2	203	2	2	6	9	17	23	97
80-84	39	13.1	134	4	5	10	12	30	34	65
85+	20	9.9	32	2	3	9	12	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	343	9.5	77	1	1	6	13	22	28	42
70-74	436	7.5	79	1	1	5	9	17	23	46
75-79	333	8.1	106	1	1	5	10	18	28	58
80-84	283	7.9	58	1	1	6	11	18	23	38
85+	178	9.7	108	1	2	6	12	24	32	59
B. *Operated*										
65-69 YRS	245	18.4	226	3	4	13	27	42	48	66
70-74	261	19.6	345	3	4	13	26	45	59	90
75-79	182	17.4	254	3	4	11	25	41	61	91
80-84	143	16.9	242	3	4	12	20	34	56	74
85+	101	15.8	195	4	4	13	18	32	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	6.0	61	1	1	4	7	14	19	34
B. *Operated*	278	12.7	179	2	3	8	14	31	42	67
2. MULTIPLE DX										
A. *Not Operated*	1573	8.4	84	1	1	5	11	19	26	45
B. *Operated*	932	18.0	264	3	4	12	24	40	55	87
1. SINGLE DX	804	8.3	112	1	1	5	10	19	29	56
2. MULTIPLE DX	2505	12.0	173	1	2	8	15	28	39	68
A. NOT OPERATED	2099	7.8	79	1	1	5	10	18	24	44
B. OPERATED	1210	16.8	249	3	4	11	22	39	51	86
TOTAL 65-69 YRS	818	12.0	151	1	1	8	16	30	39	58
70-74	929	11.0	189	1	1	6	13	27	39	80
75-79	682	10.4	173	1	1	6	13	25	37	75
80-84	543	10.5	125	1	2	8	13	23	32	65
85+	337	11.3	131	1	2	8	14	24	33	62
GRAND TOTAL	**3309**	**11.1**	**160**	**1**	**1**	**7**	**14**	**26**	**38**	**66**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	470	7.4	65	1	1	5	10	17	23	42
70-74	336	8.3	69	1	2	6	10	17	27	44
75-79	264	8.6	82	1	1	6	12	18	23	43
80-84	148	10.6	126	1	2	7	14	24	31	58
85+	85	8.3	85	1	1	6	10	18	22	54
B. *Operated*										
65-69 YRS	572	10.6	88	2	2	8	13	22	28	45
70-74	483	11.0	79	2	3	9	15	24	29	42
75-79	299	10.7	70	2	3	8	14	22	27	43
80-84	180	11.3	83	2	3	9	15	20	26	51
85+	81	16.2	182	2	3	11	23	33	42	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1175	10.3	113	1	2	7	13	23	32	55
70-74	1192	10.5	102	1	2	7	14	23	30	51
75-79	903	11.3	126	1	2	8	15	24	32	50
80-84	517	11.6	112	2	2	8	15	25	37	58
85+	328	12.1	130	2	2	8	15	28	38	52
B. *Operated*										
65-69 YRS	1032	17.1	194	3	4	13	23	36	48	86
70-74	1075	17.9	214	3		14	24	37	50	82
75-79	825	18.9	247	3	4	14	25	42	52	79
80-84	435	18.9	195	3	5	16	24	36	48	73
85+	289	18.3	202	4	5	15	24	39	52	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	8.3	78	1	1	6	11	18	25	44
B. *Operated*	1615	11.1	88	2	2	9	15	23	30	45
2. MULTIPLE DX										
A. *Not Operated*	4115	10.9	114	1	2	8	14	24	32	53
B. *Operated*	3656	18.1	213	3	5	14	23	37	50	80
1. SINGLE DX	2918	9.9	85	1	2	7	13	21	28	45
2. MULTIPLE DX	7771	14.3	173	2	3	10	19	30	42	72
A. NOT OPERATED	5418	10.3	107	1	2	7	13	23	30	51
B. OPERATED	5271	15.9	185	2	3	12	21	34	45	75
TOTAL 65-69 YRS	3249	12.1	140	1	2	9	16	26	37	63
70-74	3086	12.9	147	2	2	9	17	28	36	65
75-79	2291	13.6	173	2	2	10	18	29	41	72
80-84	1280	14.0	150	2	3	10	18	29	40	60
85+	783	14.4	169	2	3	10	19	31	42	65
GRAND TOTAL	**10689**	**13.1**	**153**	**2**	**2**	**9**	**17**	**28**	**39**	**65**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	7.0	18	4	4	7	10	10	10	10
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	3	4.7	4	3	3	4	6	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	278	3.9	3	1	2	4	5	6	7	9
70-74	189	4.1	7	1	2	4	5	7	8	11
75-79	115	4.2	7	2	2	4	5	6	8	16
80-84	41	4.1	3	2	2	4	5	7	7	8
85+	28	4.1	6	1	2	4	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	6.3	80	<1	<1	3	5	21	28	28
70-74	6	5.8	5	3	3	6	7	9	9	9
75-79	2	8.0	32	4	4	8	12	12	12	12
80-84	1	9.0		9	9	9	9	9	9	9
85+	6	8.7	18	3	3	8	13	14	14	14
B. *Operated*										
65-69 YRS	167	6.0	26	2	2	5	6	12	17	28
70-74	123	6.2	24	2	2	5	7	13	16	25
75-79	76	7.1	28	2	2	6	9	16	18	26
80-84	39	5.9	17	2	2	5	7	12	14	22
85+	28	7.3	35	1	1	6	9	16	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.1	8	1	1	4	5	9	10	10
B. *Operated*	651	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	23	7.0	34	1	2	5	9	13	19	28
B. *Operated*	433	6.3	25	2	2	5	7	13	17	26
1. SINGLE DX	660	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	456	6.4	26	2	2	5	8	13	17	27
A. NOT OPERATED	32	6.2	28	1	2	5	8	12	14	28
B. OPERATED	1084	5.0	15	2	2	4	6	9	12	22
TOTAL 65-69 YRS	455	4.7	14	2	2	4	5	8	11	[illegible]
70-74	321	5.0	14	1	2	4	6	9	12	[illegible]
75-79	196	5.4	17	2	2	4	6	10	13	25
80-84	82	5.0	10	2	2	4	6	8	11	19
85+	62	6.0	23	1	2	5	7	12	16	26
GRAND TOTAL	**1116**	**5.0**	**15**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	3.2	6	<1	1	2	4	7	8	13
70-74	132	3.0	5	<1	1	2	4	6	8	11
75-79	98	3.8	13	1	1	2	4	8	11	20
80-84	27	4.5	12	1	1	3	7	9	11	15
85+	24	4.9	20	1	1	4	6	10	15	20
B. *Operated*										
65-69 YRS	938	4.5	23	1	1	2	6	11	14	22
70-74	762	5.0	25	1	1	3	7	12	15	22
75-79	481	4.7	27	1	1	2	5	11	16	24
80-84	231	5.8	69	1	1	3	8	14	17	31
85+	95	7.0	41	1	2	4	10	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	297	5.9	31	1	1	4	8	12	16	31
70-74	236	5.8	32	1	2	4	8	12	14	30
75-79	216	7.1	63	1	2	5	8	14	18	41
80-84	121	7.2	32	1	2	6	9	16	18	27
85+	109	7.9	32	1	2	7	11	17	21	24
B. *Operated*										
65-69 YRS	1427	8.2	64	1	2	6	12	18	23	37
70-74	1292	8.8	70	1	2	6	13	19	24	38
75-79	887	9.5	90	1	2	7	13	21	27	49
80-84	450	11.1	90	2	2	9	15	23	31	47
85+	258	12.2	127	2	2	9	16	23	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	436	3.4	9	1	1	2	4	7	9	14
B. *Operated*	2507	4.9	30	1	1	2	6	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	979	6.5	39	1	2	5	8	13	17	32
B. *Operated*	4314	9.2	79	1	2	7	13	20	25	43
1. SINGLE DX	2943	4.7	27	1	1	2	6	11	15	22
2. MULTIPLE DX	5293	8.7	72	1	2	6	12	19	24	41
A. NOT OPERATED	1415	5.6	32	1	1	4	7	12	15	27
B. OPERATED	6821	7.6	65	1	1	4	11	17	22	38
TOTAL 65-69 YRS	2817	6.4	47	1	1	4	9	15	20	33
70-74	2422	7.0	53	1	1	4	10	16	21	34
75-79	1682	7.5	69	1	1	4	10	17	22	40
80-84	829	8.8	79	1	2	6	12	19	26	45
85+	486	9.8	90	2	2	7	13	21	25	48
GRAND TOTAL	**8236**	**7.3**	**60**	**1**	**1**	**4**	**10**	**17**	**22**	**37**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	1.7	1	<1	<1	2	2	3	3	3
70-74	3	2.3		2	2	2	3	3	3	3
75-79	4	6.8	21	2	2	6	10	13	13	13
80-84	2	2.0		2	2	2	2	2	2	2
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	122	4.3	19	1	1	2	5	10	12	22
70-74	85	5.4	35	1	2	2	8	13	18	27
75-79	59	4.2	25	1	1	2	4	11	17	25
80-84	22	4.6	23	2	2	3	4	12	17	20
85+	12	4.7	65	1	1	2	3	13	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	10.6	99	<1	1	6	15	28	32	34
70-74	6	8.0	57	3	3	5	8	21	23	23
75-79	7	9.0	21	2	3	9	13	15	15	15
80-84	10	8.9	114	1	1	6	11	24	37	37
85+	4	17.3	70	10	10	15	23	29	29	29
B. *Operated*										
65-69 YRS	127	8.7	64	1	2	7	13	20	26	32
70-74	84	9.1	71	1	2	6	13	22	26	38
75-79	45	10.3	74	1	2	8	13	24	28	35
80-84	12	11.2	43	2	2	10	15	21	23	23
85+	9	10.1	65	3	3	6	15	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	8	<1	1	2	4	6	10	13
B. *Operated*	300	4.6	27	1	1	2	5	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	42	10.2	80	1	2	7	14	24	31	37
B. *Operated*	277	9.2	66	1	2	7	13	22	26	35
1. SINGLE DX	318	4.6	26	1	1	2	5	11	16	25
2. MULTIPLE DX	319	9.4	68	1	2	7	13	22	27	36
A. NOT OPERATED	60	8.1	68	1	1	5	11	18	28	37
B. OPERATED	577	6.8	51	1	2	3	10	17	23	30
TOTAL 65-69 YRS	271	6.7	49	1	1	3	10	17	22	30
70-74	178	7.2	55	1	2	4	10	19	23	33
75-79	115	7.0	52	1	1	4	10	16	24	32
80-84	46	7.2	53	1	2	3	11	17	21	37
85+	27	8.3	77	1	2	4	12	23	29	30
GRAND TOTAL	**637**	**7.0**	**53**	**1**	**2**	**3**	**10**	**17**	**23**	**31**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.4	2	<1	<1	2	3	4	5	6
70-74	10	5.9	45	<1	1	4	7	16	24	24
75-79	15	2.0	1	<1	<1	2	3	3	4	4
80-84	3	6.7	36	<1	<1	6	11	13	13	13
85+	4	6.3	16	2	2	6	9	11	11	11
B. *Operated*										
65-69 YRS	762	3.5	11	<1	1	2	4	6	10	18
70-74	465	3.5	10	1	1	2	4	6	9	15
75-79	255	3.9	12	1	1	3	4	8	9	20
80-84	86	4.6	19	<1	1	3	6	9	14	23
85+	44	5.2	30	1	2	3	7	9	14	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	6.8	43	<1	1	5	9	15	20	31
70-74	37	6.4	51	1	2	4	8	14	22	36
75-79	18	12.0	329	1	2	6	14	20	57	81
80-84	14	5.7	7	2	3	5	9	9	11	11
85+	9	8.0	19	1	2	8	12	13	13	13
B. *Operated*										
65-69 YRS	670	5.7	42	1	2	4	7	12	16	32
70-74	434	6.4	46	2	2	4	8	13	18	34
75-79	254	7.9	67	2	2	5	10	18	23	36
80-84	111	9.1	75	2	2	6	12	21	28	71
85+	37	8.2	67	1	2	5	9	23	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.5	15	<1	<1	2	4	7	11	24
B. *Operated*	1612	3.6	12	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	116	7.4	85	1	1	5	9	14	21	51
B. *Operated*	1506	6.6	51	2	2	4	8	14	19	35
1. SINGLE DX	1663	3.6	12	<1	1	3	4	7	10	19
2. MULTIPLE DX	1622	6.6	54	2	2	4	8	14	19	35
A. NOT OPERATED	167	6.3	66	1	1	4	8	13	19	35
B. OPERATED	3118	5.1	33	1	2	3	6	11	15	30
TOTAL 65-69 YRS	1489	4.6	27	1	1	3	5	10	13	24
70-74	946	4.9	30	1	2	3	6	10	14	26
75-79	542	6.0	53	1	2	4	7	13	19	32
80-84	214	7.0	52	1	2	5	9	16	22	42
85+	94	6.7	44	1	2	4	8	13	23	34
GRAND TOTAL	**3285**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**15**	**31**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	6.5	35	1	2	5	9	12	21	24
70-74	11	5.5	32	1	1	3	6	15	19	19
75-79	7	10.6	75	1	2	6	18	23	24	24
80-84	3	8.7	14	6	6	7	11	13	13	13
85+										
B. *Operated*										
65-69 YRS	234	4.0	18	<1	1	2	4	9	12	26
70-74	161	3.9	23	<1	1	2	4	8	13	30
75-79	127	3.9	35	<1	1	2	4	7	12	37
80-84	59	3.7	15	<1	1	3	4	7	12	24
85+	43	6.7	56	<1	1	4	9	15	22	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	7.0	24	1	2	6	8	16	17	18
70-74	20	6.8	27	1	1	5	12	14	15	17
75-79	13	9.1	79	1	2	6	12	23	30	32
80-84	21	5.3	24	<1	1	4	6	13	16	18
85+	9	10.4	36	5	5	9	13	20	24	24
B. *Operated*										
65-69 YRS	238	7.7	101	1	2	4	9	18	24	59
70-74	199	6.9	69	1	2	4	9	17	23	30
75-79	118	8.4	133	1	2	5	9	21	27	61
80-84	78	9.7	190	<1	1	5	11	23	30	81
85+	50	10.4	121	2	2	6	14	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	7.2	40	1	2	5	9	18	23	24
B. *Operated*	624	4.1	26	<1	1	2	4	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	91	7.2	34	1	2	5	11	15	18	29
B. *Operated*	683	8.0	109	1	2	4	9	19	24	57
1. SINGLE DX	660	4.3	27	<1	1	3	4	9	13	30
2. MULTIPLE DX	774	7.9	101	1	2	4	10	18	24	53
A. NOT OPERATED	127	7.2	36	1	2	5	10	15	19	26
B. OPERATED	1307	6.2	73	1	1	3	7	15	22	40
TOTAL 65-69 YRS	515	5.9	60	1	1	3	7	14	18	31
70-74	391	5.6	49	1	1	3	7	13	20	30
75-79	265	6.3	87	1	1	3	7	16	23	46
80-84	161	6.9	108	<1	1	3	7	17	24	57
85+	102	8.8	89	1	2	6	12	21	29	49
GRAND TOTAL	**1434**	**6.2**	**70**	**1**	**1**	**3**	**7**	**15**	**22**	**37**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.3	1	<1	<1	2	3	4	4	4
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	214	3.3	21	1	2	2	3	5	8	13
70-74	178	3.1	7	2	2	2	3	5	7	19
75-79	90	2.9	3	1	2	2	3	5	6	10
80-84	40	2.9	4	1	1	2	3	6	8	10
85+	22	2.6	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.0	10	2	2	3	3	9	11	11
70-74	4	3.5	6	1	1	3	5	7	7	7
75-79	2	7.5	41	3	3	7	12	12	12	12
80-84	1	8.0		8	8	8	8	8	8	8
85+	4	7.5	16	2	2	8	10	11	11	11
B. *Operated*										
65-69 YRS	198	4.1	13	2	2	3	5	7	9	22
70-74	163	5.5	35	2	2	3	6	10	16	26
75-79	113	6.2	49	2	2	4	7	12	18	40
80-84	57	6.0	27	2	2	4	7	15	17	25
85+	28	6.9	17	3	3	5	9	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	544	3.1	11	1	2	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	18	5.3	13	1	2	3	8	11	12	12
B. *Operated*	559	5.3	29	2	2	3	6	10	16	26
1. SINGLE DX	554	3.1	11	1	2	2	3	5	7	12
2. MULTIPLE DX	577	5.3	29	2	2	3	6	10	15	26
A. NOT OPERATED	28	4.2	11	<1	1	3	5	11	11	12
B. OPERATED	1103	4.2	21	2	2	3	4	8	11	23
TOTAL 65-69 YRS	425	3.7	17	1	2	3	4	6	9	16
70-74	346	4.2	21	2	2	3	5	8	11	23
75-79	206	4.8	31	2	2	3	5	9	13	37
80-84	99	4.7	20	1	2	3	5	10	15	22
85+	55	5.2	15	1	2	4	7	11	14	16
GRAND TOTAL	**1131**	**4.2**	**21**	**2**	**2**	**3**	**4**	**8**	**11**	**23**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	14	3	3	7	10	12	12	12
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	3.0	7	1	1	2	5	6	6	6
80-84	4	6.8	47	3	3	4	10	17	17	17
85+	2	10.5	13	8	8	10	13	13	13	13
B. *Operated*										
65-69 YRS	69	7.9	33	1	2	7	10	15	18	27
70-74	33	8.1	14	2	2	8	10	13	14	17
75-79	22	6.5	17	2	2	6	9	13	14	15
80-84	6	10.2	5	6	7	11	12	82	99+	99+
85+	14	12.9	310	1	2	8	11	28	61	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	7.9	64	1	1	5	11	17	22	39
70-74	19	6.6	11	2	2	7	9	12	12	12
75-79	16	10.9	177	1	1	7	12	21	46	56
80-84	12	7.7	21	1	2	7	11	15	16	16
85+	12	7.4	22	2	2	7	9	15	17	17
B. *Operated*										
65-69 YRS	375	10.2	35	2	5	9	12	18	22	31
70-74	242	10.7	43	2	5	9	13	18	24	36
75-79	122	11.3	46	4	6	9	14	17	24	44
80-84	57	10.8	42	3	4	10	13	17	18	40
85+	40	12.1	83	4	6	9	13	23	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.4	23	1	2	5	8	13	16	17
B. *Operated*	144	8.3	52	1	2	8	10	15	17	72
2. MULTIPLE DX										
A. *Not Operated*	90	8.1	61	1	2	6	11	15	18	49
B. *Operated*	836	10.6	42	2	5	9	13	18	23	39
1. SINGLE DX	158	8.1	50	1	2	8	10	14	17	67
2. MULTIPLE DX	926	10.4	44	2	4	9	13	17	23	39
A. NOT OPERATED	104	7.8	56	1	2	6	11	14	17	47
B. OPERATED	980	10.3	44	2	4	9	12	17	23	39
TOTAL 65-69 YRS	479	9.7	37	2	3	8	12	17	22	30
70-74	295	10.1	40	2	3	9	12	17	23	33
75-79	163	10.4	57	2	3	9	13	16	24	45
80-84	79	10.1	37	2	3	9	13	17	18	82
85+	68	11.4	116	2	3	8	12	19	38	65
GRAND TOTAL	**1084**	**10.1**	**46**	**2**	**3**	**9**	**12**	**17**	**23**	**39**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	30	4.3	23	<1	<1	2	6	12	16	18
70-74	9	2.8	1	2	2	2	3	5	5	5
75-79	4	3.0	6	<1	<1	2	5	6	6	6
80-84	5	4.0	10	1	1	3	6	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	22.0		22	22	22	22	22	22	22
80-84										
85+										
B. *Operated*										
65-69 YRS	39	6.9	31	2	2	4	9	15	19	23
70-74	30	5.9	73	2	2	2	6	13	24	43
75-79	11	7.9	35	1	1	6	13	17	18	18
80-84	4	7.8	10	3	3	9	10	10	10	10
85+	5	10.8	41	5	5	8	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	48	3.9	16	<1	<1	2	4	10	14	18
2. MULTIPLE DX										
A. *Not Operated*	3	13.3	72	5	5	13	20	22	22	22
B. *Operated*	89	7.0	45	2	2	4	9	16	19	36
1. SINGLE DX	49	3.9	16	<1	<1	2	5	10	14	18
2. MULTIPLE DX	92	7.2	47	2	2	4	9	16	21	35
A. NOT OPERATED	4	11.3	66	5	5	9	17	22	22	22
B. OPERATED	137	5.9	37	1	2	3	8	14	18	26
TOTAL 65-69 YRS	70	5.8	28	<1	1	3	8	14	18	22
70-74	40	5.4	58	2	2	2	5	11	20	43
75-79	17	7.4	42	<1	1	5	12	18	21	22
80-84	9	5.7	13	1	1	5	9	10	10	10
85+	5	10.8	41	5	5	8	15	21	21	21
GRAND TOTAL	**141**	**6.0**	**38**	**1**	**2**	**4**	**8**	**14**	**18**	**26**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	6.0	2	5	5	6	7	7	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	86	9.8	24	5	6	9	11	15	18	33
70-74	67	9.6	15	6	6	9	11	14	16	27
75-79	40	10.2	13	6	7	9	11	15	20	21
80-84	14	13.9	69	6	7	11	16	28	34	36
85+	6	13.0	17	5	6	14	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	14	1	1	4	7	8	8	8
70-74	6	6.2	3	4	4	6	8	8	8	8
75-79	2	17.5	145	9	9	17	26	26	26	26
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	248	11.0	35	6	6	9	12	18	22	28
70-74	166	12.3	43	7	7	10	14	20	25	35
75-79	134	14.8	55	7	8	13	18	26	30	38
80-84	68	15.6	51	7	8	13	20	28	32	88
85+	39	18.4	118	7	9	16	23	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.0	7	1	1	4	6	7	7	7
B. *Operated*	213	10.1	23	5	6	9	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	14	7.9	38	1	1	7	8	15	24	26
B. *Operated*	655	13.0	52	6	7	11	16	22	27	36
1. SINGLE DX	217	10.0	23	5	6	9	11	15	18	31
2. MULTIPLE DX	669	12.9	52	6	7	11	16	22	27	36
A. NOT OPERATED	18	7.0	33	1	1	6	8	12	21	26
B. OPERATED	868	12.3	46	6	7	10	15	21	26	36
TOTAL 65-69 YRS	338	10.6	33	6	6	9	12	17	21	28
70-74	241	11.3	36	6	7	10	13	18	23	35
75-79	177	13.7	50	6	7	11	17	24	28	36
80-84	84	15.1	55	7	8	13	18	27	33	78
85+	46	17.6	105	6	8	16	20	27	36	66
GRAND TOTAL	**886**	**12.2**	**47**	**6**	**7**	**10**	**15**	**20**	**26**	**36**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	16	4.6	13	1	1	3	6	11	12	12
70-74	10	3.4	8	2	2	3	3	7	11	11
75-79	8	5.3	51	1	1	2	5	18	22	22
80-84	4	3.0	5	1	1	2	4	6	6	6
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	9.0	32	5	5	9	13	13	13	13
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
65-69 YRS	23	4.9	18	1	2	3	7	11	15	18
70-74	11	6.6	27	1	1	4	11	14	15	15
75-79	9	9.8	77	2	2	8	13	25	25	25
80-84	6	5.2	9	3	3	4	5	10	11	11
85+	4	5.0	6	3	3	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*	40	4.2	17	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	4	9.0	35	3	3	9	14	15	15	15
B. *Operated*	53	6.1	29	2	2	4	8	13	18	25
1. SINGLE DX	43	4.3	17	1	1	3	5	11	12	22
2. MULTIPLE DX	57	6.3	29	2	2	4	9	13	17	25
A. NOT OPERATED	7	7.7	29	2	2	5	13	15	15	15
B. OPERATED	93	5.3	24	1	2	3	7	11	15	25
TOTAL 65-69 YRS	40	4.7	15	1	1	3	6	11	12	18
70-74	23	5.4	21	1	2	3	10	13	14	15
75-79	18	7.9	63	1	2	4	10	23	25	25
80-84	11	4.2	7	1	2	4	5	8	11	11
85+	8	5.9	17	3	3	4	7	13	15	15
GRAND TOTAL	**100**	**5.5**	**25**	**1**	**2**	**3**	**7**	**12**	**15**	**24**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	17	2.7	3	1	1	2	3	6	7	7
70-74	12	4.1	10	1	1	3	5	10	11	11
75-79	11	4.9	15	2	2	3	7	11	14	14
80-84	4	8.0	15	3	3	9	11	11	11	11
85+	3	10.0	63	4	4	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	4	6.0	17	2	2	6	9	10	10	10
75-79	3	38.3	1642	12	12	18	68	85	85	85
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	29	4.1	20	1	1	2	4	11	16	18
70-74	21	7.6	42	2	2	6	10	15	25	29
75-79	15	8.5	53	2	2	7	11	19	26	28
80-84	7	16.9	216	4	4	11	28	40	42	42
85+	6	11.8	69	3	3	9	20	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	47	4.5	15	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	10	15.1	630	1	1	7	12	51	85	85
B. *Operated*	78	7.6	63	1	2	5	10	19	26	39
1. SINGLE DX	49	4.4	14	1	1	3	6	10	11	19
2. MULTIPLE DX	89	8.5	127	1	2	5	10	19	28	69
A. NOT OPERATED	12	13.2	536	1	2	5	11	38	78	85
B. OPERATED	125	6.4	47	1	2	4	8	15	20	34
TOTAL 65-69 YRS	47	3.6	14	1	1	2	4	7	15	18
70-74	37	6.3	30	1	2	5	9	11	18	29
75-79	30	10.0	239	2	2	6	11	18	28	85
80-84	13	12.2	142	3	3	7	13	34	40	42
85+	10	10.2	63	1	2	8	19	22	24	24
GRAND TOTAL	**137**	**7.0**	**90**	**1**	**2**	**4**	**8**	**16**	**21**	**48**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	<1	<1	2	3	4	4	4
70-74	3	4.7	8	3	3	3	7	8	8	8
75-79	4	2.8	1	2	2	3	3	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	77	4.3	22	1	2	3	5	7	12	28
70-74	96	3.3	6	1	1	3	4	6	8	61
75-79	66	3.9	12	1	1	3	5	8	10	20
80-84	41	4.2	9	1	1	4	6	8	12	13
85+	11	4.5	18	1	1	3	5	11	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	9	<1	<1	6	7	8	8	8
70-74	5	5.0	13	1	1	5	8	9	9	9
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	2	4.5	5	3	3	4	6	6	6	6
85+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
65-69 YRS	112	5.4	27	1	2	4	6	11	18	28
70-74	113	5.5	23	1	2	4	8	12	16	22
75-79	72	5.3	23	2	2	4	7	11	15	26
80-84	59	6.7	35	2	2	4	9	15	16	31
85+	31	6.7	17	2	2	7	9	13	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.1	3	<1	1	3	4	5	8	8
B. *Operated*	291	3.9	12	1	1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	16	6.1	42	<1	1	5	7	9	22	28
B. *Operated*	387	5.7	26	1	2	4	7	12	16	24
1. SINGLE DX	303	3.8	12	1	1	3	4	7	10	21
2. MULTIPLE DX	403	5.7	26	1	2	4	7	12	16	25
A. NOT OPERATED	28	4.8	27	<1	1	3	6	8	11	28
B. OPERATED	678	4.9	21	1	2	3	6	10	15	23
TOTAL 65-69 YRS	198	4.9	25	1	2	3	6	9	16	27
70-74	217	4.5	16	1	1	3	5	10	14	22
75-79	145	4.5	18	1	2	3	5	9	14	21
80-84	103	5.6	25	1	2	4	7	12	15	27
85+	43	6.6	28	1	2	5	8	14	17	28
GRAND TOTAL	**706**	**4.9**	**21**	**1**	**2**	**3**	**6**	**10**	**15**	**24**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	2.1		1	1	2	2	3	3	3
70-74	9	1.8		1	1	2	2	2	2	2
75-79	4	2.8	1	2	2	3	3	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	11	3.5	7	1	1	2	4	8	9	9
70-74	6	3.3	8	2	2	2	7	82	99+	99+
75-79	8	6.0	54	<1	<1	3	7	19	23	23
80-84	6	2.2	1	1	1	2	3	3	3	3
85+	3	3.7	9	<1	<1	3	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	29	2.1		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	14.0		14	14	14	14	14	14	14
B. *Operated*	34	3.8	17	<1	1	2	4	9	20	99+
1. SINGLE DX	29	2.1		1	1	2	2	3	3	4
2. MULTIPLE DX	35	4.1	20	<1	1	3	5	9	20	99+
A. NOT OPERATED	1	14.0		14	14	14	14	14	14	14
B. OPERATED	63	3.0	10	1	1	2	3	7	9	89
TOTAL 65-69 YRS	22	2.8	4	1	1	2	3	5	8	9
70-74	15	2.4	4	1	1	2	2	8	73	99+
75-79	13	5.6	40	<1	<1	3	6	16	22	23
80-84	7	2.3	1	1	1	2	3	3	3	3
85+	7	2.9	4	<1	<1	3	3	6	7	7
GRAND TOTAL	**64**	**3.2**	**12**	**1**	**1**	**2**	**3**	**8**	**20**	**88**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.9	9	1	2	4	7	9	10	11
70-74	15	7.3	30	1	2	7	13	17	75	99+
75-79	16	7.9	67	1	1	4	14	20	24	26
80-84	9	9.3	41	3	3	8	12	20	22	22
85+	8	13.3	48	2	4	13	16	24	26	26
B. *Operated*										
65-69 YRS	142	17.2	166	2	3	14	21	34	43	72
70-74	95	16.8	145	3	5	15	20	26	33	76
75-79	47	20.9	342	2	2	16	24	36	59	91
80-84	19	20.9	131	8	10	18	25	34	48	57
85+	4	17.3	202	4	4	15	29	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	13.0	203	3	3	9	17	23	69	99+
70-74	67	10.6	122	2	3	8	13	20	28	73
75-79	47	12.2	126	2	3	7	18	28	38	51
80-84	36	10.6	43	3	4	9	14	22	25	28
85+	25	11.4	42	3	3	12	14	21	44	99+
B. *Operated*										
65-69 YRS	169	28.1	382	5	8	23	42	65	84	99+
70-74	140	28.5	360	5	8	24	43	59	69	99+
75-79	79	32.1	554	5	10	24	41	70	84	98
80-84	29	21.6	152	3	5	20	29	41	44	50
85+	13	20.5	323	6	9	16	22	36	69	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.6	39	1	2	6	11	18	22	84
B. *Operated*	307	17.9	185	2	4	16	21	33	42	77
2. MULTIPLE DX										
A. *Not Operated*	209	11.4	112	2	3	9	14	23	30	88
B. *Operated*	430	28.3	394	5	8	23	40	63	77	99+
1. SINGLE DX	377	16.0	174	2	3	14	20	31	39	80
2. MULTIPLE DX	639	22.8	364	3	5	18	31	52	70	99+
A. NOT OPERATED	279	10.5	96	2	3	8	14	21	28	94
B. OPERATED	737	24.0	333	3	7	19	31	50	68	99+
TOTAL 65-69 YRS	367	21.1	309	2	4	17	28	47	67	99+
70-74	317	20.2	290	3	5	16	26	46	61	91
75-79	189	22.3	434	2	3	17	28	50	71	94
80-84	93	16.0	122	3	5	13	22	30	38	54
85+	50	14.5	134	3	4	13	18	26	34	99+
GRAND TOTAL	**1016**	**20.2**	**304**	**2**	**4**	**16**	**26**	**46**	**64**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	3	1	1	3	5	5	5	5
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	252	5.3	9	3	3	5	6	8	11	18
70-74	140	5.6	14	3	3	5	6	9	12	20
75-79	60	6.4	15	3	3	6	6	10	14	26
80-84	26	5.8	13	3	3	5	6	9	13	21
85+	15	6.4	17	3	4	5	7	12	17	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.9	20	1	2	6	11	13	13	13
70-74	8	6.6	6	4	4	6	10	64	99+	99+
75-79	9	12.2	178	2	2	7	14	36	40	40
80-84	8	12.6	64	5	5	10	20	23	24	24
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	212	8.3	69	3	4	6	9	16	21	43
70-74	152	8.6	75	3	3	6	9	16	23	46
75-79	63	10.1	71	3	4	8	12	18	22	55
80-84	32	10.7	85	3	4	9	13	21	49	99+
85+	9	9.9	27	3	4	9	14	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	3	<1	<1	4	5	5	5	5
B. *Operated*	493	5.6	12	3	3	5	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	35	9.5	70	2	3	7	12	24	37	99+
B. *Operated*	468	8.8	72	3	4	6	10	17	21	52
1. SINGLE DX	502	5.5	12	3	3	5	6	9	12	20
2. MULTIPLE DX	503	8.9	71	3	4	6	10	18	23	56
A. NOT OPERATED	44	8.2	62	1	2	6	10	22	32	99+
B. OPERATED	961	7.1	43	3	3	5	8	13	18	38
TOTAL 65-69 YRS	479	6.6	38	3	3	5	7	11	17	28
70-74	300	7.1	47	3	3	5	7	12	18	45
75-79	133	8.5	55	3	4	6	9	16	21	43
80-84	67	8.9	59	3	4	6	12	20	24	91
85+	26	7.5	21	3	4	6	9	15	19	19
GRAND TOTAL	**1005**	**7.2**	**44**	**3**	**3**	**5**	**8**	**13**	**18**	**41**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	9	1	1	5	6	7	7	7
70-74	9	6.9	25	3	3	5	8	15	19	19
75-79	7	4.1	9	<1	<1	4	7	8	8	8
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	49	10.1	79	4	4	7	12	19	25	55
70-74	35	11.5	155	4	5	7	12	21	27	74
75-79	16	13.9	49	3	6	16	19	23	24	24
80-84	6	6.3	11	2	2	6	7	11	12	12
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	9.9	12	4	6	10	13	14	15	16
70-74	17	9.9	47	2	3	9	12	19	26	30
75-79	12	19.3	269	3	4	10	35	44	46	46
80-84	8	22.3	416	4	5	16	33	56	61	61
85+	2	19.5	1	19	19	19	20	20	20	20
B. *Operated*										
65-69 YRS	115	14.5	191	4	5	10	17	27	45	76
70-74	82	14.6	151	4	5	11	18	33	39	65
75-79	36	20.6	369	4	5	14	26	51	62	85
80-84	20	16.7	197	2	3	10	26	39	43	47
85+	8	20.0	316	6	7	14	24	50	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.4	16	<1	1	5	7	9	14	19
B. *Operated*	107	10.8	96	3	4	7	13	20	25	63
2. MULTIPLE DX										
A. *Not Operated*	53	14.3	158	3	4	10	17	33	43	61
B. *Operated*	261	15.7	208	4	5	11	20	33	47	73
1. SINGLE DX	127	10.0	87	2	4	7	12	19	24	59
2. MULTIPLE DX	314	15.5	200	4	5	11	20	33	47	71
A. NOT OPERATED	73	11.8	134	1	3	8	13	26	42	58
B. OPERATED	368	14.3	180	4	5	10	18	28	40	73
TOTAL 65-69 YRS	181	12.8	149	4	5	9	15	24	33	69
70-74	143	12.8	136	4	4	9	16	27	35	74
75-79	71	17.2	264	2	4	11	21	41	51	81
80-84	34	16.2	230	2	3	8	24	40	46	61
85+	12	17.4	235	4	5	14	21	36	57	60
GRAND TOTAL	**441**	**13.9**	**173**	**3**	**4**	**9**	**17**	**28**	**40**	**70**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	16.0		16	16	16	16	16	16	16
75-79	3	7.0	91	<1	<1	2	14	18	18	18
80-84										
85+										
B. *Operated*										
65-69 YRS	102	5.9	26	1	2	5	8	10	14	29
70-74	58	5.2	13	2	2	4	7	11	11	16
75-79	31	5.2	13	2	2	4	7	10	12	15
80-84	18	5.5	13	2	2	5	8	11	13	13
85+	8	4.4	14	<1	1	3	5	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.8	23	2	2	5	10	14	14	14
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
65-69 YRS	140	8.5	67	2	2	7	10	15	18	36
70-74	65	8.2	26	2	3	7	10	16	17	28
75-79	66	8.1	29	2	2	7	11	14	18	28
80-84	24	7.8	47	2	2	6	9	14	25	31
85+	13	9.9	56	3	3	7	15	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.0	69	<1	<1	3	16	18	18	18
B. *Operated*	217	5.5	19	2	2	4	8	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	11	5.8	13	2	2	5	8	12	14	14
B. *Operated*	308	8.3	48	2	2	7	10	16	19	30
1. SINGLE DX	222	5.6	20	2	2	4	8	11	13	24
2. MULTIPLE DX	319	8.3	47	2	2	7	10	15	19	30
A. NOT OPERATED	16	6.5	28	1	2	4	9	16	17	18
B. OPERATED	525	7.2	38	2	2	6	9	13	17	29
TOTAL 65-69 YRS	248	7.4	50	2	2	7	9	13	17	31
70-74	125	6.8	23	2	2	6	9	13	16	23
75-79	102	7.1	26	2	2	6	10	13	17	26
80-84	43	6.7	32	2	2	5	9	12	17	31
85+	23	7.7	43	1	2	5	12	17	22	26
GRAND TOTAL	**541**	**7.2**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.0	10	1	1	3	5	8	11	13
70-74	12	9.3	154	<1	1	4	11	33	36	37
75-79	5	13.2	244	2	2	8	20	40	40	40
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*										
65-69 YRS	236	6.6	40	1	2	4	9	15	18	33
70-74	192	5.6	37	1	1	3	6	14	18	31
75-79	122	6.2	99	1	2	3	7	14	18	96
80-84	72	6.1	27	2	2	4	7	13	17	25
85+	37	5.6	28	1	2	3	7	14	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	9.3	101	3	4	6	10	16	30	52
70-74	25	10.4	64	1	1	8	17	21	24	26
75-79	17	10.6	98	2	3	6	14	24	35	40
80-84	18	9.1	50	2	3	6	13	18	25	29
85+	13	10.5	79	1	2	7	19	37	86	99+
B. *Operated*										
65-69 YRS	318	9.3	82	2	2	7	12	20	26	44
70-74	284	9.5	74	2	2	7	13	20	28	40
75-79	243	10.3	83	2	2	8	13	21	26	53
80-84	124	11.1	82	2	2	8	16	22	31	62
85+	66	11.8	95	2	2	10	17	30	37	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	7.1	90	1	1	4	7	14	35	40
B. *Operated*	659	6.1	48	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	96	9.9	76	2	3	7	14	21	28	77
B. *Operated*	1035	10.0	81	2	2	8	13	21	28	45
1. SINGLE DX	697	6.2	50	1	2	4	8	14	18	35
2. MULTIPLE DX	1131	10.0	81	2	2	8	14	21	28	46
A. NOT OPERATED	134	9.1	81	1	2	5	13	21	30	59
B. OPERATED	1694	8.5	72	1	2	6	11	19	25	40
TOTAL 65-69 YRS	595	8.1	66	1	2	6	11	17	23	38
70-74	513	8.1	65	1	2	5	11	18	25	38
75-79	387	9.1	93	2	2	7	12	20	26	67
80-84	215	9.2	66	2	2	6	13	20	26	43
85+	118	9.6	78	2	2	7	13	23	33	99+
GRAND TOTAL	**1828**	**8.5**	**72**	**1**	**2**	**6**	**11**	**19**	**26**	**40**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	201	6.1	52	1	1	3	7	14	20	39
70-74	157	6.8	48	1	1	4	9	16	20	34
75-79	112	6.5	35	1	2	5	8	12	19	32
80-84	97	7.5	101	1	1	4	10	18	24	82
85+	73	8.9	59	2	2	6	11	19	29	34
B. *Operated*										
65-69 YRS	658	5.7	33	1	1	3	8	13	18	28
70-74	548	6.4	59	1	2	3	9	15	19	33
75-79	378	6.3	62	1	1	4	8	14	19	32
80-84	227	6.1	27	1	2	4	8	14	17	22
85+	111	6.0	31	1	1	4	7	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	440	8.2	62	1	1	6	11	18	23	44
70-74	509	8.3	67	1	2	6	11	18	23	47
75-79	462	10.1	97	1	2	7	12	21	30	54
80-84	357	9.4	79	2	2	7	12	20	27	53
85+	314	9.9	70	2	2	7	13	20	28	48
B. *Operated*										
65-69 YRS	958	10.4	104	2	2	7	14	23	30	55
70-74	851	11.2	119	2	2	8	15	24	33	63
75-79	720	12.0	116	2	2	9	17	25	32	56
80-84	436	13.1	131	2	3	10	18	26	35	55
85+	275	13.1	115	2	3	11	48	27	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	6.9	57	1	1	4	9	16	21	38
B. *Operated*	1922	6.1	45	1	1	3	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	2082	9.1	76	1	2	7	12	20	26	47
B. *Operated*	3240	11.6	116	2	2	9	15	24	32	58
1. SINGLE DX	2562	6.3	48	1	1	4	8	14	19	32
2. MULTIPLE DX	5322	10.6	101	2	2	8	14	23	30	55
A. NOT OPERATED	2722	8.6	72	1	2	6	11	19	25	46
B. OPERATED	5162	9.5	97	1	2	6	13	21	28	51
TOTAL 65-69 YRS	2257	8.2	75	1	2	5	11	19	25	44
70-74	2065	8.9	89	1	2	6	12	19	26	47
75-79	1672	9.8	98	1	2	7	13	21	28	53
80-84	1117	10.0	98	1	2	7	13	21	29	54
85+	773	10.4	85	2	2	7	14	22	30	52
GRAND TOTAL	**7884**	**9.2**	**88**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.5	6	2	2	4	6	9	10	10
70-74	16	5.2	17	<1	2	4	6	12	15	16
75-79	6	8.2	10	3	3	9	11	11	11	11
80-84	7	3.7	7	1	1	3	5	8	8	8
85+	11	5.2	8	2	2	5	8	9	9	9
B. *Operated*										
65-69 YRS	304	5.6	7	3	3	5	7	8	10	16
70-74	192	5.9	28	3	3	5	7	9	10	25
75-79	61	6.3	8	3	3	6	7	10	12	17
80-84	34	6.5	24	3	4	5	7	10	16	29
85+	8	5.5	10	2	2	5	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	6.5	22	2	2	5	9	12	16	26
70-74	94	6.1	11	2	3	5	8	11	12	17
75-79	71	6.8	24	3	3	6	8	11	16	33
80-84	41	7.8	45	1	2	6	9	18	23	30
85+	35	8.1	69	2	3	6	10	14	23	46
B. *Operated*										
65-69 YRS	288	8.6	41	3	4	7	10	16	20	39
70-74	185	8.5	39	3	4	7	9	16	21	32
75-79	125	9.2	62	3	4	7	10	17	23	46
80-84	45	12.7	83	3	4	9	15	28	32	40
85+	12	12.8	49	6	6	10	17	23	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.0	9	1	2	4	7	9	11	15
B. *Operated*	599	5.8	15	3	3	5	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	353	6.8	27	2	3	5	8	12	16	28
B. *Operated*	655	9.0	48	3	4	7	10	17	23	39
1. SINGLE DX	675	5.7	14	3	3	5	7	9	10	17
2. MULTIPLE DX	1008	8.2	42	3	3	6	10	15	20	35
A. NOT OPERATED	429	6.4	24	2	2	5	8	12	15	26
B. OPERATED	1254	7.5	35	3	4	6	8	13	17	32
TOTAL 65-69 YRS	740	6.8	25	3	3	5	8	12	16	29
70-74	487	6.9	30	3	3	5	8	12	16	30
75-79	263	7.8	39	3	3	6	9	12	17	35
80-84	127	9.0	58	2	3	6	11	20	28	36
85+	66	8.2	53	2	2	6	10	15	22	43
GRAND TOTAL	**1683**	**7.2**	**32**	**3**	**3**	**6**	**8**	**12**	**17**	**31**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	128	7.0	19	2	3	6	9	13	16	22
70-74	84	7.8	42	2	2	6	10	13	17	40
75-79	48	8.0	19	3	4	7	10	16	17	20
80-84	36	7.1	24	2	2	6	10	12	18	23
85+	18	7.9	12	3	4	7	10	13	15	16
B. *Operated*										
65-69 YRS	109	5.7	9	3	3	5	7	9	11	18
70-74	69	7.4	29	3	3	6	8	14	21	28
75-79	29	6.5	26	2	2	5	8	12	18	26
80-84	11	7.8	25	1	2	6	10	16	17	17
85+	5	10.8	8	8	8	11	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	653	9.9	69	3	3	8	12	19	23	40
70-74	588	11.1	79	3	3	9	14	20	29	44
75-79	526	12.1	97	3	4	10	15	22	29	77
80-84	297	12.6	92	3	4	10	15	23	27	46
85+	191	12.5	97	3	4	10	15	23	31	49
B. *Operated*										
65-69 YRS	207	11.0	86	4	4	8	14	20	29	60
70-74	149	12.3	92	3	3	9	16	25	31	44
75-79	122	14.0	85	4	4	12	18	28	32	45
80-84	63	15.2	110	3	4	13	21	28	35	54
85+	26	20.9	177	6	6	18	31	41	48	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	7.4	25	2	3	6	10	13	16	26
B. *Operated*	223	6.6	19	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	2255	11.3	85	3	4	9	14	21	28	47
B. *Operated*	567	12.9	99	3	4	10	17	27	32	51
1. SINGLE DX	537	7.1	23	2	3	6	9	13	16	26
2. MULTIPLE DX	2822	11.6	88	3	4	9	15	22	28	50
A. NOT OPERATED	2569	10.9	79	3	3	9	14	20	27	45
B. OPERATED	790	11.1	84	3	4	8	14	23	30	48
TOTAL 65-69 YRS	1097	9.4	63	3	3	7	11	17	21	45
70-74	890	10.7	76	3	3	8	13	20	28	43
75-79	725	12.0	90	3	4	10	15	22	29	59
80-84	407	12.4	91	3	4	10	16	23	28	45
85+	240	13.1	106	3	4	10	16	27	33	50
GRAND TOTAL	**3359**	**10.9**	**80**	**3**	**4**	**8**	**14**	**21**	**28**	**46**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1088	7.7	25	3	3	7	9	13	16	24
70-74	865	7.9	24	2	3	7	10	13	16	25
75-79	562	8.2	27	2	3	7	10	14	17	29
80-84	307	8.3	21	3	3	8	11	15	18	24
85+	147	9.5	46	2	3	7	12	18	21	39
B. *Operated*										
65-69 YRS	28	13.1	154	1	1	11	15	23	40	62
70-74	26	10.0	52	2	2	9	14	21	22	27
75-79	12	15.0	80	4	5	15	19	27	34	35
80-84	3	7.7	36	2	2	7	12	14	14	14
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7228	9.4	45	3	4	8	11	16	21	37
70-74	6321	9.6	46	3	4	8	12	17	22	37
75-79	5007	10.3	56	3	4	9	13	18	23	41
80-84	2951	10.7	66	3	4	9	13	20	26	42
85+	1898	10.9	73	3	4	9	14	20	28	73
B. *Operated*										
65-69 YRS	1084	15.8	131	3	5	13	20	32	40	73
70-74	898	16.7	175	4	5	13	21	32	44	78
75-79	685	17.3	182	4	5	14	22	34	47	82
80-84	324	18.6	164	4	6	15	24	38	50	99+
85+	154	22.9	349	5	7	17	29	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2969	8.0	26	3	3	7	10	14	17	26
B. *Operated*	69	12.0	99	2	2	10	16	21	27	57
2. MULTIPLE DX										
A. *Not Operated*	23405	9.9	53	3	4	8	12	18	23	40
B. *Operated*	3145	17.0	171	4	5	14	22	34	45	84
1. SINGLE DX	3038	8.1	28	3	3	7	10	14	17	26
2. MULTIPLE DX	26550	10.8	72	3	4	9	13	20	26	49
A. NOT OPERATED	26374	9.7	50	3	4	8	12	17	22	38
B. OPERATED	3214	16.9	170	4	5	14	21	33	45	84
TOTAL 65-69 YRS	9428	10.0	58	3	4	8	12	18	23	43
70-74	8110	10.2	64	3	4	8	12	18	25	43
75-79	6266	10.9	72	3	4	9	13	20	26	49
80-84	3585	11.2	77	3	4	9	14	21	28	50
85+	2199	11.6	100	3	4	9	14	22	31	81
GRAND TOTAL	**29588**	**10.5**	**68**	**3**	**4**	**8**	**13**	**19**	**25**	**46**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	193	8.2	42	2	3	7	10	15	17	27
70-74	130	9.4	35	3	4	8	12	17	21	32
75-79	97	8.7	32	2	3	8	12	16	20	28
80-84	53	10.5	57	3	4	9	12	20	22	41
85+	26	12.3	110	3	4	10	16	18	27	57
B. *Operated*										
65-69 YRS	3	9.7	24	4	4	12	13	13	13	13
70-74	2	11.0	72	5	5	11	17	17	17	17
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	13.0		13	13	13	13	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	703	11.0	50	3	4	9	14	19	24	36
70-74	611	11.9	79	3	4	10	15	22	29	54
75-79	500	12.9	110	3	4	10	16	23	29	56
80-84	357	13.7	95	4	5	11	17	24	33	57
85+	243	13.8	120	4	5	11	16	26	35	70
B. *Operated*										
65-69 YRS	83	22.1	276	7	9	17	27	34	58	88
70-74	83	24.5	236	5	8	21	31	54	61	99+
75-79	61	22.7	196	8	9	20	30	45	59	96
80-84	40	25.0	176	7	9	22	32	46	59	99+
85+	27	19.1	77	7	9	17	24	30	35	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	9.1	44	2	3	8	12	16	20	34
B. *Operated*	7	10.7	22	4	4	12	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	2414	12.3	85	3	4	10	15	22	29	55
B. *Operated*	294	23.0	217	7	9	19	29	45	59	99+
1. SINGLE DX	506	9.1	44	2	3	8	12	16	20	33
2. MULTIPLE DX	2708	13.5	110	3	5	11	17	25	33	60
A. NOT OPERATED	2913	11.7	79	3	4	10	15	21	28	53
B. OPERATED	301	22.8	215	7	9	19	29	44	59	99+
TOTAL 65-69 YRS	982	11.4	79	3	4	9	14	20	26	54
70-74	826	12.8	104	3	4	10	16	25	34	59
75-79	659	13.2	118	3	4	10	16	24	33	58
80-84	451	14.3	109	4	5	12	18	27	38	58
85+	296	14.1	117	4	5	11	17	28	35	69
GRAND TOTAL	**3214**	**12.8**	**102**	**3**	**4**	**10**	**16**	**24**	**31**	**59**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	519	8.1	22	2	3	7	10	15	17	26
70-74	393	8.6	52	3	3	7	10	15	18	37
75-79	271	8.9	28	3	3	8	11	16	20	25
80-84	133	9.5	46	3	3	8	12	17	22	37
85+	54	9.0	22	3	4	8	12	16	18	20
B. *Operated*										
65-69 YRS	124	6.9	85	1	2	4	8	15	23	47
70-74	89	7.9	73	2	2	5	9	17	28	43
75-79	67	10.6	129	2	2	7	13	26	33	60
80-84	30	6.9	42	2	2	4	8	16	19	31
85+	6	8.8	45	2	2	7	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3769	10.1	52	3	4	8	12	18	23	39
70-74	3169	10.6	65	3	4	9	13	19	24	48
75-79	2435	10.8	66	3	4	9	13	19	25	48
80-84	1370	11.2	69	3	4	9	14	20	25	53
85+	773	11.6	77	3	4	10	14	21	26	54
B. *Operated*										
65-69 YRS	1554	21.1	283	3	5	16	29	46	61	99+
70-74	1222	23.1	323	4	6	18	31	51	64	94
75-79	893	24.1	313	3	5	20	34	51	65	99+
80-84	489	24.4	310	5	7	20	32	50	67	99+
85+	285	23.7	294	6	8	19	31	51	65	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1370	8.6	34	3	3	7	10	15	18	30
B. *Operated*	316	8.0	87	2	2	5	10	17	28	44
2. MULTIPLE DX										
A. *Not Operated*	11516	10.6	63	3	4	9	13	19	24	46
B. *Operated*	4443	22.8	305	4	5	18	31	50	64	99+
1. SINGLE DX	1686	8.5	44	2	3	7	10	15	19	36
2. MULTIPLE DX	15959	14.0	160	3	4	10	17	29	42	76
A. NOT OPERATED	12686	10.4	60	3	4	9	13	19	24	44
B. OPERATED	4759	21.8	304	3	4	17	30	49	63	99+
TOTAL 65-69 YRS	5966	12.7	136	3	4	9	15	26	37	70
70-74	4873	13.5	160	3	4	10	16	27	41	73
75-79	3666	13.9	158	3	4	10	17	29	41	77
80-84	2022	14.2	159	3	4	10	17	29	41	79
85+	1118	14.5	159	3	4	11	17	28	44	79
GRAND TOTAL	**17645**	**13.5**	**151**	**3**	**4**	**10**	**16**	**27**	**40**	**74**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	8.0	36	2	2	7	13	16	16	16
70-74										
75-79	3	5.0	12	1	1	7	54	99+	99+	99+
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*	8	6.9	26	1	1	7	13	66	99+	99+
1. SINGLE DX	5	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX	10	6.5	21	1	2	7	11	50	96	99+
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	13	6.2	18	1	2	7	8	24	83	99+
TOTAL 65-69 YRS	7	7.0	29	2	2	7	11	15	16	16
70-74	3	5.0	1	4	4	5	6	6	6	6
75-79	4	5.8	10	1	1	7	31	99+	99+	99+
80-84										
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**15**	**6.1**	**16**	**1**	**2**	**6**	**8**	**16**	**75**	**99+**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	5.3	15	1	1	4	7	10	13	22
70-74	112	5.4	16	1	2	4	7	11	14	19
75-79	76	5.9	19	1	1	5	8	11	14	23
80-84	61	5.6	27	1	1	4	7	11	14	31
85+	42	5.6	33	1	2	4	7	12	19	30
B. *Operated*										
65-69 YRS	43	8.9	62	2	2	6	11	22	27	35
70-74	27	7.6	16	2	4	7	9	12	17	19
75-79	14	9.8	52	1	2	8	14	22	24	24
80-84	6	18.0	139	7	7	14	27	36	37	37
85+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1045	7.7	44	2	2	6	10	15	19	35
70-74	1065	8.7	62	2	2	7	11	17	21	36
75-79	1011	8.6	46	2	3	7	11	17	21	37
80-84	677	9.1	74	2	3	7	11	17	24	45
85+	460	9.4	66	2	3	7	12	18	23	45
B. *Operated*										
65-69 YRS	190	16.0	174	4	5	12	22	32	43	94
70-74	147	16.4	209	4	5	13	22	31	40	90
75-79	110	17.0	166	4	5	13	22	35	43	66
80-84	63	19.7	216	5	6	16	24	45	54	65
85+	27	22.6	408	4	6	14	27	67	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	5.5	19	1	1	4	7	11	14	24
B. *Operated*	92	9.2	54	2	3	7	11	20	25	36
2. MULTIPLE DX										
A. *Not Operated*	4258	8.6	56	2	2	7	11	17	21	39
B. *Operated*	537	17.1	200	4	5	13	22	34	47	87
1. SINGLE DX	533	6.1	27	1	1	5	8	12	17	30
2. MULTIPLE DX	4795	9.5	80	2	3	7	12	19	25	48
A. NOT OPERATED	4699	8.3	54	2	2	6	10	16	21	38
B. OPERATED	629	15.9	186	4	5	12	21	33	45	81
TOTAL 65-69 YRS	1428	8.6	68	2	2	6	10	17	24	43
70-74	1351	9.3	80	2	2	7	12	18	24	41
75-79	1211	9.2	61	2	3	7	12	19	23	42
80-84	807	9.7	92	2	3	7	12	19	29	49
85+	531	9.7	90	2	3	7	12	20	26	66
GRAND TOTAL	**5328**	**9.2**	**75**	**2**	**2**	**7**	**11**	**18**	**24**	**46**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	15.7	120	2	4	12	29	30	30	30
70-74	16	10.9	95	1	2	8	15	26	31	33
75-79	16	11.9	114	2	3	8	15	19	39	47
80-84	11	10.1	107	3	4	7	11	23	39	40
85+	19	7.5	33	2	3	5	10	14	21	26
B. *Operated*										
65-69 YRS	5	9.8	45	3	3	11	15	18	18	18
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	2	17.0	50	12	12	17	22	22	22	22
80-84	3	16.3	52	8	8	20	21	21	21	21
85+	3	8.0	43	1	1	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	220	15.5	210	4	4	11	19	30	42	80
70-74	284	14.2	142	3	4	11	18	28	39	67
75-79	321	13.7	88	3	4	11	18	27	34	54
80-84	322	12.4	123	3	4	10	15	22	33	85
85+	385	12.1	79	3	4	10	15	24	30	55
B. *Operated*										
65-69 YRS	62	19.5	219	5	7	17	24	31	47	86
70-74	67	23.3	319	5	7	19	31	53	59	98
75-79	56	21.4	234	4	7	17	30	42	62	98
80-84	45	24.2	407	7	9	17	31	48	64	97
85+	46	22.0	211	6	8	18	32	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	10.8	89	2	3	8	13	26	30	45
B. *Operated*	17	9.9	52	1	2	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	1532	13.4	122	3	4	10	17	26	34	67
B. *Operated*	276	22.0	274	5	7	17	29	44	56	99
1. SINGLE DX	89	10.6	82	2	2	8	14	24	29	44
2. MULTIPLE DX	1808	14.7	155	3	4	11	18	29	40	78
A. NOT OPERATED	1604	13.3	121	3	4	10	16	26	34	66
B. OPERATED	293	21.3	269	4	7	17	28	43	56	99
TOTAL 65-69 YRS	297	16.2	208	3	4	13	20	30	41	83
70-74	371	15.6	184	3	4	11	20	33	45	72
75-79	395	14.7	116	4	4	12	19	30	38	69
80-84	381	13.7	169	3	4	11	16	27	38	94
85+	453	12.9	100	3	4	10	16	26	33	66
GRAND TOTAL	**1897**	**14.5**	**152**	**3**	**4**	**11**	**18**	**29**	**39**	**77**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.7	4	3	3	6	8	8	8	8
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	8.4	54	2	2	9	12	20	20	20
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	7.8	33	2	3	6	11	15	19	32
70-74	82	9.6	91	1	2	7	11	18	29	53
75-79	48	10.2	49	2	3	9	15	18	24	28
80-84	17	12.7	135	2	3	8	18	29	39	44
85+	7	7.9	22	2	2	7	12	15	15	15
B. *Operated*										
65-69 YRS	18	13.3	120	1	2	10	16	30	37	41
70-74	14	11.9	121	2	3	6	16	31	33	33
75-79	6	8.5	22	3	3	7	14	14	14	14
80-84	2	18.5	265	7	7	18	30	30	30	30
85+	2	21.0	288	9	9	21	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	4	3	3	6	8	8	8	8
B. *Operated*	10	8.6	27	2	2	9	10	16	20	20
2. MULTIPLE DX										
A. *Not Operated*	254	9.2	62	2	3	7	11	18	26	39
B. *Operated*	42	12.8	112	2	3	9	16	31	33	41
1. SINGLE DX	18	7.4	18	2	2	7	9	11	17	20
2. MULTIPLE DX	296	9.7	70	2	3	7	12	19	28	40
A. NOT OPERATED	262	9.1	60	2	3	7	11	17	25	39
B. OPERATED	52	12.0	98	2	3	9	15	30	33	41
TOTAL 65-69 YRS	130	8.5	47	2	2	6	11	16	22	38
70-74	99	9.8	92	1	2	7	11	22	31	50
75-79	55	10.0	45	2	3	9	15	18	24	28
80-84	20	13.1	132	2	3	8	19	29	37	44
85+	10	10.9	77	2	3	8	13	24	33	33
GRAND TOTAL	**314**	**9.6**	**67**	**2**	**3**	**7**	**12**	**18**	**28**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	6.2	29	2	2	5	7	11	18	28
70-74	43	7.7	30	1	2	7	10	13	19	28
75-79	39	3.6	8	<1	<1	3	5	8	10	11
80-84	22	7.9	51	1	2	6	9	20	26	27
85+	17	9.1	42	2	3	8	13	20	21	21
B. *Operated*										
65-69 YRS	63	5.6	25	1	2	3	8	14	17	22
70-74	39	7.3	52	<1	1	5	10	17	21	36
75-79	25	6.9	57	1	2	4	8	22	26	28
80-84	7	6.6	39	1	1	4	9	17	19	19
85+	8	11.3	31	5	5	10	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	347	8.3	44	2	3	6	10	17	22	33
70-74	293	9.2	65	2	3	7	11	17	20	51
75-79	230	9.8	57	2	3	8	12	20	24	41
80-84	165	9.5	59	2	3	8	12	21	24	48
85+	111	10.1	78	3	3	8	12	20	34	99+
B. *Operated*										
65-69 YRS	186	12.7	164	2	2	10	16	29	35	66
70-74	167	13.3	102	2	3	12	19	27	29	41
75-79	112	13.6	147	2	4	10	17	27	34	74
80-84	56	16.0	213	2	4	11	18	45	55	97
85+	33	15.2	151	4	5	11	22	31	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.5	31	<1	1	5	8	13	20	28
B. *Operated*	142	6.7	39	1	2	4	9	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	1146	9.2	57	2	3	7	12	18	23	46
B. *Operated*	554	13.6	146	2	3	11	18	28	36	66
1. SINGLE DX	303	6.6	35	<1	1	5	9	14	20	28
2. MULTIPLE DX	1700	10.6	90	2	3	8	14	22	29	55
A. NOT OPERATED	1307	8.9	55	2	3	7	11	17	23	45
B. OPERATED	696	12.2	132	2	2	9	16	26	33	64
TOTAL 65-69 YRS	636	9.2	82	2	2	6	12	18	27	47
70-74	542	10.2	77	2	3	8	14	20	27	46
75-79	406	10.1	85	2	2	8	13	21	27	43
80-84	250	10.8	99	2	3	8	13	23	35	59
85+	169	11.1	89	3	3	9	15	22	32	91
GRAND TOTAL	**2003**	**10.0**	**84**	**2**	**2**	**7**	**13**	**21**	**28**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	5.1	9	1	1	5	7	9	11	14
70-74	72	6.0	16	1	2	5	8	11	14	21
75-79	54	5.9	12	2	3	5	7	12	16	96
80-84	31	5.1	9	2	2	5	6	9	11	15
85+	27	6.0	17	1	1	5	8	12	15	17
B. *Operated*										
65-69 YRS	27	6.3	56	1	2	4	8	11	16	40
70-74	19	7.6	48	1	1	5	12	20	22	22
75-79	6	7.0	30	2	2	6	9	15	16	16
80-84	4	4.5	27	1	1	3	8	12	12	12
85+	3	6.0	13	2	2	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	445	8.1	35	2	3	6	10	15	20	28
70-74	417	8.1	31	2	3	6	10	15	18	30
75-79	347	8.0	26	2	3	7	11	15	18	26
80-84	214	8.9	53	3	3	7	11	17	22	32
85+	182	8.0	24	3	3	7	10	15	18	28
B. *Operated*										
65-69 YRS	72	12.8	108	2	3	11	17	25	33	53
70-74	60	14.7	178	3	4	10	17	40	43	62
75-79	37	15.2	130	4	5	12	20	31	32	55
80-84	28	16.7	133	4	6	13	23	38	41	43
85+	13	13.8	72	2	4	13	20	26	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	5.6	12	1	2	5	7	10	13	19
B. *Operated*	59	6.7	45	1	1	4	9	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	1605	8.2	33	2	3	7	10	15	19	28
B. *Operated*	210	14.3	132	3	4	11	19	31	41	58
1. SINGLE DX	331	5.8	18	1	2	5	7	11	14	21
2. MULTIPLE DX	1815	8.9	49	2	3	7	11	17	21	39
A. NOT OPERATED	1877	7.8	31	2	3	6	10	14	18	28
B. OPERATED	269	12.7	123	2	2	9	17	28	39	56
TOTAL 65-69 YRS	632	8.2	45	2	3	6	10	15	21	34
70-74	568	8.5	50	2	3	6	10	16	20	41
75-79	444	8.3	38	2	3	7	11	16	19	31
80-84	277	9.2	63	2	3	7	11	18	23	41
85+	225	8.1	28	2	3	7	10	15	19	29
GRAND TOTAL	**2146**	**8.4**	**45**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	112	6.1	28	1	2	5	7	11	13	30
70-74	102	6.6	21	2	2	5	8	14	17	21
75-79	123	7.3	26	2	2	6	10	14	19	24
80-84	101	7.4	42	2	2	6	8	13	17	41
85+	139	7.0	24	1	2	6	9	13	14	27
B. *Operated*										
65-69 YRS	2	7.5	61	2	2	7	13	13	13	13
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	6.8	59	1	1	4	11	18	18	18
80-84	2	14.0	8	12	12	14	16	16	16	16
85+	4	16.8	28	12	12	15	20	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2062	9.2	75	2	3	7	11	17	23	51
70-74	2468	9.8	63	2	3	8	12	18	23	44
75-79	2985	10.3	79	2	3	8	13	20	26	52
80-84	2970	11.1	90	3	4	9	14	21	28	56
85+	3517	11.4	92	3	4	9	14	21	29	57
B. *Operated*										
65-69 YRS	220	16.1	162	3	5	13	20	32	45	99+
70-74	234	20.3	249	5	7	15	27	42	55	94
75-79	248	20.3	242	5	6	15	27	40	59	85
80-84	193	20.2	189	5	7	16	27	37	47	99+
85+	219	23.5	233	7	9	19	30	51	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	6.9	28	2	2	6	8	13	15	27
B. *Operated*	13	10.6	56	1	1	12	16	19	23	24
2. MULTIPLE DX										
A. *Not Operated*	14002	10.5	82	2	3	8	13	20	27	53
B. *Operated*	1114	20.1	221	5	7	16	27	40	57	99+
1. SINGLE DX	590	7.0	29	2	2	6	9	13	16	26
2. MULTIPLE DX	15116	11.2	98	3	3	9	14	21	30	60
A. NOT OPERATED	14579	10.4	80	2	3	8	13	20	26	52
B. OPERATED	1127	20.0	220	5	6	16	27	40	57	99+
TOTAL 65-69 YRS	2396	9.7	85	2	3	7	12	18	25	58
70-74	2805	10.5	86	2	3	8	13	20	28	54
75-79	3360	11.0	96	2	3	8	13	21	29	59
80-84	3266	11.6	99	3	4	9	14	22	31	66
85+	3879	11.9	106	3	4	9	14	23	31	62
GRAND TOTAL	**15706**	**11.1**	**96**	**2**	**3**	**8**	**14**	**21**	**29**	**59**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	6.1	19	1	2	5	8	11	14	23
70-74	112	5.6	46	1	1	4	7	11	13	35
75-79	123	5.9	21	1	2	5	8	10	15	24
80-84	104	5.3	11	1	1	5	7	10	11	15
85+	99	6.1	23	<1	1	5	9	11	14	26
B. *Operated*										
65-69 YRS	39	7.6	15	3	3	7	10	13	14	21
70-74	44	8.2	23	2	3	8	10	14	18	22
75-79	41	9.6	21	3	4	10	13	14	18	23
80-84	33	10.1	23	4	5	9	14	17	20	21
85+	30	11.1	46	3	3	9	17	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	893	7.8	39	2	3	7	9	14	18	34
70-74	1144	8.2	32	2	3	7	11	15	18	29
75-79	1324	8.4	39	2	3	7	11	15	20	34
80-84	1206	8.7	40	2	3	7	11	16	20	31
85+	1215	8.6	47	2	3	7	11	16	20	34
B. *Operated*										
65-69 YRS	469	11.6	58	4	5	10	14	20	25	39
70-74	562	12.4	81	3	5	10	16	22	28	49
75-79	556	12.2	71	3	5	10	15	22	28	46
80-84	450	12.7	73	4	5	11	15	23	29	48
85+	279	13.1	85	4	5	11	16	22	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.8	24	1	1	5	7	11	14	24
B. *Operated*	187	9.2	25	3	4	8	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*	5782	8.4	40	2	3	7	11	15	19	32
B. *Operated*	2316	12.3	73	4	5	10	15	22	28	48
1. SINGLE DX	726	6.7	27	1	2	6	9	13	16	24
2. MULTIPLE DX	8098	9.5	52	2	3	8	12	17	22	39
A. NOT OPERATED	6321	8.2	39	2	3	7	10	15	19	31
B. OPERATED	2503	12.1	70	4	5	10	15	21	27	47
TOTAL 65-69 YRS	1502	8.9	46	2	3	7	11	16	20	35
70-74	1862	9.3	52	2	3	8	12	17	21	39
75-79	2044	9.3	50	2	3	8	12	17	22	36
80-34	1793	9.5	51	2	3	8	12	17	22	38
85+	1623	9.3	55	2	3	8	12	18	22	40
GRAND TOTAL	**8824**	**9.3**	**51**	**2**	**3**	**8**	**12**	**17**	**22**	**38**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	6.7	4	5	5	6	8	9	9	9
75-79										
80-84										
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.1	24	2	2	8	12	43	92	99+
70-74	9	8.1	43	1	1	8	14	18	19	19
75-79	3	6.0	48	2	2	2	11	14	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
65-69 YRS	7	10.9	39	4	4	10	14	21	22	22
70-74	2	8.5	25	5	5	8	12	12	12	12
75-79	1	43.0		43	43	43	43	43	43	43
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.0	4	4	4	6	7	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	7.9	28	2	2	8	13	18	31	99+
B. *Operated*	10	13.6	136	4	4	11	15	32	43	43
1. SINGLE DX	5	6.0	4	4	4	6	7	9	9	9
2. MULTIPLE DX	36	9.5	62	2	2	8	13	19	36	99+
A. NOT OPERATED	31	7.6	24	2	2	7	11	17	19	99+
B. OPERATED	10	13.6	136	4	4	11	15	32	43	43
TOTAL 65-69 YRS	19	8.9	30	2	3	8	13	20	61	99+
70-74	14	7.9	30	1	2	7	12	16	18	19
75-79	4	15.3	374	2	2	8	28	43	43	43
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	7.7	4	6	6	7	9	10	10	10
GRAND TOTAL	**41**	**9.0**	**56**	**2**	**2**	**8**	**12**	**18**	**30**	**99+**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	336	4.3	17	<1	1	3	6	10	13	19
70-74	392	4.9	32	1	1	3	6	12	15	29
75-79	451	4.8	24	<1	1	3	6	11	14	22
80-84	376	5.1	40	<1	1	3	6	11	15	37
85+	352	5.0	26	1	1	3	7	12	16	24
B. *Operated*										
65-69 YRS	121	9.0	44	2	3	7	11	18	25	30
70-74	145	8.7	29	2	3	8	11	16	19	24
75-79	133	10.3	76	3	4	8	12	17	27	56
80-84	78	8.9	41	2	3	8	10	17	22	33
85+	67	9.6	51	2	2	8	12	17	20	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1497	7.3	46	1	1	6	10	16	20	36
70-74	1960	7.5	49	1	1	6	10	15	21	34
75-79	2179	7.8	50	1	2	6	10	16	21	33
80-84	1951	8.3	51	1	2	6	11	17	22	36
85+	2116	8.9	83	1	2	7	11	18	25	54
B. *Operated*										
65-69 YRS	681	13.9	125	3	4	11	18	27	35	58
70-74	902	13.3	124	3	4	10	17	25	34	57
75-79	932	14.3	127	3	4	12	18	28	[illegible]	59
80-84	767	14.3	119	3	4	12	18	28	[illegible]	64
85+	608	15.4	138	4	5	12	19	28	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1907	4.8	28	<1	1	3	6	11	15	26
B. *Operated*	544	9.3	48	2	3	8	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	9703	8.0	57	1	2	6	10	17	22	39
B. *Operated*	3890	14.2	126	3	4	11	18	27	36	62
1. SINGLE DX	2451	5.8	36	1	1	4	8	13	17	29
2. MULTIPLE DX	13593	9.8	85	1	2	7	13	20	27	48
A. NOT OPERATED	11610	7.5	54	1	[illegible]	6	10	16	21	37
B. OPERATED	4434	13.6	119	3	4	11	17	26	34	58
TOTAL 65-69 YRS	2635	8.7	73	1	1	6	11	19	25	42
70-74	3399	8.8	74	1	1	7	11	18	24	42
75-79	3695	9.2	77	1	2	7	12	19	25	45
80-84	3172	9.4	75	1	2	7	12	19	26	43
85+	3143	9.8	96	1	2	7	13	20	27	57
GRAND TOTAL	**16044**	**9.2**	**79**	**1**	**2**	**7**	**12**	**19**	**25**	**45**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	13.3	160	2	2	11	23	27	27	27
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	27.0	338	14	14	27	40	40	40	40
70-74	17	9.6	72	2	3	7	12	19	30	36
75-79	5	19.4	344	4	4	10	39	41	41	41
80-84	5	9.6	27	3	3	10	14	16	16	16
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	3	13.0	133	4	4	9	22	26	26	26
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84										
85+	1	48.0		48	48	48	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.5	120	2	2	8	19	27	27	27
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	30	12.2	134	3	3	8	14	37	40	41
B. *Operated*	5	19.4	324	4	4	10	31	48	48	48
1. SINGLE DX	5	10.0	102	2	2	6	15	27	27	27
2. MULTIPLE DX	35	13.3	159	3	3	9	15	38	41	48
A. NOT OPERATED	34	12.1	129	2	3	8	14	36	40	41
B. OPERATED	6	16.8	299	4	4	9	26	46	48	48
TOTAL 65-69 YRS	5	18.6	210	4	4	14	29	40	40	40
70-74	22	9.9	73	2	2	8	12	22	31	36
75-79	6	17.2	305	4	4	8	38	41	41	41
80-84	5	9.6	27	3	3	10	14	16	16	16
85+	2	26.0	968	4	4	26	48	48	48	48
GRAND TOTAL	**40**	**12.9**	**150**	**2**	**3**	**9**	**15**	**37**	**40**	**48**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	6.0	63	1	1	4	8	12	14	50
70-74	126	5.6	25	<1	1	4	8	12	17	23
75-79	86	4.9	53	<1	1	3	5	11	13	46
80-84	71	5.3	20	1	1	4	7	12	12	25
85+	38	5.4	29	1	1	3	7	12	15	28
B. *Operated*										
65-69 YRS	96	10.9	68	2	3	9	14	20	30	42
70-74	68	12.3	86	3	4	10	16	23	28	55
75-79	45	9.1	55	2	3	7	11	19	23	41
80-84	27	12.4	58	3	3	11	15	24	29	31
85+	24	11.3	36	4	5	10	15	17	21	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	8.6	76	1	2	6	11	17	23	50
70-74	588	8.1	67	1	2	6	10	17	23	44
75-79	545	8.2	68	1	2	6	10	17	23	41
80-84	337	8.0	66	1	1	6	10	18	24	39
85+	260	9.0	77	2	2	7	11	18	22	54
B. *Operated*										
65-69 YRS	376	15.0	158	3	5	11	20	31	38	67
70-74	375	14.1	110	3	5	11	17	28	38	58
75-79	354	15.3	195	3	4	11	18	31	47	78
80-84	192	15.5	204	3	4	12	18	27	44	84
85+	133	15.2	122	3	4	12	20	30	41	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	5.5	39	1	1	4	7	12	14	27
B. *Operated*	260	11.2	67	3	3	9	14	21	28	41
2. MULTIPLE DX										
A. *Not Operated*	2269	8.3	70	1	2	6	10	17	23	47
B. *Operated*	1430	14.9	157	3	4	11	18	30	40	68
1. SINGLE DX	675	7.7	57	1	1	6	10	16	21	35
2. MULTIPLE DX	3699	10.9	114	1	2	8	14	22	31	59
A. NOT OPERATED	2684	7.9	66	1	1	6	10	16	22	42
B. OPERATED	1690	14.3	145	3	4	11	18	28	38	65
TOTAL 65-69 YRS	1105	10.8	112	1	2	8	14	22	31	58
70-74	1157	10.0	87	1	2	8	13	21	28	53
75-79	1030	10.4	123	1	2	7	12	22	32	61
80-84	627	10.2	116	1	2	7	12	22	28	59
85+	455	10.7	94	2	3	8	14	21	29	47
GRAND TOTAL	**4374**	**10.4**	**107**	**1**	**2**	**8**	**13**	**22**	**30**	**58**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.8	3	2	2	3	5	6	7	7
70-74	3	4.3	8	1	1	6	6	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
65-69 YRS	3	20.7	654	3	3	9	40	50	50	50
70-74	4	4.5	10	2	2	3	6	9	9	9
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.5	6	1	1	3	6	7	7	7
70-74	5	4.4	8	2	2	3	6	9	9	9
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	4	5.0	12	2	2	4	7	10	10	10
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	5	10.8	66	3	3	9	15	24	24	24
70-74	2	13.5	113	6	6	13	21	21	21	21
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84										
85+	3	9.7	2	8	8	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.7	4	1	2	3	5	6	7	7
B. *Operated*	10	10.0	205	2	2	6	9	30	50	50
2. MULTIPLE DX										
A. *Not Operated*	20	4.0	6	1	1	3	5	8	9	10
B. *Operated*	12	9.9	43	3	4	8	11	22	24	24
1. SINGLE DX	26	6.1	86	1	2	4	6	9	17	50
2. MULTIPLE DX	32	6.2	28	1	2	5	8	11	20	24
A. NOT OPERATED	36	3.8	5	1	1	3	5	7	8	10
B. OPERATED	22	10.0	110	2	3	7	10	22	34	50
TOTAL 65-69 YRS	25	7.1	103	1	1	4	7	12	30	50
70-74	14	5.7	25	1	2	4	6	10	19	21
75-79	5	3.4	2	2	2	4	4	5	5	5
80-84	6	4.8	10	2	2	4	7	10	10	10
85+	8	6.6	11	2	2	7	9	11	11	11
GRAND TOTAL	**58**	**6.2**	**53**	**1**	**2**	**4**	**7**	**10**	**17**	**48**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.2	13	2	2	4	6	11	12	12
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	6.5	13	4	4	6	9	9	9	9
80-84	3	5.0	7	2	2	6	7	7	7	7
85+	4	4.3		4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	31	4.0	9	1	1	3	5	8	10	15
70-74	27	4.0	8	1	2	3	5	8	12	12
75-79	18	4.2	6	1	2	3	6	8	9	10
80-84	3	4.3	10	2	2	3	7	8	8	8
85+	6	4.8	9	2	2	5	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	7.6	23	2	3	6	8	17	18	18
70-74	8	8.0	94	2	2	4	8	25	31	31
75-79	13	9.9	111	4	4	7	9	22	39	43
80-84	8	8.6	33	<1	1	7	12	17	18	18
85+	10	12.0	354	3	3	6	8	38	65	65
B. *Operated*										
65-69 YRS	48	7.2	41	2	2	5	8	17	23	30
70-74	38	9.2	136	2	2	6	9	19	36	61
75-79	22	7.4	42	2	3	6	7	17	24	28
80-84	11	8.8	38	1	2	8	13	17	22	22
85+	2	16.5	265	5	5	16	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.2	7	2	2	5	6	9	11	12
B. *Operated*	85	4.1	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	52	9.3	114	2	3	6	9	17	30	65
B. *Operated*	121	8.2	72	2	2	6	8	19	25	49
1. SINGLE DX	101	4.3	8	1	2	3	5	8	10	14
2. MULTIPLE DX	173	8.5	85	2	2	6	8	18	25	57
A. NOT OPERATED	68	8.3	91	2	3	6	8	17	20	61
B. OPERATED	206	6.5	50	1	2	4	7	12	21	36
TOTAL 65-69 YRS	98	6.1	29	1	2	4	7	12	18	28
70-74	74	7.1	87	2	2	5	7	12	24	57
75-79	55	6.9	48	2	3	5	7	12	20	42
80-84	25	7.8	30	1	2	7	10	16	19	22
85+	22	9.0	185	2	3	5	7	17	43	65
GRAND TOTAL	**274**	**6.9**	**60**	**2**	**2**	**5**	**8**	**13**	**21**	**44**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	13.8	177	2	2	8	17	33	45	49
70-74	18	8.9	47	1	2	7	15	23	65	99+
75-79	15	15.5	431	2	3	8	13	44	72	81
80-84	8	10.5	75	2	3	8	12	25	30	30
85+	10	5.0	22	1	1	3	8	12	16	16
B. *Operated*										
65-69 YRS										
70-74	1	18.0		18	18	18	18	18	18	18
75-79										
80-84	1	22.0		22	22	22	22	22	22	22
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	11.9	92	2	3	9	15	22	33	47
70-74	95	13.5	114	3	4	10	18	32	40	76
75-79	101	13.0	115	3	4	10	17	26	31	58
80-84	91	13.6	167	3	4	10	17	28	40	89
85+	74	11.8	125	2	3	9	15	23	33	66
B. *Operated*										
65-69 YRS	10	27.5	663	7	7	13	61	66	67	67
70-74	17	19.8	168	4	5	16	27	42	44	45
75-79	9	24.6	257	6	8	23	36	49	54	54
80-84	10	16.8	114	4	6	14	24	33	39	39
85+	3	18.0	61	13	13	20	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	11.1	167	2	2	8	13	27	45	97
B. *Operated*	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	444	12.8	122	3	4	10	16	26	36	68
B. *Operated*	49	21.5	262	5	7	15	27	49	65	99+
1. SINGLE DX	67	11.3	165	2	2	8	13	26	44	97
2. MULTIPLE DX	493	13.7	143	3	4	10	17	28	41	71
A. NOT OPERATED	509	12.6	128	2	3	9	16	26	36	73
B. OPERATED	51	21.5	252	5	7	15	27	48	65	99
TOTAL 65-69 YRS	107	13.6	170	2	3	10	16	27	46	66
70-74	131	13.8	118	3	4	11	19	33	42	99+
75-79	125	14.1	167	3	4	10	18	29	42	67
80-84	110	13.8	155	3	4	11	18	28	39	84
85+	87	11.2	116	2	2	8	14	23	34	90
GRAND TOTAL	**560**	**13.4**	**146**	**2**	**4**	**10**	**17**	**28**	**41**	**73**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	428	11.9	142	2	2	8	15	28	41	99+
70-74	605	12.5	147	2	3	9	16	27	38	66
75-79	654	13.3	203	2	3	9	17	29	41	90
80-84	546	12.2	168	1	2	8	15	27	40	73
85+	459	11.1	124	2	3	8	14	24	35	99+
B. *Operated*										
65-69 YRS	22	12.3	184	1	2	8	17	30	47	55
70-74	22	17.9	454	2	3	10	16	45	67	92
75-79	25	18.0	197	3	4	14	26	38	49	52
80-84	8	15.8	307	3	3	8	22	45	54	54
85+	6	14.0	39	3	4	15	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1510	14.1	176	3	4	10	18	30	45	99+
70-74	2300	13.4	146	3	4	10	17	28	40	94
75-79	3047	13.8	178	3	4	10	17	31	43	99+
80-84	2818	13.3	160	2	3	10	16	29	42	99+
85+	2759	13.1	179	2	3	9	16	27	41	93
B. *Operated*										
65-69 YRS	152	19.7	257	3	6	16	26	43	61	99+
70-74	239	22.2	377	4	5	16	33	64	94	99+
75-79	283	21.7	281	5	7	16	29	49	78	99+
80-84	222	23.3	314	5	7	18	29	53	69	99+
85+	190	20.4	212	5	7	17	27	45	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2692	12.3	160	2	2	8	15	27	39	86
B. *Operated*	83	15.9	255	2	3	10	21	40	51	80
2. MULTIPLE DX										
A. *Not Operated*	12434	13.5	168	3	4	10	17	29	42	99+
B. *Operated*	1086	21.6	294	4	6	17	29	53	78	99+
1. SINGLE DX	2775	12.4	163	2	2	8	16	27	39	87
2. MULTIPLE DX	13520	14.2	183	3	4	10	18	31	45	99+
A. NOT OPERATED	15126	13.3	167	2	3	10	16	28	42	99+
B. OPERATED	1169	21.2	293	4	6	16	29	51	74	99+
TOTAL 65-69 YRS	2112	14.1	178	2	3	10	18	32	45	99+
70-74	3166	13.9	171	2	3	10	17	30	43	99+
75-79	4009	14.3	194	3	4	10	18	32	45	99+
80-84	3594	13.8	177	2	3	10	17	30	45	99+
85+	3414	13.3	176	2	3	9	16	27	42	99+
GRAND TOTAL	**16295**	**13.9**	**180**	**2**	**3**	**10**	**17**	**30**	**44**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	11.1	64	1	1	10	17	22	26	28
70-74	59	11.4	77	2	3	9	15	22	27	95
75-79	68	13.5	172	2	3	10	19	33	58	99+
80-84	46	12.1	92	2	3	10	16	22	29	54
85+	48	11.0	140	2	2	7	13	23	40	54
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	5	10.4	20	5	5	9	15	15	15	15
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	13.4	174	3	4	10	17	24	42	91
70-74	312	14.2	139	3	4	11	18	29	40	72
75-79	464	14.0	160	3	4	10	18	29	39	79
80-84	444	13.3	124	3	4	10	17	25	38	62
85+	431	12.9	143	3	3	9	17	26	39	99+
B. *Operated*										
65-69 YRS	8	19.3	42	9	11	18	25	27	27	27
70-74	28	25.6	375	8	9	22	34	56	99	99+
75-79	30	24.5	362	6	7	19	28	49	75	88
80-84	31	23.2	233	6	8	21	30	50	62	99+
85+	26	17.3	185	5	6	14	17	34	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	12.0	116	2	2	9	16	25	36	99+
B. *Operated*	7	9.0	23	2	3	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1780	13.5	144	3	4	10	17	27	39	82
B. *Operated*	123	22.5	276	6	8	17	27	46	65	99+
1. SINGLE DX	253	11.9	114	2	2	9	16	24	35	98
2. MULTIPLE DX	1903	14.1	157	3	4	10	18	29	41	90
A. NOT OPERATED	2026	13.3	141	2	4	10	17	27	39	84
B. OPERATED	130	21.8	272	6	7	17	27	45	62	99+
TOTAL 65-69 YRS	162	13.3	152	2	4	11	17	25	29	87
70-74	400	14.6	156	3	4	11	19	30	41	99
75-79	567	14.5	176	3	4	10	19	30	42	92
80-84	522	13.7	132	2	4	10	17	27	41	64
85+	505	12.9	145	2	3	10	17	26	39	99+
GRAND TOTAL	**2156**	**13.9**	**153**	**2**	**4**	**10**	**18**	**28**	**41**	**92**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	7.8	52	2	2	6	9	18	25	67
70-74	54	5.6	19	1	1	5	7	13	15	22
75-79	19	8.7	36	1	2	9	12	15	21	26
80-84	9	9.6	101	2	2	6	10	27	34	34
85+	3	8.3	72	2	2	5	15	18	18	18
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	542	10.8	97	2	3	8	13	21	27	58
70-74	262	11.6	99	2	3	9	15	23	29	50
75-79	119	10.5	62	3	3	8	13	21	28	36
80-84	45	10.6	77	2	3	8	15	21	27	45
85+	13	14.1	166	3	3	10	19	54	90	99+
B. *Operated*										
65-69 YRS	43	23.3	193	8	9	21	31	40	48	70
70-74	27	25.5	655	5	6	16	30	76	88	97
75-79	14	30.0	430	8	13	21	52	61	71	74
80-84	3	22.3	290	12	12	27	71	99+	99+	99+
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	7.4	44	1	2	6	9	16	22	41
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	981	11.0	93	2	3	8	14	22	28	51
B. *Operated*	88	24.9	367	6	8	19	32	52	74	99
1. SINGLE DX	200	7.4	44	1	2	5	9	16	22	41
2. MULTIPLE DX	1069	12.1	130	2	3	9	15	24	33	69
A. NOT OPERATED	1180	10.4	87	2	3	8	13	21	27	50
B. OPERATED	89	24.7	368	6	8	19	32	52	74	99
TOTAL 65-69 YRS	699	11.1	107	2	3	8	14	23	29	62
70-74	343	11.8	149	2	3	8	15	23	32	67
75-79	152	12.1	123	2	3	9	16	24	31	60
80-84	58	11.0	92	2	3	8	15	25	39	95
85+	17	13.1	139	2	3	10	18	43	80	99+
GRAND TOTAL	**1269**	**11.4**	**120**	**2**	**3**	**8**	**15**	**23**	**31**	**66**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	10.8	97	1	1	7	18	28	30	31
70-74	9	7.3	30	1	2	6	8	16	20	20
75-79	11	5.2	11	<1	<1	6	7	10	11	11
80-84	6	8.0	34	3	3	6	13	17	17	17
85+	3	13.7	226	4	4	6	25	31	31	31
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	78	9.3	42	3	4	8	11	16	22	38
70-74	67	10.9	78	2	3	8	14	24	29	39
75-79	65	10.6	101	2	3	8	13	20	26	64
80-84	36	7.8	37	2	3	6	8	18	22	29
85+	23	10.7	92	2	3	8	12	25	35	36
B. *Operated*										
65-69 YRS	4	28.8	215	14	14	28	41	45	45	45
70-74	6	15.0	45	5	5	15	21	23	23	23
75-79	2	11.5	61	6	6	11	17	17	17	17
80-84										
85+	2	20.5	421	6	6	20	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.4	60	1	1	6	10	19	29	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	269	9.9	69	2	3	8	11	21	26	39
B. *Operated*	14	19.2	150	5	6	16	23	38	43	45
1. SINGLE DX	43	8.4	60	1	1	6	10	19	29	31
2. MULTIPLE DX	283	10.4	77	2	3	8	12	22	28	41
A. NOT OPERATED	312	9.7	68	2	3	7	11	21	27	38
B. OPERATED	14	19.2	150	5	6	16	23	38	43	45
TOTAL 65-69 YRS	96	10.3	69	3	3	8	12	21	28	44
70-74	82	10.8	72	2	3	8	15	23	28	39
75-79	78	9.9	90	1	3	8	12	19	25	59
80-84	42	7.8	36	2	3	6	9	17	21	29
85+	28	11.8	114	3	3	8	13	34	35	36
GRAND TOTAL	**326**	**10.1**	**75**	**2**	**3**	**8**	**12**	**22**	**28**	**40**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	19.2	234	1	3	15	27	41	47	63
70-74	62	19.3	257	2	4	14	28	39	46	87
75-79	36	18.8	311	1	3	14	21	44	58	78
80-84	8	14.6	135	2	2	13	24	31	32	32
85+	15	26.5	762	3	4	15	39	83	88	90
B. *Operated*										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	28.0		28	28	28	28	28	28	28
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	18.8	207	4	5	16	25	39	47	99+
70-74	75	24.3	412	3	7	20	32	62	77	99+
75-79	40	17.0	86	3	6	17	25	31	37	99+
80-84	16	23.0	314	2	3	21	36	51	55	56
85+	5	13.8	99	4	4	10	22	28	28	28
B. *Operated*										
65-69 YRS	8	37.6	331	12	15	41	55	87	99+	99+
70-74	7	27.3	388	13	13	18	38	61	65	65
75-79	4	49.0	311	33	33	44	60	74	74	74
80-84										
85+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	19.5	274	2	3	14	27	41	48	89
B. *Operated*	3	17.7	82	11	11	14	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	277	20.2	254	3	5	17	27	42	60	99+
B. *Operated*	20	35.0	390	12	13	33	50	70	86	99+
1. SINGLE DX	274	19.4	272	2	3	14	28	41	48	88
2. MULTIPLE DX	297	21.2	276	3	6	18	28	46	67	99+
A. NOT OPERATED	548	19.8	264	3	4	16	27	42	54	99
B. OPERATED	23	32.7	380	11	12	30	48	68	82	99+
TOTAL 65-69 YRS	300	19.5	230	3	5	16	27	42	48	99
70-74	145	22.2	345	3	5	18	28	49	71	99+
75-79	81	19.5	237	2	5	15	26	41	57	93
80-84	24	20.2	262	2	3	19	30	44	53	56
85+	21	22.8	591	3	4	13	29	59	86	90
GRAND TOTAL	**571**	**20.3**	**274**	**3**	**4**	**16**	**28**	**43**	**56**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	9.4	34	2	2	10	15	15	15	15
70-74	1	12.0		12	12	56	99+	99+	99+	99+
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	19.0	134	4	5	18	27	36	36	36
70-74	4	7.0	28	2	2	6	11	14	14	14
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	3	42.0	73	34	34	41	48	51	51	51
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	10.8	29	2	3	12	16	67	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	14	14.7	125	2	4	12	21	36	36	36
B. *Operated*	3	42.0	73	34	34	41	48	51	51	51
1. SINGLE DX	8	10.8	29	2	3	12	16	67	99+	99+
2. MULTIPLE DX	17	19.5	225	3	4	15	34	40	47	51
A. NOT OPERATED	22	13.3	91	2	3	12	18	36	58	99+
B. OPERATED	3	42.0	73	34	34	41	48	51	51	51
TOTAL 65-69 YRS	17	20.2	211	3	4	15	34	40	47	51
70-74	5	8.0	26	2	2	10	14	91	99+	99+
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	2	8.0	2	7	7	8	9	9	9	9
GRAND TOTAL	**25**	**16.7**	**176**	**2**	**4**	**14**	**24**	**41**	**61**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	271	18.4	242	2	3	14	25	39	49	89
70-74	109	20.1	180	2	6	17	27	42	46	62
75-79	51	19.0	301	1	2	14	25	46	58	74
80-84	10	16.9	76	1	5	17	24	28	30	30
85+	11	18.5	319	2	3	15	21	51	55	55
B. *Operated*										
65-69 YRS	2	9.0	2	8	8	9	10	10	10	10
70-74	1	17.0		17	17	17	17	17	17	17
75-79	1	45.0		45	45	45	45	45	45	45
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	348	19.4	199	3	6	16	25	38	47	71
70-74	164	21.7	297	3	5	17	33	50	60	97
75-79	77	23.7	427	3	5	17	34	54	89	99+
80-84	34	16.6	174	2	4	12	25	39	49	99+
85+	17	13.3	39	2	3	14	16	21	24	26
B. *Operated*										
65-69 YRS	28	29.9	407	3	9	27	36	63	76	77
70-74	9	22.9	83	9	12	20	31	36	39	39
75-79	5	13.2	116	1	1	13	20	29	29	29
80-84	3	8.7	22	5	5	7	12	14	14	14
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	18.8	231	2	3	15	25	41	49	86
B. *Operated*	4	20.0	293	8	8	13	31	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	640	20.2	249	3	5	16	28	43	53	96
B. *Operated*	45	25.2	327	3	6	21	32	50	67	77
1. SINGLE DX	456	18.9	231	2	3	15	25	41	49	86
2. MULTIPLE DX	685	20.5	255	3	5	16	28	43	54	95
A. NOT OPERATED	1092	19.6	241	2	4	15	27	42	52	89
B. OPERATED	49	24.8	320	3	6	21	32	48	65	77
TOTAL 65-69 YRS	649	19.4	230	2	4	16	26	39	49	87
70-74	283	21.1	244	3	5	17	30	45	53	82
75-79	134	21.7	372	2	3	16	30	51	71	99+
80-84	47	16.2	145	2	4	14	24	38	44	99+
85+	28	15.3	148	2	3	14	19	25	49	55
GRAND TOTAL	**1141**	**19.8**	**246**	**2**	**4**	**16**	**27**	**42**	**52**	**89**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	747	19.4	200	3	5	17	26	38	49	71
70-74	566	21.1	205	3	5	19	29	42	49	64
75-79	322	22.7	248	3	7	20	30	43	57	89
80-84	135	20.0	293	3	4	15	26	45	60	76
85+	40	16.4	90	2	4	16	23	29	33	36
B. *Operated*										
65-69 YRS	11	23.8	189	4	6	22	37	43	44	44
70-74	4	24.3	244	3	3	29	36	36	36	36
75-79	7	21.7	105	11	12	15	31	35	36	36
80-84	1	16.0		16	16	16	16	16	16	16
85+	2	20.0	128	12	12	20	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	959	19.6	236	3	4	16	28	42	51	81
70-74	860	20.3	268	3	5	16	28	42	51	86
75-79	611	22.9	314	4	5	18	32	49	60	99
80-84	298	20.8	301	3	5	15	30	48	64	99+
85+	104	20.3	385	3	4	16	28	51	89	99+
B. *Operated*										
65-69 YRS	101	26.4	280	7	8	22	35	50	61	77
70-74	79	30.5	506	7	9	25	39	70	90	99
75-79	41	30.5	306	9	11	29	42	57	73	99+
80-84	28	31.8	209	7	8	31	45	52	65	99+
85+	12	31.7	588	7	12	26	45	93	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1810	20.5	216	3	5	18	28	40	50	72
B. *Operated*	25	22.7	144	4	8	22	33	39	43	44
2. MULTIPLE DX										
A. *Not Operated*	2832	20.7	276	3	4	16	29	44	57	98
B. *Operated*	261	29.1	358	7	9	26	38	57	77	99+
1. SINGLE DX	1835	20.5	215	3	5	18	28	40	50	72
2. MULTIPLE DX	3093	21.4	288	3	5	17	30	45	58	98
A. NOT OPERATED	4642	20.6	252	3	5	17	29	43	54	87
B. OPERATED	286	28.5	342	7	9	26	38	54	77	99+
TOTAL 65-69 YRS	1818	19.9	226	3	4	17	27	42	51	77
70-74	1509	21.2	261	3	5	18	29	42	51	87
75-79	981	23.2	292	4	5	19	32	48	60	98
80-84	462	21.2	299	3	5	16	30	49	63	99+
85+	158	20.2	331	3	4	16	27	41	82	99+
GRAND TOTAL	**4928**	**21.1**	**261**	**3**	**5**	**17**	**29**	**43**	**55**	**90**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	277	19.8	254	2	4	16	26	43	51	97
70-74	129	19.0	218	3	4	15	24	41	52	68
75-79	87	21.1	225	4	7	19	28	35	52	75
80-84	19	21.1	208	4	6	19	26	45	54	56
85+	9	16.9	73	4	5	18	26	65	99+	99+
B. *Operated*										
65-69 YRS	3	33.3	233	20	20	30	45	50	50	50
70-74	2	23.5	85	17	17	23	30	30	30	30
75-79										
80-84										
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	348	18.3	203	3	5	15	24	38	48	82
70-74	250	22.0	322	2	4	18	29	45	58	90
75-79	127	20.3	222	4	6	17	26	37	60	99+
80-84	49	22.9	205	6	7	19	32	43	55	99+
85+	13	27.6	773	1	3	20	32	72	93	98
B. *Operated*										
65-69 YRS	23	35.2	447	8	14	33	50	69	97	99+
70-74	29	37.7	418	9	13	35	50	64	73	93
75-79	14	32.9	503	11	14	23	49	61	84	91
80-84	10	35.7	620	13	16	27	34	81	87	87
85+	2	46.0	8	44	44	46	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	19.8	235	3	4	16	26	41	52	86
B. *Operated*	6	25.8	210	8	9	25	30	48	50	50
2. MULTIPLE DX										
A. *Not Operated*	787	20.2	256	3	5	16	26	41	54	91
B. *Operated*	78	36.1	443	10	14	34	49	66	89	99
1. SINGLE DX	527	19.9	234	3	4	17	26	42	51	86
2. MULTIPLE DX	865	21.6	293	3	5	17	29	46	58	95
A. NOT OPERATED	1308	20.1	247	3	5	16	26	41	54	91
B. OPERATED	84	35.3	430	10	14	32	49	65	88	99
TOTAL 65-69 YRS	651	19.6	243	3	5	16	26	42	51	96
70-74	410	22.2	313	3	5	18	29	47	58	90
75-79	228	21.4	246	4	7	18	28	37	58	93
80-84	78	24.1	270	6	7	20	32	46	61	96
85+	25	24.4	488	3	4	20	30	64	98	99+
GRAND TOTAL	**1392**	**21.0**	**271**	**3**	**5**	**17**	**28**	**45**	**55**	**92**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	361	17.9	212	2	3	15	26	39	49	70
70-74	252	17.3	204	2	2	14	25	37	46	64
75-79	192	16.1	172	2	3	11	24	36	41	60
80-84	94	15.2	211	1	2	10	22	31	44	72
85+	47	11.4	91	1	1	9	17	27	33	99+
B. *Operated*										
65-69 YRS	8	14.8	154	4	4	9	24	35	37	37
70-74	10	11.2	205	2	2	6	14	33	49	49
75-79	1	15.0		15	15	15	15	15	15	15
80-84	3	9.7	8	8	8	8	12	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	640	17.4	219	3	3	13	24	39	50	66
70-74	664	14.2	166	2	3	10	19	31	43	68
75-79	617	14.5	170	2	3	10	19	32	41	73
80-84	359	12.5	139	2	3	9	16	28	40	58
85+	297	11.4	117	2	3	8	15	24	35	73
B. *Operated*										
65-69 YRS	83	21.8	391	2	4	19	28	71	95	99+
70-74	78	19.9	304	3	5	15	26	47	62	99+
75-79	64	20.5	189	6	7	17	29	38	52	95
80-84	31	22.1	384	5	7	14	28	56	70	73
85+	16	19.4	131	7	8	15	26	40	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	946	16.8	197	2	3	13	24	37	45	69
B. *Operated*	23	12.1	140	2	3	8	15	31	41	49
2. MULTIPLE DX										
A. *Not Operated*	2577	14.5	174	2	3	10	19	33	43	69
B. *Operated*	272	20.8	299	4	6	16	28	48	70	99+
1. SINGLE DX	969	16.7	196	2	3	13	24	37	45	69
2. MULTIPLE DX	2849	15.1	190	2	3	11	20	34	45	77
A. NOT OPERATED	3523	15.1	182	2	3	11	21	34	44	69
B. OPERATED	295	20.1	292	3	5	15	27	46	68	99+
TOTAL 65-69 YRS	1092	17.9	230	2	3	14	25	39	52	87
70-74	1004	15.4	190	2	3	11	21	34	45	70
75-79	874	15.3	174	2	3	11	21	33	42	69
80-84	487	13.6	173	2	3	9	17	31	44	72
85+	361	11.7	116	2	3	8	15	26	36	76
GRAND TOTAL	**3818**	**15.5**	**192**	**2**	**3**	**11**	**21**	**35**	**45**	**74**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	171	5.4	19	1	1	4	7	10	15	22
70-74	117	5.9	48	1	1	4	7	15	18	38
75-79	77	7.2	79	1	1	4	9	15	25	45
80-84	31	4.4	13	1	1	3	6	9	12	16
85+	18	4.2	8	<1	1	4	5	8	10	12
B. *Operated*										
65-69 YRS	3	5.0	4	3	3	5	6	7	7	7
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	758	6.9	49	1	2	5	8	14	20	36
70-74	597	6.7	31	[illegible]	2	5	8	13	18	28
75-79	432	6.8	53	[illegible]	2	5	8	12	17	42
80-84	242	6.1	45	[illegible]	2	5	8	12	16	37
85+	122	7.4	58	[illegible]	2	5	9	16	25	37
B. *Operated*										
65-69 YRS	25	12.6	139	4	5	10	12	21	49	51
70-74	35	9.1	117	1	4	6	10	16	28	62
75-79	13	8.1	23	4	5	7	8	15	21	22
80-84	4	18.0	333	3	3	13	31	43	43	43
85+	3	24.7	560	11	11	11	42	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	5.7	38	1	1	4	7	12	17	34
B. *Operated*	3	5.0	4	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2151	6.8	45	1	2	5	8	13	19	35
B. *Operated*	80	11.0	136	3	4	7	11	21	45	59
1. SINGLE DX	417	5.7	38	1	1	4	7	12	17	34
2. MULTIPLE DX	2231	6.9	49	1	2	5	8	13	19	37
A. NOT OPERATED	2565	6.6	44	1	2	5	8	13	18	35
B. OPERATED	83	10.8	133	3	4	7	11	21	45	59
TOTAL 65-69 YRS	957	6.8	47	1	2	5	8	13	19	36
70-74	749	6.7	38	1	2	5	8	13	18	30
75-79	522	6.9	56	1	2	5	8	12	18	45
80-84	277	6.1	46	1	2	4	7	12	16	40
85+	143	7.4	66	1	2	5	8	14	25	39
GRAND TOTAL	**2648**	**6.7**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	641	13.9	124	2	3	11	19	29	37	51
70-74	426	14.1	114	3	3	12	19	29	36	57
75-79	249	13.7	129	2	3	10	19	28	35	57
80-84	77	13.4	110	2	3	10	20	27	33	54
85+	41	12.9	273	1	2	8	16	26	35	98
B. *Operated*										
65-69 YRS	4	19.8	164	8	8	16	27	38	38	38
70-74	5	17.8	303	6	6	14	23	48	48	48
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	43.0	2178	10	10	43	76	76	76	76
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1344	14.1	162	3	4	10	18	29	40	72
70-74	1062	14.3	164	3	4	10	19	30	39	72
75-79	741	13.9	138	3	4	10	19	29	39	73
80-84	357	13.1	142	3	4	9	16	30	37	58
85+	166	13.7	155	3	4	9	17	29	38	66
B. *Operated*										
65-69 YRS	122	25.4	302	5	7	23	33	51	61	78
70-74	83	21.8	307	4	5	18	28	42	56	90
75-79	41	20.5	167	4	5	19	29	40	44	46
80-84	23	17.9	117	4	4	16	29	32	59	99+
85+	7	30.3	109	15	17	26	40	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	13.8	125	2	3	11	19	29	36	57
B. *Operated*	12	21.6	469	5	6	14	27	56	73	76
2. MULTIPLE DX										
A. *Not Operated*	3670	14.0	155	3	4	10	18	30	39	70
B. *Operated*	276	23.1	268	4	6	20	30	43	56	88
1. SINGLE DX	1446	13.9	128	2	3	11	19	29	37	57
2. MULTIPLE DX	3946	14.6	169	3	4	10	19	31	41	73
A. NOT OPERATED	5104	14.0	147	3	4	10	18	29	38	65
B. OPERATED	288	23.0	275	4	6	20	30	44	57	86
TOTAL 65-69 YRS	2111	14.7	165	3	4	11	19	30	41	65
70-74	1576	14.6	161	3	4	11	19	31	39	73
75-79	1032	14.1	139	3	4	10	19	29	39	63
80-84	459	13.5	144	2	4	9	17	30	37	61
85+	214	14.1	183	2	3	9	20	30	39	70
GRAND TOTAL	**5392**	**14.4**	**158**	**3**	**4**	**10**	**19**	**30**	**40**	**67**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	9.0	150	1	1	6	9	17	30	73
70-74	71	7.2	48	1	1	5	10	16	20	34
75-79	32	8.6	50	<1	1	6	13	19	23	25
80-84	14	11.6	379	<1	<1	4	10	31	64	73
85+	8	6.3	26	2	2	5	9	15	16	16
B. *Operated*										
65-69 YRS	18	4.9	10	1	1	4	8	[illegible]	10	11
70-74	9	8.3	124	2	2	4	9	26	37	37
75-79	4	3.3	4	2	2	3	4	6	6	6
80-84	2	17.5	313	5	5	17	30	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	274	10.4	104	1	2	7	14	24	35	53
70-74	186	9.9	106	2	2	7	12	22	29	59
75-79	152	10.4	113	2	2	6	14	24	36	98
80-84	64	11.6	174	1	2	8	15	23	36	77
85+	47	8.3	41	2	2	7	10	18	22	29
B. *Operated*										
65-69 YRS	44	10.4	44	3	4	8	14	18	26	29
70-74	15	13.5	333	1	2	7	17	22	62	75
75-79	11	14.9	439	2	3	7	25	79	97	99+
80-84	8	12.9	17	8	8	12	16	19	19	19
85+	9	14.8	218	4	4	8	21	39	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	8.4	113	1	1	5	11	17	26	60
B. *Operated*	33	6.4	57	1	2	4	8	10	27	37
2. MULTIPLE DX										
A. *Not Operated*	723	10.2	108	2	2	7	13	23	34	61
B. *Operated*	87	12.2	153	3	4	8	15	23	40	90
1. SINGLE DX	260	8.2	106	1	1	5	10	17	26	55
2. MULTIPLE DX	810	10.4	113	2	2	7	13	23	34	65
A. NOT OPERATED	950	9.8	110	1	2	6	12	22	32	61
B. OPERATED	120	10.6	132	2	3	7	11	21	33	82
TOTAL 65-69 YRS	438	9.8	106	1	2	7	12	22	32	56
70-74	281	9.4	105	1	2	6	11	20	28	59
75-79	199	10.2	119	1	2	6	14	24	36	99+
80-84	88	11.9	189	1	2	8	15	25	35	78
85+	64	8.9	66	2	2	7	11	20	23	47
GRAND TOTAL	**1070**	**9.9**	**112**	**1**	**2**	**6**	**12**	**22**	**32**	**62**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	629	9.4	80	1	2	6	12	23	29	36
70-74	260	9.2	76	1	2	6	13	23	27	39
75-79	60	7.7	65	1	2	5	8	21	28	36
80-84	24	7.8	58	1	1	5	10	19	24	33
85+	11	8.7	63	<1	<1	6	14	22	24	24
B. *Operated*										
65-69 YRS	5	16.2	138	9	9	12	19	37	37	37
70-74	1	18.0		18	18	18	18	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2965	11.7	93	2	3	8	18	25	30	42
70-74	1339	11.6	96	2	3	8	16	25	31	45
75-79	505	11.7	100	2	3	9	16	24	28	44
80-84	118	10.3	81	2	2	8	13	21	29	45
85+	63	10.1	159	1	2	6	12	22	35	98
B. *Operated*										
65-69 YRS	207	18.3	176	4	5	15	22	36	44	67
70-74	114	17.7	117	3	5	16	25	32	36	50
75-79	37	19.5	95	5	6	21	25	30	36	47
80-84	10	18.2	95	2	5	18	25	32	35	35
85+	2	21.5	13	19	19	21	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	984	9.2	77	1	2	6	12	23	28	36
B. *Operated*	6	16.5	111	9	9	12	18	35	37	37
2. MULTIPLE DX										
A. *Not Operated*	4990	11.6	95	2	3	8	17	25	30	43
B. *Operated*	370	18.3	146	4	5	16	24	34	42	57
1. SINGLE DX	990	9.3	78	1	2	6	12	23	28	37
2. MULTIPLE DX	5360	12.1	102	2	3	9	18	26	31	46
A. NOT OPERATED	5974	11.2	93	2	2	8	16	24	30	42
B. OPERATED	376	18.2	145	4	5	16	24	35	42	57
TOTAL 65-69 YRS	3806	11.7	99	2	2	8	18	26	31	44
70-74	1714	11.6	97	2	3	8	17	26	31	45
75-79	602	11.8	102	2	3	9	16	24	29	44
80-84	152	10.4	82	2	2	8	14	21	30	40
85+	76	10.2	144	1	2	6	14	23	31	97
GRAND TOTAL	**6350**	**11.6**	**99**	**2**	**2**	**8**	**17**	**25**	**30**	**44**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	3	14.3	70	9	9	10	20	24	24	24
75-79	2	22.5	421	8	8	22	37	37	37	37
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	13.6	90	3	4	11	18	29	32	35
70-74	13	12.1	52	3	3	11	18	22	24	24
75-79	6	16.7	92	5	5	15	27	29	29	29
80-84	2	10.5	1	10	10	10	11	11	11	11
85+	3	8.3	44	1	1	10	13	14	14	14
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	20.0		20	20	20	20	20	20	20
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	16.2	141	8	8	10	24	36	37	37
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	13.0	71	2	4	11	17	27	29	35
B. *Operated*	3	12.7	40	9	9	9	17	20	20	20
1. SINGLE DX	6	16.2	141	8	8	10	24	36	37	37
2. MULTIPLE DX	46	13.0	68	3	4	11	17	27	29	35
A. NOT OPERATED	49	13.4	78	3	4	11	18	28	30	37
B. OPERATED	3	12.7	40	9	9	9	17	20	20	20
TOTAL 65-69 YRS	21	13.1	83	3	4	10	14	28	32	35
70-74	16	12.5	51	3	3	10	19	23	24	24
75-79	9	17.1	126	5	6	15	27	34	37	37
80-84	3	13.7	30	10	10	11	18	20	20	20
85+	3	8.3	44	1	1	10	13	14	14	14
GRAND TOTAL	**52**	**13.4**	**75**	**3**	**4**	**11**	**18**	**27**	**29**	**37**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	10.6	77	1	2	8	16	24	31	31
70-74	8	12.1	31	6	7	10	16	21	21	21
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	16.6	170	3	4	12	24	35	40	58
70-74	25	15.9	142	5	7	10	22	36	40	44
75-79	10	14.0	98	2	3	13	21	29	31	31
80-84	8	11.5	116	1	2	8	16	30	34	34
85+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
65-69 YRS	4	28.0	975	5	5	17	49	73	73	73
70-74	6	21.5	57	11	11	25	26	29	29	29
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	10.8	56	1	2	9	15	21	26	31
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	91	15.5	145	3	4	12	22	34	37	54
B. *Operated*	10	24.1	368	5	7	24	26	51	73	73
1. SINGLE DX	20	10.6	54	1	2	9	14	20	26	31
2. MULTIPLE DX	101	16.4	171	3	4	12	24	34	38	65
A. NOT OPERATED	110	14.7	133	3	4	10	21	32	37	53
B. OPERATED	11	22.5	361	5	6	24	26	47	71	73
TOTAL 65-69 YRS	60	16.4	206	3	4	11	23	34	43	71
70-74	39	16.0	111	6	7	12	23	33	38	44
75-79	11	13.3	94	2	3	11	20	29	31	31
80-84	9	10.4	112	1	1	6	14	28	34	34
85+	2	9.5	61	4	4	9	15	15	15	15
GRAND TOTAL	**121**	**15.4**	**155**	**3**	**4**	**11**	**21**	**32**	**37**	**62**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	3.6	29	<1	<1	2	4	7	10	32
70-74	24	3.5	14	<1	1	2	4	8	12	17
75-79	17	3.0	10	1	1	1	5	8	11	12
80-84	5	1.0		<1	<1	<1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	144	6.3	46	1	1	4	8	13	16	32
70-74	84	5.2	27	1	1	4	7	11	15	28
75-79	52	6.6	39	1	1	4	8	15	21	33
80-84	26	4.0	17	<1	<1	3	5	9	13	20
85+	7	3.1	6	1	1	2	4	7	8	8
B. *Operated*										
65-69 YRS	11	10.1	42	<1	2	10	14	20	22	22
70-74	6	11.2	49	5	5	9	14	23	24	24
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.3	19	<1	<1	2	4	7	10	27
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	313	5.8	37	1	1	4	8	12	16	30
B. *Operated*	19	9.7	43	<1	2	9	13	21	23	24
1. SINGLE DX	84	3.3	19	<1	<1	2	4	7	10	27
2. MULTIPLE DX	332	6.0	38	1	1	4	8	13	17	30
A. NOT OPERATED	397	5.3	34	<1	1	3	7	12	15	30
B. OPERATED	19	9.7	43	<1	2	9	13	21	23	24
TOTAL 65-69 YRS	192	6.0	44	1	1	4	8	13	16	32
70-74	114	5.2	27	1	1	4	7	11	16	28
75-79	70	5.7	34	1	1	4	7	13	16	31
80-84	31	3.5	16	<1	<1	2	4	8	11	20
85+	9	2.7	6	1	1	2	3	7	8	8
GRAND TOTAL	**416**	**5.5**	**35**	**<1**	**1**	**4**	**7**	**12**	**16**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	4.5	25	1	1	4	8	8	8	8
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	9.2	55	1	2	7	14	19	23	32
70-74	17	7.6	16	2	3	6	11	13	14	14
75-79	23	9.8	96	1	2	7	12	26	33	42
80-84	8	7.1	12	1	2	7	9	12	12	12
85+	5	6.8	5	4	4	6	8	10	10	10
B. *Operated*										
65-69 YRS	2	11.0	50	6	6	11	16	16	16	16
70-74										
75-79	3	6.0	1	5	5	6	7	7	7	7
80-84	1	9.0		9	9	9	9	9	9	9
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	9	1	1	4	7	8	8	8
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	83	8.7	51	1	2	7	11	16	24	39
B. *Operated*	6	8.2	17	5	5	7	9	15	16	16
1. SINGLE DX	6	5.0	10	1	1	5	8	8	8	8
2. MULTIPLE DX	89	8.7	48	1	2	7	11	16	23	38
A. NOT OPERATED	88	8.4	49	1	2	7	11	16	23	38
B. OPERATED	7	8.1	14	5	5	7	9	15	16	16
TOTAL 65-69 YRS	34	9.1	51	1	2	7	14	17	23	32
70-74	19	7.3	17	1	2	6	11	13	14	14
75-79	27	9.3	83	2	2	7	11	23	30	42
80-84	10	6.8	13	1	1	7	9	11	12	12
85+	5	6.8	5	4	4	6	8	10	10	10
GRAND TOTAL	**95**	**8.4**	**47**	**1**	**2**	**7**	**11**	**16**	**23**	**37**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	5.9	19	1	2	5	7	12	15	20
70-74	42	4.2	11	1	1	3	6	10	12	13
75-79	28	4.8	7	1	2	5	6	10	10	10
80-84	10	4.4	6	1	1	5	6	7	8	8
85+	7	5.0	35	1	1	4	12	75	99+	99+
B. *Operated*										
65-69 YRS	4	6.0	45	2	2	3	10	16	16	16
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	8.0		8	8	8	8	8	8	8
80-84	4	3.5	9	2	2	2	5	8	8	8
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	310	6.7	29	2	2	5	9	12	16	30
70-74	265	6.8	34	2	2	6	8	12	16	27
75-79	219	7.1	32	2	2	6	9	12	17	33
80-84	138	7.4	39	2	2	5	9	15	20	34
85+	68	6.7	31	2	2	5	8	12	18	31
B. *Operated*										
65-69 YRS	33	9.1	70	1	2	6	12	23	28	35
70-74	36	13.6	128	2	3	9	17	29	35	53
75-79	14	11.6	50	3	4	10	18	22	23	23
80-84	13	11.4	84	2	4	7	13	30	31	31
85+	7	12.4	28	2	3	14	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	5.1	14	1	1	4	6	10	14	20
B. *Operated*	12	4.6	18	2	2	3	6	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	1000	6.9	32	2	2	5	9	13	17	31
B. *Operated*	103	11.5	87	2	3	8	16	25	30	45
1. SINGLE DX	167	5.0	15	1	1	4	6	10	14	20
2. MULTIPLE DX	1103	7.3	39	2	2	6	9	14	18	33
A. NOT OPERATED	1155	6.7	30	2	2	5	8	12	16	31
B. OPERATED	115	10.8	84	2	2	8	15	24	30	43
TOTAL 65-69 YRS	415	6.7	31	1	2	5	9	13	16	30
70-74	345	7.2	46	1	2	5	8	14	18	37
75-79	262	7.1	32	2	2	6	9	12	18	30
80-84	165	7.4	41	1	2	5	9	15	20	34
85+	83	7.0	33	2	2	5	9	15	19	77
GRAND TOTAL	**1270**	**7.0**	**37**	**2**	**2**	**5**	**9**	**13**	**18**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	6.3	39	1	1	4	9	15	17	32
70-74	67	8.1	43	1	2	6	12	18	20	32
75-79	39	9.1	94	<1	1	7	11	25	29	44
80-84	23	10.6	78	1	2	8	14	27	29	29
85+	14	5.4	33	1	1	4	6	22	80	99+
B. *Operated*										
65-69 YRS	1	23.0		23	23	23	23	23	23	23
70-74	2	5.5	13	3	3	5	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	216	8.4	72	1	1	6	11	18	26	49
70-74	220	8.9	50	1	2	7	12	19	24	34
75-79	150	9.2	90	2	2	6	10	20	28	49
80-84	109	9.2	62	2	3	7	11	20	25	69
85+	62	7.6	47	1	2	6	10	15	20	39
B. *Operated*										
65-69 YRS	8	16.9	99	7	8	14	20	33	38	38
70-74	11	16.7	87	6	7	15	24	31	35	35
75-79	5	18.2	171	9	9	13	23	41	41	41
80-84	7	13.1	36	6	6	10	19	21	21	21
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	7.7	55	1	1	5	11	17	25	36
B. *Operated*	3	11.3	108	3	3	8	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	757	8.8	66	1	2	6	11	19	25	47
B. *Operated*	31	16.2	85	6	7	13	20	31	38	41
1. SINGLE DX	226	7.8	55	1	1	5	11	17	25	36
2. MULTIPLE DX	788	9.1	68	1	2	7	12	20	25	45
A. NOT OPERATED	980	8.5	63	1	2	6	11	19	25	43
B. OPERATED	34	15.8	86	6	7	13	20	29	37	41
TOTAL 65-69 YRS	305	8.2	67	1	1	5	11	18	24	48
70-74	300	9.0	51	1	2	7	12	19	25	34
75-79	194	9.4	94	1	2	7	11	21	29	47
80-84	139	9.6	64	1	3	8	12	21	28	54
85+	76	7.2	45	1	2	5	10	16	22	84
GRAND TOTAL	**1014**	**8.8**	**66**	**1**	**2**	**6**	**11**	**19**	**25**	**42**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	258	12.7	120	2	3	9	17	30	34	50
70-74	188	11.8	156	2	3	7	15	26	34	68
75-79	136	11.6	153	2	2	7	15	25	40	58
80-84	69	12.7	187	2	2	8	18	29	39	79
85+	18	7.6	56	1	1	5	10	15	26	32
B. *Operated*										
65-69 YRS	4	3.3	8	1	1	3	5	7	7	7
70-74	6	9.3	62	3	3	6	16	21	22	22
75-79	3	11.7	40	8	8	8	16	19	19	19
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	778	11.1	92	2	3	8	14	24	31	46
70-74	699	10.9	104	2	3	8	13	23	31	58
75-79	537	11.5	119	2	3	8	14	24	35	71
80-84	288	11.5	135	3	3	8	13	26	34	57
85+	183	11.0	101	2	3	8	14	22	32	47
B. *Operated*										
65-69 YRS	61	14.7	184	3	4	10	19	33	53	96
70-74	57	16.2	243	3	4	11	21	34	42	93
75-79	49	18.7	146	6	8	14	22	35	44	62
80-84	27	19.3	273	5	6	13	29	52	70	99+
85+	11	19.8	247	4	4	15	29	43	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	12.1	142	2	2	8	16	27	35	53
B. *Operated*	15	7.7	41	1	1	7	8	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	2485	11.1	107	2	3	8	14	23	33	56
B. *Operated*	205	16.9	206	4	5	12	22	35	49	98
1. SINGLE DX	684	12.0	140	2	2	8	16	27	35	52
2. MULTIPLE DX	2690	11.6	117	2	3	8	14	24	34	59
A. NOT OPERATED	3154	11.3	114	2	3	8	14	24	33	55
B. OPERATED	220	16.3	200	3	4	12	21	35	48	97
TOTAL 65-69 YRS	1101	11.6	104	2	3	8	16	25	33	50
70-74	950	11.3	123	2	3	8	14	24	33	59
75-79	725	12.0	130	2	3	8	15	25	36	64
80-84	385	12.2	157	2	3	8	14	29	38	73
85+	213	11.1	108	2	3	8	14	22	34	52
GRAND TOTAL	**3374**	**11.7**	**121**	**2**	**3**	**8**	**15**	**25**	**34**	**58**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	7.7	66	2	2	4	14	17	17	17
70-74	3	1.3		1	1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	12.0	427	1	1	6	11	22	69	82
70-74	15	8.5	36	3	5	6	10	20	23	24
75-79	4	7.5	19	2	2	8	11	11	11	11
80-84	3	14.3	70	9	9	10	20	24	24	24
85+	3	5.7	2	4	4	6	7	7	7	7
B. *Operated*										
65-69 YRS	4	15.8	427	2	2	7	29	46	46	46
70-74	1	34.0		34	34	34	34	34	34	34
75-79	2	52.0	3200	12	12	52	92	92	92	92
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.0	29	1	1	2	3	13	17	17
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	39	9.9	170	1	2	6	11	18	24	82
B. *Operated*	7	28.7	1044	2	2	12	43	83	92	92
1. SINGLE DX	9	4.0	25	1	1	2	4	12	17	17
2. MULTIPLE DX	46	12.8	330	2	2	7	11	24	53	92
A. NOT OPERATED	47	8.9	150	1	2	6	10	17	24	82
B. OPERATED	8	25.6	971	2	2	12	40	78	92	92
TOTAL 65-69 YRS	21	12.1	354	1	2	6	13	29	62	82
70-74	19	8.7	72	1	1	6	10	22	29	34
75-79	8	17.4	927	2	2	8	12	68	92	92
80-84	4	11.8	74	4	4	9	17	24	24	24
85+	3	5.7	2	4	4	6	7	7	7	7
GRAND TOTAL	**55**	**11.3**	**289**	**1**	**2**	**6**	**11**	**24**	**43**	**91**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	12.7	60	2	4	11	17	25	28	31
70-74	15	13.5	156	2	4	11	17	28	44	49
75-79	14	12.1	122	2	2	10	17	21	40	45
80-84	4	12.8	49	4	4	13	17	21	21	21
85+	7	21.3	186	11	11	14	33	43	44	44
B. *Operated*										
65-69 YRS	20	11.1	59	2	3	9	13	20	29	35
70-74	16	14.3	288	1	2	9	18	33	58	69
75-79	5	13.4	61	3	3	13	19	24	24	24
80-84	4	14.3	135	2	2	12	21	30	30	30
85+	3	9.7	30	6	6	7	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	17.7	249	2	4	15	22	36	58	98
70-74	63	19.1	249	2	4	15	26	43	46	80
75-79	49	19.6	137	5	6	18	26	35	43	62
80-84	35	19.5	145	4	5	17	26	38	43	49
85+	25	16.2	112	3	4	15	25	31	32	34
B. *Operated*										
65-69 YRS	70	25.9	412	2	4	23	36	69	87	99+
70-74	45	27.1	337	2	7	25	35	55	66	72
75-79	20	23.5	188	4	5	23	34	44	72	99+
80-84	15	34.1	480	8	14	25	48	58	81	89
85+	7	22.1	120	1	5	27	30	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	13.7	110	2	3	11	17	27	39	48
B. *Operated*	48	12.5	134	2	2	10	16	24	34	69
2. MULTIPLE DX										
A. *Not Operated*	251	18.5	197	3	4	16	25	37	44	85
B. *Operated*	157	26.6	356	2	5	24	36	58	78	99+
1. SINGLE DX	111	13.2	119	2	3	11	17	26	35	57
2. MULTIPLE DX	408	21.6	273	2	4	18	31	44	59	99+
A. NOT OPERATED	314	17.6	183	2	4	15	23	36	44	75
B. OPERATED	205	23.3	338	2	4	19	33	54	72	99+
TOTAL 65-69 YRS	192	19.4	293	2	4	15	27	43	69	99+
70-74	139	20.5	291	2	3	16	30	45	55	73
75-79	88	18.9	152	3	5	17	27	36	43	85
80-84	58	22.5	266	4	5	18	30	46	52	86
85+	42	17.6	123	3	4	16	28	32	39	99+
GRAND TOTAL	**519**	**19.8**	**252**	**2**	**4**	**16**	**28**	**42**	**56**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	223	9.8	52	2	3	8	13	19	23	35
70-74	259	11.4	113	2	3	9	14	22	29	54
75-79	184	10.4	99	2	3	7	13	21	26	55
80-84	93	9.1	35	2	4	7	11	16	22	31
85+	33	9.8	42	3	3	9	14	21	23	26
B. *Operated*										
65-69 YRS	11	8.6	39	2	3	7	9	18	24	25
70-74	9	13.7	59	<1	2	17	20	22	23	23
75-79	5	8.6	26	3	3	7	14	14	14	14
80-84	4	19.0	241	8	8	13	28	42	42	42
85+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	881	12.5	113	3	4	10	15	24	34	81
70-74	1268	12.5	122	3	4	9	15	24	34	68
75-79	1198	12.8	110	3	4	10	15	25	34	69
80-84	770	13.3	104	3	4	11	17	27	35	56
85+	323	13.2	151	3	4	10	15	25	37	78
B. *Operated*										
65-69 YRS	158	19.5	222	3	4	17	25	42	58	98
70-74	178	19.8	198	5	6	16	26	42	50	99+
75-79	166	21.4	294	4	7	16	28	42	63	97
80-84	84	21.9	296	5	8	16	27	52	68	94
85+	35	18.5	105	5	7	17	26	32	38	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	10.4	81	2	3	8	13	20	25	46
B. *Operated*	30	12.0	76	2	3	9	17	23	25	42
2. MULTIPLE DX										
A. *Not Operated*	4440	12.8	116	3	4	10	16	25	34	70
B. *Operated*	621	20.4	238	4	6	16	26	42	54	99
1. SINGLE DX	822	10.4	81	2	3	8	13	21	25	44
2. MULTIPLE DX	5061	13.7	137	3	4	10	17	27	37	76
A. NOT OPERATED	5232	12.4	111	3	4	10	15	24	33	65
B. OPERATED	651	20.0	233	4	6	16	26	41	54	99
TOTAL 65-69 YRS	1273	12.9	122	3	4	10	16	25	36	79
70-74	1714	13.1	133	3	4	10	16	26	36	70
75-79	1553	13.4	136	3	4	10	16	27	37	74
80-84	951	13.7	122	3	4	11	17	28	36	71
85+	392	13.4	141	3	4	10	16	26	35	71
GRAND TOTAL	**5883**	**13.2**	**130**	**3**	**4**	**10**	**16**	**26**	**36**	**73**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	10.4	41	2	3	10	16	18	21	22
70-74	9	9.3	63	1	1	7	15	22	25	25
75-79	3	5.7	5	3	3	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	5	4.4	4	3	3	4	5	8	8	8
70-74	1	25.0		25	25	25	25	25	25	25
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	115	11.2	71	3	4	9	13	21	30	67
70-74	65	10.3	69	2	3	9	12	20	28	43
75-79	27	11.5	87	2	3	10	15	25	29	42
80-84	4	12.3	17	7	7	13	15	16	16	16
85+	7	9.3	28	2	2	9	14	15	15	15
B. *Operated*										
65-69 YRS	40	21.2	303	4	6	17	27	43	78	99+
70-74	21	18.0	173	6	8	12	21	42	50	54
75-79	10	11.6	57	4	4	10	12	25	25	25
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	9.6	44	1	2	8	15	18	22	25
B. *Operated*	6	7.8	74	3	3	4	8	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	218	10.9	69	2	3	9	13	21	28	47
B. *Operated*	71	18.9	237	4	6	14	25	40	53	97
1. SINGLE DX	44	9.3	47	1	3	7	15	19	23	25
2. MULTIPLE DX	289	12.9	122	3	4	10	16	26	38	80
A. NOT OPERATED	256	10.7	66	2	3	9	14	20	26	46
B. OPERATED	77	18.0	232	3	4	13	25	39	51	96
TOTAL 65-69 YRS	185	13.1	133	3	4	10	16	26	40	95
70-74	96	12.0	101	2	3	10	15	25	35	51
75-79	40	11.1	74	2	3	9	14	25	26	42
80-84	5	10.2	34	2	2	11	15	16	16	16
85+	7	9.3	28	2	2	9	14	15	15	15
GRAND TOTAL	**333**	**12.4**	**113**	**2**	**3**	**10**	**16**	**25**	**35**	**73**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.9	12	1	1	4	7	9	11	19
70-74	98	5.1	14	1	1	4	7	11	13	17
75-79	82	4.7	14	1	1	4	6	9	11	21
80-84	35	5.5	23	1	1	4	7	13	18	19
85+	16	8.6	61	1	3	8	9	13	28	35
B. *Operated*										
65-69 YRS	9	4.7	6	1	1	5	6	8	8	8
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84										
85+	2	14.5	1	14	14	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	727	7.5	47	2	2	6	9	16	21	34
70-74	602	8.1	48	2	2	6	11	15	21	33
75-79	485	9.2	75	2	2	6	11	19	24	51
80-84	290	9.1	83	2	2	7	11	18	25	45
85+	193	9.7	122	2	3	7	11	19	24	83
B. *Operated*										
65-69 YRS	68	16.1	186	2	3	13	23	35	38	65
70-74	73	13.8	117	3	4	13	18	33	39	89
75-79	50	14.1	125	3	4	11	16	30	36	57
80-84	24	16.8	189	3	4	13	25	37	45	52
85+	13	11.7	40	4	4	10	17	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	5.1	16	1	1	4	7	9	13	19
B. *Operated*	17	5.2	17	1	1	5	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	2297	8.4	64	2	2	6	10	17	22	46
B. *Operated*	228	14.8	142	3	4	13	19	33	37	59
1. SINGLE DX	395	5.1	16	1	1	4	7	9	13	19
2. MULTIPLE DX	2525	9.0	75	2	2	6	11	18	24	48
A. NOT OPERATED	2675	7.9	59	1	2	6	10	16	21	42
B. OPERATED	245	14.1	139	2	3	11	19	32	37	58
TOTAL 65-69 YRS	951	7.7	57	1	2	5	9	16	22	41
70-74	777	8.2	54	1	2	6	11	17	21	38
75-79	619	9.0	75	2	2	6	11	19	24	50
80-84	349	9.2	89	2	2	7	11	19	27	47
85+	224	9.8	112	2	3	7	11	19	24	82
GRAND TOTAL	**2920**	**8.5**	**68**	**2**	**2**	**6**	**10**	**17**	**23**	**46**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	396	8.4	68	1	2	6	10	17	28	54
70-74	408	8.7	81	2	2	6	11	17	24	45
75-79	270	8.8	74	1	2	6	11	17	26	51
80-84	143	10.8	109	2	3	7	14	27	36	99+
85+	85	8.8	66	2	2	7	12	16	22	48
B. *Operated*										
65-69 YRS	337	10.3	120	2	2	7	13	24	33	56
70-74	275	11.4	121	2	2	8	15	26	32	77
75-79	168	11.3	141	2	2	7	14	24	35	63
80-84	61	12.8	182	3	3	8	17	30	38	74
85+	34	7.7	63	2	2	5	8	17	23	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1732	12.4	131	2	3	9	16	26	36	67
70-74	1927	12.0	114	3	3	9	15	24	34	61
75-79	1794	12.5	116	3	4	10	16	26	33	66
80-84	1181	13.8	133	3	4	11	17	28	39	79
85+	836	12.7	105	3	4	10	16	24	31	68
B. *Operated*										
65-69 YRS	940	17.7	275	2	3	12	24	41	58	99+
70-74	916	17.5	227	2	3	13	24	38	48	82
75-79	652	18.5	263	3	4	14	25	39	53	86
80-84	385	17.7	197	3	4	14	23	40	48	62
85+	210	16.6	176	3	4	13	24	35	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	8.9	78	2	2	6	11	18	26	53
B. *Operated*	875	10.9	127	2	2	7	14	24	33	65
2. MULTIPLE DX										
A. *Not Operated*	7470	12.6	121	3	3	10	16	26	35	67
B. *Operated*	3103	17.7	242	2	4	13	24	39	52	86
1. SINGLE DX	2177	9.7	98	2	2	7	12	21	29	60
2. MULTIPLE DX	10573	14.1	162	3	4	10	18	30	41	77
A. NOT OPERATED	8772	12.0	116	2	3	9	15	25	34	65
B. OPERATED	3978	16.2	225	2	3	11	22	37	48	85
TOTAL 65-69 YRS	3405	13.2	172	2	3	9	16	30	41	79
70-74	3526	13.0	148	2	3	9	16	28	37	69
75-79	2884	13.5	155	2	3	10	17	28	39	76
80-84	1770	14.4	150	3	4	11	18	31	42	76
85+	1165	13.0	118	3	3	10	17	27	34	69
GRAND TOTAL	**12750**	**13.3**	**154**	**2**	**3**	**10**	**17**	**29**	**39**	**76**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	5.6	62	1	2	4	6	9	11	56
70-74	31	5.0	9	1	2	4	7	9	11	13
75-79	12	4.4	7	2	2	4	5	8	11	12
80-84	8	2.6	3	1	1	2	4	5	6	6
85+	6	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	8	11.1	204	2	2	5	14	36	43	43
70-74										
75-79	3	4.3	2	3	3	4	5	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	194	5.7	20	2	2	4	7	10	13	23
70-74	116	6.6	25	2	2	5	8	13	16	26
75-79	58	7.7	73	2	2	6	8	13	17	61
80-84	34	6.2	19	1	2	6	9	12	13	18
85+	12	4.6	4	2	2	5	6	7	8	8
B. *Operated*										
65-69 YRS	22	6.7	13	2	3	6	8	11	15	16
70-74	12	9.3	50	3	4	8	10	18	28	30
75-79	6	8.5	22	4	4	7	12	16	16	16
80-84	5	8.2	35	2	2	6	12	17	17	17
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.0	37	1	1	4	6	9	11	27
B. *Operated*	11	9.3	153	2	2	5	7	30	42	43
2. MULTIPLE DX										
A. *Not Operated*	414	6.2	28	2	2	5	8	11	15	24
B. *Operated*	45	7.8	26	2	3	7	9	14	16	30
1. SINGLE DX	135	5.3	47	1	2	4	6	9	11	46
2. MULTIPLE DX	459	6.4	28	2	2	5	8	12	15	25
A. NOT OPERATED	538	6.0	31	1	2	5	7	11	14	24
B. OPERATED	56	8.1	49	2	3	6	9	16	20	42
TOTAL 65-69 YRS	291	5.9	34	2	2	4	7	10	13	34
70-74	159	6.5	25	2	2	5	8	12	15	29
75-79	79	7.1	58	2	2	5	8	12	16	52
80-84	47	5.8	19	1	1	5	9	12	14	18
85+	18	3.9	4	1	1	4	6	6	7	8
GRAND TOTAL	**594**	**6.2**	**33**	**2**	**2**	**5**	**7**	**11**	**14**	**27**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.7	20	<1	1	2	4	9	14	20
70-74	15	4.0	7	2	2	3	5	8	10	11
75-79	5	4.2	5	3	3	3	5	8	8	8
80-84	9	3.2	4	1	1	3	5	6	6	6
85+										
B. *Operated*										
65-69 YRS	1095	2.9	13	1	1	2	3	4	7	13
70-74	786	2.9	6	1	1	2	3	5	6	12
75-79	519	2.7	4	1	1	2	3	4	6	11
80-84	333	3.0	6	1	1	2	3	5	7	14
85+	168	2.8	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	7.2	32	1	3	6	9	15	20	29
70-74	35	6.7	23	<1	1	6	9	15	16	19
75-79	27	6.1	25	1	1	5	8	13	15	22
80-84	16	11.1	58	2	3	10	14	22	29	31
85+	16	6.8	33	1	2	6	8	13	21	25
B. *Operated*										
65-69 YRS	693	4.6	26	1	2	3	5	9	13	28
70-74	593	4.5	18	1	2	3	5	9	13	23
75-79	388	5.0	23	1	2	3	6	11	14	25
80-84	207	4.3	14	2	2	3	5	8	12	21
85+	95	5.7	29	2	2	4	7	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.8	11	1	1	3	5	8	9	20
B. *Operated*	2901	2.9	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	140	7.3	33	1	2	6	9	15	19	29
B. *Operated*	1976	4.6	22	1	2	3	5	9	13	24
1. SINGLE DX	2951	2.9	8	1	1	2	3	4	6	13
2. MULTIPLE DX	2116	4.8	23	1	2	3	5	10	14	24
A. NOT OPERATED	190	6.4	29	1	1	5	8	13	17	27
B. OPERATED	4877	3.6	14	1	1	3	4	6	10	20
TOTAL 65-69 YRS	1855	3.7	19	1	1	3	4	7	10	22
70-74	1429	3.7	12	1	2	3	4	7	10	18
75-79	939	3.8	14	1	2	3	4	7	11	21
80-84	565	3.7	12	1	2	3	4	7	11	20
85+	279	4.0	15	1	1	3	4	8	11	23
GRAND TOTAL	**5067**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	309	6.8	30	1	2	5	9	15	19	60
70-74	261	7.4	42	2	2	5	9	15	20	32
75-79	163	8.0	53	2	2	6	9	17	25	41
80-84	107	8.1	56	1	2	6	10	16	21	41
85+	66	6.9	23	2	2	6	9	12	17	27
B. *Operated*										
65-69 YRS	832	5.4	43	1	2	3	6	11	16	30
70-74	509	5.3	31	1	2	3	6	12	17	25
75-79	253	5.4	39	1	2	4	7	11	14	27
80-84	100	5.9	33	1	2	4	7	14	19	29
85+	65	5.5	18	1	2	3	8	13	15	87
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1063	9.3	72	2	3	7	12	18	25	48
70-74	928	9.6	69	2	3	7	12	20	27	43
75-79	717	10.4	92	2	3	8	12	21	27	72
80-84	421	10.6	76	2	3	9	13	21	26	49
85+	262	11.1	105	2	3	9	13	22	27	49
B. *Operated*										
65-69 YRS	795	10.3	139	2	2	7	13	22	31	85
70-74	533	11.4	135	2	2	7	15	27	34	63
75-79	324	13.5	178	2	2	9	19	32	43	82
80-84	146	11.5	86	2	3	9	15	24	33	99+
85+	72	12.7	199	2	2	9	16	23	36	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	7.3	40	2	2	5	9	15	20	37
B. *Operated*	1759	5.4	37	1	2	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3391	9.9	79	2	3	8	12	20	26	49
B. *Operated*	1870	11.4	144	2	2	8	15	26	37	82
1. SINGLE DX	2665	6.0	39	1	2	4	8	13	18	32
2. MULTIPLE DX	5261	10.4	102	2	3	8	13	22	29	62
A. NOT OPERATED	4297	9.4	72	2	3	7	12	19	25	48
B. OPERATED	3629	8.5	101	2	2	5	10	19	27	60
TOTAL 65-69 YRS	2999	8.2	81	2	2	5	10	17	24	54
70-74	2231	8.8	78	2	2	6	11	19	27	49
75-79	1457	9.9	104	2	2	7	12	21	30	70
80-84	774	9.8	73	2	3	8	12	21	26	49
85+	465	10.0	101	2	2	8	12	20	26	56
GRAND TOTAL	**7926**	**9.0**	**85**	**2**	**2**	**6**	**11**	**19**	**26**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.4	3	1	1	2	3	5	6	6
70-74	14	4.2	12	1	1	3	5	9	11	12
75-79	3	4.7	4	3	3	4	6	7	7	7
80-84	3	4.7	12	1	1	5	7	8	8	8
85+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	866	5.4	13	1	2	5	7	9	11	22
70-74	626	5.6	8	2	3	5	7	9	10	15
75-79	334	5.5	9	2	3	5	7	9	11	16
80-84	159	6.0	8	2	3	6	7	10	11	16
85+	74	6.5	13	2	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	4.4	9	1	1	4	7	7	10	12
70-74	17	4.2	13	1	1	3	7	9	12	13
75-79	5	3.8	5	2	2	3	5	7	7	7
80-84	9	5.2	9	<1	1	5	7	10	10	10
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	885	6.5	19	2	3	5	8	11	14	23
70-74	691	6.6	20	2	3	6	8	11	15	26
75-79	439	6.8	20	2	3	6	8	12	15	21
80-84	187	6.8	13	2	3	6	8	12	14	19
85+	90	7.1	26	2	3	6	9	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.7	8	1	1	3	5	8	9	12
B. *Operated*	2059	5.6	10	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	58	4.3	10	1	1	3	7	9	10	13
B. *Operated*	2292	6.7	19	2	3	6	8	11	15	24
1. SINGLE DX	2090	5.6	10	2	2	5	7	9	11	17
2. MULTIPLE DX	2350	6.6	19	2	3	6	8	11	14	24
A. NOT OPERATED	89	4.1	9	1	1	3	6	8	10	13
B. OPERATED	4351	6.2	15	2	3	5	7	10	13	21
TOTAL 65-69 YRS	1785	5.9	16	2	2	5	7	10	12	22
70-74	1348	6.1	14	2	3	5	7	10	12	21
75-79	781	6.2	15	2	3	5	8	11	14	19
80-84	358	6.4	11	2	3	6	8	11	13	17
85+	168	6.7	20	2	2	6	8	11	15	24
GRAND TOTAL	**4440**	**6.1**	**15**	**2**	**3**	**5**	**7**	**10**	**13**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	3.2	7	1	1	2	4	6	9	14
70-74	38	2.7	3	<1	1	2	3	5	7	9
75-79	31	3.4	7	1	1	3	4	6	11	12
80-84	16	2.9	3	1	2	2	3	6	7	7
85+	21	5.1	22	1	1	3	7	10	16	21
B. *Operated*										
65-69 YRS	631	3.7	8	1	2	3	4	7	8	15
70-74	608	3.8	8	1	2	3	4	7	9	15
75-79	435	3.8	8	1	2	3	5	7	9	12
80-84	180	3.7	7	1	2	3	4	7	8	15
85+	101	4.4	10	1	2	4	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	45	4.5	11	1	2	3	6	9	11	17
70-74	56	4.4	18	1	1	3	5	11	15	20
75-79	43	5.3	21	1	1	4	7	12	17	19
80-84	40	6.7	59	1	2	4	8	15	24	38
85+	36	5.3	33	1	1	3	6	13	19	25
B. *Operated*										
65-69 YRS	494	5.1	20	1	2	4	6	10	13	23
70-74	492	5.3	23	2	2	4	6	11	14	23
75-79	431	5.5	22	2	2	4	7	11	13	24
80-84	275	6.2	34	2	2	5	8	12	15	32
85+	128	6.4	39	2	2	5	7	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.4	8	1	1	2	4	7	8	14
B. *Operated*	1955	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	220	5.2	27	1	1	3	6	11	16	27
B. *Operated*	1820	5.5	25	2	2	4	7	11	14	24
1. SINGLE DX	2101	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX	2040	5.5	25	2	2	4	7	11	14	25
A. NOT OPERATED	366	4.4	20	1	1	3	5	9	13	21
B. OPERATED	3775	4.6	17	2	2	3	5	9	12	21
TOTAL 65-69 YRS	1210	4.3	14	1	2	3	5	8	11	19
70-74	1194	4.4	15	1	2	3	5	9	11	21
75-79	940	4.7	16	2	2	3	6	9	12	18
80-84	511	5.2	27	2	2	4	6	10	14	29
85+	286	5.5	27	1	2	4	7	11	15	25
GRAND TOTAL	**4141**	**4.6**	**17**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.6	7	1	1	2	5	9	9	9
70-74	12	3.3	3	1	1	3	4	6	7	7
75-79	15	3.9	2	1	2	4	5	6	6	6
80-84	20	3.9	7	1	2	3	5	7	10	12
85+	8	3.3	2	1	1	3	4	5	6	6
B. *Operated*										
65-69 YRS	174	4.1	16	1	2	3	4	8	11	16
70-74	221	3.9	9	1	2	3	4	7	10	18
75-79	153	3.5	6	1	2	3	4	5	8	14
80-84	76	3.4	4	1	2	3	4	7	8	11
85+	38	4.6	14	1	1	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	7.3	67	2	2	4	8	18	20	43
70-74	48	6.9	141	2	2	4	8	11	13	84
75-79	40	5.0	15	1	2	4	6	8	10	24
80-84	27	9.0	78	2	3	6	9	24	29	36
85+	19	12.2	66	3	3	13	17	21	28	34
B. *Operated*										
65-69 YRS	268	5.8	49	2	2	4	6	11	16	41
70-74	257	5.8	53	2	2	4	6	12	16	26
75-79	220	5.6	32	2	2	4	6	10	15	32
80-84	126	5.5	16	2	2	4	6	10	14	21
85+	83	5.6	17	2	2	4	7	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.7	5	1	2	3	5	6	8	11
B. *Operated*	662	3.9	10	1	2	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	169	7.5	80	2	2	5	8	17	21	42
B. *Operated*	954	5.7	39	2	2	4	6	11	15	28
1. SINGLE DX	735	3.8	9	1	2	3	4	7	9	16
2. MULTIPLE DX	1123	5.9	46	2	2	4	7	12	17	34
A. NOT OPERATED	242	6.3	60	1	2	4	7	13	19	37
B. OPERATED	1616	4.9	28	1	2	3	5	9	13	24
TOTAL 65-69 YRS	495	5.3	38	1	2	3	6	10	14	38
70-74	538	5.1	43	2	2	3	5	10	13	20
75-79	428	4.7	21	1	2	3	5	8	12	24
80-84	249	5.1	21	2	2	4	6	9	12	25
85+	148	6.1	27	2	2	4	7	13	18	22
GRAND TOTAL	**1858**	**5.1**	**32**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	2.9	7	<1	1	3	3	4	5	21
70-74	131	2.8	3	<1	1	3	4	4	6	9
75-79	125	3.1	5	<1	1	3	4	5	7	14
80-84	99	2.7	3	<1	1	3	4	4	6	10
85+	67	3.0	3	<1	1	3	4	5	6	10
B. *Operated*										
65-69 YRS	11743	3.3	5	2	2	3	4	5	6	11
70-74	13411	3.4	5	2	2	3	4	5	6	11
75-79	12703	3.5	5	2	2	3	4	5	7	12
80-84	8946	3.6	4	2	2	3	4	5	7	12
85+	5356	3.7	11	2	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	313	3.3	14	<1	1	2	4	7	10	17
70-74	401	3.2	10	<1	1	2	4	7	10	19
75-79	338	3.4	19	<1	1	2	4	7	11	20
80-84	273	3.6	13	<1	1	2	4	8	11	19
85+	206	4.4	36	<1	1	2	5	10	14	40
B. *Operated*										
65-69 YRS	9545	4.2	13	2	2	3	4	7	10	17
70-74	11225	4.3	11	2	2	3	5	7	10	18
75-79	11582	4.4	15	2	2	4	5	7	10	18
80-84	8193	4.6	14	2	2	4	5	8	11	20
85+	5103	4.9	19	2	2	4	5	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	2.9	5	<1	1	3	4	4	6	12
B. *Operated*	52159	3.4	6	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1531	3.5	17	<1	1	2	4	8	11	21
B. *Operated*	45648	4.4	14	2	2	3	5	8	11	19
1. SINGLE DX	52710	3.4	6	2	2	3	4	5	7	12
2. MULTIPLE DX	47179	4.4	14	2	2	3	5	8	11	19
A. NOT OPERATED	2082	3.3	14	<1	1	2	4	7	9	20
B. OPERATED	97807	3.9	10	2	2	3	4	6	9	15
TOTAL 65-69 YRS	21730	3.7	9	2	2	3	4	6	8	14
70-74	25168	3.8	8	2	2	3	4	6	8	15
75-79	24748	3.9	10	2	2	3	4	6	9	15
80-84	17511	4.0	9	2	2	3	4	7	9	16
85+	10732	4.3	16	2	2	3	5	7	10	18
GRAND TOTAL	**99889**	**3.9**	**10**	**2**	**2**	**3**	**4**	**6**	**9**	**15**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	3	1	1	3	4	5	5	5
70-74										
75-79	3	2.0	1	<1	<1	2	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	184	2.8	2	1	1	2	3	5	6	7
70-74	187	2.8	3	1	1	3	3	5	5	9
75-79	156	2.8	3	<1	1	2	3	5	6	10
80-84	104	3.0	3	1	1	2	4	5	6	9
85+	52	3.0	3	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.5	4	1	1	3	5	7	8	8
70-74	6	1.7	1	1	1	2	2	3	3	3
75-79	9	2.4	5	<1	<1	2	3	6	8	8
80-84	3	1.7	1	1	1	1	3	3	3	3
85+	6	3.7	15	1	1	2	5	10	11	11
B. *Operated*										
65-69 YRS	277	4.2	14	2	2	3	5	8	10	19
70-74	230	4.3	12	2	2	3	5	8	10	18
75-79	209	3.8	8	1	2	3	4	7	10	15
80-84	141	5.1	50	1	2	3	5	11	14	28
85+	71	4.9	21	2	2	4	6	9	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*	683	2.9	3	1	1	3	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	35	2.8	6	1	1	2	3	6	8	11
B. *Operated*	928	4.4	18	1	2	3	5	8	11	20
1. SINGLE DX	692	2.9	3	1	1	2	3	5	6	9
2. MULTIPLE DX	963	4.3	18	1	2	3	5	8	11	20
A. NOT OPERATED	44	2.7	5	<1	1	2	3	5	8	11
B. OPERATED	1611	3.7	12	1	2	3	4	7	9	16
TOTAL 65-69 YRS	476	3.7	10	1	2	3	4	6	9	15
70-74	423	3.6	8	1	1	3	4	7	9	14
75-79	377	3.4	6	1	1	3	4	6	8	14
80-84	250	4.2	31	1	1	3	5	7	12	20
85+	129	4.1	14	1	1	3	5	8	10	22
GRAND TOTAL	**1655**	**3.7**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.0	10	1	2	3	5	9	11	14
70-74	16	4.6	9	1	2	4	6	9	11	12
75-79	10	4.7	11	2	2	3	6	10	11	11
80-84	2	7.0	32	3	3	7	11	11	11	11
85+	3	4.3		4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	99	2.4	6	1	1	2	2	3	4	17
70-74	62	2.7	3	1	1	2	3	5	6	10
75-79	37	2.5	2	1	1	2	3	5	6	7
80-84	14	3.2	11	1	1	2	3	6	12	14
85+	9	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	74	6.5	24	2	2	5	9	13	16	27
70-74	58	6.6	11	2	3	6	8	10	13	18
75-79	51	8.4	103	2	2	6	9	13	24	59
80-84	27	9.3	53	2	3	7	12	22	25	26
85+	9	6.1	14	3	3	5	7	13	15	15
B. *Operated*										
65-69 YRS	113	4.5	39	1	2	2	5	10	13	35
70-74	82	5.0	47	2	2	3	4	12	17	42
75-79	42	4.8	15	2	2	3	6	11	14	16
80-84	15	5.9	37	1	1	3	9	18	18	18
85+	9	7.6	116	1	1	3	7	26	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.4	9	1	2	3	5	9	11	14
B. *Operated*	221	2.5	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	219	7.3	43	2	2	6	9	13	18	36
B. *Operated*	261	4.9	40	1	2	3	5	11	15	34
1. SINGLE DX	275	2.9	6	1	1	2	3	5	8	13
2. MULTIPLE DX	480	6.0	42	2	2	4	8	12	16	33
A. NOT OPERATED	273	6.7	37	2	2	5	8	12	15	29
B. OPERATED	482	3.8	25	1	2	2	3	8	12	24
TOTAL 65-69 YRS	309	4.3	25	1	2	2	5	9	13	23
70-74	218	4.7	24	1	2	3	6	10	13	24
75-79	140	5.5	48	1	2	3	7	11	14	49
80-84	58	6.9	43	1	2	4	8	18	22	26
85+	30	5.1	42	1	1	3	5	12	15	34
GRAND TOTAL	**755**	**4.9**	**31**	**1**	**2**	**3**	**6**	**10**	**14**	**26**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	4.8	21	<1	1	3	6	12	14	22
70-74	70	4.1	17	<1	1	3	5	8	13	20
75-79	56	3.8	11	1	1	3	5	7	8	21
80-84	45	4.6	13	<1	<1	4	8	10	12	99+
85+	39	5.1	27	<1	1	4	7	11	21	99+
B. *Operated*										
65-69 YRS	979	2.6	3	<1	1	2	3	4	5	10
70-74	1029	2.7	8	<1	1	2	3	4	6	11
75-79	796	2.7	4	<1	1	2	3	5	6	10
80-84	526	2.8	5	<1	1	2	3	5	6	10
85+	296	2.9	10	1	1	2	3	6	7	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	5.7	19	1	1	5	8	12	15	20
70-74	153	6.2	27	1	1	5	9	14	17	27
75-79	129	6.6	68	1	1	5	8	15	20	35
80-84	107	6.7	18	1	2	6	9	13	15	19
85+	90	6.7	25	1	2	6	10	13	17	24
B. *Operated*										
65-69 YRS	1009	3.7	10	1	1	3	4	7	10	18
70-74	1089	3.9	20	1	2	3	4	7	9	25
75-79	938	4.1	16	1	1	3	5	7	10	23
80-84	654	4.3	20	1	2	3	5	8	10	27
85+	446	4.7	38	1	2	3	5	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.5	17	<1	1	3	6	10	13	28
B. *Operated*	3626	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	608	6.3	32	1	1	5	9	13	17	24
B. *Operated*	4136	4.0	19	1	2	3	5	7	10	22
1. SINGLE DX	3900	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	4744	4.3	21	1	2	3	5	9	12	23
A. NOT OPERATED	882	5.8	28	1	1	4	8	12	16	24
B. OPERATED	7762	3.4	13	1	1	2	4	6	8	18
TOTAL 65-69 YRS	2181	3.3	9	1	1	2	4	6	9	16
70-74	2341	3.5	16	1	1	2	4	7	9	20
75-79	1919	3.6	15	1	1	2	4	7	9	22
80-84	1332	3.9	15	1	1	3	5	8	10	19
85+	871	4.3	28	1	1	3	5	9	13	22
GRAND TOTAL	**8644**	**3.6**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	4.9	11	1	2	4	7	10	11	14
70-74	87	4.4	9	1	1	4	6	8	10	14
75-79	96	5.2	13	1	1	5	7	9	11	19
80-84	47	5.4	12	1	2	5	7	11	13	15
85+	28	6.2	14	2	2	5	9	12	13	15
B. *Operated*										
65-69 YRS	509	3.4	7	1	1	2	4	6	9	13
70-74	473	3.6	9	1	2	3	4	7	10	17
75-79	468	3.5	8	1	2	3	4	6	9	14
80-84	252	4.0	48	1	1	3	4	8	11	46
85+	140	3.7	12	1	1	3	4	7	10	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	6.3	23	1	2	5	8	12	16	25
70-74	242	6.6	24	1	2	5	9	13	17	22
75-79	226	6.9	28	1	2	5	9	13	16	30
80-84	135	6.9	23	1	2	6	9	14	18	22
85+	97	8.4	70	1	2	6	10	18	21	49
B. *Operated*										
65-69 YRS	739	5.5	24	1	2	4	7	11	16	26
70-74	750	5.3	30	2	2	4	6	10	15	25
75-79	685	5.0	25	1	2	4	6	10	14	28
80-84	402	5.1	31	2	2	4	6	10	14	23
85+	219	6.2	52	2	2	4	7	11	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.0	11	1	2	5	7	10	11	15
B. *Operated*	1842	3.6	14	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	988	6.8	29	1	2	5	9	13	18	26
B. *Operated*	2795	5.3	29	2	2	4	6	11	15	27
1. SINGLE DX	2209	3.8	14	1	2	3	4	8	10	17
2. MULTIPLE DX	3783	5.7	29	1	2	4	7	11	15	27
A. NOT OPERATED	1355	6.3	25	1	2	5	8	12	15	23
B. OPERATED	4637	4.6	24	1	2	3	5	9	13	23
TOTAL 65-69 YRS	1645	4.9	19	1	2	3	6	10	13	21
70-74	1552	4.9	22	1	2	3	6	10	14	22
75-79	1475	4.8	20	1	2	3	6	9	13	25
80-84	836	5.1	34	1	2	3	6	10	14	22
85+	484	5.9	45	1	2	4	7	12	17	41
GRAND TOTAL	**5992**	**5.0**	**24**	**1**	**2**	**3**	**6**	**10**	**14**	**23**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.1	2	1	1	3	4	5	6	6
70-74	17	4.3	4	2	2	4	6	7	8	9
75-79	11	4.7	22	1	1	3	6	11	17	18
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
65-69 YRS	30	5.0	35	2	2	3	4	12	17	30
70-74	24	3.2	5	<1	1	3	4	8	8	8
75-79	20	3.9	9	1	2	3	4	9	12	12
80-84	10	2.3	1	1	1	2	3	4	4	4
85+	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	5.5	12	1	2	5	7	10	12	17
70-74	77	6.6	50	1	2	5	8	11	14	48
75-79	61	7.9	34	2	3	6	10	14	19	35
80-84	41	7.5	26	2	3	7	9	13	17	28
85+	42	7.9	40	2	2	6	10	21	24	99+
B. *Operated*										
65-69 YRS	86	5.8	31	2	2	4	6	12	16	32
70-74	66	6.6	34	1	2	4	10	13	16	33
75-79	64	5.1	16	2	2	4	6	10	14	20
80-84	27	3.8	6	1	2	3	5	6	7	14
85+	18	5.8	19	2	2	5	7	9	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.8	7	1	1	3	5	6	7	17
B. *Operated*	88	3.8	16	1	1	3	4	7	12	25
2. MULTIPLE DX										
A. *Not Operated*	316	6.8	31	2	2	6	9	12	16	31
B. *Operated*	261	5.6	25	2	2	4	7	12	15	30
1. SINGLE DX	147	3.8	12	1	1	3	4	6	9	18
2. MULTIPLE DX	577	6.3	29	2	2	5	8	12	15	30
A. NOT OPERATED	375	6.3	29	1	2	5	8	11	15	27
B. OPERATED	349	5.2	23	1	2	4	6	11	14	30
TOTAL 65-69 YRS	236	5.3	21	1	2	4	6	10	13	30
70-74	184	5.9	35	1	2	4	8	11	14	30
75-79	156	6.0	24	2	2	4	8	12	15	23
80-84	81	5.5	19	2	2	4	7	11	13	25
85+	67	6.7	33	2	2	5	8	20	22	86
GRAND TOTAL	**724**	**5.8**	**26**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.7	9	<1	<1	3	6	8	10	10
70-74	9	3.7	12	1	1	2	5	9	12	12
75-79	4	4.8	8	1	1	5	7	7	7	7
80-84	5	2.8	12	1	1	1	4	9	9	9
85+	7	8.4	154	1	1	3	7	30	36	36
B. *Operated*										
65-69 YRS	274	2.6	8	1	1	2	3	4	5	10
70-74	125	2.4	2	1	1	2	3	4	5	8
75-79	70	2.2	1	1	1	2	3	3	4	7
80-84	19	1.8	1	<1	<1	2	2	3	4	4
85+	29	1.7	3	<1	<1	1	2	2	3	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	5.7	14	1	2	5	8	10	13	20
70-74	75	7.0	21	2	3	6	10	12	16	26
75-79	43	9.3	62	3	3	7	10	21	36	99+
80-84	31	7.9	17	3	4	6	11	15	15	17
85+	38	8.3	43	1	2	7	13	17	27	99+
B. *Operated*										
65-69 YRS	303	3.6	19	1	1	3	4	5	8	27
70-74	197	3.4	13	1	2	2	3	6	8	22
75-79	95	3.7	11	<1	1	2	4	8	11	17
80-84	25	5.8	36	1	2	3	6	17	20	21
85+	36	4.3	21	<1	<1	2	6	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.6	38	1	1	3	6	9	11	36
B. *Operated*	517	2.4	5	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	268	7.3	29	2	3	6	9	14	17	40
B. *Operated*	656	3.7	17	1	1	3	4	7	10	21
1. SINGLE DX	552	2.6	8	<1	1	2	3	4	5	11
2. MULTIPLE DX	924	4.7	23	1	2	3	6	10	14	28
A. NOT OPERATED	303	7.0	31	1	2	6	9	13	16	39
B. OPERATED	1173	3.1	12	1	1	2	3	5	8	20
TOTAL 65-69 YRS	668	3.5	14	1	1	3	4	6	8	22
70-74	406	3.7	14	1	1	2	4	8	11	19
75-79	212	4.4	25	1	1	3	5	9	13	37
80-84	80	5.5	24	<1	1	4	7	14	16	21
85+	110	5.2	38	<1	<1	3	7	14	17	61
GRAND TOTAL	**1476**	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**23**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	7.2	17	2	2	7	9	13	15	15
70-74	13	8.0	41	2	3	6	10	16	24	26
75-79	8	5.6	7	2	2	5	7	9	10	10
80-84	4	15.8	366	3	3	8	27	44	44	44
85+	9	5.9	23	1	1	6	7	13	17	17
B. *Operated*										
65-69 YRS	63	3.4	6	1	1	3	4	7	10	88
70-74	35	2.9	6	<1	<1	2	4	7	8	12
75-79	21	3.7	18	<1	1	2	3	11	15	16
80-84	7	4.3	13	1	1	3	6	10	11	11
85+	12	6.7	42	1	1	5	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	7.6	28	2	2	6	10	16	20	22
70-74	61	6.5	12	2	3	6	8	11	13	17
75-79	47	10.2	82	2	3	7	12	26	31	37
80-84	28	9.0	44	3	3	6	12	16	25	30
85+	36	9.4	156	1	2	6	10	14	38	67
B. *Operated*										
65-69 YRS	112	6.4	65	2	2	3	6	15	24	47
70-74	77	9.2	132	2	2	4	10	28	36	49
75-79	53	8.6	96	1	2	5	10	22	33	48
80-84	23	12.9	131	1	2	10	20	33	35	36
85+	18	11.6	259	1	2	7	12	26	51	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	7.7	53	2	2	6	9	14	20	44
B. *Operated*	138	3.6	12	<1	1	3	4	8	13	28
2. MULTIPLE DX										
A. *Not Operated*	224	8.3	58	2	3	7	10	16	21	40
B. *Operated*	283	8.4	109	1	2	4	10	24	32	49
1. SINGLE DX	182	4.6	25	<1	1	3	6	10	14	38
2. MULTIPLE DX	507	8.4	86	2	2	5	10	19	28	48
A. NOT OPERATED	268	8.2	57	2	3	6	10	15	21	43
B. OPERATED	421	6.8	82	1	1	3	7	16	28	49
TOTAL 65-69 YRS	237	5.9	41	1	2	4	7	13	18	45
70-74	186	7.0	67	<1	2	4	8	14	26	47
75-79	129	8.2	77	1	1	5	9	20	30	39
80-84	62	10.3	95	1	2	7	13	27	33	43
85+	75	9.1	146	1	1	6	10	18	26	68
GRAND TOTAL	**689**	**7.4**	**73**	**1**	**2**	**5**	**9**	**16**	**26**	**48**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	482	4.0	7	1	1	3	5	7	9	14
70-74	417	4.2	13	1	2	3	5	8	10	17
75-79	283	4.6	10	1	2	4	6	9	11	15
80-84	158	5.0	14	1	2	4	6	10	12	20
85+	72	4.3	7	1	2	4	6	7	8	13
B. *Operated*										
65-69 YRS	74	5.6	20	2	2	4	8	9	11	29
70-74	56	4.9	14	1	2	4	6	9	11	22
75-79	13	6.3	26	2	2	5	7	13	19	21
80-84	6	8.5	64	1	1	5	17	20	20	20
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1426	5.8	19	2	2	5	7	10	13	22
70-74	1431	5.8	15	2	2	5	7	11	14	20
75-79	1250	6.4	23	2	2	5	8	12	15	26
80-84	749	6.6	30	2	2	5	8	12	15	26
85+	430	7.1	39	2	2	6	9	13	16	37
B. *Operated*										
65-69 YRS	96	9.2	35	2	3	8	12	17	21	68
70-74	98	9.7	49	2	3	8	12	16	26	36
75-79	85	11.0	79	3	4	10	13	19	27	54
80-84	29	11.9	64	5	5	10	12	26	28	39
85+	18	8.2	19	3	4	7	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1412	4.3	10	1	2	4	5	8	10	15
B. *Operated*	150	5.5	20	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5286	6.2	22	2	2	5	8	11	14	24
B. *Operated*	326	10.0	53	2	3	9	12	17	25	41
1. SINGLE DX	1562	4.4	11	1	2	4	6	8	10	17
2. MULTIPLE DX	5612	6.4	25	2	2	5	8	12	15	26
A. NOT OPERATED	6698	5.8	20	2	2	5	7	11	14	21
B. OPERATED	476	8.6	47	2	2	7	11	16	21	36
TOTAL 65-69 YRS	2078	5.6	18	1	2	5	7	10	13	22
70-74	2002	5.7	17	2	2	5	7	11	14	21
75-79	1631	6.3	25	2	2	5	8	12	15	27
80-84	942	6.5	30	2	2	5	8	12	15	27
85+	521	6.7	34	2	2	5	8	13	16	35
GRAND TOTAL	**7174**	**6.0**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	420	2.8	1	1	2	3	3	4	5	7
70-74	240	2.9	5	1	2	3	3	4	5	8
75-79	111	2.8	2	1	2	3	3	4	5	9
80-84	30	2.8	1	1	2	3	3	4	6	6
85+	19	2.8	2	1	1	3	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	3.0	8	<1	<1	3	3	8	10	10
70-74	5	4.0	17	1	1	1	8	9	9	9
75-79	4	5.3	11	3	3	4	7	10	10	10
80-84	3	7.7	66	2	2	4	14	17	17	17
85+	4	5.0	21	1	1	4	8	11	11	11
B. *Operated*										
65-69 YRS	117	3.3	4	1	2	3	4	6	8	12
70-74	70	3.3	4	2	2	3	4	5	8	12
75-79	35	3.1	2	2	2	3	3	6	7	7
80-84	11	4.4	19	2	2	3	4	10	16	17
85+	6	2.5	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	5	1	1	3	5	7	7	7
B. *Operated*	820	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	17	<1	1	3	6	10	12	17
B. *Operated*	239	3.3	5	2	2	3	4	6	8	13
1. SINGLE DX	825	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	264	3.4	6	1	2	3	4	6	9	15
A. NOT OPERATED	30	4.3	15	1	1	3	6	10	11	17
B. OPERATED	1059	2.9	3	1	2	3	3	4	5	10
TOTAL 65-69 YRS	548	2.9	2	1	2	3	3	4	5	9
70-74	318	3.0	5	1	2	3	3	4	5	11
75-79	150	3.0	2	1	2	3	3	4	6	10
80-84	44	3.5	10	1	2	3	3	6	9	17
85+	29	3.1	4	1	1	3	3	5	8	11
GRAND TOTAL	**1089**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**10**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	3.6	5	1	2	3	4	6	8	13
70-74	35	4.3	12	1	2	3	5	6	12	18
75-79	17	3.6	4	<1	1	3	5	7	8	8
80-84	9	4.3	3	2	2	4	5	7	7	7
85+	8	4.6	5	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	293	2.6	3	1	1	2	3	4	5	12
70-74	143	2.8	3	1	1	2	3	5	6	9
75-79	73	3.1	21	1	1	2	3	4	7	33
80-84	18	3.4	27	1	1	2	3	4	16	24
85+	13	3.6	29	1	1	2	2	9	19	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	5.5	16	1	2	4	7	11	15	19
70-74	59	6.9	44	1	2	5	8	13	16	44
75-79	59	5.6	14	1	1	5	8	11	13	18
80-84	42	7.5	29	2	3	5	10	15	20	24
85+	43	6.1	20	1	2	5	8	12	16	22
B. *Operated*										
65-69 YRS	310	3.6	20	1	2	3	4	6	9	20
70-74	157	3.7	21	1	2	3	4	5	10	20
75-79	80	3.7	11	1	1	3	4	8	14	74
80-84	29	4.9	33	1	1	3	4	12	16	28
85+	13	7.9	98	2	2	3	11	26	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.9	6	1	2	3	5	7	8	13
B. *Operated*	540	2.8	7	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	305	6.1	24	1	2	5	8	12	15	21
B. *Operated*	589	3.8	22	1	2	3	4	7	11	27
1. SINGLE DX	688	3.0	7	1	1	2	3	5	7	13
2. MULTIPLE DX	894	4.6	24	1	2	3	5	9	13	24
A. NOT OPERATED	453	5.4	19	1	2	4	7	11	14	19
B. OPERATED	1129	3.3	15	1	1	2	3	5	8	20
TOTAL 65-69 YRS	784	3.5	13	1	1	3	4	6	9	16
70-74	394	3.9	18	1	2	3	4	7	11	19
75-79	229	4.0	15	1	1	3	5	8	11	23
80-84	98	5.7	29	1	2	4	6	13	18	26
85+	77	5.8	33	1	2	4	7	13	20	30
GRAND TOTAL	**1582**	**3.9**	**17**	**1**	**2**	**3**	**4**	**7**	**11**	**20**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.2	5	1	1	4	5	8	8	8
70-74	8	6.9	23	<1	1	6	8	15	17	17
75-79	4	7.3	47	1	1	5	11	17	17	17
80-84	4	9.8	41	3	3	9	14	18	18	18
85+										
B. *Operated*										
65-69 YRS	5	17.6	174	3	3	16	30	33	33	33
70-74	4	18.8	465	2	2	12	35	48	48	48
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	9.6	53	2	3	8	14	18	26	79
70-74	85	9.3	54	2	3	7	11	17	24	41
75-79	62	12.0	119	3	4	8	15	23	28	61
80-84	34	11.9	189	3	4	9	15	21	26	82
85+	29	10.9	80	3	3	8	13	22	27	46
B. *Operated*										
65-69 YRS	38	15.4	203	2	2	12	21	34	42	67
70-74	27	17.1	185	4	5	14	25	46	59	99+
75-79	9	25.6	527	7	7	16	32	63	81	81
80-84	3	10.3	16	8	8	8	13	15	15	15
85+	6	20.0	222	6	6	15	37	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.7	25	<1	1	5	8	17	18	18
B. *Operated*	10	16.5	259	2	2	11	29	40	48	48
2. MULTIPLE DX										
A. *Not Operated*	293	10.4	86	3	3	8	13	21	27	57
B. *Operated*	83	17.2	227	2	3	14	23	39	49	94
1. SINGLE DX	32	9.8	113	1	2	6	13	24	33	48
2. MULTIPLE DX	376	11.9	124	3	3	8	15	24	36	77
A. NOT OPERATED	315	10.1	82	3	3	7	13	20	25	54
B. OPERATED	93	17.1	228	2	3	14	23	39	48	92
TOTAL 65-69 YRS	132	11.3	107	2	3	8	16	26	34	73
70-74	124	11.1	102	2	3	8	13	24	40	65
75-79	76	13.2	178	3	4	8	17	27	34	76
80-84	41	11.6	161	3	4	9	15	19	25	82
85+	35	12.5	110	3	3	8	14	26	38	46
GRAND TOTAL	**408**	**11.7**	**123**	**2**	**3**	**8**	**15**	**24**	**36**	**73**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	8.3	59	2	2	6	9	19	20	40
70-74	38	7.6	25	1	2	7	9	15	18	23
75-79	16	7.5	36	1	1	6	10	18	20	21
80-84	9	10.1	41	1	2	8	15	19	21	21
85+	6	9.2	60	1	1	7	17	20	20	20
B. *Operated*										
65-69 YRS	126	9.9	96	2	2	6	15	21	28	50
70-74	46	8.5	73	2	2	5	14	23	31	99+
75-79	19	13.1	136	1	2	12	20	29	40	45
80-84	1	24.0		24	24	24	24	24	24	24
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	739	9.4	55	2	3	7	12	18	23	37
70-74	713	10.3	85	2	3	8	12	19	26	49
75-79	483	11.1	65	3	4	9	14	21	26	38
80-84	269	11.2	71	3	4	9	14	21	27	44
85+	155	11.6	98	3	4	9	14	23	30	80
B. *Operated*										
65-69 YRS	607	13.8	164	2	2	11	19	30	38	83
70-74	331	15.9	207	2	3	13	22	39	51	99+
75-79	141	18.1	308	2	3	14	22	39	57	95
80-84	42	19.9	216	3	4	16	24	45	51	55
85+	16	15.6	145	4	4	12	21	28	44	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	8.1	40	1	2	7	10	18	20	31
B. *Operated*	193	9.9	95	2	2	6	15	22	31	51
2. MULTIPLE DX										
A. *Not Operated*	2359	10.4	71	2	3	8	13	20	26	47
B. *Operated*	1137	15.2	199	2	2	12	20	33	46	98
1. SINGLE DX	293	9.3	77	2	2	7	14	20	27	48
2. MULTIPLE DX	3496	11.9	118	2	3	9	15	24	33	61
A. NOT OPERATED	2459	10.3	70	2	3	8	13	19	25	45
B. OPERATED	1330	14.4	187	2	2	12	20	32	45	95
TOTAL 65-69 YRS	1503	11.2	107	2	2	8	15	24	31	54
70-74	1128	11.8	126	2	3	9	14	24	38	75
75-79	659	12.6	126	3	3	10	16	24	33	71
80-84	321	12.4	97	3	4	9	16	23	36	51
85+	178	11.9	101	3	4	9	14	23	30	73
GRAND TOTAL	**3789**	**11.7**	**115**	**2**	**3**	**9**	**15**	**24**	**33**	**59**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	536	5.4	15	2	2	4	6	10	13	20
70-74	396	5.2	11	2	2	4	7	9	12	17
75-79	283	5.9	18	2	2	5	7	11	15	24
80-84	152	6.5	52	2	2	5	8	13	18	37
85+	82	6.8	38	1	2	5	9	14	21	32
B. *Operated*										
65-69 YRS	49	6.6	45	2	2	4	9	14	17	39
70-74	32	7.2	31	2	2	6	10	16	21	22
75-79	9	10.0	43	3	3	9	15	20	23	23
80-84	5	8.6	96	3	3	5	11	26	26	26
85+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4562	7.6	36	2	3	6	9	14	18	31
70-74	4002	7.8	42	2	3	6	9	14	19	32
75-79	3098	8.1	48	2	3	6	10	15	20	39
80-84	1937	8.6	52	2	3	7	11	16	21	36
85+	1304	8.7	66	2	3	7	11	17	22	40
B. *Operated*										
65-69 YRS	735	11.6	103	2	3	9	14	23	31	60
70-74	520	13.6	126	2	3	11	18	26	35	52
75-79	328	14.6	115	3	4	12	18	29	37	55
80-84	180	15.3	122	3	4	12	20	30	37	53
85+	108	14.3	104	3	3	11	20	28	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1449	5.6	20	2	2	4	7	11	14	22
B. *Operated*	97	7.2	41	2	2	5	10	15	21	33
2. MULTIPLE DX										
A. *Not Operated*	14903	8.0	45	2	3	6	10	15	19	34
B. *Operated*	1871	13.2	115	2	3	10	17	26	35	54
1. SINGLE DX	1546	5.7	21	2	2	4	7	11	14	22
2. MULTIPLE DX	16774	8.5	55	2	3	7	10	16	21	39
A. NOT OPERATED	16352	7.8	43	2	3	6	10	15	19	34
B. OPERATED	1968	12.9	113	2	3	10	17	26	34	54
TOTAL 65-69 YRS	5882	7.9	45	2	3	6	10	15	19	35
70-74	4950	8.2	52	2	3	6	10	16	21	36
75-79	3718	8.5	55	2	3	7	10	16	21	42
80-84	2274	9.0	61	2	3	7	11	17	22	39
85+	1496	9.0	69	2	3	7	11	18	25	41
GRAND TOTAL	**18320**	**8.3**	**53**	**2**	**3**	**6**	**10**	**16**	**21**	**38**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	266	7.2	27	2	3	6	9	12	15	36
70-74	229	7.0	23	2	3	6	8	13	14	23
75-79	205	7.2	23	2	3	6	9	12	16	24
80-84	194	8.1	39	2	3	6	10	15	19	34
85+	124	7.4	36	2	3	6	9	13	18	33
B. *Operated*										
65-69 YRS	31	6.4	47	1	2	4	8	20	21	28
70-74	10	7.8	59	3	3	3	11	21	23	23
75-79	11	12.4	96	3	3	10	19	29	30	30
80-84	4	12.5	23	8	8	12	16	18	18	18
85+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3662	9.2	46	3	3	8	11	17	21	34
70-74	3857	10.0	60	3	3	8	12	19	24	41
75-79	3660	10.3	68	3	4	8	13	19	24	46
80-84	2610	10.5	65	3	3	8	13	20	26	40
85+	1921	11.5	94	3	4	9	14	22	29	63
B. *Operated*										
65-69 YRS	562	14.1	124	2	3	12	18	28	34	56
70-74	489	15.8	140	3	4	13	20	30	46	58
75-79	403	16.4	134	3	5	13	21	35	40	73
80-84	267	18.2	186	4	5	15	25	36	47	99+
85+	161	19.0	148	5	7	15	25	35	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	7.4	29	2	3	6	9	13	16	29
B. *Operated*	58	8.2	59	2	2	5	11	21	26	30
2. MULTIPLE DX										
A. *Not Operated*	15710	10.1	64	3	3	8	13	19	24	42
B. *Operated*	1882	16.0	143	2	4	13	21	31	41	65
1. SINGLE DX	1076	7.4	30	2	3	6	9	13	17	29
2. MULTIPLE DX	17592	10.8	76	3	4	8	13	21	27	48
A. NOT OPERATED	16728	10.0	62	3	3	8	12	19	24	41
B. OPERATED	1940	15.8	143	2	4	13	21	31	40	64
TOTAL 65-69 YRS	4521	9.7	58	2	3	8	12	18	24	38
70-74	4585	10.4	71	3	3	8	13	20	26	46
75-79	4279	10.7	76	3	4	8	13	20	26	48
80-84	3075	11.0	79	3	4	9	14	22	28	48
85+	2208	11.8	99	3	4	9	15	23	30	62
GRAND TOTAL	**18668**	**10.6**	**74**	**3**	**3**	**8**	**13**	**20**	**26**	**47**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	8.0	33	2	3	7	10	17	19	28
70-74	30	7.5	26	2	2	5	12	14	17	21
75-79	34	7.1	48	2	2	6	8	13	15	41
80-84	12	9.9	54	3	3	7	13	22	26	27
85+	9	7.8	11	5	5	6	11	13	13	13
B. *Operated*										
65-69 YRS	43	10.9	190	1	1	9	13	24	28	84
70-74	27	9.7	104	1	2	6	14	22	33	42
75-79	13	9.0	28	<1	1	9	13	15	17	17
80-84	3	8.0	9	5	5	8	10	11	11	11
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	426	9.2	55	1	2	7	12	19	24	45
70-74	473	9.9	89	1	1	8	13	20	28	63
75-79	375	11.4	77	2	3	9	15	22	27	44
80-84	264	12.3	94	3	4	9	16	23	29	57
85+	224	12.2	75	2	3	10	16	23	30	38
B. *Operated*										
65-69 YRS	258	14.6	155	2	3	12	18	32	38	67
70-74	209	16.2	169	3	5	12	22	32	42	77
75-79	146	18.0	172	4	5	15	24	32	46	62
80-84	53	14.8	103	3	5	12	18	29	32	53
85+	30	16.6	114	4	6	13	26	31	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	7.8	35	2	2	6	10	14	19	31
B. *Operated*	87	10.0	129	1	1	8	13	22	27	68
2. MULTIPLE DX										
A. *Not Operated*	1762	10.7	79	1	2	9	14	22	28	50
B. *Operated*	696	15.9	158	3	4	12	21	32	41	66
1. SINGLE DX	216	8.7	74	1	2	7	11	17	22	41
2. MULTIPLE DX	2458	12.2	106	2	3	9	16	25	32	57
A. NOT OPERATED	1891	10.5	76	1	2	8	14	21	27	48
B. OPERATED	783	15.2	158	2	3	12	20	31	39	66
TOTAL 65-69 YRS	771	11.0	101	1	2	8	14	22	32	55
70-74	739	11.6	118	1	2	9	15	25	32	66
75-79	568	12.8	109	2	3	10	17	26	32	52
80-84	332	12.6	94	3	4	10	16	24	30	55
85+	264	12.5	80	3	3	11	16	26	30	46
GRAND TOTAL	**2674**	**11.9**	**105**	**2**	**3**	**9**	**15**	**24**	**32**	**56**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2880	13.6	29	6	8	13	16	19	22	31
70-74	2244	13.6	33	6	7	13	16	20	23	32
75-79	1502	14.0	37	6	8	13	16	21	24	31
80-84	823	13.9	42	5	7	13	17	21	24	36
85+	433	14.0	53	4	7	13	17	22	26	43
B. *Operated*										
65-69 YRS	167	15.6	59	2	6	15	20	24	30	43
70-74	84	18.1	73	3	10	17	22	30	36	81
75-79	55	17.2	71	3	8	16	22	27	32	43
80-84	17	17.1	34	5	8	17	21	23	26	27
85+	15	22.1	62	14	14	20	28	31	38	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12611	15.0	50	6	8	14	18	23	27	40
70-74	11705	15.5	55	6	8	14	18	24	29	42
75-79	9263	15.9	63	6	8	14	19	25	30	44
80-84	5751	16.3	64	6	8	15	20	26	31	46
85+	3640	16.7	83	6	8	15	20	27	34	50
B. *Operated*										
65-69 YRS	1523	20.7	150	5	10	18	25	34	45	68
70-74	1223	21.4	136	7	11	19	26	36	43	67
75-79	938	22.9	140	10	12	21	28	37	46	78
80-84	596	23.9	156	9	12	21	30	40	52	69
85+	319	24.0	185	9	11	21	28	42	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7882	13.7	34	6	8	13	16	20	23	32
B. *Operated*	338	16.8	65	3	7	16	21	27	31	44
2. MULTIPLE DX										
A. *Not Operated*	42970	15.6	59	6	8	14	19	24	29	44
B. *Operated*	4599	22.0	149	8	11	19	27	37	46	71
1. SINGLE DX	8220	13.8	36	6	8	13	17	21	23	34
2. MULTIPLE DX	47569	16.2	71	6	8	15	19	26	32	48
A. NOT OPERATED	50852	15.3	56	6	8	14	18	24	28	43
B. OPERATED	4937	21.6	145	7	10	19	26	36	46	70
TOTAL 65-69 YRS	17181	15.3	59	6	8	14	18	23	28	44
70-74	15256	15.7	62	6	8	14	19	24	30	44
75-79	11758	16.2	71	6	8	15	19	26	31	47
80-84	7187	16.6	74	6	8	15	20	27	33	51
85+	4407	17.0	92	6	8	15	20	28	35	54
GRAND TOTAL	**55789**	**15.9**	**67**	**6**	**8**	**14**	**19**	**25**	**31**	**47**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	788	4.9	18	1	2	4	6	9	11	19
70-74	662	5.0	12	1	2	4	6	9	11	18
75-79	434	5.4	17	1	2	4	6	9	13	23
80-84	260	5.6	41	2	2	4	7	10	11	21
85+	167	5.3	16	1	2	4	7	10	13	20
B. *Operated*										
65-69 YRS	121	4.8	17	1	2	3	6	11	13	19
70-74	56	5.4	27	2	2	3	6	13	17	25
75-79	13	8.4	64	2	2	4	13	22	24	24
80-84	4	20.3	168	1	1	25	27	29	29	29
85+	3	5.7		5	5	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7064	6.6	22	2	2	5	8	12	15	24
70-74	6829	6.8	25	2	2	6	8	12	16	25
75-79	5600	7.2	28	2	3	6	9	13	16	28
80-84	3541	7.4	30	2	3	6	9	14	18	26
85+	2112	7.0	29	2	2	6	9	13	17	28
B. *Operated*										
65-69 YRS	2068	9.6	66	2	2	8	14	20	26	38
70-74	1114	11.3	103	2	2	9	15	22	30	51
75-79	506	12.9	87	2	3	11	18	26	31	44
80-84	188	15.0	137	3	4	12	20	29	36	60
85+	106	15.0	148	3	4	11	20	29	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2311	5.1	19	1	2	4	6	9	12	21
B. *Operated*	197	5.5	30	2	2	3	7	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	25146	6.9	26	2	3	6	9	13	16	26
B. *Operated*	3982	10.9	87	2	2	9	15	22	29	43
1. SINGLE DX	2508	5.2	19	1	2	4	6	9	12	22
2. MULTIPLE DX	29128	7.5	36	2	2	6	9	14	18	31
A. NOT OPERATED	27457	6.8	25	2	2	6	8	12	16	26
B. OPERATED	4179	10.6	86	2	2	9	15	22	28	42
TOTAL 65-69 YRS	10041	7.0	33	2	2	5	9	14	18	30
70-74	8661	7.2	36	2	2	6	9	14	18	30
75-79	6553	7.5	34	2	3	6	9	14	18	31
80-84	3993	7.6	39	2	3	6	9	14	19	30
85+	2388	7.3	36	2	2	6	9	14	18	30
GRAND TOTAL	**31636**	**7.3**	**35**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	666	6.3	17	2	2	5	8	12	15	21
70-74	578	6.7	36	2	2	6	8	12	15	27
75-79	434	6.7	20	2	2	6	9	12	15	24
80-84	241	6.8	17	2	3	6	9	12	15	22
85+	137	7.2	19	2	3	6	9	14	16	21
B. *Operated*										
65-69 YRS	85	10.3	46	2	2	10	14	18	20	36
70-74	46	11.6	40	2	2	11	15	21	23	26
75-79	13	11.2	43	3	4	11	17	20	22	23
80-84	3	8.3	16	6	6	6	11	13	13	13
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5335	8.2	30	2	3	7	10	15	18	28
70-74	5222	8.6	35	3	3	7	11	15	19	29
75-79	4239	8.9	37	3	3	8	11	16	20	30
80-84	2605	9.4	51	3	3	8	12	17	21	39
85+	1521	9.7	51	3	3	8	12	18	23	38
B. *Operated*										
65-69 YRS	899	14.0	117	2	3	12	18	26	34	59
70-74	568	15.0	114	3	4	13	20	27	33	55
75-79	302	15.9	99	3	6	14	20	28	34	48
80-84	166	17.8	137	6	8	14	22	34	43	64
85+	100	19.2	180	6	7	16	22	33	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2056	6.6	23	2	2	5	8	12	15	24
B. *Operated*	148	10.9	44	2	2	11	15	19	23	26
2. MULTIPLE DX										
A. *Not Operated*	18922	8.8	38	3	3	7	11	16	20	31
B. *Operated*	2035	15.1	120	2	4	13	19	28	35	63
1. SINGLE DX	2204	6.9	26	2	2	6	9	13	16	24
2. MULTIPLE DX	20957	9.4	49	3	3	8	12	17	22	36
A. NOT OPERATED	20978	8.6	37	2	3	7	11	15	19	30
B. OPERATED	2183	14.8	116	2	4	12	19	27	34	56
TOTAL 65-69 YRS	6985	8.8	45	2	3	7	11	16	21	34
70-74	6414	9.0	46	2	3	7	11	17	21	33
75-79	4988	9.2	43	3	3	8	11	17	21	33
80-84	3015	9.6	57	3	3	8	12	18	23	42
85+	1759	10.1	61	3	3	8	13	19	25	41
GRAND TOTAL	**23161**	**9.2**	**48**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	725	6.3	20	2	2	5	8	12	15	23
70-74	628	6.9	26	2	2	6	9	13	15	27
75-79	522	6.8	24	2	2	5	9	13	17	24
80-84	347	7.3	26	2	2	6	10	14	18	25
85+	255	8.0	51	2	2	6	10	14	18	38
B. *Operated*										
65-69 YRS	1874	8.9	70	2	2	7	13	19	23	36
70-74	742	9.6	66	2	2	9	15	20	24	36
75-79	175	9.1	55	2	2	7	15	20	23	30
80-84	31	9.9	152	2	2	4	15	24	47	49
85+	27	8.5	32	2	2	8	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11263	8.4	45	2	3	7	11	15	20	33
70-74	12069	9.0	49	2	3	7	11	17	22	36
75-79	11617	9.6	55	3	3	8	12	18	24	40
80-84	9172	9.9	62	2	3	8	13	19	24	41
85+	7814	10.5	75	2	3	8	13	20	27	49
B. *Operated*										
65-69 YRS	5422	11.1	100	2	2	10	15	23	29	51
70-74	3043	13.5	128	2	2	11	18	27	33	62
75-79	1801	14.9	129	2	3	12	19	29	38	65
80-84	1038	15.8	134	3	5	13	20	31	37	59
85+	787	17.2	173	4	5	14	22	33	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2477	6.9	27	2	2	5	9	13	16	25
B. *Operated*	2849	9.1	69	2	2	8	14	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	51935	9.4	56	2	3	8	12	18	23	40
B. *Operated*	12091	13.1	124	2	2	11	17	26	34	58
1. SINGLE DX	5326	8.1	50	2	2	6	12	17	21	31
2. MULTIPLE DX	64026	10.1	71	2	3	8	13	19	26	45
A. NOT OPERATED	54412	9.3	55	2	3	7	12	17	23	40
B. OPERATED	14940	12.3	115	2	2	11	17	25	32	56
TOTAL 65-69 YRS	19284	9.1	64	2	2	7	12	18	23	40
70-74	16482	9.8	67	2	3	8	13	19	25	42
75-79	14115	10.2	67	2	3	8	13	20	26	44
80-84	10588	10.4	71	2	3	8	13	20	26	44
85+	8883	11.1	86	2	3	9	14	21	28	53
GRAND TOTAL	**69352**	**9.9**	**69**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	304	11.9	32	5	6	11	15	19	22	29
70-74	269	11.7	20	5	7	11	14	18	20	28
75-79	172	11.9	28	5	6	11	14	17	21	29
80-84	110	11.8	21	4	6	12	15	18	20	25
85+	62	12.8	46	4	5	11	18	22	26	32
B. *Operated*										
65-69 YRS	47	13.1	34	2	4	13	17	21	23	24
70-74	34	15.9	63	8	9	13	20	28	32	39
75-79	23	16.0	110	3	6	13	18	38	41	42
80-84	13	15.8	88	8	9	13	16	31	40	42
85+	5	14.6	129	4	4	12	22	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1477	14.0	52	5	7	12	17	22	27	40
70-74	1383	14.4	59	6	7	13	17	23	29	45
75-79	1247	15.1	75	5	7	13	18	26	32	49
80-84	778	16.3	98	6	7	14	20	27	33	52
85+	517	16.0	103	5	7	14	20	28	33	54
B. *Operated*										
65-69 YRS	331	20.0	152	7	9	17	24	38	45	63
70-74	272	19.5	140	7	9	17	23	35	43	61
75-79	193	20.1	116	7	9	18	24	36	43	61
80-84	128	21.3	151	9	9	18	26	37	49	63
85+	63	23.5	283	9	10	19	27	45	61	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	11.9	27	5	6	11	15	18	21	29
B. *Operated*	122	14.8	65	3	7	13	18	24	32	42
2. MULTIPLE DX										
A. *Not Operated*	5402	14.9	71	5	7	13	18	25	30	48
B. *Operated*	987	20.3	150	8	9	17	24	37	46	65
1. SINGLE DX	1039	12.2	33	5	6	11	15	19	23	32
2. MULTIPLE DX	6389	15.7	87	6	7	14	19	26	33	52
A. NOT OPERATED	6319	14.4	66	5	7	13	18	24	29	46
B. OPERATED	1109	19.7	144	7	9	16	24	36	45	63
TOTAL 65-69 YRS	2159	14.6	70	5	7	13	18	24	31	47
70-74	1958	14.8	69	6	7	13	18	24	30	48
75-79	1635	15.4	79	5	7	13	18	26	32	49
80-84	1029	16.4	102	6	7	14	20	28	34	54
85+	647	16.5	121	5	7	14	20	29	34	69
GRAND TOTAL	**7428**	**15.2**	**81**	**5**	**7**	**13**	**18**	**25**	**32**	**50**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	28.3	216	8	12	26	32	44	63	68
70-74	8	19.5	321	2	2	17	32	44	48	48
75-79	9	30.1	317	7	9	29	41	56	65	65
80-84	2	34.5	85	28	28	34	41	41	41	41
85+	1	37.0		37	37	37	37	37	37	37
B. *Operated*										
65-69 YRS	4	37.8	61	27	27	40	43	44	44	44
70-74	1	21.0		21	21	21	21	21	21	21
75-79	2	26.0	450	11	11	26	41	41	41	41
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	96	32.0	178	9	16	31	40	52	55	63
70-74	96	30.3	232	4	7	31	39	47	55	77
75-79	58	29.4	165	5	11	32	38	47	52	96
80-84	52	29.9	208	7	10	30	37	48	59	68
85+	36	29.3	283	5	8	25	39	48	65	70
B. *Operated*										
65-69 YRS	36	40.0	209	22	24	40	51	57	58	70
70-74	45	40.2	321	14	19	37	48	60	82	95
75-79	36	41.6	409	17	20	35	50	72	84	92
80-84	10	38.3	177	23	24	36	47	58	60	60
85+	2	55.0	200	45	45	55	65	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	27.3	256	3	6	28	36	43	62	68
B. *Operated*	7	32.0	160	11	13	37	42	44	44	44
2. MULTIPLE DX										
A. *Not Operated*	338	30.5	205	6	10	31	39	48	56	71
B. *Operated*	129	40.6	297	17	22	38	50	61	78	93
1. SINGLE DX	41	28.1	238	4	6	29	38	44	56	68
2. MULTIPLE DX	467	33.3	251	7	13	32	43	53	61	85
A. NOT OPERATED	372	30.2	210	6	10	31	38	48	57	70
B. OPERATED	136	40.2	292	17	22	38	49	60	76	93
TOTAL 65-69 YRS	150	33.7	197	10	16	32	43	53	57	68
70-[illegible]	150	32.6	288	4	8	32	42	50	61	92
75[illegible]	105	33.6	290	7	12	33	44	53	67	96
80[illegible]	64	31.4	205	7	11	30	40	49	60	67
85+	39	30.8	300	5	9	32	44	56	66	70
GRAND TOTAL	**508**	**32.8**	**251**	**7**	**12**	**32**	**43**	**52**	**61**	**82**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	191	3.5	8	1	1	3	4	7	8	17
70-74	184	3.8	14	1	1	3	5	8	10	22
75-79	97	4.6	58	1	1	3	5	8	10	51
80-84	66	3.5	6	1	1	3	5	7	7	13
85+	32	4.5	10	1	1	4	5	9	11	15
B. *Operated*										
65-69 YRS	8	6.3	49	2	2	3	10	18	19	19
70-74	5	5.8	7	3	3	6	7	10	10	10
75-79	3	12.0	7	9	9	13	14	14	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	873	5.8	22	1	2	5	8	11	14	24
70-74	769	6.3	24	1	2	5	8	12	16	23
75-79	581	6.8	35	1	2	5	8	14	18	31
80-84	325	7.6	58	2	2	5	9	15	20	38
85+	231	7.8	59	1	2	6	10	15	21	39
B. *Operated*										
65-69 YRS	52	14.1	115	2	2	13	19	34	40	98
70-74	55	13.0	71	2	3	12	17	23	27	44
75-79	35	14.5	42	4	6	14	19	21	25	33
80-84	15	13.9	32	6	8	14	19	21	21	21
85+	15	17.3	87	6	6	17	20	32	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.8	18	1	1	3	5	7	10	21
B. *Operated*	18	7.3	28	2	2	6	10	15	18	19
2. MULTIPLE DX										
A. *Not Operated*	2779	6.6	33	1	2	5	8	13	17	28
B. *Operated*	172	14.1	76	2	4	13	19	25	34	45
1. SINGLE DX	588	4.0	19	1	1	3	5	7	10	21
2. MULTIPLE DX	2951	7.0	38	1	2	5	9	14	19	31
A. NOT OPERATED	3349	6.1	31	1	2	5	8	12	16	26
B. OPERATED	190	13.4	75	2	3	13	18	24	33	44
TOTAL 65-69 YRS	1124	5.8	28	1	2	4	7	11	16	30
70-74	1013	6.2	28	1	2	5	8	13	16	25
75-79	716	6.9	41	1	2	5	9	14	20	33
80-84	407	7.1	52	1	2	5	8	15	20	32
85+	279	8.0	60	1	2	6	10	16	22	38
GRAND TOTAL	**3539**	**6.5**	**36**	**1**	**2**	**5**	**8**	**13**	**18**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	547	3.9	10	1	1	3	5	8	9	13
70-74	484	4.4	15	1	1	3	6	9	11	24
75-79	340	4.4	14	1	1	3	6	8	11	20
80-84	222	5.1	14	1	2	4	7	9	13	19
85+	132	6.4	29	1	2	5	9	12	16	30
B. *Operated*										
65-69 YRS	23	6.6	15	1	2	7	10	12	13	13
70-74	14	8.4	26	3	4	6	11	15	20	22
75-79	10	12.8	51	1	4	11	18	22	25	25
80-84	10	9.4	73	2	3	7	10	23	31	31
85+	9	15.3	412	2	3	10	14	48	68	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3738	6.9	34	1	2	6	9	13	17	29
70-74	4156	7.4	39	2	2	6	9	14	18	30
75-79	3912	8.1	43	2	2	7	10	15	20	35
80-84	2912	8.7	59	2	3	7	11	16	22	40
85+	2390	9.6	78	2	3	7	12	18	25	51
B. *Operated*										
65-69 YRS	389	13.1	81	2	4	12	18	24	30	42
70-74	436	15.2	146	3	4	12	19	30	39	70
75-79	402	16.4	140	4	6	13	21	32	41	68
80-84	319	16.2	148	3	5	14	20	31	38	83
85+	251	17.6	166	4	6	15	22	34	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1725	4.5	15	1	1	3	6	9	11	20
B. *Operated*	66	9.5	88	2	2	8	11	17	23	62
2. MULTIPLE DX										
A. *Not Operated*	17108	8.0	48	2	2	6	10	15	20	36
B. *Operated*	1797	15.5	136	3	5	13	20	30	38	69
1. SINGLE DX	1791	4.7	18	1	1	4	6	9	12	22
2. MULTIPLE DX	18905	8.7	61	2	2	7	11	17	22	41
A. NOT OPERATED	18833	7.7	46	2	2	6	10	15	19	35
B. OPERATED	1863	15.3	135	3	4	13	20	30	37	69
TOTAL 65-69 YRS	4697	7.1	39	1	2	5	9	14	18	31
70-74	5090	7.8	52	1	2	6	10	15	20	35
75-79	4664	8.6	56	2	2	7	11	17	22	41
80-84	3463	9.1	70	2	3	7	11	18	25	44
85+	2782	10.2	90	2	3	8	13	20	27	53
GRAND TOTAL	**20696**	**8.4**	**59**	**2**	**2**	**6**	**10**	**16**	**22**	**40**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	589	4.7	14	1	1	4	6	9	12	20
70-74	480	5.4	26	1	2	4	7	10	13	24
75-79	403	5.4	16	1	1	4	7	11	13	19
80-84	255	5.8	23	1	1	5	7	11	14	30
85+	170	6.2	28	1	2	5	8	12	16	23
B. *Operated*										
65-69 YRS	390	7.6	29	2	2	7	9	14	17	25
70-74	471	8.0	29	2	3	7	10	15	19	27
75-79	504	8.2	29	2	3	7	10	14	17	28
80-84	401	9.0	44	2	3	8	11	17	21	38
85+	310	9.1	41	2	3	8	11	16	23	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4504	7.6	38	2	2	6	9	14	19	31
70-74	4673	8.0	39	2	3	6	10	15	20	31
75-79	4101	8.3	42	2	3	7	10	16	20	33
80-84	2964	9.1	65	2	3	7	11	17	23	41
85+	2498	8.9	50	2	3	7	11	17	22	38
B. *Operated*										
65-69 YRS	1856	12.1	76	3	4	10	15	23	29	44
70-74	2457	12.5	90	3	4	10	15	24	30	50
75-79	2867	13.0	90	3	4	11	16	25	30	53
80-84	2322	13.3	96	3	4	11	17	25	31	54
85+	1871	13.2	79	4	5	11	17	24	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1897	5.3	20	1	1	4	7	10	13	21
B. *Operated*	2076	8.3	34	2	3	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	18740	8.2	45	2	3	7	10	16	20	34
B. *Operated*	11373	12.8	87	3	4	11	16	24	30	50
1. SINGLE DX	3973	6.9	30	1	2	6	9	13	17	26
2. MULTIPLE DX	30113	10.0	66	2	3	8	13	19	25	42
A. NOT OPERATED	20637	8.0	44	2	2	6	10	15	20	33
B. OPERATED	13449	12.1	82	3	4	10	15	23	29	49
TOTAL 65-69 YRS	7339	8.5	50	2	2	7	11	17	22	36
70-74	8081	9.2	58	2	3	7	12	18	23	39
75-79	7875	9.8	63	2	3	8	12	19	25	42
80-84	5942	10.6	79	2	3	8	13	21	27	47
85+	4849	10.5	65	2	3	8	14	20	26	43
GRAND TOTAL	**34086**	**9.6**	**63**	**2**	**3**	**8**	**12**	**19**	**24**	**41**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	961	7.8	31	2	3	6	10	14	18	31
70-74	1156	7.8	40	2	3	6	10	14	19	32
75-79	1334	8.5	50	2	3	7	10	16	21	35
80-84	1247	8.3	40	2	3	7	10	15	20	31
85+	1197	8.4	40	2	3	7	11	16	19	33
B. *Operated*										
65-69 YRS	41	12.4	83	2	3	10	14	28	31	36
70-74	34	12.4	49	3	4	12	16	22	28	29
75-79	23	16.4	190	5	6	13	18	27	54	65
80-84	27	16.4	149	4	7	12	21	33	48	54
85+	14	10.9	34	3	3	10	14	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15181	10.2	55	3	4	8	13	19	24	39
70-74	18826	10.6	66	3	4	8	13	19	25	43
75-79	20463	11.0	68	3	4	9	14	21	26	43
80-84	17846	11.3	74	3	4	9	14	21	27	46
85+	17356	11.6	81	3	4	9	14	22	28	49
B. *Operated*										
65-69 YRS	1568	17.1	143	4	5	14	22	32	40	62
70-74	1769	18.9	165	5	7	16	24	36	45	76
75-79	1855	19.4	169	5	7	16	25	36	45	82
80-84	1440	20.6	204	6	7	17	26	39	49	86
85+	1235	20.7	185	6	7	18	27	38	49	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5895	8.2	41	2	3	7	10	15	19	32
B. *Operated*	139	13.7	102	3	4	12	17	25	32	55
2. MULTIPLE DX										
A. *Not Operated*	89672	10.9	69	3	4	9	14	20	26	44
B. *Operated*	7867	19.3	174	5	7	16	25	36	45	77
1. SINGLE DX	6034	8.3	43	2	3	7	10	15	20	33
2. MULTIPLE DX	97539	11.6	83	3	4	9	14	22	29	49
A. NOT OPERATED	95567	10.8	68	3	4	9	13	20	26	44
B. OPERATED	8006	19.2	173	5	7	16	25	36	45	77
TOTAL 65-69 YRS	17751	10.7	66	3	4	9	13	20	26	42
70-74	21785	11.1	78	3	4	9	14	21	27	46
75-79	23675	11.5	81	3	4	9	14	22	28	47
80-84	20560	11.7	88	3	4	9	15	22	30	50
85+	19802	12.0	91	3	4	9	15	23	30	52
GRAND TOTAL	**103573**	**11.4**	**81**	**3**	**4**	**9**	**14**	**22**	**28**	**48**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	270	7.6	45	2	2	6	9	13	18	41
70-74	217	7.8	37	2	2	6	9	16	21	31
75-79	131	8.3	47	2	3	7	11	15	20	40
80-84	97	8.4	50	2	3	7	11	15	20	39
85+	71	8.3	73	2	2	6	10	19	25	49
B. *Operated*										
65-69 YRS	383	8.1	67	2	2	4	13	17	23	40
70-74	227	8.1	58	2	2	4	14	19	23	57
75-79	99	10.1	67	2	2	8	15	19	26	38
80-84	24	9.3	78	2	2	4	15	24	26	29
85+	5	8.8	57	3	3	4	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2720	9.5	55	2	3	8	12	18	23	40
70-74	2573	9.5	54	2	3	8	12	18	23	35
75-79	2248	9.8	54	3	3	8	12	19	24	39
80-84	1591	10.4	68	3	3	8	13	19	25	42
85+	1409	11.1	80	3	4	9	14	21	27	51
B. *Operated*										
65-69 YRS	1590	12.7	119	2	2	11	18	26	32	55
70-74	1154	14.7	173	2	2	12	20	29	42	66
75-79	715	14.6	149	2	2	12	20	29	38	64
80-84	275	16.6	205	2	3	13	22	36	43	66
85+	158	15.5	114	3	5	13	19	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	786	7.9	46	2	2	6	10	15	20	39
B. *Operated*	738	8.4	65	2	2	5	13	19	24	39
2. MULTIPLE DX										
A. *Not Operated*	10541	9.9	60	2	3	8	12	19	24	40
B. *Operated*	3892	14.0	148	2	2	12	19	28	38	63
1. SINGLE DX	1524	8.2	55	2	2	6	11	17	22	39
2. MULTIPLE DX	14433	11.0	87	2	3	8	14	22	28	50
A. NOT OPERATED	11327	9.8	59	2	3	8	12	18	24	40
B. OPERATED	4630	13.1	139	2	2	11	18	27	36	60
TOTAL 65-69 YRS	4963	10.3	79	2	2	8	14	21	27	44
70-74	4171	10.8	92	2	2	8	14	22	27	50
75-79	3193	10.8	79	2	3	8	14	22	28	46
80-84	1987	11.1	91	2	3	8	14	22	30	50
85+	1643	11.4	85	3	4	9	14	22	28	52
GRAND TOTAL	**15957**	**10.8**	**85**	**2**	**3**	**8**	**14**	**21**	**28**	**49**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	6.5	20	1	2	5	8	13	16	20
70-74	72	7.7	24	2	3	7	10	14	16	26
75-79	76	8.0	56	2	2	5	10	19	27	84
80-84	52	7.8	33	1	2	6	11	15	16	29
85+	74	7.8	31	2	2	7	10	17	20	26
B. *Operated*										
65-69 YRS	41	9.1	118	2	2	5	14	16	30	56
70-74	12	11.3	136	1	1	6	21	29	33	34
75-79	11	4.0	5	2	2	4	6	7	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+	4	16.3	321	5	5	8	26	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1699	9.2	56	2	3	7	11	17	24	39
70-74	2104	9.6	59	2	3	8	12	18	24	43
75-79	2396	10.5	82	3	3	8	13	20	26	47
80-84	2055	10.6	86	3	3	8	13	21	27	53
85+	2035	11.1	81	2	3	9	14	22	30	99+
B. *Operated*										
65-69 YRS	434	12.2	115	2	2	10	16	25	33	55
70-74	410	14.7	133	2	3	12	19	29	35	59
75-79	348	16.7	164	3	4	14	22	33	43	78
80-84	287	17.6	175	3	5	15	24	37	56	99+
85+	208	17.8	199	4	5	14	24	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	7.6	33	1	2	6	10	15	20	29
B. *Operated*	69	9.0	115	2	2	5	12	17	34	54
2. MULTIPLE DX										
A. *Not Operated*	10289	10.2	74	2	3	8	13	20	26	51
B. *Operated*	1687	15.4	154	2	3	13	20	31	41	80
1. SINGLE DX	403	7.8	47	2	2	6	10	15	21	42
2. MULTIPLE DX	11976	11.0	88	2	3	8	14	22	29	58
A. NOT OPERATED	10623	10.2	73	2	3	8	13	20	26	51
B. OPERATED	1756	15.1	154	2	3	12	20	31	41	80
TOTAL 65-69 YRS	2234	9.7	69	2	3	7	12	19	25	44
70-74	2598	10.4	74	2	3	8	13	20	27	48
75-79	2831	11.2	95	2	3	8	14	22	29	52
80-84	2395	11.4	101	3	3	9	14	23	30	65
85+	2321	11.6	94	3	3	9	15	24	32	99+
GRAND TOTAL	**12379**	**10.9**	**87**	**2**	**3**	**8**	**14**	**22**	**29**	**57**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	15.3	162	<1	1	15	25	34	34	34
70-74	6	13.5	193	<1	<1	12	27	29	29	29
75-79	10	21.0	228	1	2	18	39	41	42	42
80-84	1	25.0		25	25	25	25	25	25	25
85+	2	35.5	365	22	22	35	49	49	49	49
B. *Operated*										
65-69 YRS	35	22.7	276	3	6	18	30	44	65	70
70-74	15	27.1	289	3	7	26	34	52	64	68
75-79	5	26.2	159	8	8	28	32	43	43	43
80-84	1	44.0		44	44	44	44	44	44	44
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	18.7	270	1	2	15	29	44	61	99+
70-74	47	21.7	176	4	7	19	30	44	53	99+
75-79	35	26.5	232	8	9	26	33	52	60	64
80-84	37	18.1	155	4	6	15	25	33	44	59
85+	27	18.8	114	4	6	17	24	35	40	44
B. *Operated*										
65-69 YRS	79	33.2	459	9	10	28	49	73	87	99+
70-74	54	30.6	176	14	17	29	40	62	99+	99+
75-79	27	33.6	398	3	8	32	42	76	86	99+
80-84	9	34.1	674	6	11	28	58	96	99+	99+
85+	5	22.2	114	14	14	20	27	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	18.5	205	<1	1	19	27	39	42	49
B. *Operated*	56	24.6	267	3	7	22	31	44	64	70
2. MULTIPLE DX										
A. *Not Operated*	187	20.8	199	3	5	19	29	43	52	90
B. *Operated*	174	32.2	359	9	14	29	46	71	95	99+
1. SINGLE DX	86	22.5	251	1	2	22	30	43	52	70
2. MULTIPLE DX	361	26.3	308	4	8	24	36	56	77	99+
A. NOT OPERATED	217	20.5	200	1	4	19	29	41	51	83
B. OPERATED	230	30.4	346	7	10	28	41	66	85	99+
TOTAL 65-69 YRS	166	26.2	397	2	6	21	37	61	77	99+
70-74	122	25.9	210	4	9	25	34	53	64	99+
75-79	77	28.3	294	4	8	26	37	51	63	96
80-84	48	21.8	284	4	6	19	27	46	61	99+
85+	34	20.3	131	5	8	18	24	39	43	49
GRAND TOTAL	**447**	**25.6**	**299**	**4**	**7**	**23**	**35**	**53**	**70**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	34.8	219	20	20	32	45	57	57	57
70-74	6	34.7	161	14	16	35	47	47	47	47
75-79	5	24.8	293	6	6	18	36	51	51	51
80-84	3	16.7	44	9	9	20	21	21	21	21
85+	1	38.0		38	38	38	38	38	38	38
B. *Operated*										
65-69 YRS	11	43.5	601	12	17	50	83	99+	99+	99+
70-74	3	31.0	52	23	23	35	68	99+	99+	99+
75-79	4	24.0	113	16	16	20	31	39	39	39
80-84	1	25.0		25	25	25	25	25	25	25
85+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	29.7	206	7	11	30	40	49	54	57
B. *Operated*	20	36.1	415	14	17	35	52	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	40	32.9	313	10	16	31	47	82	99+	99+
A. NOT OPERATED	20	29.7	206	7	11	30	40	49	54	57
B. OPERATED	20	36.1	415	14	17	35	52	99+	99+	99+
TOTAL 65-69 YRS	16	40.8	476	14	19	40	57	96	99+	99+
70-74	9	33.4	117	14	18	35	47	74	99+	99+
75-79	9	24.4	189	6	10	18	33	46	51	51
80-84	4	18.8	47	9	9	20	23	25	25	25
85+	2	33.5	41	29	29	33	38	38	38	38
GRAND TOTAL	**40**	**32.9**	**313**	**10**	**16**	**31**	**47**	**82**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	12.7	132	1	1	11	17	23	35	61
70-74	51	13.0	99	<1	1	10	21	29	32	36
75-79	57	11.7	78	<1	2	10	16	22	30	44
80-84	32	13.8	109	1	2	11	21	27	33	44
85+	28	11.8	83	1	3	9	17	28	39	99+
B. *Operated*										
65-69 YRS	105	14.0	77	3	5	11	18	26	31	45
70-74	96	16.4	188	4	6	13	19	27	46	79
75-79	71	17.6	123	4	7	14	25	30	36	55
80-84	47	17.4	211	5	6	13	20	33	50	78
85+	32	19.7	112	7	10	16	25	39	41	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	15.3	165	2	4	11	20	29	43	57
70-74	218	17.4	199	2	4	14	23	36	48	89
75-79	205	19.1	204	4	5	15	28	39	52	84
80-84	178	18.4	188	4	6	15	23	40	46	90
85+	113	19.3	185	5	6	16	25	40	56	99+
B. *Operated*										
65-69 YRS	173	24.5	236	6	8	20	36	48	57	93
70-74	175	24.2	232	7	9	21	32	45	58	83
75-79	162	26.2	290	7	9	22	35	46	57	90
80-84	96	25.9	278	8	11	22	33	60	86	99+
85+	70	24.1	175	9	10	21	29	40	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	12.5	98	<1	1	10	18	26	32	51
B. *Operated*	351	16.3	139	4	6	13	21	30	39	62
2. MULTIPLE DX										
A. *Not Operated*	885	17.8	191	3	5	14	23	37	48	89
B. *Operated*	676	25.0	247	7	9	21	34	46	60	99
1. SINGLE DX	563	14.9	127	2	4	12	20	29	35	61
2. MULTIPLE DX	1561	20.9	227	4	6	17	28	42	53	96
A. NOT OPERATED	1097	16.8	177	2	4	14	22	35	45	82
B. OPERATED	1027	22.0	227	6	8	18	29	43	53	91
TOTAL 65-69 YRS	493	18.0	190	3	5	14	24	39	47	66
70-74	540	19.0	212	3	5	15	24	38	48	84
75-79	495	20.4	227	4	6	16	28	40	49	82
80-84	353	19.9	222	4	6	16	25	43	55	99+
85+	243	19.9	172	5	7	17	27	39	49	99+
GRAND TOTAL	**2124**	**19.3**	**208**	**3**	**6**	**16**	**26**	**40**	**49**	**86**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	26.2	542	5	5	16	41	62	87	99+
70-74	88	26.0	195	7	9	26	34	51	56	99+
75-79	83	28.4	365	7	10	25	38	60	98	99+
80-84	58	24.4	228	7	9	23	30	41	55	99+
85+	44	22.7	319	3	6	17	30	45	62	78
B. *Operated*										
65-69 YRS	37	34.4	433	6	9	30	47	66	88	99+
70-74	28	34.2	282	7	7	36	46	56	61	66
75-79	27	27.7	338	9	11	22	39	66	78	99+
80-84	19	26.5	152	10	13	24	39	47	74	99+
85+	8	37.6	750	14	14	25	58	81	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	341	25.9	326	6	7	23	34	54	75	99+
B. *Operated*	119	31.8	353	7	10	28	45	62	79	99+
1. SINGLE DX										
2. MULTIPLE DX	460	27.4	339	6	8	24	38	56	76	99+
A. NOT OPERATED	341	25.9	326	6	7	23	34	54	75	99+
B. OPERATED	119	31.8	353	7	10	28	45	62	79	99+
TOTAL 65-69 YRS	105	29.1	515	5	6	24	43	64	87	99+
70-74	116	28.0	226	7	9	28	39	53	57	99+
75-79	110	28.2	355	7	10	24	38	60	97	99+
80-84	77	24.9	208	9	10	24	31	45	55	99+
85+	52	25.0	401	4	6	19	31	54	75	84
GRAND TOTAL	**460**	**27.4**	**339**	**6**	**8**	**24**	**38**	**56**	**76**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	6.9	70	1	1	4	8	19	27	42
70-74	54	9.3	184	1	1	5	10	20	42	67
75-79	29	9.0	223	2	2	5	10	15	30	81
80-84	17	9.5	81	1	2	5	15	24	27	28
85+	16	8.3	31	2	2	7	13	17	18	18
B. *Operated*										
65-69 YRS	1123	7.9	34	2	2	7	10	15	20	28
70-74	911	8.2	39	2	2	7	11	16	19	31
75-79	537	8.4	35	2	2	7	11	16	21	29
80-84	175	8.0	34	1	2	7	10	15	19	29
85+	50	9.9	52	2	3	8	13	18	21	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	278	8.4	66	1	2	6	10	16	23	43
70-74	268	9.9	96	2	2	7	12	20	28	64
75-79	219	10.4	85	2	3	8	13	22	28	59
80-84	175	10.6	59	2	3	8	14	22	27	41
85+	101	11.2	122	2	3	7	12	24	30	64
B. *Operated*										
65-69 YRS	2283	11.0	99	2	3	8	14	21	28	57
70-74	1789	11.4	94	2	3	9	14	22	29	52
75-79	1085	11.9	91	2	3	9	15	23	29	52
80-84	366	12.5	98	2	3	10	16	26	34	51
85+	118	14.0	154	2	4	10	17	30	48	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	8.3	124	1	2	4	10	20	26	66
B. *Operated*	2796	8.1	36	2	2	7	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	1041	9.9	83	2	3	7	12	20	27	52
B. *Operated*	5641	11.5	97	2	3	9	15	22	29	55
1. SINGLE DX	2980	8.1	41	2	2	7	10	16	20	30
2. MULTIPLE DX	6682	11.2	95	2	3	9	14	22	29	54
A. NOT OPERATED	1225	9.6	89	2	2	7	12	20	27	58
B. OPERATED	8437	10.4	79	2	3	8	13	20	26	48
TOTAL 65-69 YRS	3752	9.8	79	2	2	7	12	19	25	45
70-74	3022	10.2	81	2	2	8	13	20	26	47
75-79	1870	10.7	78	2	3	8	14	21	27	48
80-84	733	10.9	76	2	3	9	14	22	29	47
85+	285	12.0	120	2	3	9	15	24	38	66
GRAND TOTAL	**9662**	**10.3**	**81**	**2**	**2**	**8**	**13**	**20**	**27**	**48**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	14.7	85	3	4	12	20	30	32	37
70-74	37	21.0	201	3	5	18	32	42	56	99+
75-79	30	19.4	255	5	5	14	22	47	59	61
80-84	27	17.5	121	3	4	17	21	35	40	44
85+	21	18.0	113	5	5	18	26	34	69	99+
B. *Operated*										
65-69 YRS	140	17.8	256	3	4	13	22	35	47	92
70-74	107	20.3	193	3	6	19	29	45	51	99+
75-79	54	19.6	302	2	4	13	25	46	60	72
80-84	26	23.2	285	5	7	19	28	43	58	81
85+	8	15.4	77	7	7	14	18	29	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	146	18.3	161	3	5	16	25	38	48	99+
B. *Operated*	335	19.3	241	3	5	15	25	42	52	92
1. SINGLE DX										
2. MULTIPLE DX	481	18.9	217	3	5	15	25	40	50	93
A. NOT OPERATED	146	18.3	161	3	5	16	25	38	48	99+
B. OPERATED	335	19.3	241	3	5	15	25	42	52	92
TOTAL 65-69 YRS	171	17.3	225	3	4	13	22	32	43	91
70-74	144	20.5	193	3	5	19	30	44	52	99+
75-79	84	19.5	282	3	5	14	25	46	59	69
80-84	53	20.3	206	3	6	18	25	39	44	80
85+	29	17.2	102	5	6	17	25	31	49	99+
GRAND TOTAL	**481**	**18.9**	**217**	**3**	**5**	**15**	**25**	**40**	**50**	**93**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	275	10.7	104	2	3	8	13	20	28	57
70-74	267	10.9	100	3	3	8	14	21	29	54
75-79	292	12.3	92	3	3	10	15	26	31	50
80-84	235	13.5	99	3	4	11	18	29	32	50
85+	160	14.3	135	3	4	11	19	29	36	46
B. *Operated*										
65-69 YRS	89	9.5	88	2	2	7	11	18	21	53
70-74	77	9.7	72	2	2	7	13	19	22	51
75-79	50	11.1	67	3	3	9	13	22	32	35
80-84	13	9.5	22	3	4	9	12	18	18	18
85+	7	18.0	127	4	5	18	27	32	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1732	14.1	132	3	4	11	17	29	39	71
70-74	2153	14.4	139	3	4	11	18	29	36	72
75-79	2199	15.8	163	3	5	12	19	32	43	74
80-84	1944	16.1	163	4	5	13	20	32	43	80
85+	1532	15.9	146	4	5	13	20	31	39	75
B. *Operated*										
65-69 YRS	388	17.5	247	3	5	12	23	41	58	99+
70-74	409	19.2	267	2	4	14	25	44	56	86
75-79	297	20.9	271	4	6	16	28	48	65	99+
80-84	159	25.4	263	6	8	23	33	50	62	99+
85+	105	24.7	240	7	8	21	33	48	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1229	12.1	105	2	3	9	15	25	32	51
B. *Operated*	236	10.2	77	2	3	8	13	19	26	52
2. MULTIPLE DX										
A. *Not Operated*	9560	15.3	150	3	5	12	19	30	40	74
B. *Operated*	1358	20.3	266	4	5	16	27	45	59	99+
1. SINGLE DX	1465	11.8	101	2	3	9	15	24	31	52
2. MULTIPLE DX	10918	15.9	167	3	5	12	20	32	43	79
A. NOT OPERATED	10789	14.9	146	3	4	12	19	30	39	72
B. OPERATED	1594	18.8	251	3	5	14	25	43	56	99+
TOTAL 65-69 YRS	2484	14.1	149	3	4	11	17	29	41	76
70-74	2906	14.6	157	3	4	11	19	30	40	76
75-79	2838	15.9	169	3	5	12	20	33	44	75
80-84	2351	16.4	169	4	5	13	21	33	44	82
85+	1804	16.3	155	4	5	13	21	32	40	78
GRAND TOTAL	**12383**	**15.4**	**161**	**3**	**4**	**12**	**19**	**31**	**42**	**77**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	814	19.7	231	4	6	15	26	41	53	84
70-74	996	19.7	210	5	6	16	26	40	50	87
75-79	999	20.6	253	4	6	16	25	41	53	86
80-84	956	20.3	201	5	7	16	26	40	53	99
85+	730	20.4	210	5	7	17	26	40	51	81
B. *Operated*										
65-69 YRS	122	23.9	318	4	5	19	35	55	71	99+
70-74	140	26.0	302	8	9	20	40	66	99+	99+
75-79	116	30.5	365	8	10	26	43	62	79	99+
80-84	67	27.4	204	11	13	25	33	45	67	95
85+	47	31.8	349	10	12	28	42	66	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4495	20.1	221	5	6	16	26	41	52	86
B. *Operated*	492	27.3	317	7	9	23	39	60	74	99+
1. SINGLE DX										
2. MULTIPLE DX	4987	20.8	235	5	7	17	27	43	55	92
A. NOT OPERATED	4495	20.1	221	5	6	16	26	41	52	86
B. OPERATED	492	27.3	317	7	9	23	39	60	74	99+
TOTAL 65-69 YRS	936	20.3	244	4	6	16	27	42	55	87
70-74	1136	20.5	225	5	6	16	27	44	56	99+
75-79	1115	21.6	273	5	7	17	28	45	57	91
80-84	1023	20.8	204	5	7	17	27	41	54	99+
85+	777	21.0	226	5	7	17	27	41	54	83
GRAND TOTAL	**4987**	**20.8**	**235**	**5**	**7**	**17**	**27**	**43**	**55**	**92**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	800	5.1	16	1	2	4	6	9	13	22
70-74	926	5.2	16	1	2	4	6	9	12	20
75-79	929	5.4	19	1	2	4	7	10	12	22
80-84	737	5.4	33	1	2	4	7	10	12	24
85+	671	5.7	26	1	2	4	7	11	14	23
B. *Operated*										
65-69 YRS	354	6.2	33	1	2	5	8	12	16	29
70-74	265	5.8	24	1	2	5	8	11	13	24
75-79	186	6.1	26	1	2	5	8	12	16	28
80-84	64	7.1	23	1	2	6	10	14	16	21
85+	24	6.0	16	1	2	5	8	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4260	7.0	33	2	2	6	9	13	17	28
70-74	5567	7.4	35	2	3	6	9	14	18	29
75-79	6434	7.9	42	2	3	6	10	15	19	34
80-84	5814	8.3	51	2	3	6	10	16	21	41
85+	5355	8.7	63	2	3	7	11	16	23	48
B. *Operated*										
65-69 YRS	1295	10.3	82	2	3	8	13	19	26	50
70-74	1233	11.0	94	2	3	9	14	22	29	52
75-79	971	12.5	112	2	3	10	16	24	34	58
80-84	563	13.0	105	3	4	10	16	26	34	54
85+	331	15.5	156	3	4	12	21	32	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4063	5.3	21	1	2	4	7	10	13	23
B. *Operated*	893	6.1	28	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	27430	7.9	45	2	3	6	10	15	19	37
B. *Operated*	4393	11.7	103	2	3	9	15	24	31	56
1. SINGLE DX	4956	5.5	23	1	2	4	7	10	13	23
2. MULTIPLE DX	31823	8.4	55	2	3	7	10	16	21	41
A. NOT OPERATED	31493	7.6	43	2	2	6	9	14	19	35
B. OPERATED	5286	10.8	94	2	2	8	14	22	29	53
TOTAL 65-69 YRS	6709	7.4	43	2	2	6	9	14	18	34
70-74	7991	7.7	44	2	2	6	9	14	19	34
75-79	8520	8.1	50	2	2	6	10	15	21	38
80-84	7178	8.3	56	2	2	6	10	16	21	42
85+	6381	8.7	67	2	3	7	11	17	23	50
GRAND TOTAL	**36779**	**8.0**	**52**	**2**	**2**	**6**	**10**	**15**	**21**	**39**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	760	11.3	119	2	3	8	14	24	32	59
70-74	934	11.7	108	2	3	9	15	23	30	55
75-79	1047	12.6	110	2	3	10	16	25	33	54
80-84	917	13.4	135	2	4	10	18	28	37	76
85+	854	13.6	123	2	4	10	17	28	36	56
B. *Operated*										
65-69 YRS	130	12.1	194	1	2	8	13	27	37	87
70-74	111	16.0	261	2	2	10	25	39	57	82
75-79	68	16.2	200	2	3	12	23	37	57	93
80-84	29	13.7	140	2	2	10	17	35	40	48
85+	18	20.5	269	3	7	15	24	35	60	75
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3803	14.4	147	3	4	11	18	29	39	78
70-74	4820	14.8	150	3	4	11	19	30	40	72
75-79	5592	15.6	162	3	5	12	20	31	43	77
80-84	4865	15.9	157	3	5	13	20	32	41	83
85+	4797	15.6	146	3	5	12	20	30	39	74
B. *Operated*										
65-69 YRS	631	20.1	270	4	5	15	27	45	64	99+
70-74	681	22.6	329	4	6	17	32	55	70	99+
75-79	631	24.8	322	6	8	21	34	52	69	99+
80-84	374	26.4	321	7	9	22	38	59	90	99+
85+	318	25.5	260	6	8	23	35	56	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4512	12.6	119	2	3	10	16	25	34	58
B. *Operated*	356	14.6	218	2	2	10	19	35	47	84
2. MULTIPLE DX										
A. *Not Operated*	23877	15.3	153	3	4	12	19	31	41	76
B. *Operated*	2635	23.4	308	5	7	19	33	52	69	99+
1. SINGLE DX	4868	12.7	127	2	3	10	16	26	35	62
2. MULTIPLE DX	26512	16.1	175	3	5	12	21	33	45	88
A. NOT OPERATED	28389	14.9	149	3	4	12	19	30	40	74
B. OPERATED	2991	22.4	306	4	6	18	31	51	67	99+
TOTAL 65-69 YRS	5324	14.5	164	3	4	11	18	30	41	84
70-74	6546	15.2	172	3	4	11	19	32	44	80
75-79	7338	16.0	177	3	4	12	20	33	45	85
80-84	6185	16.2	171	3	5	13	21	34	44	95
85+	5987	15.8	155	3	5	13	21	32	41	76
GRAND TOTAL	**31380**	**15.6**	**169**	**3**	**4**	**12**	**20**	**32**	**43**	**83**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1590	18.7	197	4	6	15	24	38	50	99+
70-74	2091	19.2	197	4	6	15	26	39	48	78
75-79	2161	19.9	214	4	6	16	26	40	50	79
80-84	1893	20.2	209	5	7	17	26	39	53	99+
85+	1560	19.1	203	5	6	15	24	38	51	99+
B. *Operated*										
65-69 YRS	274	26.9	351	6	8	21	37	55	74	99+
70-74	278	28.8	361	6	9	26	40	64	90	99+
75-79	216	28.6	334	6	9	27	42	63	98	99+
80-84	166	25.8	256	6	9	23	36	52	74	99+
85+	106	27.0	270	7	9	25	35	56	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9295	19.5	205	4	6	16	25	39	50	89
B. *Operated*	1040	27.6	327	6	9	24	39	58	82	99+
1. SINGLE DX										
2. MULTIPLE DX	10335	20.3	223	4	6	16	27	42	53	99+
A. NOT OPERATED	9295	19.5	205	4	6	16	25	39	50	89
B. OPERATED	1040	27.6	327	6	9	24	39	58	82	99+
TOTAL 65-69 YRS	1864	19.9	228	4	6	16	26	41	55	99+
70-74	2369	20.4	225	4	6	16	27	42	53	96
75-79	2377	20.7	231	5	6	16	28	42	53	92
80-84	2059	20.7	215	5	7	17	27	41	55	99+
85+	1666	19.6	211	5	6	16	25	40	54	99+
GRAND TOTAL	**10335**	**20.3**	**223**	**4**	**6**	**16**	**27**	**42**	**53**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	316	6.8	47	1	2	5	8	13	19	43
70-74	404	6.8	47	2	2	5	8	12	16	48
75-79	433	7.6	54	2	2	6	9	15	20	49
80-84	355	7.3	35	2	2	6	9	14	19	37
85+	358	7.8	48	2	2	6	10	15	20	39
B. *Operated*										
65-69 YRS	232	8.0	49	2	2	6	11	18	22	36
70-74	201	7.0	35	2	2	5	9	14	19	29
75-79	103	8.1	53	1	2	6	12	18	22	35
80-84	65	10.7	217	1	2	6	11	25	42	84
85+	13	6.2	10	1	2	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2787	10.0	81	2	3	7	12	20	28	54
70-74	3970	10.8	107	2	3	8	13	22	32	66
75-79	5100	10.8	99	2	3	8	13	21	30	66
80-84	4565	10.8	91	3	3	8	13	21	29	65
85+	4409	11.3	108	2	3	8	14	22	32	77
B. *Operated*										
65-69 YRS	851	13.4	139	2	3	10	17	28	36	63
70-74	872	13.6	151	2	3	10	18	29	39	74
75-79	689	15.3	176	2	3	12	20	32	48	99+
80-84	458	18.2	215	3	5	14	24	41	55	99+
85+	267	19.9	231	5	6	16	27	41	54	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1866	7.3	46	2	2	5	9	14	19	39
B. *Operated*	614	7.9	63	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	20831	10.8	98	2	3	8	13	21	30	66
B. *Operated*	3137	15.1	174	2	3	12	20	32	44	97
1. SINGLE DX	2480	7.4	51	2	2	5	9	15	20	39
2. MULTIPLE DX	23968	11.4	110	2	3	8	14	23	33	70
A. NOT OPERATED	22697	10.5	95	2	3	8	13	21	30	65
B. OPERATED	3751	13.9	163	2	3	10	18	30	42	90
TOTAL 65-69 YRS	4186	10.3	92	2	3	7	13	22	29	54
70-74	5447	10.8	110	2	3	8	13	22	32	67
75-79	6325	11.1	106	2	3	8	14	22	31	69
80-84	5443	11.2	105	2	3	8	14	23	31	73
85+	5047	11.5	115	2	3	8	14	23	33	76
GRAND TOTAL	**26448**	**11.0**	**106**	**2**	**3**	**8**	**14**	**22**	**32**	**67**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	6.7	66	1	2	4	8	13	19	48
70-74	55	4.8	16	1	2	4	6	10	12	21
75-79	62	5.7	17	1	1	5	8	11	13	20
80-84	53	6.8	26	1	2	5	8	13	19	24
85+	83	7.5	36	2	2	6	9	15	19	32
B. *Operated*										
65-69 YRS	360	8.6	64	1	2	7	12	16	21	33
70-74	267	9.7	78	1	2	8	14	20	27	44
75-79	177	10.6	103	1	2	8	15	25	33	54
80-84	81	10.2	74	1	2	8	15	20	28	39
85+	36	13.0	200	1	2	11	15	29	39	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	692	8.5	53	2	3	7	10	16	21	43
70-74	981	9.7	77	2	3	7	12	18	25	51
75-79	1336	10.0	78	2	3	8	12	19	26	44
80-84	1387	10.2	85	2	3	8	12	21	28	59
85+	1667	10.5	73	2	3	8	13	22	28	55
B. *Operated*										
65-69 YRS	1760	16.5	228	2	2	13	22	36	49	86
70-74	1616	17.6	236	2	3	14	23	39	51	87
75-79	1233	18.8	238	2	3	15	25	41	54	99+
80-84	855	20.6	249	2	5	16	29	43	55	99
85+	738	21.4	257	4	6	17	27	42	54	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	6.4	33	1	2	5	8	13	16	30
B. *Operated*	921	9.6	82	1	2	8	13	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	6063	10.0	76	2	3	8	12	20	26	51
B. *Operated*	6202	18.4	241	2	3	15	24	40	52	91
1. SINGLE DX	1236	8.8	72	1	2	7	12	19	26	42
2. MULTIPLE DX	12265	14.2	177	2	3	10	18	31	43	79
A. NOT OPERATED	6378	9.8	74	2	3	8	12	19	26	50
B. OPERATED	7123	17.3	229	2	2	14	23	38	50	87
TOTAL 65-69 YRS	2874	13.4	177	2	2	10	17	29	41	73
70-74	2919	14.0	181	2	2	10	18	31	42	75
75-79	2808	13.8	168	2	3	10	18	30	42	77
80-84	2376	13.9	168	2	3	10	18	31	43	81
85+	2524	13.6	152	2	3	10	17	29	40	77
GRAND TOTAL	**13501**	**13.7**	**170**	**2**	**3**	**10**	**18**	**30**	**41**	**77**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	2.8	7	<1	1	2	3	5	7	16
70-74	59	4.2	21	<1	<1	3	5	10	14	25
75-79	33	5.5	35	<1	1	3	7	17	24	99+
80-84	57	6.8	49	<1	1	5	9	14	20	36
85+	25	5.8	38	<1	1	4	7	13	23	24
B. *Operated*										
65-69 YRS	510	12.2	46	2	2	12	15	20	25	33
70-74	438	13.1	58	2	3	12	16	21	26	40
75-79	297	13.1	52	2	3	13	16	22	26	39
80-84	117	14.3	51	3	5	14	17	22	30	36
85+	42	16.8	63	5	9	16	19	27	35	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	6.8	38	1	2	5	8	14	21	32
70-74	290	6.8	31	1	2	5	8	14	18	24
75-79	329	8.7	87	2	2	6	10	18	27	51
80-84	276	9.1	69	2	2	7	11	19	27	37
85+	285	9.4	69	2	3	7	11	18	23	48
B. *Operated*										
65-69 YRS	1431	17.0	127	3	7	14	21	30	37	72
70-74	1376	17.6	149	3	5	15	22	32	43	73
75-79	984	18.6	161	3	6	16	23	34	43	76
80-84	396	20.1	187	4	7	16	26	38	46	72
85+	168	20.7	204	4	5	18	25	42	50	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	5.0	31	<1	1	3	6	12	17	33
B. *Operated*	1404	13.0	52	2	3	12	16	21	26	37
2. MULTIPLE DX										
A. *Not Operated*	1404	8.2	61	2	2	6	10	17	22	38
B. *Operated*	4355	18.0	151	3	6	15	22	33	43	74
1. SINGLE DX	1624	11.9	57	1	2	12	15	20	25	37
2. MULTIPLE DX	5759	15.6	147	2	3	13	20	30	39	68
A. NOT OPERATED	1624	7.8	59	1	2	6	10	16	22	37
B. OPERATED	5759	16.8	132	3	5	14	20	30	39	68
TOTAL 65-69 YRS	2211	14.5	111	2	3	13	18	27	33	65
70-74	2163	14.9	128	2	3	13	19	28	37	62
75-79	1643	15.4	142	2	3	13	19	29	37	72
80-84	846	14.8	148	2	3	12	19	32	38	60
85+	520	13.5	140	2	3	10	18	26	39	55
GRAND TOTAL	**7383**	**14.8**	**129**	**2**	**3**	**13**	**19**	**28**	**36**	**65**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.9	47	1	1	3	7	16	24	24
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	5	4.0	8	<1	<1	5	6	7	7	7
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
65-69 YRS	119	10.9	61	1	2	9	14	20	24	41
70-74	89	10.3	52	1	2	10	14	19	23	38
75-79	77	10.4	55	2	2	10	15	21	23	33
80-84	25	11.4	46	2	4	10	18	20	23	29
85+	7	12.1	79	2	3	8	20	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	10.5	65	3	3	8	17	23	25	26
70-74	34	11.2	179	1	2	6	12	28	35	68
75-79	24	7.4	90	1	2	5	9	14	24	48
80-84	13	8.0	40	2	2	5	13	17	20	21
85+	16	8.8	36	1	2	7	14	18	18	18
B. *Operated*										
65-69 YRS	232	15.7	150	2	3	13	20	34	45	87
70-74	223	16.5	183	2	4	13	21	35	44	59
75-79	136	17.0	233	2	3	12	21	34	51	95
80-84	77	18.7	150	4	7	17	24	41	49	87
85+	41	23.3	459	3	4	19	30	42	79	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.9	32	<1	1	5	7	12	21	24
B. *Operated*	317	10.7	56	2	2	10	14	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	100	9.4	101	1	2	6	13	19	26	58
B. *Operated*	709	17.0	196	2	4	13	21	36	47	93
1. SINGLE DX	338	10.4	55	1	2	9	14	20	24	33
2. MULTIPLE DX	809	16.0	191	2	3	13	20	34	46	87
A. NOT OPERATED	121	8.8	91	1	2	6	12	18	25	54
B. OPERATED	1026	15.0	161	2	3	12	19	30	42	81
TOTAL 65-69 YRS	374	13.7	123	2	2	12	18	27	37	54
70-74	348	14.4	156	2	2	11	18	29	42	59
75-79	242	13.7	172	2	2	10	18	28	38	85
80-84	118	15.6	131	2	4	13	20	31	46	68
85+	65	18.5	346	2	3	14	23	36	48	97
GRAND TOTAL	**1147**	**14.4**	**157**	**2**	**2**	**11**	**19**	**29**	**41**	**68**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	7.9	80	1	1	5	10	15	25	53
70-74	53	8.8	105	1	1	7	11	16	24	64
75-79	34	6.6	21	1	1	6	11	13	14	17
80-84	17	6.4	19	<1	1	5	10	12	15	16
85+	16	8.0	17	3	4	7	11	14	16	17
B. *Operated*										
65-69 YRS	683	10.5	62	2	2	10	14	19	24	47
70-74	503	10.7	67	2	2	9	14	20	25	43
75-79	332	10.8	60	2	2	10	14	20	25	37
80-84	153	10.6	51	2	2	10	14	18	23	28
85+	108	12.1	104	2	2	10	15	21	30	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	9.2	45	2	2	7	12	18	22	31
70-74	171	9.5	62	2	3	7	12	19	28	41
75-79	161	11.5	95	3	4	8	14	20	30	61
80-84	138	10.6	70	1	2	8	15	23	29	53
85+	105	11.4	97	2	3	9	14	23	31	53
B. *Operated*										
65-69 YRS	1922	15.6	182	2	3	13	19	30	44	85
70-74	1681	16.6	172	2	4	14	20	33	42	75
75-79	1176	17.2	198	2	4	14	21	34	50	92
80-84	655	18.1	189	3	5	15	24	35	47	83
85+	543	18.2	190	4	6	15	22	35	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	7.8	64	1	1	6	11	15	17	49
B. *Operated*	1779	10.7	65	2	2	10	14	19	25	43
2. MULTIPLE DX										
A. *Not Operated*	764	10.3	72	2	3	8	13	21	27	44
B. *Operated*	5977	16.7	185	2	4	13	21	33	44	83
1. SINGLE DX	1949	10.5	65	2	2	9	14	19	25	44
2. MULTIPLE DX	6741	16.0	176	2	3	13	20	32	42	80
A. NOT OPERATED	934	9.8	71	1	2	8	13	19	26	44
B. OPERATED	7756	15.3	163	2	3	12	19	30	40	78
TOTAL 65-69 YRS	2844	13.8	149	2	2	11	17	27	37	77
70-74	2408	14.7	149	2	3	12	18	29	39	69
75-79	1703	15.2	167	2	3	12	19	30	41	78
80-84	963	15.6	161	2	4	12	20	31	41	79
85+	772	16.2	171	3	4	13	20	32	41	78
GRAND TOTAL	**8690**	**14.7**	**156**	**2**	**3**	**12**	**18**	**29**	**39**	**75**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	115	6.9	65	1	1	5	8	14	19	48
70-74	104	5.4	19	1	1	4	7	11	15	21
75-79	84	5.8	24	1	1	5	7	10	16	27
80-84	55	5.7	28	1	1	4	7	12	17	28
85+	38	8.1	41	1	2	7	11	19	21	23
B. *Operated*										
65-69 YRS	545	9.4	79	1	2	8	13	19	24	42
70-74	427	9.7	89	2	2	7	13	20	29	45
75-79	251	10.3	71	2	2	8	15	22	26	35
80-84	125	13.0	120	2	2	10	18	29	32	59
85+	65	12.2	106	1	2	9	18	25	32	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	594	8.9	60	2	2	7	11	18	23	38
70-74	607	9.8	96	2	2	7	12	20	29	53
75-79	607	9.8	79	1	2	7	13	19	25	50
80-84	476	11.7	111	2	3	9	15	24	30	61
85+	400	12.1	150	2	3	9	14	23	32	68
B. *Operated*										
65-69 YRS	1711	15.7	197	2	3	12	20	33	46	84
70-74	1501	16.7	219	2	3	13	22	37	49	96
75-79	1034	17.8	255	2	3	14	23	38	53	95
80-84	630	18.3	229	2	4	15	24	36	48	89
85+	380	21.4	249	4	6	18	28	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	6.2	37	1	1	5	8	14	17	27
B. *Operated*	1413	10.1	87	1	2	8	14	21	28	44
2. MULTIPLE DX										
A. *Not Operated*	2684	10.3	96	2	3	8	13	20	28	56
B. *Operated*	5256	17.1	225	2	3	13	23	37	49	93
1. SINGLE DX	1809	9.2	78	1	2	7	13	20	25	42
2. MULTIPLE DX	7940	14.8	192	2	3	11	19	32	44	83
A. NOT OPERATED	3080	9.8	90	2	2	7	12	19	27	53
B. OPERATED	6669	15.6	204	2	2	12	21	34	45	86
TOTAL 65-69 YRS	2965	12.8	154	2	2	10	17	27	38	73
70-74	2639	13.5	176	2	2	10	18	31	41	81
75-79	1976	13.9	185	2	2	10	18	29	42	82
80-84	1286	14.8	179	2	3	11	20	31	42	78
85+	883	16.0	208	2	3	11	21	35	47	84
GRAND TOTAL	**9749**	**13.8**	**175**	**2**	**2**	**10**	**18**	**30**	**41**	**78**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	882	9.3	23	4	4	8	11	15	18	28
70-74	743	9.4	23	3	4	9	12	15	18	28
75-79	539	9.2	20	3	4	9	11	15	17	25
80-84	356	10.0	28	4	4	9	13	17	18	27
85+	208	9.3	41	3	4	8	11	16	19	31
B. *Operated*										
65-69 YRS	246	9.9	29	2	4	9	13	16	20	26
70-74	179	10.7	35	3	4	10	13	18	22	31
75-79	126	10.9	33	3	4	10	14	19	22	30
80-84	59	12.2	47	4	5	11	16	21	24	38
85+	30	13.3	105	1	3	10	18	25	30	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2575	11.0	39	4	5	10	13	18	22	35
70-74	2424	11.5	41	4	5	10	14	19	23	33
75-79	2015	11.8	50	4	5	10	14	20	24	38
80-84	1342	12.0	53	4	5	10	14	21	26	41
85+	937	12.2	58	4	5	11	15	20	26	39
B. *Operated*										
65-69 YRS	826	13.7	71	4	6	12	17	23	29	48
70-74	755	14.6	90	4	5	13	18	27	34	47
75-79	595	15.0	115	4	6	12	19	27	38	55
80-84	345	16.5	166	4	6	13	20	31	44	96
85+	239	16.3	116	4	6	14	21	30	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2728	9.4	25	3	4	9	12	15	18	27
B. *Operated*	640	10.7	37	3	4	10	14	19	22	30
2. MULTIPLE DX										
A. *Not Operated*	9293	11.6	46	4	5	10	14	19	24	36
B. *Operated*	2760	14.8	102	4	6	12	18	27	35	55
1. SINGLE DX	3368	9.6	27	3	4	9	12	16	19	28
2. MULTIPLE DX	12053	12.3	61	4	5	11	15	21	27	44
A. NOT OPERATED	12021	11.1	42	4	5	10	14	18	23	35
B. OPERATED	3400	14.0	92	4	5	12	17	25	32	52
TOTAL 65-69 YRS	4529	11.1	43	4	5	10	14	19	23	37
70-74	4101	11.7	49	4	5	10	14	20	24	37
75-79	3275	11.9	59	4	5	10	14	20	25	42
80-84	2102	12.4	71	4	5	10	15	22	28	48
85+	1414	12.5	70	4	5	11	15	22	28	47
GRAND TOTAL	**15421**	**11.7**	**55**	**4**	**5**	**10**	**14**	**20**	**25**	**41**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	11.3	79	3	3	9	14	22	29	48
70-74	116	10.6	59	1	2	9	14	22	25	39
75-79	122	15.2	150	2	4	12	19	35	40	64
80-84	82	14.7	138	3	4	11	20	27	35	66
85+	75	12.7	84	2	3	11	17	24	29	89
B. *Operated*										
65-69 YRS	621	9.0	94	3	3	6	9	19	30	56
70-74	381	10.6	109	3	3	6	12	27	35	49
75-79	183	14.3	164	3	4	9	21	35	42	52
80-84	110	17.2	158	3	4	14	25	35	40	57
85+	59	23.3	297	3	4	21	31	51	61	99
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	384	13.6	115	3	4	10	17	28	35	55
70-74	502	14.0	104	3	4	11	18	26	34	52
75-79	539	14.6	121	3	4	12	18	28	35	62
80-84	490	15.9	142	4	5	13	21	30	41	59
85+	441	14.6	116	3	5	11	18	29	37	78
B. *Operated*										
65-69 YRS	665	14.9	209	3	4	9	19	33	47	70
70-74	479	17.7	244	3	4	13	25	39	50	85
75-79	375	20.6	238	4	5	18	28	40	53	74
80-84	249	23.8	290	5	6	20	33	45	56	83
85+	170	28.1	337	7	8	24	36	58	68	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	12.9	106	2	3	10	16	25	34	58
B. *Operated*	1354	11.4	134	3	3	6	14	29	36	57
2. MULTIPLE DX										
A. *Not Operated*	2356	14.6	120	3	4	12	19	28	36	59
B. *Operated*	1938	19.0	261	3	4	14	26	40	54	80
1. SINGLE DX	1837	11.8	127	3	3	8	15	27	35	57
2. MULTIPLE DX	4294	16.6	189	3	4	12	22	34	45	74
A. NOT OPERATED	2839	14.3	118	3	4	11	18	28	36	58
B. OPERATED	3292	15.9	223	3	4	10	22	36	47	73
TOTAL 65-69 YRS	1758	12.4	148	3	3	8	15	28	36	62
70-74	1478	14.0	155	3	4	10	18	30	40	64
75-79	1219	16.4	174	3	4	12	22	34	42	64
80-84	931	18.0	195	3	5	14	24	36	46	72
85+	745	18.2	212	3	5	14	24	38	50	85
GRAND TOTAL	**6131**	**15.2**	**175**	**3**	**4**	**11**	**20**	**32**	**42**	**68**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	97	3.9	9	1	1	3	5	7	9	17
70-74	61	3.7	5	1	1	3	5	7	8	12
75-79	61	4.7	10	1	1	4	6	9	12	15
80-84	35	5.5	10	2	2	5	7	10	12	15
85+	25	4.4	5	1	2	4	6	7	10	10
B. *Operated*										
65-69 YRS	334	5.7	8	2	3	5	7	9	11	15
70-74	207	5.8	8	2	3	5	7	10	11	15
75-79	114	6.6	9	2	3	6	8	10	13	15
80-84	39	6.5	17	1	2	6	8	12	16	19
85+	29	7.0	46	1	2	5	7	15	19	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	456	5.4	20	1	2	4	7	10	13	24
70-74	365	5.6	17	1	2	4	7	11	14	21
75-79	309	5.5	16	1	2	5	7	10	13	21
80-84	251	6.7	27	2	2	5	8	13	17	21
85+	234	7.3	38	2	2	6	9	13	18	27
B. *Operated*										
65-69 YRS	2042	7.5	22	3	4	6	9	13	16	25
70-74	1227	8.0	32	3	4	7	9	14	18	29
75-79	685	8.8	37	3	4	7	10	16	20	31
80-84	276	10.1	57	3	4	8	12	18	25	40
85+	153	10.4	55	3	4	8	13	20	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	4.3	9	1	1	3	6	8	10	15
B. *Operated*	723	5.9	10	2	3	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	1615	5.9	23	1	2	5	8	11	14	23
B. *Operated*	4383	8.1	31	3	4	7	10	14	18	30
1. SINGLE DX	1002	5.5	10	1	2	5	7	9	11	16
2. MULTIPLE DX	5998	7.5	30	2	3	6	9	13	17	27
A. NOT OPERATED	1894	5.7	21	1	2	4	7	11	14	22
B. OPERATED	5106	7.8	29	3	3	6	9	13	17	28
TOTAL 65-69 YRS	2929	6.9	21	2	3	6	8	12	15	24
70-74	1860	7.2	27	2	3	6	9	13	16	26
75-79	1169	7.5	30	2	3	6	9	14	17	27
80-84	601	8.2	42	2	3	7	10	15	19	39
85+	441	8.2	46	2	3	6	10	16	20	30
GRAND TOTAL	**7000**	**7.2**	**28**	**2**	**3**	**6**	**9**	**13**	**17**	**27**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	215	6.7	21	1	1	6	9	13	15	21
70-74	195	7.5	22	1	2	7	11	14	16	20
75-79	147	8.3	43	2	3	6	10	17	23	34
80-84	104	7.2	27	1	2	6	9	13	16	27
85+	106	7.5	29	1	2	6	10	16	19	25
B. *Operated*										
65-69 YRS	191	9.1	44	1	2	8	13	17	21	37
70-74	141	10.1	80	1	2	9	13	19	22	40
75-79	93	11.5	93	2	2	10	16	24	28	81
80-84	52	11.8	80	1	2	10	17	24	25	41
85+	35	10.2	54	2	2	8	16	22	24	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1294	8.9	51	2	3	7	11	17	22	37
70-74	1413	8.9	50	2	3	7	11	17	22	37
75-79	1285	9.5	61	2	3	8	12	18	23	42
80-84	908	10.0	62	2	3	8	13	19	24	41
85+	782	9.7	66	2	3	8	12	18	23	58
B. *Operated*										
65-69 YRS	718	14.6	174	2	3	11	19	29	42	70
70-74	587	15.5	158	2	4	12	20	31	41	71
75-79	482	16.6	190	3	4	13	21	34	46	75
80-84	316	16.4	166	3	5	13	21	33	43	75
85+	219	17.8	194	3	5	15	22	36	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	7.4	27	1	2	6	10	14	17	26
B. *Operated*	512	10.2	68	1	2	8	14	21	25	42
2. MULTIPLE DX										
A. *Not Operated*	5682	9.3	57	2	3	7	12	18	23	40
B. *Operated*	2322	15.8	175	2	4	12	20	32	43	72
1. SINGLE DX	1279	8.5	45	1	2	7	11	17	21	34
2. MULTIPLE DX	8004	11.2	100	2	3	9	14	22	30	57
A. NOT OPERATED	6449	9.1	54	2	3	7	12	17	22	38
B. OPERATED	2834	14.8	160	2	3	12	19	29	40	71
TOTAL 65-69 YRS	2418	10.4	92	2	3	8	13	20	28	53
70-74	2336	10.5	85	2	3	8	13	20	28	50
75-79	2007	11.2	102	2	3	9	14	22	30	58
80-84	1380	11.3	92	2	3	9	14	22	29	56
85+	1142	11.1	98	2	3	9	14	22	28	59
GRAND TOTAL	**9283**	**10.8**	**93**	**2**	**3**	**8**	**14**	**21**	**28**	**55**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	166	4.7	12	1	2	4	6	8	11	13
70-74	124	5.3	12	1	2	5	7	10	12	16
75-79	94	4.8	13	1	2	4	6	7	12	22
80-84	83	5.3	12	2	2	5	6	8	13	19
85+	79	4.4	8	1	1	4	6	8	10	75
B. *Operated*										
65-69 YRS	41	3.6	8	1	2	2	4	8	11	12
70-74	26	5.7	41	1	2	3	6	18	22	24
75-79	12	1.9		1	1	2	2	3	3	3
80-84	4	3.3	7	1	1	2	5	7	7	7
85+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1044	6.8	25	2	3	6	8	12	15	26
70-74	1102	7.2	26	2	3	6	9	13	16	25
75-79	975	7.4	25	2	3	6	9	13	17	27
80-84	746	8.0	33	2	3	7	10	14	18	33
85+	761	8.0	42	2	3	6	10	15	19	30
B. *Operated*										
65-69 YRS	124	9.2	79	2	2	7	12	20	25	74
70-74	88	9.9	64	2	2	8	13	21	30	76
75-79	61	11.5	87	2	3	11	14	19	28	59
80-84	47	15.3	160	2	2	11	20	36	40	61
85+	36	12.4	51	2	3	11	17	23	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	4.9	12	1	2	4	6	8	12	17
B. *Operated*	87	3.9	18	1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	4628	7.4	29	2	3	6	9	13	17	28
B. *Operated*	356	10.9	88	2	2	9	14	23	30	65
1. SINGLE DX	633	4.7	13	1	2	4	6	8	12	19
2. MULTIPLE DX	4984	7.6	34	2	3	6	9	14	18	31
A. NOT OPERATED	5174	7.1	28	2	3	6	9	13	16	27
B. OPERATED	443	9.5	81	2	2	7	12	21	28	62
TOTAL 65-69 YRS	1375	6.6	29	2	2	5	8	12	15	30
70-74	1340	7.1	28	2	2	6	9	14	17	27
75-79	1142	7.3	28	2	3	6	9	13	17	28
80-84	880	8.1	41	2	3	7	10	15	19	37
85+	880	7.8	41	2	3	6	10	15	20	30
GRAND TOTAL	**5617**	**7.3**	**33**	**2**	**3**	**6**	**9**	**14**	**17**	**30**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	425	6.2	13	2	3	5	8	11	13	19
70-74	312	5.9	10	2	3	5	8	10	11	16
75-79	285	5.9	12	2	3	5	7	10	12	18
80-84	198	6.1	19	2	2	5	7	10	14	22
85+	200	6.7	34	2	3	6	8	11	15	46
B. *Operated*										
65-69 YRS	34	6.4	19	2	2	5	9	14	15	17
70-74	17	6.7	21	2	2	6	9	15	17	17
75-79	8	7.4	17	2	2	7	11	12	13	13
80-84	5	6.2	12	2	2	8	9	9	9	9
85+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4275	8.0	29	3	3	7	10	14	18	27
70-74	3933	8.3	31	3	3	7	10	15	18	28
75-79	3251	8.8	37	3	4	7	11	16	19	31
80-84	2375	8.9	36	3	4	7	11	16	20	31
85+	1965	9.0	41	3	4	8	11	16	19	33
B. *Operated*										
65-69 YRS	321	12.7	86	2	4	11	16	25	29	58
70-74	289	13.4	114	3	4	11	17	25	32	56
75-79	198	13.5	92	3	4	11	16	25	31	49
80-84	118	16.7	193	5	6	12	20	33	42	99
85+	76	14.2	79	5	6	12	18	25	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1420	6.1	16	2	3	5	8	10	13	21
B. *Operated*	66	6.6	17	2	2	6	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*	15799	8.5	34	3	3	7	10	15	19	29
B. *Operated*	1002	13.7	108	3	4	11	17	26	32	60
1. SINGLE DX	1486	6.2	16	2	3	5	8	10	13	21
2. MULTIPLE DX	16801	8.8	40	3	3	7	11	16	20	32
A. NOT OPERATED	17219	8.3	33	3	3	7	10	15	18	29
B. OPERATED	1068	13.2	106	3	4	11	16	25	32	59
TOTAL 65-69 YRS	5055	8.2	33	3	3	7	10	14	18	29
70-74	4551	8.5	37	3	3	7	10	15	19	30
75-79	3742	8.8	40	3	3	7	11	16	20	32
80-84	2696	9.0	45	3	3	7	11	16	21	35
85+	2243	9.0	43	3	3	8	11	16	20	34
GRAND TOTAL	**18287**	**8.6**	**38**	**3**	**3**	**7**	**10**	**15**	**19**	**32**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	<1	<1	1	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	188	2.8	2	1	1	3	3	4	5	7
70-74	91	2.7	1	1	2	3	3	4	5	61
75-79	57	2.7	2	1	1	2	3	4	6	7
80-84	9	2.3	1	1	1	2	3	4	4	4
85+	14	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	4.2	16	<1	<1	3	5	11	14	15
70-74	6	4.7	6	<1	<1	5	6	8	8	8
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	4	4.3	9	1	1	4	6	8	8	8
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	433	3.3	5	1	2	3	4	5	7	14
70-74	204	3.3	6	1	2	3	4	5	7	15
75-79	72	4.2	16	1	2	3	4	8	12	25
80-84	18	3.5	6	1	1	3	4	7	9	11
85+	19	3.6	4	1	2	3	5	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*	359	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	30	4.4	11	<1	<1	4	6	8	12	15
B. *Operated*	746	3.4	6	1	2	3	4	5	7	15
1. SINGLE DX	363	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX	776	3.4	6	1	2	3	4	5	7	15
A. NOT OPERATED	34	4.1	10	<1	<1	3	5	8	11	15
B. OPERATED	1105	3.2	5	1	2	3	4	5	6	14
TOTAL 65-69 YRS	639	3.1	4	1	2	3	4	5	6	12
70-74	302	3.2	4	1	2	3	4	5	6	15
75-79	131	3.5	10	1	2	3	4	6	8	18
80-84	32	3.2	5	1	1	3	4	6	8	11
85+	35	3.4	4	2	2	3	4	6	8	10
GRAND TOTAL	**1139**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	4	1.5		1	1	1	2	2	2	2
75-79	3	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	171	2.3	2	1	1	2	3	4	5	8
70-74	125	2.4	5	<1	1	2	3	3	4	12
75-79	83	2.7	6	1	1	2	3	4	6	15
80-84	32	2.7	3	1	1	2	3	5	6	8
85+	10	2.9	11	<1	<1	2	2	7	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.4	22	<1	1	2	6	14	15	15
70-74	7	3.0	4	1	1	3	4	6	7	7
75-79	11	4.5	12	1	1	4	7	10	11	11
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	354	3.4	5	1	2	3	4	6	8	13
70-74	243	3.5	10	1	2	3	4	6	8	22
75-79	90	3.3	6	1	1	3	4	6	10	13
80-84	49	4.2	9	1	2	3	5	8	10	16
85+	21	4.1	28	1	1	2	3	10	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8		1	1	2	2	2	2	2
B. *Operated*	421	2.4	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	33	4.2	14	1	1	3	5	9	14	15
B. *Operated*	757	3.5	8	1	2	3	4	6	9	16
1. SINGLE DX	430	2.4	4	1	1	2	3	4	5	11
2. MULTIPLE DX	790	3.5	8	1	1	3	4	6	9	15
A. NOT OPERATED	42	3.6	12	1	1	2	4	8	12	15
B. OPERATED	1178	3.1	7	1	1	2	4	5	7	14
TOTAL 65-69 YRS	540	3.1	5	1	1	2	4	5	7	13
70-74	379	3.1	8	1	1	2	3	5	7	21
75-79	187	3.1	6	1	1	2	4	5	9	14
80-84	83	3.6	7	1	1	3	5	7	9	15
85+	31	3.7	22	<1	1	2	3	10	12	24
GRAND TOTAL	**1220**	**3.1**	**7**	**1**	**1**	**2**	**4**	**5**	**7**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	94	2.0	2	<1	1	2	2	4	5	9
70-74	45	2.5	3	1	1	2	3	4	7	10
75-79	33	2.7	6	1	1	2	3	5	9	12
80-84	12	2.8	1	2	2	3	3	4	6	6
85+	71	2.4	8	1	1	2	2	3	4	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	7.7	24	2	2	7	10	15	18	18
70-74	2	6.5	13	4	4	6	9	9	9	9
75-79	5	5.0	4	3	3	5	6	8	8	8
80-84	5	5.4	7	4	4	4	6	10	10	10
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	64	3.3	31	<1	1	2	3	6	10	92
70-74	24	5.0	20	1	1	2	9	11	13	16
75-79	14	3.1	9	1	1	2	3	9	11	11
80-84	9	7.1	172	2	2	2	4	27	42	42
85+	42	1.9	2	<1	<1	2	2	2	3	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	6	<1	<1	2	4	7	8	8
B. *Operated*	255	2.3	4	1	1	2	2	3	6	15
2. MULTIPLE DX										
A. *Not Operated*	22	6.4	13	2	2	5	9	10	14	18
B. *Operated*	153	3.4	28	<1	1	2	3	8	11	44
1. SINGLE DX	262	2.4	4	1	1	2	2	3	6	15
2. MULTIPLE DX	175	3.8	27	<1	1	2	4	9	11	43
A. NOT OPERATED	29	5.6	13	2	2	5	8	10	11	18
B. OPERATED	408	2.7	14	1	1	2	2	4	9	29
TOTAL 65-69 YRS	169	2.8	16	<1	1	2	3	5	9	39
70-74	73	3.4	10	1	1	2	3	9	11	15
75-79	53	3.2	7	1	1	2	3	8	9	12
80-84	27	4.8	58	2	2	3	4	6	15	42
85+	115	2.2	6	1	1	2	2	3	4	48
GRAND TOTAL	**437**	**2.9**	**14**	**1**	**1**	**2**	**3**	**6**	**10**	**23**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	3.0	6	1	1	2	3	5	9	14
70-74	90	3.4	21	<1	1	2	4	6	8	29
75-79	46	3.5	6	1	2	3	4	7	9	12
80-84	23	5.4	14	1	2	5	7	11	14	15
85+	14	5.5	40	1	2	4	6	11	23	26
B. *Operated*										
65-69 YRS	816	2.8	7	1	1	2	3	4	7	15
70-74	571	2.7	7	1	1	2	3	4	6	13
75-79	262	3.1	10	1	1	2	3	5	7	19
80-84	97	3.1	7	1	1	2	3	7	9	15
85+	54	3.2	10	1	1	2	3	6	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	342	5.9	21	1	2	5	8	11	14	23
70-74	247	6.5	56	2	2	5	7	12	16	44
75-79	201	6.2	19	2	2	5	8	12	14	23
80-84	110	7.2	27	2	2	6	9	13	16	29
85+	92	6.8	26	1	2	5	8	14	18	26
B. *Operated*										
65-69 YRS	942	4.9	41	1	2	3	5	11	17	32
70-74	596	6.1	74	1	2	3	6	14	20	41
75-79	314	7.0	79	1	2	4	8	17	28	60
80-84	128	8.1	74	2	2	5	11	16	29	39
85+	84	8.6	170	1	2	4	9	22	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	3.5	13	1	1	2	4	7	9	19
B. *Operated*	1800	2.8	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	992	6.4	30	1	2	5	8	12	15	25
B. *Operated*	2064	5.9	65	1	2	3	6	14	20	42
1. SINGLE DX	2087	2.9	8	1	1	2	3	5	7	16
2. MULTIPLE DX	3056	6.1	54	1	2	4	7	13	18	38
A. NOT OPERATED	1279	5.7	28	1	2	4	7	11	14	24
B. OPERATED	3864	4.5	40	1	1	2	4	9	15	32
TOTAL 65-69 YRS	2214	4.2	25	1	1	2	4	9	13	24
70-74	1504	4.7	45	1	2	2	5	10	15	35
75-79	823	5.4	41	1	2	3	6	12	16	36
80-84	358	6.3	42	1	2	4	8	13	17	32
85+	244	6.6	76	1	2	4	8	14	21	45
GRAND TOTAL	**5143**	**4.8**	**38**	**1**	**2**	**3**	**5**	**10**	**15**	**31**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1827	7.6	21	3	3	7	9	13	16	22
70-74	1580	8.0	23	3	3	7	10	14	17	26
75-79	1422	8.1	23	3	3	7	10	14	16	25
80-84	1138	8.9	38	3	4	8	11	15	18	28
85+	1381	9.0	40	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	199	10.5	58	1	2	9	15	20	24	36
70-74	148	11.4	56	2	3	10	15	21	25	37
75-79	100	12.2	88	2	3	10	17	23	26	51
80-84	46	13.7	119	2	3	13	16	21	35	55
85+	53	14.1	123	2	3	12	19	22	33	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8755	10.3	47	3	4	9	13	18	23	36
70-74	9298	10.9	56	3	4	9	13	19	24	39
75-79	9452	11.5	63	4	5	10	14	20	26	42
80-84	8453	12.2	75	4	5	10	15	22	28	47
85+	10202	12.7	80	4	5	11	16	23	29	55
B. *Operated*										
65-69 YRS	1404	17.9	175	4	6	15	22	33	46	78
70-74	1331	19.0	205	4	6	15	24	36	50	81
75-79	1196	20.0	193	6	7	16	25	37	53	88
80-84	833	21.0	199	6	8	18	26	40	51	86
85+	737	22.2	203	7	9	19	29	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7348	8.3	28	3	3	7	10	14	17	27
B. *Operated*	546	11.7	75	2	2	10	16	22	26	45
2. MULTIPLE DX										
A. *Not Operated*	46160	11.5	65	4	5	10	14	20	26	43
B. *Operated*	5501	19.7	195	5	7	16	24	38	50	86
1. SINGLE DX	7894	8.5	32	3	3	7	10	15	18	28
2. MULTIPLE DX	51661	12.4	85	4	5	10	15	23	29	53
A. NOT OPERATED	53508	11.1	61	3	4	9	14	20	25	41
B. OPERATED	6047	19.0	190	4	6	16	24	36	49	84
TOTAL 65-69 YRS	12185	10.7	65	3	4	9	13	19	25	44
70-74	12357	11.4	76	3	4	9	14	21	27	47
75-79	12170	11.9	79	4	5	10	14	21	28	52
80-84	10470	12.5	88	4	5	10	15	23	29	53
85+	12373	12.9	90	4	5	11	16	23	30	58
GRAND TOTAL	**59555**	**11.9**	**80**	**3**	**4**	**10**	**14**	**22**	**28**	**51**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	135	4.8	7	1	2	4	6	8	10	15
70-74	117	4.2	6	1	2	3	5	7	9	12
75-79	112	5.2	14	1	2	5	6	8	10	24
80-84	87	5.0	11	1	2	4	7	9	11	18
85+	78	5.2	7	2	2	5	7	9	10	13
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	3	20.0	28	14	14	22	23	24	24	24
75-79	2	14.0	50	9	9	14	19	19	19	19
80-84	2	27.5	1	27	27	27	28	28	28	28
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	569	6.5	19	2	3	5	8	12	15	22
70-74	601	7.0	23	2	3	6	9	13	16	26
75-79	593	7.3	31	2	3	6	9	13	18	29
80-84	489	7.8	35	2	3	6	10	14	18	31
85+	402	8.2	40	2	3	7	10	14	20	32
B. *Operated*										
65-69 YRS	22	13.8	71	4	5	10	22	27	28	30
70-74	35	13.3	54	4	5	12	18	23	30	30
75-79	29	12.2	101	4	4	10	13	28	35	47
80-84	22	17.2	205	3	4	13	24	31	48	67
85+	14	13.5	172	3	5	8	14	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	4.8	9	1	2	4	6	8	10	15
B. *Operated*	8	18.6	67	6	7	20	25	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	2654	7.3	29	2	3	6	9	13	17	28
B. *Operated*	122	13.9	108	4	5	10	18	28	33	53
1. SINGLE DX	537	5.0	13	1	2	4	7	8	11	22
2. MULTIPLE DX	2776	7.6	34	2	3	6	9	14	18	31
A. NOT OPERATED	3183	6.9	27	2	2	6	8	13	16	27
B. OPERATED	130	14.1	106	4	5	11	19	28	32	53
TOTAL 65-69 YRS	727	6.4	21	2	2	5	8	12	15	25
70-74	756	6.9	26	2	3	5	8	13	17	29
75-79	736	7.2	33	2	2	6	8	13	18	32
80-84	600	7.8	43	2	2	6	10	14	20	32
85+	494	7.9	41	2	3	7	9	14	19	40
GRAND TOTAL	**3313**	**7.2**	**32**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	598	7.3	24	2	3	6	9	13	16	29
70-74	509	7.1	25	2	3	6	9	13	15	29
75-79	331	7.1	23	2	3	6	9	13	15	21
80-84	212	7.6	67	2	3	6	9	13	16	69
85+	154	6.5	17	2	2	5	8	13	15	20
B. *Operated*										
65-69 YRS	140	5.5	36	1	1	3	7	11	17	29
70-74	89	6.8	50	1	2	4	9	17	22	34
75-79	44	8.7	87	1	1	4	13	24	29	35
80-84	23	6.7	96	1	1	2	8	14	26	47
85+	5	5.8	14	2	2	5	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3473	8.9	42	3	3	7	11	16	21	36
70-74	3052	9.0	40	3	3	7	11	16	21	32
75-79	2463	9.3	50	3	3	8	11	17	22	40
80-84	1544	9.1	43	3	3	8	12	16	21	38
85+	1211	9.4	47	2	3	8	12	17	23	36
B. *Operated*										
65-69 YRS	603	11.6	115	2	3	9	14	22	30	55
70-74	504	11.4	79	2	3	9	16	23	28	59
75-79	353	12.1	109	2	3	9	15	23	36	57
80-84	150	15.9	205	3	4	12	21	30	42	82
85+	75	15.8	116	5	6	14	20	30	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	7.2	29	2	3	6	9	13	15	28
B. *Operated*	301	6.5	52	1	1	4	8	15	23	36
2. MULTIPLE DX										
A. *Not Operated*	11743	9.1	44	3	3	7	11	16	21	36
B. *Operated*	1685	12.2	113	2	3	10	15	24	31	61
1. SINGLE DX	2105	7.1	32	2	2	6	9	13	16	29
2. MULTIPLE DX	13428	9.5	54	3	3	8	12	17	23	40
A. NOT OPERATED	13547	8.8	42	3	3	7	11	16	21	34
B. OPERATED	1986	11.4	108	2	2	9	15	23	30	57
TOTAL 65-69 YRS	4814	8.9	50	2	3	7	11	16	22	38
70-74	4154	9.0	45	2	3	7	11	17	22	34
75-79	3191	9.4	55	2	3	8	11	17	23	43
80-84	1929	9.5	62	2	3	8	12	17	23	47
85+	1445	9.4	50	2	3	8	12	17	24	41
GRAND TOTAL	**15533**	**9.2**	**51**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	390	8.2	37	2	2	7	10	15	20	34
70-74	281	8.7	69	2	2	7	10	16	20	41
75-79	215	8.2	54	2	2	6	10	16	20	39
80-84	80	8.4	116	2	2	6	9	14	18	71
85+	38	6.7	17	1	2	6	8	14	15	16
B. *Operated*										
65-69 YRS	11	10.9	72	2	3	9	13	23	32	33
70-74	9	13.6	174	3	3	8	16	34	46	46
75-79	6	7.0	65	1	1	4	10	21	22	22
80-84	5	10.6	63	3	3	9	13	24	24	24
85+	2	17.0	200	7	7	17	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2157	10.0	63	3	3	8	12	19	24	41
70-74	2106	10.2	57	3	3	8	13	19	25	40
75-79	1558	10.3	67	3	3	8	13	19	25	45
80-84	724	10.5	90	2	3	8	13	20	28	57
85+	445	11.1	86	2	3	9	14	22	29	58
B. *Operated*										
65-69 YRS	306	17.3	198	3	4	13	22	36	46	76
70-74	244	16.8	208	3	5	12	21	36	53	99+
75-79	154	17.7	204	4	6	14	23	32	43	93
80-84	71	15.7	150	3	5	11	20	27	39	63
85+	24	19.0	194	7	8	14	24	35	48	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	8.3	55	2	2	6	10	15	20	38
B. *Operated*	33	11.2	97	1	2	9	15	25	32	46
2. MULTIPLE DX										
A. *Not Operated*	6990	10.3	67	3	3	8	13	19	25	44
B. *Operated*	799	17.1	197	3	5	13	22	35	46	87
1. SINGLE DX	1037	8.4	57	2	2	7	10	16	20	38
2. MULTIPLE DX	7789	11.0	84	3	3	8	14	21	28	50
A. NOT OPERATED	7994	10.0	66	2	3	8	12	19	25	43
B. OPERATED	832	16.9	194	3	5	13	22	35	46	85
TOTAL 65-69 YRS	2864	10.6	80	2	3	8	13	20	28	47
70-74	2640	10.7	77	3	3	8	13	21	27	46
75-79	1933	10.6	81	3	3	8	13	21	27	48
80-84	880	10.8	100	2	3	8	13	21	28	63
85+	509	11.2	90	2	3	9	14	22	30	60
GRAND TOTAL	**8826**	**10.7**	**82**	**2**	**3**	**8**	**13**	**21**	**27**	**49**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1476	6.4	16	2	2	6	8	11	13	20
70-74	1068	7.0	19	2	2	6	9	13	15	21
75-79	658	7.1	29	2	2	6	9	13	15	25
80-84	303	6.5	17	2	2	6	8	11	13	22
85+	160	6.5	17	1	2	5	9	12	15	19
B. *Operated*										
65-69 YRS	28	9.2	32	1	3	7	13	16	20	24
70-74	13	7.5	17	2	2	7	11	12	13	13
75-79	8	7.5	5	5	5	7	9	11	11	11
80-84	4	10.0	39	5	5	8	14	19	19	19
85+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4489	8.6	37	3	3	7	11	15	19	31
70-74	3613	8.7	34	3	3	7	11	16	20	30
75-79	2512	9.1	42	3	3	8	11	16	20	32
80-84	1266	9.5	44	3	3	8	12	17	21	33
85+	651	9.9	49	3	3	8	12	18	23	43
B. *Operated*										
65-69 YRS	278	17.4	236	4	5	13	21	38	52	83
70-74	203	15.0	94	4	6	12	18	27	37	55
75-79	141	16.1	97	5	6	14	20	29	37	47
80-84	56	17.7	137	5	7	15	22	31	37	70
85+	30	18.[illegible]	188	4	5	12	27	41	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3665	6.7	19	2	2	6	9	12	14	21
B. *Operated*	54	8.8	27	2	3	7	11	16	20	24
2. MULTIPLE DX										
A. *Not Operated*	12531	8.9	38	3	3	7	11	16	20	32
B. *Operated*	708	16.5	158	4	6	13	20	32	41	72
1. SINGLE DX	3719	6.7	20	2	2	6	9	12	14	21
2. MULTIPLE DX	13239	9.3	48	3	3	8	12	17	21	36
A. NOT OPERATED	16196	8.4	35	2	3	7	11	15	19	30
B. OPERATED	762	16.0	153	4	5	13	20	31	41	70
TOTAL 65-69 YRS	6271	8.5	45	2	3	7	10	15	20	35
70-74	4897	8.6	35	2	3	7	11	15	20	31
75-79	3319	9.0	44	2	3	7	11	16	21	34
80-84	1629	9.2	46	2	3	8	11	17	21	33
85+	842	9.6	53	2	3	8	12	18	23	43
GRAND TOTAL	**16958**	**8.7**	**43**	**2**	**3**	**7**	**11**	**16**	**20**	**34**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1549	8.3	43	2	3	7	10	15	20	34
70-74	1333	8.7	53	2	3	7	11	16	21	35
75-79	946	8.0	33	2	3	7	10	14	18	31
80-84	409	8.1	30	2	3	7	10	15	18	25
85+	172	8.1	36	3	3	6	9	15	20	31
B. *Operated*										
65-69 YRS	120	9.3	88	1	2	6	12	20	27	52
70-74	79	9.0	43	2	2	8	12	18	22	31
75-79	44	10.5	80	2	2	8	15	24	28	44
80-84	13	13.2	193	2	2	9	17	35	46	49
85+	5	7.4	100	1	1	3	11	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9731	9.9	61	3	3	8	12	18	24	41
70-74	9138	10.2	64	3	4	8	12	19	24	41
75-79	6635	10.4	68	3	3	8	13	20	26	45
80-84	3349	10.7	62	3	4	9	13	20	26	41
85+	1721	10.3	59	3	4	8	13	19	25	40
B. *Operated*										
65-69 YRS	1240	15.7	175	3	4	12	20	33	45	91
70-74	1101	16.7	192	3	5	13	21	34	46	87
75-79	724	16.8	163	3	5	13	22	34	42	65
80-84	312	18.6	252	4	5	15	23	37	57	91
85+	151	16.8	200	3	5	13	21	32	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4409	8.3	42	2	3	7	10	15	20	32
B. *Operated*	261	9.6	78	2	2	7	12	20	27	48
2. MULTIPLE DX										
A. *Not Operated*	30574	10.2	63	3	3	8	13	19	25	42
B. *Operated*	3528	16.5	186	3	5	13	21	34	46	84
1. SINGLE DX	4670	8.4	44	2	3	7	10	15	20	33
2. MULTIPLE DX	34102	10.8	80	3	4	8	13	20	27	49
A. NOT OPERATED	34983	9.9	61	3	3	8	12	18	24	41
B. OPERATED	3789	16.0	182	3	4	12	20	33	44	83
TOTAL 65-69 YRS	12640	10.2	74	3	3	8	12	19	26	47
70-74	11651	10.6	79	3	3	8	13	20	27	48
75-79	8349	10.7	76	3	3	8	13	20	27	47
80-84	4083	11.0	79	3	4	9	[illegible]	21	27	51
85+	2049	10.5	71	3	3	8	13	19	27	44
GRAND TOTAL	**38772**	**10.5**	**76**	**3**	**3**	**8**	**13**	**20**	**27**	**47**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	6.5	19	2	2	5	8	10	16	22
70-74	15	5.8	21	<1	2	5	7	15	16	16
75-79	8	4.9	4	3	3	4	6	8	9	9
80-84	6	5.2	3	3	3	5	6	8	8	8
85+	8	5.4	6	1	2	5	7	8	8	8
B. *Operated*										
65-69 YRS	84	9.1	31	3	3	7	12	16	20	29
70-74	73	11.2	168	3	4	8	11	22	31	84
75-79	39	9.2	35	4	5	8	11	16	20	34
80-84	28	11.4	97	3	4	8	14	19	39	45
85+	18	8.3	42	2	3	7	10	14	24	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	10.6	67	3	4	8	13	20	24	50
70-74	82	10.3	56	1	3	8	13	21	29	36
75-79	70	9.7	38	3	4	8	12	17	24	29
80-84	49	13.5	141	3	3	10	16	32	37	61
85+	40	12.3	118	4	5	8	14	21	41	55
B. *Operated*										
65-69 YRS	296	14.5	132	4	4	11	19	30	39	55
70-74	273	15.0	135	4	5	11	20	32	37	60
75-79	178	14.8	95	3	4	12	21	29	34	43
80-84	117	17.1	241	3	5	12	22	35	46	84
85+	57	14.8	124	4	5	12	18	29	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.8	14	2	2	5	7	9	14	22
B. *Operated*	242	9.9	81	3	4	8	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	343	11.0	75	3	4	8	13	21	29	47
B. *Operated*	921	15.1	139	3	4	12	20	31	38	62
1. SINGLE DX	300	9.1	71	3	3	7	11	17	21	38
2. MULTIPLE DX	1264	14.0	125	3	4	10	18	29	36	56
A. NOT OPERATED	401	10.2	70	2	3	8	13	19	27	45
B. OPERATED	1163	14.0	131	3	4	10	18	29	36	58
TOTAL 65-69 YRS	503	12.5	103	3	4	10	16	25	32	50
70-74	443	13.2	127	3	4	9	17	28	35	54
75-79	295	12.6	79	3	4	10	17	26	31	41
80-84	200	15.1	196	3	4	10	20	34	42	71
85+	123	12.4	109	3	4	9	14	25	32	57
GRAND TOTAL	**1564**	**13.0**	**118**	**3**	**4**	**10**	**17**	**27**	**34**	**53**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	405	6.3	29	1	2	5	8	13	16	28
70-74	413	6.7	31	1	2	5	8	13	17	32
75-79	321	7.5	40	2	2	6	9	15	20	31
80-84	217	7.5	33	1	2	6	9	15	19	28
85+	224	7.3	28	1	2	6	9	15	18	29
B. *Operated*										
65-69 YRS	489	8.3	73	1	1	6	12	18	22	47
70-74	373	9.1	95	1	2	6	12	20	25	42
75-79	223	9.2	73	1	2	6	12	19	28	42
80-84	115	9.6	75	1	2	7	12	25	28	38
85+	57	12.5	102	1	2	10	18	27	37	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3573	9.1	50	2	3	7	11	17	22	35
70-74	3589	10.0	69	2	3	8	13	19	25	44
75-79	3379	10.7	77	3	3	8	13	20	27	46
80-84	2465	11.6	85	3	4	9	14	22	29	48
85+	2285	11.3	68	3	4	9	14	21	26	43
B. *Operated*										
65-69 YRS	1600	14.2	159	2	3	11	19	30	40	70
70-74	1359	14.7	142	2	3	12	20	29	37	63
75-79	1095	15.9	178	3	4	12	21	32	43	72
80-84	590	17.2	162	3	5	14	22	35	45	96
85+	420	18.6	192	4	6	15	24	37	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1580	7.0	32	1	2	6	9	14	18	30
B. *Operated*	1257	9.0	81	1	2	6	12	19	26	48
2. MULTIPLE DX										
A. *Not Operated*	15291	10.4	70	2	3	8	13	20	25	44
B. *Operated*	5064	15.4	163	2	3	12	20	32	41	71
1. SINGLE DX	2837	7.9	55	1	2	6	10	16	22	36
2. MULTIPLE DX	20355	11.7	98	2	3	9	15	23	30	53
A. NOT OPERATED	16871	10.1	67	2	3	8	13	19	25	42
B. OPERATED	6321	14.2	153	2	3	11	19	29	39	67
TOTAL 65-69 YRS	6067	10.2	85	2	2	8	13	21	27	50
70-74	5734	10.8	90	2	3	8	14	22	28	50
75-79	5018	11.6	102	2	3	9	14	23	30	53
80-84	3387	12.2	101	3	3	9	15	24	32	52
85+	2986	12.0	91	3	4	10	15	23	30	52
GRAND TOTAL	**23192**	**11.2**	**94**	**2**	**3**	**9**	**14**	**22**	**29**	**51**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	7.9	303	1	1	3	6	13	33	95
70-74	19	4.5	11	<1	1	4	6	9	12	13
75-79	12	4.0	4	1	1	4	5	7	8	8
80-84	3	3.3	1	2	2	4	4	4	4	4
85+	7	3.9	19	<1	<1	1	7	11	12	12
B. *Operated*										
65-69 YRS	382	2.7	7	1	1	2	3	4	6	15
70-74	226	2.8	6	1	1	2	3	5	6	14
75-79	124	2.4	1	1	1	2	3	4	5	7
80-84	74	3.4	17	1	2	2	3	5	9	28
85+	89	3.9	34	1	1	2	3	8	11	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	5.4	21	1	1	4	7	11	13	25
70-74	83	5.4	25	1	1	4	7	10	13	28
75-79	70	6.6	21	1	1	6	10	13	16	20
80-84	47	6.1	47	1	2	4	7	12	23	38
85+	30	5.8	31	1	1	5	7	11	13	30
B. *Operated*										
65-69 YRS	1014	3.9	19	1	2	2	4	8	11	23
70-74	724	3.8	17	1	2	3	4	7	12	28
75-79	498	4.0	15	2	2	3	4	8	13	21
80-84	284	4.4	35	2	2	3	4	7	12	39
85+	190	4.8	31	1	2	3	5	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	[illegible]	5.8	137	<1	1	3	6	8	13	82
B. *Operated*	895	2.9	10	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*	307	5.8	27	1	1	4	8	11	14	28
B. *Operated*	2710	4.0	21	1	2	3	4	8	12	25
1. SINGLE DX	967	3.1	20	1	1	2	3	5	7	19
2. MULTIPLE DX	3017	4.2	21	1	2	3	4	8	12	26
A. NOT OPERATED	379	5.8	48	1	1	4	7	11	14	30
B. OPERATED	3605	3.7	18	1	2	2	4	7	11	23
TOTAL 65-69 YRS	1504	3.8	23	1	2	2	4	7	11	23
70-74	1052	3.7	16	1	2	2	4	7	10	25
75-79	704	4.0	14	1	2	3	4	8	12	20
80-84	408	4.4	33	1	2	3	4	8	12	36
85+	316	4.7	32	1	2	3	5	10	15	32
GRAND TOTAL	**3984**	**3.9**	**21**	**1**	**2**	**2**	**4**	**8**	**11**	**25**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	5.3	18	1	1	4	7	11	16	17
70-74	41	5.2	19	1	2	4	6	8	13	27
75-79	27	4.0	3	1	2	3	6	6	7	8
80-84	21	6.7	21	1	1	6	8	13	17	19
85+	20	5.9	14	1	1	5	9	10	12	15
B. *Operated*										
65-69 YRS	267	3.5	5	1	1	3	4	5	7	13
70-74	187	3.6	9	1	2	3	4	6	8	11
75-79	134	4.0	11	1	1	3	5	8	11	18
80-84	55	3.6	6	1	1	3	5	8	9	95
85+	40	5.3	17	1	2	4	7	9	15	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	131	7.0	22	1	2	6	9	12	16	25
70-74	125	8.7	43	2	3	7	12	17	20	36
75-79	116	8.5	44	2	3	7	11	16	20	36
80-84	96	9.2	80	2	3	7	11	16	22	55
85+	101	10.9	91	3	4	8	13	18	23	60
B. *Operated*										
65-69 YRS	298	5.7	26	1	2	4	7	12	15	28
70-74	263	6.6	61	2	2	4	7	13	18	39
75-79	177	7.5	53	2	2	5	9	16	23	36
80-84	116	8.2	84	2	2	5	10	16	27	54
85+	68	9.3	81	2	2	6	12	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.3	16	1	1	4	7	9	14	19
B. *Operated*	683	3.7	8	1	2	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	569	8.8	54	2	3	7	11	17	21	37
B. *Operated*	922	6.9	54	2	2	4	8	14	20	36
1. SINGLE DX	829	4.0	10	1	2	3	5	7	9	16
2. MULTIPLE DX	1491	7.6	55	2	2	5	9	15	20	36
A. NOT OPERATED	715	8.1	48	2	2	6	10	16	19	35
B. OPERATED	1605	5.5	37	1	2	4	6	11	16	33
TOTAL 65-69 YRS	733	5.1	19	1	2	4	6	10	13	23
70-74	616	6.0	42	1	2	4	7	12	17	35
75-79	454	6.5	39	1	2	4	8	13	18	35
80-84	288	7.5	67	1	2	5	9	15	21	58
85+	229	9.0	73	2	3	7	11	17	22	42
GRAND TOTAL	**2320**	**6.3**	**42**	**1**	**2**	**4**	**8**	**13**	**17**	**34**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	289	4.4	12	1	1	3	5	9	10	20
70-74	211	4.3	11	1	1	3	5	8	11	16
75-79	150	5.0	17	1	1	4	6	9	13	20
80-84	100	4.7	11	1	1	4	6	10	11	15
85+	64	5.3	16	1	2	4	7	10	12	24
B. *Operated*										
65-69 YRS	254	6.9	44	1	2	5	9	13	19	36
70-74	284	7.3	54	<1	1	5	10	16	21	41
75-79	209	6.3	52	1	1	5	8	13	16	35
80-84	131	6.8	40	1	2	5	9	15	19	32
85+	111	8.5	51	1	2	7	13	17	23	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1489	6.5	23	2	2	5	8	12	15	26
70-74	1475	6.9	31	2	2	5	8	12	18	31
75-79	1193	7.4	34	2	2	6	9	14	18	33
80-84	827	7.9	45	2	2	6	10	14	19	38
85+	665	7.9	43	2	2	6	10	16	20	38
B. *Operated*										
65-69 YRS	1157	10.5	111	2	2	8	13	20	29	60
70-74	1088	10.8	110	2	2	8	13	22	32	55
75-79	837	11.0	101	2	2	8	14	23	29	53
80-84	608	11.7	120	2	3	8	15	25	32	63
85+	461	13.4	163	2	3	10	17	28	37	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	4.6	13	1	1	4	6	9	11	19
B. *Operated*	989	7.1	49	1	1	5	9	15	20	36
2. MULTIPLE DX										
A. *Not Operated*	5649	7.1	33	2	2	6	9	13	17	32
B. *Operated*	4151	11.2	116	2	2	8	14	23	31	61
1. SINGLE DX	1803	5.9	34	1	1	4	8	12	16	28
2. MULTIPLE DX	9800	8.8	72	2	2	7	11	18	24	47
A. NOT OPERATED	6463	6.8	31	2	2	5	8	13	17	30
B. OPERATED	5140	10.4	106	2	2	8	13	21	29	56
TOTAL 65-69 YRS	3189	7.8	60	1	2	6	9	15	20	41
70-74	3058	8.1	64	1	2	6	10	16	23	41
75-79	2389	8.4	62	2	2	6	11	17	23	45
80-84	1666	9.0	75	2	2	7	11	18	26	49
85+	1301	9.8	92	2	2	7	12	20	27	54
GRAND TOTAL	**11603**	**8.4**	**68**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	242	5.9	16	1	2	5	8	11	13	22
70-74	212	6.1	20	1	2	5	8	11	14	22
75-79	174	7.1	26	1	2	6	9	14	18	25
80-84	108	7.4	24	2	2	6	9	12	17	27
85+	65	7.5	44	1	2	6	8	14	19	39
B. *Operated*										
65-69 YRS	207	9.6	71	2	2	8	12	18	22	53
70-74	144	9.2	47	2	3	8	11	19	23	33
75-79	105	9.6	45	2	3	8	12	20	22	36
80-84	73	10.1	50	2	2	9	12	21	24	32
85+	34	10.6	127	1	2	9	13	20	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	901	8.1	36	2	3	7	10	14	18	31
70-74	850	8.1	30	2	3	7	10	15	18	28
75-79	750	9.0	40	2	3	8	11	17	21	33
80-84	519	9.3	42	2	3	8	11	18	23	38
85+	400	10.6	53	3	4	9	13	18	23	45
B. *Operated*										
65-69 YRS	716	12.1	84	3	4	10	15	22	31	49
70-74	614	11.9	73	3	4	10	16	22	26	49
75-79	537	12.4	84	3	4	10	15	24	30	51
80-84	280	12.5	66	3	4	11	16	25	30	36
85+	148	13.8	92	4	5	11	17	26	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	6.5	23	1	2	6	8	12	15	25
B. *Operated*	563	9.6	60	2	2	8	12	19	23	42
2. MULTIPLE DX										
A. *Not Operated*	3420	8.8	39	2	3	7	11	16	20	34
B. *Operated*	2295	12.3	79	3	4	10	16	23	30	48
1. SINGLE DX	1364	7.8	41	1	2	6	10	15	20	31
2. MULTIPLE DX	5715	10.2	58	2	3	8	13	19	24	39
A. NOT OPERATED	4221	8.4	37	2	3	7	10	15	19	33
B. OPERATED	2858	11.8	77	2	4	10	15	22	29	48
TOTAL 65-69 YRS	2066	9.4	59	2	3	8	12	18	22	38
70-74	1820	9.3	49	2	3	8	12	18	22	34
75-79	1566	10.0	57	2	3	8	12	19	24	39
80-84	980	10.1	50	2	3	8	13	19	25	36
85+	647	11.0	68	3	4	9	14	20	25	49
GRAND TOTAL	**7079**	**9.7**	**56**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	172	6.6	10	3	4	6	7	11	13	19
70-74	185	7.1	13	2	3	6	9	12	14	17
75-79	107	7.2	14	3	3	6	9	13	14	18
80-84	78	9.0	25	3	4	8	10	17	20	25
85+	67	9.1	34	3	4	8	12	14	16	38
B. *Operated*										
65-69 YRS	130	11.0	39	3	5	9	15	18	24	33
70-74	148	12.3	52	4	5	11	15	20	25	43
75-79	96	12.9	41	4	6	12	16	22	26	32
80-84	63	13.9	44	5	7	13	17	21	27	35
85+	51	15.0	130	4	6	13	18	24	32	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	547	9.2	32	3	4	8	11	16	20	32
70-74	599	9.1	37	3	4	8	11	15	19	29
75-79	555	9.9	42	4	4	8	12	17	22	42
80-84	468	11.5	89	3	5	9	14	21	27	43
85+	443	11.2	65	3	4	9	13	20	26	42
B. *Operated*										
65-69 YRS	507	14.6	105	5	5	12	18	27	36	52
70-74	562	15.5	122	4	6	13	20	28	36	61
75-79	496	16.4	141	5	6	13	20	31	39	75
80-84	343	17.5	126	5	7	15	22	31	38	63
85+	231	17.6	134	5	6	15	22	33	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	7.4	17	3	3	6	9	13	15	20
B. *Operated*	488	12.6	55	4	5	11	16	21	27	37
2. MULTIPLE DX										
A. *Not Operated*	2612	10.1	52	3	4	8	12	18	22	39
B. *Operated*	2139	16.0	126	5	6	13	21	29	37	67
1. SINGLE DX	1097	9.7	40	3	4	8	12	17	20	32
2. MULTIPLE DX	4751	12.8	94	4	5	10	16	24	31	53
A. NOT OPERATED	3221	9.6	47	3	4	8	11	17	21	37
B. OPERATED	2627	15.4	114	5	6	13	19	28	36	62
TOTAL 65-69 YRS	1356	11.0	66	3	4	9	14	21	26	43
70-74	1494	11.6	78	3	4	9	14	22	27	46
75-79	1254	12.5	90	4	5	10	15	23	31	62
80-84	952	13.6	103	4	5	11	17	25	33	52
85+	792	13.2	96	3	5	10	16	24	32	59
GRAND TOTAL	**5848**	**12.2**	**85**	**4**	**4**	**10**	**15**	**23**	**29**	**48**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	552	5.7	14	2	2	5	7	10	13	18
70-74	397	6.1	23	2	2	5	7	10	13	23
75-79	287	6.1	12	2	2	6	8	10	12	17
80-84	136	6.9	20	2	2	6	9	13	15	23
85+	85	6.7	18	2	3	6	8	11	16	22
B. *Operated*										
65-69 YRS	105	10.5	31	3	4	10	12	18	21	30
70-74	78	11.1	63	3	4	9	13	20	26	49
75-79	35	12.7	60	2	5	12	16	27	29	30
80-84	15	13.1	80	4	4	12	23	24	28	30
85+	16	15.1	40	6	7	14	20	25	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1980	7.0	21	2	3	6	9	12	15	22
70-74	1712	7.4	27	2	3	6	9	14	17	27
75-79	1333	8.1	29	3	3	7	10	15	18	25
80-84	866	8.8	35	3	3	7	11	16	21	33
85+	656	8.9	44	2	3	7	11	16	20	36
B. *Operated*										
65-69 YRS	506	13.0	79	3	4	11	16	23	31	47
70-74	396	13.8	90	3	4	11	19	25	31	51
75-79	268	14.9	109	4	5	12	19	27	31	64
80-84	156	16.0	106	5	7	13	19	30	39	51
85+	102	17.6	191	4	5	13	23	35	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1457	6.1	17	2	2	5	8	10	13	21
B. *Operated*	249	11.5	50	3	4	10	14	21	26	30
2. MULTIPLE DX										
A. *Not Operated*	6547	7.8	28	2	3	7	10	14	17	27
B. *Operated*	1428	14.2	100	3	5	12	18	26	34	53
1. SINGLE DX	1706	6.8	26	2	2	6	9	12	15	27
2. MULTIPLE DX	7975	8.9	47	2	3	7	11	17	21	38
A. NOT OPERATED	8004	7.4	27	2	3	6	9	13	17	27
B. OPERATED	1677	13.8	94	3	5	11	18	25	32	52
TOTAL 65-69 YRS	3143	7.9	35	2	3	6	10	14	18	32
70-74	2583	8.3	43	2	3	7	10	16	21	34
75-79	1923	8.8	45	2	3	7	11	16	21	31
80-84	1173	9.6	50	3	3	8	12	18	23	38
85+	859	9.8	68	3	3	8	12	19	24	43
GRAND TOTAL	**9681**	**8.6**	**44**	**2**	**3**	**7**	**10**	**16**	**21**	**36**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	505	6.6	10	3	3	6	8	10	12	15
70-74	384	7.0	11	3	3	6	8	11	13	17
75-79	311	7.0	14	2	3	6	8	11	14	22
80-84	209	7.6	14	3	4	7	10	12	14	20
85+	142	8.7	31	3	4	7	10	15	18	28
B. *Operated*										
65-69 YRS	201	12.6	70	5	7	11	15	20	24	48
70-74	181	12.9	40	6	7	12	15	19	22	39
75-79	113	12.5	34	5	6	11	16	21	24	30
80-84	75	15.4	65	7	8	13	19	26	29	48
85+	53	13.8	49	6	8	13	15	20	32	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1298	8.4	29	3	4	7	10	15	19	29
70-74	1223	9.2	41	3	4	8	11	16	20	34
75-79	1105	9.4	41	3	4	8	11	16	21	35
80-84	804	11.4	69	4	4	9	14	20	26	43
85+	660	10.9	50	4	4	9	13	19	25	43
B. *Operated*										
65-69 YRS	608	16.0	120	5	6	13	19	28	42	56
70-74	563	18.4	189	6	7	15	22	33	44	80
75-79	466	18.7	167	5	7	15	23	33	43	63
80-84	324	20.5	214	6	8	16	25	39	57	69
85+	236	20.6	155	8	9	17	26	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1551	7.1	14	3	3	7	9	11	14	19
B. *Operated*	623	13.1	53	6	7	12	16	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	5090	9.6	45	3	4	8	12	17	22	36
B. *Operated*	2197	18.4	167	6	7	15	22	34	46	73
1. SINGLE DX	2174	8.6	32	3	4	8	11	15	18	28
2. MULTIPLE DX	7287	12.3	98	4	4	10	15	23	31	56
A. NOT OPERATED	6641	9.0	39	3	4	8	11	16	20	33
B. OPERATED	2820	17.2	147	6	7	14	21	31	42	68
TOTAL 65-69 YRS	2612	10.2	62	3	4	8	12	18	24	44
70-74	2351	11.3	89	3	4	9	14	21	27	51
75-79	1995	11.4	84	3	4	9	14	22	28	53
80-84	1412	13.1	113	4	5	10	16	24	33	62
85+	1091	12.8	88	4	5	10	16	24	33	59
GRAND TOTAL	**9461**	**11.5**	**85**	**3**	**4**	**9**	**14**	**21**	**28**	**52**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	7.4	28	2	3	6	9	13	18	30
70-74	24	8.6	28	3	3	8	11	15	22	22
75-79	28	7.8	36	2	3	6	9	15	17	31
80-84	25	8.0	17	3	5	7	10	15	16	19
85+	12	10.2	64	4	4	6	14	20	30	32
B. *Operated*										
65-69 YRS	81	16.4	57	7	9	16	19	24	32	44
70-74	49	15.4	62	5	7	14	20	23	29	42
75-79	46	16.2	117	6	7	13	18	30	46	53
80-84	20	21.4	153	7	9	20	30	47	76	99+
85+	19	22.3	324	9	11	18	23	31	66	92
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	117	9.4	30	3	4	8	12	16	21	27
70-74	102	9.7	34	3	4	9	12	18	21	31
75-79	108	11.2	43	5	5	9	13	22	27	64
80-84	108	11.9	61	4	5	10	15	22	29	39
85+	67	12.9	83	3	4	10	14	30	34	39
B. *Operated*										
65-69 YRS	226	19.2	158	6	8	16	23	34	47	70
70-74	220	20.9	180	7	9	18	27	38	51	96
75-79	169	23.6	233	7	9	19	29	44	53	80
80-84	94	24.2	189	8	10	21	32	43	54	69
85+	70	23.9	178	6	10	20	31	42	52	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	8.1	30	2	3	7	10	15	18	31
B. *Operated*	215	17.1	106	6	8	16	20	28	39	69
2. MULTIPLE DX										
A. *Not Operated*	502	10.8	48	3	4	9	13	21	26	37
B. *Operated*	779	21.7	189	7	9	18	27	39	51	76
1. SINGLE DX	351	13.6	96	3	4	12	18	23	32	53
2. MULTIPLE DX	1281	17.4	162	4	6	14	22	33	43	71
A. NOT OPERATED	638	10.2	46	3	4	8	13	19	25	36
B. OPERATED	994	20.7	174	6	9	17	25	38	49	76
TOTAL 65-69 YRS	471	15.1	118	4	5	13	19	28	35	57
70-74	395	16.6	145	4	5	13	21	33	42	68
75-79	351	17.5	181	5	6	14	21	34	48	78
80-84	247	17.0	152	5	5	13	22	35	42	65
85+	168	18.3	177	4	5	15	24	34	41	63
GRAND TOTAL	**1632**	**16.6**	**150**	**4**	**5**	**14**	**21**	**32**	**40**	**66**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	609	4.6	11	1	1	4	6	8	10	16
70-74	454	5.0	12	1	2	4	6	9	11	18
75-79	298	4.6	11	1	1	4	6	8	10	15
80-84	177	5.5	28	1	1	4	7	9	14	32
85+	157	5.6	30	1	2	4	6	11	16	32
B. *Operated*										
65-69 YRS	97	8.0	37	1	2	7	10	15	23	28
70-74	82	7.4	28	1	1	6	10	15	18	21
75-79	58	9.0	59	1	2	6	12	20	26	36
80-84	23	8.0	54	<1	1	6	10	16	23	33
85+	12	9.2	36	2	3	8	13	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3471	6.7	23	2	2	6	8	12	15	24
70-74	2903	7.0	27	2	3	6	8	12	16	28
75-79	2423	7.4	32	2	3	6	9	13	17	27
80-84	1660	8.0	39	2	3	6	10	15	19	31
85+	1342	8.5	43	2	3	7	11	16	21	32
B. *Operated*										
65-69 YRS	832	11.2	80	3	4	9	14	21	30	44
70-74	712	11.2	90	2	4	9	13	21	29	51
75-79	529	11.6	77	3	4	10	14	22	27	55
80-84	317	12.0	71	3	4	10	15	23	28	37
85+	209	13.9	135	3	4	11	17	28	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1695	4.9	15	1	1	4	6	9	11	19
B. *Operated*	272	8.1	40	1	2	7	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	11799	7.3	31	2	3	6	9	13	17	28
B. *Operated*	2599	11.6	86	3	4	9	14	22	29	51
1. SINGLE DX	1967	5.3	20	1	2	4	7	10	13	24
2. MULTIPLE DX	14398	8.1	43	2	3	6	10	15	20	34
A. NOT OPERATED	13494	7.0	29	2	2	6	9	13	17	27
B. OPERATED	2871	11.3	83	2	3	9	14	21	28	50
TOTAL 65-69 YRS	5009	7.2	35	2	2	6	9	13	18	32
70-74	4151	7.5	40	2	2	6	9	14	18	31
75-79	3308	7.8	41	2	2	6	10	15	19	33
80-84	2177	8.4	45	2	3	7	10	16	21	34
85+	1720	8.9	57	2	3	7	11	17	22	41
GRAND TOTAL	**16365**	**7.8**	**41**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	5.6	34	1	2	4	7	11	14	30
70-74	149	5.2	20	1	1	4	6	10	13	21
75-79	101	6.2	29	1	2	5	8	12	17	31
80-84	57	5.9	33	1	1	4	8	14	20	26
85+	52	6.8	29	1	1	5	8	16	17	26
B. *Operated*										
65-69 YRS	65	11.7	46	2	2	11	16	22	23	30
70-74	43	14.5	93	2	4	12	19	29	34	41
75-79	25	12.7	112	1	2	11	17	29	34	41
80-84	18	14.9	118	1	3	15	20	30	36	40
85+	10	20.5	133	1	7	18	34	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	822	6.7	29	2	2	5	8	12	16	31
70-74	743	7.2	34	2	2	5	8	14	19	32
75-79	585	8.7	54	2	3	7	10	16	21	35
80-84	423	8.2	58	2	3	6	10	15	19	45
85+	336	9.4	70	2	3	7	11	19	23	42
B. *Operated*										
65-69 YRS	292	16.9	129	3	5	15	22	32	39	59
70-74	283	20.8	250	4	6	17	27	40	53	91
75-79	251	19.8	209	3	6	16	26	39	50	82
80-84	135	19.9	126	5	7	19	27	34	48	99+
85+	100	20.2	165	5	6	18	26	41	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	5.8	29	1	2	4	7	11	16	26
B. *Operated*	161	13.5	85	1	2	12	18	28	32	41
2. MULTIPLE DX										
A. *Not Operated*	2909	7.8	45	2	2	6	9	15	19	34
B. *Operated*	1061	19.4	185	4	6	16	26	37	47	80
1. SINGLE DX	708	7.5	52	1	2	5	10	17	22	36
2. MULTIPLE DX	3970	10.9	109	2	3	7	14	23	32	53
A. NOT OPERATED	3456	7.4	43	2	2	6	9	14	19	33
B. OPERATED	1222	18.6	175	3	5	16	24	36	45	78
TOTAL 65-69 YRS	1367	9.0	70	2	2	6	11	19	26	42
70-74	1218	10.4	120	2	2	7	13	23	32	55
75-79	962	11.5	119	2	3	8	14	24	33	54
80-84	633	10.7	97	2	3	7	14	25	31	56
85+	498	11.6	108	2	3	8	15	24	33	51
GRAND TOTAL	**4678**	**10.4**	**102**	**2**	**3**	**7**	**13**	**22**	**31**	**52**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	5	5.0	17	2	2	2	9	10	10	10
75-79	5	4.8	11	1	1	5	7	9	9	9
80-84										
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	250	6.7	23	3	3	6	8	12	14	35
70-74	139	6.7	12	3	3	6	8	11	14	20
75-79	88	7.4	18	3	3	6	9	14	17	21
80-84	32	8.8	54	3	3	7	11	16	21	41
85+	34	9.5	65	2	3	6	12	23	25	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	10.2	33	3	4	9	13	19	20	20
70-74	3	10.0	39	5	5	8	15	17	17	17
75-79	5	10.6	91	1	1	5	14	35	35	35
80-84	2	7.0	8	5	5	7	9	9	9	9
85+	7	10.4	64	<1	<1	12	17	21	21	21
B. *Operated*										
65-69 YRS	218	10.0	75	4	4	8	11	18	22	45
70-74	146	11.2	40	4	5	9	14	21	26	28
75-79	115	11.3	46	4	5	10	13	21	28	35
80-84	70	14.2	130	5	5	10	17	28	37	60
85+	36	14.3	113	4	4	11	18	28	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.2	14	1	1	5	9	10	12	12
B. *Operated*	543	7.1	24	3	3	6	8	13	16	34
2. MULTIPLE DX										
A. *Not Operated*	27	10.1	60	1	2	7	13	20	23	35
B. *Operated*	585	11.3	71	4	4	9	13	21	27	42
1. SINGLE DX	556	7.1	24	2	3	6	8	13	16	33
2. MULTIPLE DX	612	11.3	71	4	4	9	13	21	27	42
A. NOT OPERATED	40	8.5	49	1	2	6	12	18	20	35
B. OPERATED	1128	9.3	53	3	4	7	11	17	23	36
TOTAL 65-69 YRS	480	8.3	49	3	4	7	9	14	19	35
70-74	293	8.9	31	3	4	7	11	17	21	28
75-79	213	9.5	40	3	4	8	12	17	22	35
80-84	104	12.4	110	4	4	9	13	27	34	59
85+	78	11.8	90	2	3	10	15	25	30	47
GRAND TOTAL	**1168**	**9.3**	**53**	**3**	**4**	**7**	**11**	**17**	**23**	**36**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.9	12	1	2	7	8	12	14	14
70-74	4	11.5	162	1	1	7	19	30	30	30
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+	2	8.5	25	5	5	8	12	12	12	12
B. *Operated*										
65-69 YRS	260	10.7	31	4	5	10	12	16	21	34
70-74	187	11.5	28	5	6	10	15	19	21	27
75-79	109	12.5	46	6	6	11	15	21	24	42
80-84	66	11.9	25	5	6	11	15	19	21	27
85+	49	13.7	67	6	6	12	17	21	24	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	9.2	47	1	2	9	10	16	27	29
70-74	16	11.6	66	3	4	9	16	25	29	31
75-79	5	24.8	732	10	10	14	30	73	73	73
80-84	5	15.6	16	9	9	17	18	19	19	19
85+	6	24.0	518	6	6	18	25	64	68	68
B. *Operated*										
65-69 YRS	423	16.0	84	6	8	14	19	27	34	58
70-74	367	17.7	146	7	8	15	21	30	40	70
75-79	212	18.8	149	8	9	16	22	32	49	98
80-84	125	19.6	116	7	9	16	27	35	41	72
85+	110	20.4	135	8	10	18	24	34	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.9	42	<1	1	7	8	13	24	30
B. *Operated*	671	11.5	35	5	6	10	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*	45	14.4	198	3	4	10	16	26	40	73
B. *Operated*	1237	17.7	123	7	8	15	21	30	39	66
1. SINGLE DX	689	11.4	36	5	6	10	14	18	22	32
2. MULTIPLE DX	1282	17.6	126	7	8	15	21	30	39	69
A. NOT OPERATED	63	12.6	161	1	3	9	16	25	30	72
B. OPERATED	1908	15.5	101	6	7	13	19	27	34	58
TOTAL 65-69 YRS	705	13.8	71	5	6	12	16	24	31	51
70-74	574	15.5	114	6	7	13	19	25	36	66
75-79	327	16.7	131	7	8	14	19	28	39	88
80-84	198	16.8	96	6	7	14	20	30	38	60
85+	167	18.4	136	6	8	16	22	31	37	66
GRAND TOTAL	**1971**	**15.4**	**103**	**6**	**7**	**13**	**19**	**26**	**34**	**60**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.0	1	1	1	2	3	3	3	3
70-74	11	3.3	2	1	1	4	5	5	5	5
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	4	4.0	2	3	3	4	5	6	6	6
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	38	6.4	6	2	3	6	8	10	11	14
70-74	23	6.9	7	4	4	6	8	10	13	14
75-79	13	6.3	9	3	3	6	8	11	13	13
80-84	4	8.0	3	6	6	8	9	10	10	10
85+	9	6.2	12	2	3	[illegible]	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	4.1	7	1	1	4	6	7	10	11
70-74	11	10.3	42	2	3	10	14	19	24	24
75-79	4	6.5	60	2	2	3	11	18	18	18
80-84	4	8.0	26	3	3	7	11	15	15	15
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	50	12.6	67	4	5	11	15	23	27	51
70-74	45	12.7	83	4	5	10	16	22	25	59
75-79	26	15.4	138	5	7	13	17	29	36	62
80-84	15	15.2	86	6	8	10	24	30	31	32
85+	15	11.1	25	3	4	11	14	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.0	2	1	1	3	4	5	5	6
B. *Operated*	87	6.6	7	3	4	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	36	6.8	29	1	2	5	9	15	17	24
B. *Operated*	151	13.2	82	4	6	11	16	24	29	59
1. SINGLE DX	112	5.8	8	2	2	5	7	10	11	14
2. MULTIPLE DX	187	12.0	78	3	4	10	15	23	27	56
A. NOT OPERATED	61	5.2	22	1	1	4	6	12	16	23
B. OPERATED	238	10.8	65	4	4	9	13	19	26	52
TOTAL 65-69 YRS	110	8.7	48	1	3	7	11	16	23	37
70-74	90	9.8	60	2	3	8	12	17	23	46
75-79	45	11.4	108	2	3	8	14	21	29	62
80-84	27	11.4	70	3	3	9	13	29	30	32
85+	27	8.7	25	2	3	7	12	17	18	19
GRAND TOTAL	**299**	**9.7**	**61**	**2**	**3**	**8**	**12**	**18**	**25**	**42**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	4.2	9	<1	<1	4	6	8	10	13
70-74	43	4.9	16	<1	1	4	7	10	12	19
75-79	26	4.1	9	1	1	3	7	8	10	11
80-84	20	7.2	308	<1	1	3	5	8	45	81
85+	21	5.0	58	1	1	3	5	7	20	37
B. *Operated*										
65-69 YRS	5838	5.1	7	2	3	5	6	8	9	13
70-74	4520	5.3	7	3	3	5	6	8	9	14
75-79	2927	5.7	8	3	3	5	7	9	11	16
80-84	1385	6.2	9	3	3	6	8	10	11	17
85+	711	6.5	18	3	3	6	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	147	5.5	82	<1	1	4	6	10	12	51
70-74	151	5.0	30	<1	1	3	6	11	14	30
75-79	154	5.9	39	1	2	4	7	11	16	37
80-84	108	5.8	27	1	1	4	8	12	16	26
85+	109	6.5	52	1	1	4	7	15	20	71
B. *Operated*										
65-69 YRS	5770	6.9	20	3	3	6	8	11	15	24
70-74	4837	7.5	28	3	3	6	9	13	17	29
75-79	3592	8.2	30	3	4	7	10	15	18	29
80-84	1918	9.2	40	3	4	8	11	16	21	34
85+	1093	10.3	57	3	4	8	12	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	4.8	53	<1	1	3	6	9	11	35
B. *Operated*	15381	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	669	5.7	47	1	1	4	7	11	16	37
B. *Operated*	17210	7.8	30	3	3	6	9	14	17	30
1. SINGLE DX	15544	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX	17879	7.7	31	3	3	6	9	14	17	30
A. NOT OPERATED	832	5.5	48	1	1	4	7	11	15	37
B. OPERATED	32591	6.7	21	3	3	6	8	11	14	25
TOTAL 65-69 YRS	11808	6.0	15	3	3	5	7	9	12	21
70-74	9551	6.4	19	3	3	5	7	10	14	24
75-79	6699	7.0	22	3	3	6	8	12	16	26
80-84	3431	7.9	31	3	3	7	9	13	17	30
85+	1934	8.6	45	2	3	7	10	16	21	46
GRAND TOTAL	**33423**	**6.7**	**21**	**3**	**3**	**6**	**8**	**11**	**14**	**25**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.7	6	<1	<1	2	3	7	8	8
70-74	12	2.8	5	<1	<1	2	3	7	7	7
75-79	13	4.8	27	<1	1	3	6	10	18	20
80-84	12	3.1	12	1	1	2	3	10	11	11
85+	27	3.4	8	<1	1	2	6	7	8	11
B. *Operated*										
65-69 YRS	320	6.0	8	2	3	6	7	10	12	16
70-74	285	6.4	13	3	3	6	7	11	13	20
75-79	252	7.2	31	3	3	6	9	11	15	31
80-84	210	7.3	14	3	3	7	9	11	13	21
85+	202	7.6	17	3	4	7	9	12	14	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	5.8	44	1	1	4	6	12	17	34
70-74	27	6.4	38	1	1	4	7	17	21	25
75-79	38	6.8	27	<1	1	6	10	14	17	19
80-84	50	9.1	162	1	1	6	9	17	31	81
85+	55	6.7	55	1	1	4	8	16	21	38
B. *Operated*										
65-69 YRS	427	9.5	61	3	4	7	11	18	24	43
70-74	487	10.1	69	3	4	8	12	18	23	47
75-79	514	11.3	81	4	5	9	13	21	26	48
80-84	477	11.9	67	4	5	10	14	20	27	47
85+	445	12.7	87	4	5	10	14	24	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.4	11	<1	1	2	5	7	10	18
B. *Operated*	1269	6.8	16	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	196	7.2	73	1	1	5	9	16	20	36
B. *Operated*	2350	11.1	74	4	4	9	13	20	26	47
1. SINGLE DX	1342	6.6	17	2	3	6	8	11	13	21
2. MULTIPLE DX	2546	10.8	75	3	4	9	13	20	26	47
A. NOT OPERATED	269	6.1	59	1	1	4	7	14	18	34
B. OPERATED	3619	9.6	58	3	4	8	11	17	22	44
TOTAL 65-69 YRS	782	7.9	42	3	3	6	9	14	19	36
70-74	811	8.6	51	3	3	7	10	16	20	31
75-79	817	9.8	66	3	4	8	12	17	23	44
80-84	749	10.3	63	3	4	8	12	18	23	46
85+	729	10.5	70	2	4	8	12	20	28	48
GRAND TOTAL	**3888**	**9.4**	**59**	**3**	**3**	**7**	**11**	**17**	**22**	**43**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	19	<1	<1	4	8	9	9	9
70-74	3	5.0	21	1	1	4	8	10	10	10
75-79	4	1.5	1	<1	<1	1	2	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	187	5.3	9	2	2	5	7	10	11	17
70-74	102	5.4	7	2	3	5	7	9	10	14
75-79	36	5.7	11	2	3	5	7	10	11	19
80-84	26	5.8	8	2	3	6	8	10	11	13
85+	14	5.3	17	1	2	4	6	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	5.8	30	1	1	4	7	14	18	25
70-74	22	5.0	14	<1	1	4	7	10	14	14
75-79	14	10.3	130	<1	1	6	13	27	37	40
80-84	6	6.0	10	3	3	5	8	11	11	11
85+	14	6.8	22	<1	2	5	9	14	16	17
B. *Operated*										
65-69 YRS	310	8.3	38	3	3	7	10	15	20	34
70-74	168	8.8	45	3	3	7	11	16	21	42
75-79	101	10.1	89	2	3	8	11	20	26	54
80-84	42	9.5	34	3	4	8	13	19	24	99+
85+	23	11.8	56	2	3	11	14	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.6	13	<1	<1	1	7	9	10	10
B. *Operated*	365	5.4	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	84	6.5	41	1	1	5	7	14	18	35
B. *Operated*	644	8.9	48	3	3	7	11	16	23	41
1. SINGLE DX	376	5.3	9	2	2	5	7	9	11	15
2. MULTIPLE DX	728	8.7	48	2	3	7	11	16	22	40
A. NOT OPERATED	95	6.2	38	<1	1	4	7	13	17	34
B. OPERATED	1009	7.7	37	2	3	6	9	14	19	38
TOTAL 65-69 YRS	529	7.1	29	2	3	6	9	13	17	32
70-74	295	7.3	32	2	3	6	9	14	17	39
75-79	155	8.9	76	2	3	7	10	19	25	43
80-84	74	7.9	26	2	3	6	11	15	20	81
85+	51	8.6	43	2	2	7	12	15	27	29
GRAND TOTAL	**1104**	**7.5**	**37**	**2**	**3**	**6**	**9**	**14**	**19**	**38**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.8	7	<1	1	3	5	8	9	11
70-74	20	3.8	4	<1	1	3	6	7	8	8
75-79	16	4.1	7	1	1	3	6	7	10	11
80-84	12	4.9	6	1	2	5	6	9	10	10
85+	10	5.2	12	1	1	4	8	10	11	11
B. *Operated*										
65-69 YRS	898	7.4	16	3	4	7	9	11	14	24
70-74	616	7.5	14	3	4	7	9	12	15	21
75-79	336	7.9	19	3	4	7	9	12	15	28
80-84	140	7.6	13	3	4	7	9	13	16	18
85+	51	8.2	29	3	3	7	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	130	6.2	41	1	2	5	8	10	14	28
70-74	100	6.0	32	1	2	4	7	12	15	34
75-79	88	7.2	51	2	2	5	8	14	18	45
80-84	86	8.0	44	2	2	6	9	14	21	40
85+	59	6.8	23	2	2	5	9	14	16	24
B. *Operated*										
65-69 YRS	1299	10.2	48	3	4	9	12	17	22	37
70-74	994	11.0	55	4	5	9	13	19	24	37
75-79	562	12.0	69	4	5	9	15	22	29	47
80-84	232	11.9	66	4	5	10	14	21	26	44
85+	101	11.3	72	4	5	9	15	19	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.2	7	1	1	3	6	8	10	11
B. *Operated*	2041	7.6	16	3	4	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	463	6.8	40	1	2	5	8	12	16	35
B. *Operated*	3188	10.9	56	4	5	9	13	19	24	39
1. SINGLE DX	2120	7.4	16	3	3	7	9	12	15	23
2. MULTIPLE DX	3651	10.4	56	3	4	9	12	19	24	39
A. NOT OPERATED	542	6.4	36	1	2	5	8	11	15	31
B. OPERATED	5229	9.6	43	3	4	8	11	17	21	35
TOTAL 65-69 YRS	2348	8.8	37	3	4	8	10	15	19	33
70-74	1730	9.4	42	3	4	8	11	16	21	35
75-79	1002	10.1	54	3	4	8	12	18	24	43
80-84	470	9.7	50	3	4	8	12	18	23	40
85+	221	9.1	50	2	3	8	11	17	21	34
GRAND TOTAL	**5771**	**9.3**	**43**	**3**	**4**	**8**	**11**	**16**	**21**	**35**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	382	4.4	8	1	2	4	5	8	10	16
70-74	276	4.7	8	1	2	4	6	8	10	17
75-79	194	4.7	13	1	2	4	6	9	12	22
80-84	96	5.3	10	2	2	4	7	9	12	17
85+	73	5.0	15	1	2	4	6	10	12	20
B. *Operated*										
65-69 YRS	107	11.4	43	2	4	10	14	20	22	36
70-74	69	11.1	39	2	4	10	13	20	24	32
75-79	35	12.8	155	1	3	10	16	21	27	76
80-84	14	11.6	60	2	2	9	15	25	26	26
85+	7	19.6	188	6	7	22	23	41	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2795	5.9	16	2	2	5	7	10	12	20
70-74	2578	6.1	19	2	2	5	8	11	14	21
75-79	2130	6.7	24	2	3	5	8	12	15	24
80-84	1537	6.8	22	2	3	6	8	12	15	24
85+	1053	7.8	36	2	3	6	10	14	19	29
B. *Operated*										
65-69 YRS	929	10.6	55	2	3	9	13	19	23	39
70-74	669	12.4	83	2	4	10	16	23	30	56
75-79	490	12.2	85	2	4	10	16	22	29	51
80-84	242	12.4	98	2	4	10	16	25	28	50
85+	158	11.7	76	2	3	9	15	23	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	4.7	10	1	2	4	6	8	11	17
B. *Operated*	232	11.8	64	2	4	10	14	21	24	46
2. MULTIPLE DX										
A. *Not Operated*	10093	6.4	22	2	3	5	8	11	14	23
B. *Operated*	2488	11.7	74	2	3	10	15	22	27	47
1. SINGLE DX	1253	6.0	27	1	2	4	8	12	15	24
2. MULTIPLE DX	12581	7.5	36	2	3	6	9	14	18	31
A. NOT OPERATED	11114	6.3	21	2	2	5	8	11	14	23
B. OPERATED	2720	11.7	73	2	3	10	15	22	27	46
TOTAL 65-69 YRS	4213	6.9	29	2	2	5	9	13	17	27
70-74	3592	7.3	37	2	2	6	9	14	18	31
75-79	2849	7.6	41	2	3	6	9	14	19	35
80-84	1889	7.5	36	2	3	6	9	13	18	29
85+	1291	8.2	43	2	3	7	10	15	20	33
GRAND TOTAL	**13834**	**7.3**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.7	27	<1	2	4	6	11	20	21
70-74	6	6.2	21	1	1	5	8	13	14	14
75-79	7	3.1	6	1	1	2	4	7	8	8
80-84	4	4.8	47	1	1	2	8	15	15	15
85+	5	2.8	6	1	1	2	3	7	7	7
B. *Operated*										
65-69 YRS	191	6.1	12	2	3	5	7	10	12	22
70-74	153	6.3	10	3	3	6	8	10	13	19
75-79	112	6.2	10	3	3	6	8	9	13	18
80-84	64	7.5	16	4	4	7	9	11	16	24
85+	30	7.0	19	2	3	6	9	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	5.2	8	1	1	5	8	9	9	10
70-74	32	6.3	17	1	2	5	8	12	16	18
75-79	30	7.1	53	1	1	5	8	19	25	31
80-84	17	8.1	30	3	4	6	9	18	21	22
85+	28	7.7	52	2	2	6	10	14	30	31
B. *Operated*										
65-69 YRS	243	8.5	43	3	4	7	10	15	19	35
70-74	212	8.7	30	3	4	7	10	16	21	27
75-79	161	8.7	28	3	3	7	10	15	20	27
80-84	91	11.3	113	4	5	9	12	18	27	70
85+	69	10.2	60	4	4	8	11	17	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	20	1	1	3	6	9	15	21
B. *Operated*	550	6.4	12	3	3	6	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	138	6.7	31	1	2	5	8	12	19	31
B. *Operated*	776	9.1	47	3	4	7	11	16	21	36
1. SINGLE DX	584	6.3	12	2	3	6	8	10	13	21
2. MULTIPLE DX	914	8.7	45	3	3	7	10	16	20	34
A. NOT OPERATED	172	6.3	30	1	1	5	8	12	18	31
B. OPERATED	1326	8.0	34	3	3	7	9	14	18	31
TOTAL 65-69 YRS	477	7.2	29	3	3	6	8	12	16	30
70-74	403	7.6	22	3	3	6	9	14	18	26
75-79	310	7.5	25	2	3	6	9	13	19	26
80-84	176	9.5	72	3	4	8	11	16	22	44
85+	132	8.7	49	2	3	7	10	15	29	37
GRAND TOTAL	**1498**	**7.8**	**34**	**2**	**3**	**6**	**9**	**13**	**18**	**31**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.1	8	1	1	3	6	8	10	11
70-74	25	4.3	4	1	2	4	6	7	8	8
75-79	26	7.0	24	2	2	6	9	12	17	23
80-84	23	5.8	23	1	2	5	6	12	18	23
85+	27	5.5	16	<1	1	5	6	10	16	17
B. *Operated*										
65-69 YRS	356	7.9	25	3	3	7	10	13	17	24
70-74	301	8.5	33	3	4	8	10	14	17	27
75-79	277	9.3	28	3	4	8	11	16	20	29
80-84	196	10.3	31	3	4	9	13	18	20	34
85+	175	10.7	38	4	5	9	13	18	23	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	8.1	37	2	2	6	11	18	21	27
70-74	102	6.6	17	2	2	5	9	12	15	19
75-79	125	8.0	41	2	3	6	9	18	22	37
80-84	106	7.7	33	2	2	6	10	15	23	61
85+	120	8.6	42	3	3	7	10	16	19	36
B. *Operated*										
65-69 YRS	637	12.1	79	4	4	10	15	21	29	55
70-74	664	12.8	83	4	5	11	15	23	31	54
75-79	619	14.5	116	4	5	11	18	27	35	60
80-84	447	14.8	86	5	7	12	18	26	33	51
85+	357	15.8	105	5	7	13	19	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	5.4	16	1	2	5	7	10	13	23
B. *Operated*	1305	9.1	31	3	4	8	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	551	7.8	35	2	3	6	10	15	20	32
B. *Operated*	2724	13.7	95	4	5	11	17	25	32	57
1. SINGLE DX	1428	8.7	31	3	3	8	11	15	19	29
2. MULTIPLE DX	3275	12.7	89	3	4	10	16	24	31	54
A. NOT OPERATED	674	7.4	32	2	2	6	9	14	19	30
B. OPERATED	4029	12.2	79	4	5	10	15	22	29	51
TOTAL 65-69 YRS	1113	10.2	62	3	3	8	12	19	24	46
70-74	1092	10.8	68	3	4	9	13	19	26	40
75-79	1047	12.2	89	3	4	9	15	24	29	50
80-84	772	12.4	71	3	4	10	16	23	30	50
85+	679	12.8	84	3	5	10	16	23	30	53
GRAND TOTAL	**4703**	**11.5**	**75**	**3**	**4**	**9**	**14**	**21**	**28**	**49**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	668	5.8	21	1	2	5	7	11	14	22
70-74	576	6.5	21	2	2	5	8	11	15	23
75-79	451	6.4	20	1	2	5	8	12	15	22
80-84	368	7.0	30	1	2	6	9	13	18	30
85+	329	8.1	42	2	3	7	10	16	21	32
B. *Operated*										
65-69 YRS	446	13.8	77	6	7	12	16	22	28	56
70-74	365	14.0	52	7	8	13	16	22	27	47
75-79	306	15.0	66	7	7	12	18	27	31	45
80-84	236	15.5	57	8	8	13	18	27	31	39
85+	173	16.3	65	7	9	14	20	26	32	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1487	8.0	36	2	3	7	10	15	20	31
70-74	1615	8.7	46	2	3	7	11	16	21	37
75-79	1485	9.2	54	2	3	7	12	17	22	41
80-84	1301	9.7	56	2	3	8	13	18	23	45
85+	1444	10.8	67	2	3	9	14	21	27	48
B. *Operated*										
65-69 YRS	1449	19.1	148	7	8	16	23	36	46	77
70-74	1436	19.7	156	7	9	16	24	35	45	76
75-79	1224	20.5	152	8	9	17	25	38	48	71
80-84	970	20.9	150	8	10	18	25	36	44	69
85+	810	22.4	186	8	10	19	27	40	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2392	6.6	25	2	2	5	8	12	16	27
B. *Operated*	1526	14.6	65	7	8	13	17	24	30	46
2. MULTIPLE DX										
A. *Not Operated*	7332	9.3	53	2	3	7	12	18	23	39
B. *Operated*	5889	20.3	157	7	9	17	25	36	46	73
1. SINGLE DX	3918	9.7	56	2	3	8	13	19	24	37
2. MULTIPLE DX	13221	14.2	129	3	4	11	18	28	37	62
A. NOT OPERATED	9724	8.6	47	2	3	7	11	16	21	37
B. OPERATED	7415	19.1	144	7	9	16	23	34	44	71
TOTAL 65-69 YRS	4050	12.2	109	2	3	9	16	24	33	57
70-74	3992	12.8	112	3	3	10	16	25	34	59
75-79	3466	13.3	117	3	4	11	17	27	35	56
80-84	2875	13.6	115	3	4	11	17	27	35	58
85+	2756	14.2	129	3	4	11	19	28	36	62
GRAND TOTAL	**17139**	**13.2**	**116**	**2**	**3**	**10**	**17**	**26**	**34**	**58**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1102	4.4	17	1	1	4	6	8	11	17
70-74	949	4.4	18	1	1	4	5	8	10	14
75-79	742	4.5	12	1	1	4	5	8	10	17
80-84	536	4.9	18	1	2	4	6	9	11	17
85+	493	4.9	14	1	2	4	6	9	11	19
B. *Operated*										
65-69 YRS	71	7.5	29	1	2	6	11	15	18	26
70-74	45	9.5	57	1	2	8	13	22	26	30
75-79	45	8.4	66	1	2	6	11	14	20	49
80-84	31	12.3	95	1	4	10	16	22	38	44
85+	17	9.4	58	1	1	9	16	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4287	6.4	24	2	2	5	8	12	15	26
70-74	4308	6.8	30	2	2	5	8	13	17	29
75-79	4057	7.2	34	2	2	6	9	13	18	29
80-84	3302	7.7	42	2	2	6	9	15	19	35
85+	3119	8.2	49	2	3	7	10	15	20	39
B. *Operated*										
65-69 YRS	492	13.4	120	3	4	10	17	26	39	60
70-74	482	13.1	106	3	4	10	17	25	32	53
75-79	401	13.7	107	3	4	11	18	26	34	67
80-84	269	13.6	96	4	5	11	17	27	34	50
85+	215	15.9	188	4	5	12	18	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3822	4.5	16	1	1	4	6	8	11	17
B. *Operated*	209	9.0	56	1	2	7	12	19	22	41
2. MULTIPLE DX										
A. *Not Operated*	19073	7.2	35	2	2	6	9	13	17	31
B. *Operated*	1859	13.7	118	3	4	11	17	27	36	58
1. SINGLE DX	4031	4.8	19	1	1	4	6	9	12	20
2. MULTIPLE DX	20932	7.8	46	2	2	6	10	15	20	37
A. NOT OPERATED	22895	6.7	33	2	2	5	8	13	16	29
B. OPERATED	2068	13.2	114	3	4	11	17	26	35	57
TOTAL 65-69 YRS	5952	6.6	35	1	2	5	8	12	16	32
70-74	5784	7.0	39	2	2	5	9	13	18	33
75-79	5245	7.3	41	2	2	6	9	14	19	33
80-84	4138	7.8	46	2	2	6	10	15	20	38
85+	3844	8.2	57	2	2	6	10	15	21	42
GRAND TOTAL	**24963**	**7.3**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1525	5.3	15	1	2	4	7	9	12	17
70-74	1365	5.4	15	1	2	5	7	10	12	16
75-79	1224	5.8	22	1	2	5	7	11	13	22
80-84	827	5.9	19	1	2	5	8	11	13	24
85+	612	6.2	18	1	2	5	8	11	14	21
B. *Operated*										
65-69 YRS	456	13.9	53	4	7	12	17	23	27	38
70-74	348	13.1	62	3	5	12	16	21	26	39
75-79	237	15.8	126	2	5	14	19	27	36	72
80-84	94	13.1	79	3	4	11	18	26	29	44
85+	42	14.9	72	5	6	13	21	26	38	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4712	6.6	23	2	3	6	8	12	15	24
70-74	5371	7.0	28	2	3	6	9	12	16	28
75-79	5404	7.4	33	2	3	6	9	13	17	29
80-84	4229	8.2	39	2	3	7	10	15	19	32
85+	3734	8.7	42	2	3	7	11	16	21	36
B. *Operated*										
65-69 YRS	1936	16.2	124	4	6	14	20	29	37	68
70-74	1852	16.8	152	4	5	14	21	31	40	77
75-79	1512	17.9	160	4	6	15	23	34	45	68
80-84	1005	18.9	190	4	6	16	25	36	47	76
85+	601	19.3	217	4	6	16	24	38	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5553	5.6	18	1	2	5	7	10	13	20
B. *Operated*	1177	14.0	74	3	5	12	17	23	29	47
2. MULTIPLE DX										
A. *Not Operated*	23450	7.5	33	2	3	6	9	14	17	29
B. *Operated*	6906	17.4	158	4	6	14	22	33	43	75
1. SINGLE DX	6730	7.1	38	1	2	5	9	14	18	29
2. MULTIPLE DX	30356	9.8	79	2	3	7	12	20	26	48
A. NOT OPERATED	29003	7.1	30	2	2	6	9	13	16	28
B. OPERATED	8083	16.9	147	4	5	14	21	31	41	71
TOTAL 65-69 YRS	8629	8.9	64	2	3	7	11	18	24	39
70-74	8936	9.0	70	2	3	7	11	18	24	44
75-79	8377	9.3	76	2	3	7	11	18	25	47
80-84	6155	9.7	79	2	3	7	12	20	26	49
85+	4989	9.7	74	2	3	7	12	19	25	47
GRAND TOTAL	**37086**	**9.3**	**72**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	5.2	13	1	2	4	7	9	14	16
70-74	20	4.0	11	1	1	3	5	7	11	15
75-79	14	10.2	97	1	3	8	13	20	36	40
80-84	12	4.3	10	1	1	3	6	9	11	11
85+	10	5.8	6	2	2	6	8	9	9	9
B. *Operated*										
65-69 YRS	425	4.8	15	2	2	4	5	8	11	20
70-74	258	5.7	27	2	2	4	7	11	16	22
75-79	124	5.2	11	2	2	4	7	8	10	21
80-84	50	6.2	19	1	2	5	9	12	18	20
85+	31	7.6	34	3	3	5	11	17	18	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	7.7	35	2	2	6	10	15	20	32
70-74	95	6.5	23	1	2	5	8	12	16	27
75-79	69	7.5	28	2	2	6	10	17	18	23
80-84	41	11.8	96	3	3	8	17	25	29	51
85+	54	12.5	118	2	2	11	15	30	46	97
B. *Operated*										
65-69 YRS	903	7.8	46	2	3	6	9	15	21	36
70-74	572	8.5	75	2	3	6	9	16	23	45
75-79	320	10.1	106	3	3	7	12	19	28	60
80-84	121	10.8	104	3	3	7	14	21	28	53
85+	84	11.4	101	3	4	8	13	24	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.8	31	1	1	4	7	11	15	35
B. *Operated*	888	5.3	19	2	2	4	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	370	8.5	54	2	2	7	11	17	23	47
B. *Operated*	2000	8.7	71	2	3	6	10	17	23	44
1. SINGLE DX	961	5.4	20	2	2	4	6	10	13	22
2. MULTIPLE DX	2370	8.7	68	2	3	6	10	17	23	44
A. NOT OPERATED	443	8.1	51	2	2	6	10	16	21	42
B. OPERATED	2888	7.7	57	2	3	5	9	15	21	42
TOTAL 65-69 YRS	1456	6.9	37	2	3	5	8	13	18	32
70-74	945	7.4	57	2	2	5	8	14	20	42
75-79	527	8.6	77	2	3	6	10	16	21	45
80-84	224	9.6	83	2	3	7	12	20	26	45
85+	179	10.8	92	2	3	8	13	23	33	52
GRAND TOTAL	**3331**	**7.7**	**56**	**2**	**3**	**5**	**9**	**15**	**21**	**42**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	990	5.2	19	1	1	4	7	11	14	21
70-74	813	5.2	32	1	1	4	6	11	13	24
75-79	669	5.3	19	1	1	4	7	11	14	20
80-84	467	5.3	24	1	1	4	7	11	14	24
85+	462	5.6	29	1	1	4	7	12	17	27
B. *Operated*										
65-69 YRS	728	9.1	78	1	2	6	12	19	25	41
70-74	531	9.8	97	1	2	7	13	19	25	54
75-79	396	10.5	84	2	2	8	14	21	25	46
80-84	243	10.1	84	1	2	7	13	20	28	46
85+	159	11.1	112	2	3	9	15	23	28	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3892	6.9	34	2	2	5	9	13	17	31
70-74	3881	7.1	36	2	2	5	9	13	17	33
75-79	3747	7.5	46	2	2	6	9	14	19	35
80-84	3037	7.9	49	2	2	6	10	15	20	36
85+	3053	8.0	56	2	2	6	10	15	21	44
B. *Operated*										
65-69 YRS	2422	14.7	176	3	4	11	18	31	44	81
70-74	2236	15.3	176	3	4	12	20	32	43	74
75-79	1651	15.4	173	3	4	12	20	32	44	72
80-84	1033	16.5	172	3	5	13	21	33	44	79
85+	716	17.0	181	3	5	14	22	35	43	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3401	5.3	24	1	1	4	7	11	14	23
B. *Operated*	2057	9.8	88	2	2	7	13	20	26	46
2. MULTIPLE DX										
A. *Not Operated*	17610	7.4	44	2	2	6	9	14	19	35
B. *Operated*	8058	15.5	176	3	4	12	20	32	43	77
1. SINGLE DX	5458	7.0	53	1	2	5	9	15	20	34
2. MULTIPLE DX	25668	9.9	99	2	3	7	12	21	29	56
A. NOT OPERATED	21011	7.1	41	1	2	5	9	14	18	34
B. OPERATED	10115	14.3	163	2	3	11	18	30	41	71
TOTAL 65-69 YRS	8032	9.2	92	2	2	6	11	19	27	54
70-74	7461	9.5	97	2	2	7	12	20	28	55
75-79	6463	9.5	91	2	2	7	12	19	28	51
80-84	4780	9.6	89	2	2	7	12	20	27	52
85+	4390	9.4	88	2	2	7	11	19	26	53
GRAND TOTAL	**31126**	**9.4**	**92**	**2**	**2**	**7**	**12**	**20**	**27**	**53**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	10.0	62	2	4	8	12	18	23	45
70-74	38	10.9	143	3	4	7	10	31	35	60
75-79	15	11.3	56	4	4	9	16	24	27	28
80-84	7	9.4	124	2	2	7	9	29	34	34
85+	1	23.0		23	23	23	23	23	23	23
B. *Operated*										
65-69 YRS	27	10.5	73	2	2	8	15	20	29	37
70-74	8	14.8	67	<1	2	14	20	25	27	27
75-79	3	11.0	28	7	7	9	15	17	17	17
80-84	1	15.0		15	15	15	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	973	13.8	105	3	4	11	19	26	34	51
70-74	473	14.1	101	3	4	11	20	26	34	51
75-79	190	14.5	169	3	4	11	18	31	35	77
80-84	47	13.4	181	2	3	9	15	37	43	60
85+	25	13.5	102	2	3	11	18	26	39	41
B. *Operated*										
65-69 YRS	304	17.9	155	3	5	15	24	37	44	62
70-74	155	18.2	176	4	6	16	22	37	45	96
75-79	58	17.6	206	3	5	13	23	40	54	64
80-84	11	24.5	613	5	7	14	25	68	85	87
85+	6	19.5	386	5	6	13	15	55	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	10.4	81	2	4	8	12	21	27	56
B. *Operated*	39	11.5	67	2	2	9	17	21	28	37
2. MULTIPLE DX										
A. *Not Operated*	1708	13.9	113	3	4	11	19	26	34	52
B. *Operated*	534	18.1	177	4	5	15	23	37	45	68
1. SINGLE DX	207	10.6	78	2	3	8	14	21	27	47
2. MULTIPLE DX	2242	14.9	131	3	4	12	20	29	38	58
A. NOT OPERATED	1876	13.6	111	3	4	11	18	26	34	53
B. OPERATED	573	17.6	172	3	5	14	22	37	45	66
TOTAL 65-69 YRS	1411	14.3	117	3	4	11	19	28	37	55
70-74	674	14.9	124	3	4	12	20	29	37	54
75-79	266	15.0	170	3	4	11	18	31	36	74
80-84	66	14.9	254	2	3	9	16	38	54	83
85+	32	14.9	149	2	3	12	19	30	41	59
GRAND TOTAL	**2449**	**14.6**	**128**	**3**	**4**	**11**	**19**	**29**	**37**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	9.1	41	1	2	8	11	17	22	32
70-74	65	8.3	48	2	2	7	11	16	20	39
75-79	38	9.8	96	2	2	6	12	20	26	54
80-84	17	10.2	34	4	4	9	12	21	24	24
85+	9	7.0	26	2	2	5	10	15	17	17
B. *Operated*										
65-69 YRS	133	8.1	67	1	1	4	13	20	26	34
70-74	79	9.5	128	<1	1	4	14	19	38	51
75-79	49	9.9	61	1	1	9	14	22	22	39
80-84	13	11.8	165	1	1	9	18	24	44	49
85+	7	12.6	92	2	3	10	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	806	12.6	97	3	4	10	16	24	31	56
70-74	633	13.3	125	2	4	10	17	26	34	60
75-79	368	14.1	135	3	4	11	18	27	39	69
80-84	193	12.8	88	3	4	10	17	25	36	51
85+	87	12.8	69	3	4	11	16	24	30	43
B. *Operated*										
65-69 YRS	571	15.1	193	2	2	11	20	33	44	68
70-74	412	15.3	156	2	2	12	22	30	39	60
75-79	275	18.1	200	2	3	16	22	35	44	74
80-84	105	17.3	173	3	4	14	25	34	45	90
85+	49	20.4	172	2	5	19	29	37	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	9.0	51	1	2	7	12	17	22	37
B. *Operated*	281	9.1	88	1	1	6	14	22	27	42
2. MULTIPLE DX										
A. *Not Operated*	2087	13.1	110	3	4	10	16	25	34	59
B. *Operated*	1412	16.1	183	2	3	12	22	33	43	70
1. SINGLE DX	503	9.0	71	1	1	7	13	19	24	41
2. MULTIPLE DX	3499	14.3	141	2	3	11	18	28	38	65
A. NOT OPERATED	2309	12.7	106	3	4	10	16	25	32	58
B. OPERATED	1693	14.9	174	1	2	12	20	31	41	67
TOTAL 65-69 YRS	1603	12.9	130	2	3	10	16	26	35	57
70-74	1189	13.4	135	2	3	10	18	27	36	58
75-79	730	15.1	159	2	4	12	20	29	40	72
80-84	328	14.1	120	3	4	11	18	28	38	64
85+	152	14.9	115	2	3	12	21	30	36	46
GRAND TOTAL	**4002**	**13.6**	**136**	**2**	**3**	**11**	**18**	**28**	**37**	**60**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	8.5	39	2	3	7	11	15	20	35
70-74	75	8.9	34	2	3	8	11	15	20	34
75-79	37	8.0	56	1	2	6	11	18	23	35
80-84	28	9.0	57	2	2	6	11	19	28	32
85+	21	9.2	31	2	3	9	12	15	21	27
B. *Operated*										
65-69 YRS	76	10.5	116	1	2	9	13	23	27	63
70-74	35	11.3	70	1	2	10	15	25	29	32
75-79	29	11.9	93	2	2	10	15	30	32	34
80-84	10	12.5	51	1	2	15	17	20	22	22
85+	8	15.6	175	2	2	13	22	37	41	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	601	11.3	91	3	4	9	14	22	29	52
70-74	443	12.2	92	3	3	9	16	23	30	50
75-79	293	11.4	71	2	3	9	15	22	26	42
80-84	163	10.6	48	3	4	9	14	20	24	36
85+	111	13.4	141	3	4	10	16	26	37	88
B. *Operated*										
65-69 YRS	234	18.4	193	2	4	15	24	33	44	69
70-74	183	20.7	299	3	5	16	26	47	59	94
75-79	135	18.5	182	3	5	15	24	38	44	64
80-84	74	18.0	109	4	5	17	24	33	38	44
85+	36	22.5	295	6	7	17	32	39	45	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	8.6	41	2	2	7	11	16	21	35
B. *Operated*	158	11.3	100	1	2	10	15	25	31	47
2. MULTIPLE DX										
A. *Not Operated*	1611	11.7	87	3	4	9	15	23	29	51
B. *Operated*	662	19.2	217	3	5	16	25	38	47	78
1. SINGLE DX	419	9.7	65	2	2	8	12	19	26	38
2. MULTIPLE DX	2273	13.9	136	3	4	10	18	28	37	62
A. NOT OPERATED	1872	11.2	82	2	3	9	14	22	28	50
B. OPERATED	820	17.7	204	2	3	14	23	35	45	73
TOTAL 65-69 YRS	1011	12.6	122	2	3	10	16	26	33	59
70-74	736	13.9	152	2	3	10	18	28	40	68
75-79	494	13.1	113	2	3	10	17	26	36	50
80-84	275	12.5	76	3	4	10	17	25	30	41
85+	176	14.9	176	3	4	10	17	32	39	92
GRAND TOTAL	**2692**	**13.2**	**128**	**2**	**3**	**10**	**17**	**26**	**36**	**60**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	468	4.7	9	1	2	4	6	9	11	14
70-74	391	5.4	16	1	2	4	7	10	12	19
75-79	321	5.7	17	1	2	5	7	11	12	21
80-84	239	6.6	14	2	3	6	9	12	14	19
85+	184	6.4	26	2	2	6	8	11	13	34
B. *Operated*										
65-69 YRS	3260	9.9	20	5	6	9	11	15	18	25
70-74	2222	10.6	23	6	6	9	12	17	20	27
75-79	1194	11.6	26	6	7	10	14	18	21	28
80-84	533	12.8	32	6	7	11	16	20	22	32
85+	285	15.0	62	6	7	13	18	24	28	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1676	6.9	28	2	3	6	8	12	16	25
70-74	1733	7.2	29	2	3	6	9	13	16	28
75-79	1592	7.9	32	2	3	6	10	14	18	28
80-84	1366	8.1	30	2	3	7	10	14	17	28
85+	1269	9.1	48	3	3	7	11	17	21	35
B. *Operated*										
65-69 YRS	6553	13.4	60	6	7	11	16	22	27	44
70-74	5328	14.5	64	6	7	12	17	24	29	45
75-79	3639	16.1	74	7	8	14	19	26	32	49
80-84	2004	18.7	108	8	9	16	23	31	39	57
85+	1210	20.1	122	8	10	18	24	33	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*	18734	15.2	77	6	7	13	18	25	31	49
1. SINGLE DX	9097	9.9	28	3	5	9	12	16	20	27
2. MULTIPLE DX	26370	13.1	76	3	5	11	16	23	29	46
A. NOT OPERATED	9239	7.4	31	2	3	6	9	13	17	27
B. OPERATED	26228	14.0	67	6	7	12	17	23	29	46
TOTAL 65-69 YRS	11957	11.2	50	4	5	9	14	19	23	37
70-74	9674	11.9	56	3	5	10	15	21	25	40
75-79	6746	12.9	67	3	5	11	16	23	28	43
80-84	4142	13.7	92	3	4	11	18	25	31	48
85+	2948	14.0	107	3	4	12	18	26	33	56
GRAND TOTAL	**35467**	**12.2**	**66**	**3**	**5**	**10**	**15**	**22**	**27**	**43**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	403	5.5	30	1	2	4	7	9	12	26
70-74	304	5.3	12	1	2	4	7	10	12	19
75-79	230	6.1	17	2	2	5	7	11	13	21
80-84	170	6.8	43	1	2	6	8	12	14	35
85+	179	6.7	14	2	3	6	9	12	14	18
B. *Operated*										
65-69 YRS	393	10.9	26	6	6	10	12	17	20	31
70-74	247	11.4	32	6	7	10	13	18	22	30
75-79	186	12.3	23	6	7	12	14	18	21	30
80-84	111	13.0	37	6	7	12	15	20	27	36
85+	83	15.0	42	7	8	15	18	23	26	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1213	6.9	29	2	3	6	9	12	15	24
70-74	1063	7.8	30	2	3	7	10	13	16	28
75-79	1014	8.6	31	2	3	7	11	15	19	29
80-84	820	9.3	37	3	4	8	11	17	21	33
85+	891	10.0	54	3	4	8	12	19	24	37
B. *Operated*										
65-69 YRS	1418	14.1	62	6	7	12	17	23	29	48
70-74	1164	15.2	71	7	8	13	19	26	31	49
75-79	890	17.3	96	7	8	15	21	29	37	60
80-84	518	18.7	90	8	9	16	23	32	38	50
85+	384	19.6	112	9	10	17	25	33	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1286	5.9	23	1	2	5	7	11	13	21
B. *Operated*	1020	11.8	31	6	7	11	14	19	22	31
2. MULTIPLE DX										
A. *Not Operated*	5001	8.4	37	2	3	7	10	15	19	32
B. *Operated*	4374	16.0	83	7	8	14	20	28	34	52
1. SINGLE DX	2306	8.5	35	2	3	7	11	15	19	29
2. MULTIPLE DX	9375	12.0	73	3	4	10	15	22	28	46
A. NOT OPERATED	6287	7.9	35	2	3	7	10	14	18	31
B. OPERATED	5394	15.2	75	6	7	13	18	26	32	49
TOTAL 65-69 YRS	3427	10.2	55	2	3	8	13	18	23	38
70-74	2778	10.9	61	3	4	9	14	20	26	45
75-79	2320	12.0	73	3	4	10	15	22	28	44
80-84	1619	12.3	76	3	4	10	16	24	30	44
85+	1537	12.3	84	3	4	10	16	24	30	48
GRAND TOTAL	**11681**	**11.3**	**67**	**3**	**4**	**9**	**14**	**21**	**27**	**44**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	5.6	14	1	2	5	7	11	13	19
70-74	51	6.3	19	2	2	5	8	11	12	26
75-79	63	5.8	20	1	1	5	9	11	15	20
80-84	59	6.9	20	1	2	6	9	11	13	28
85+	38	6.5	19	1	2	6	8	12	16	17
B. *Operated*										
65-69 YRS	281	11.8	43	3	5	10	15	19	23	38
70-74	240	12.9	64	2	3	12	16	22	26	40
75-79	199	13.9	55	3	5	13	18	23	29	37
80-84	125	15.2	71	4	5	14	20	25	29	45
85+	89	15.4	65	3	4	15	20	24	31	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	168	7.2	20	2	3	7	9	13	16	25
70-74	185	8.7	45	3	3	7	11	16	19	31
75-79	177	8.6	31	2	3	8	10	15	19	31
80-84	166	9.6	81	2	3	8	11	16	21	56
85+	209	9.5	40	3	4	8	12	18	22	32
B. *Operated*										
65-69 YRS	597	16.2	80	6	8	14	20	27	33	52
70-74	615	18.0	111	7	8	16	22	30	37	61
75-79	518	19.5	113	7	9	17	25	34	40	58
80-84	406	20.1	94	8	10	18	25	34	40	60
85+	339	22.9	127	7	10	21	29	38	43	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	6.2	18	1	2	5	8	11	14	20
B. *Operated*	934	13.3	58	3	5	12	17	23	27	39
2. MULTIPLE DX										
A. *Not Operated*	905	8.8	44	2	3	7	10	15	19	31
B. *Operated*	2475	18.9	108	7	9	17	24	32	39	59
1. SINGLE DX	1217	11.7	58	2	3	10	16	21	25	38
2. MULTIPLE DX	3380	16.2	111	4	5	14	21	30	37	56
A. NOT OPERATED	1188	8.1	39	2	3	7	10	15	18	29
B. OPERATED	3409	17.4	100	5	7	15	22	30	37	54
TOTAL 65-69 YRS	1118	13.1	72	3	4	11	17	23	29	48
70-74	1091	14.8	101	3	5	13	19	26	32	52
75-79	957	15.4	104	3	4	14	20	29	36	50
80-84	756	16.0	106	3	5	14	21	29	36	58
85+	675	16.9	127	3	5	15	23	31	39	54
GRAND TOTAL	**4597**	**15.0**	**101**	**3**	**5**	**13**	**19**	**28**	**34**	**50**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	6.3	18	1	1	6	8	12	14	20
70-74	66	6.8	26	2	2	6	8	12	14	34
75-79	81	7.8	26	2	3	8	10	13	17	27
80-84	55	7.5	19	2	3	6	10	13	15	23
85+	50	8.2	23	2	3	7	11	16	18	21
B. *Operated*										
65-69 YRS	44	14.5	119	2	3	13	17	30	35	56
70-74	52	16.2	166	2	3	14	20	27	34	81
75-79	34	14.1	65	1	2	15	18	23	30	33
80-84	27	17.6	109	1	4	17	27	31	33	40
85+	15	19.3	370	2	6	16	22	26	69	84
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	9.2	46	3	3	7	12	18	21	33
70-74	298	10.5	72	2	3	8	13	20	26	40
75-79	254	10.1	57	2	3	8	13	19	26	42
80-84	297	11.3	60	3	4	9	14	21	28	40
85+	268	11.7	65	3	5	10	14	21	25	38
B. *Operated*										
65-69 YRS	293	19.8	136	6	8	18	24	38	45	70
70-74	269	19.8	152	4	7	18	25	33	41	91
75-79	277	22.0	174	7	9	19	27	38	50	79
80-84	208	24.7	209	9	11	21	29	44	52	79
85+	141	23.1	117	9	11	21	30	37	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	7.2	23	1	2	6	9	13	16	23
B. *Operated*	172	15.8	141	2	3	15	20	29	33	76
2. MULTIPLE DX										
A. *Not Operated*	1367	10.6	61	3	4	9	13	19	25	38
B. *Operated*	1188	21.6	162	6	9	19	26	38	47	76
1. SINGLE DX	520	10.1	78	1	2	8	13	19	26	39
2. MULTIPLE DX	2555	15.7	138	3	4	13	21	30	38	63
A. NOT OPERATED	1715	9.9	55	2	3	8	12	18	24	37
B. OPERATED	1360	20.8	163	5	8	18	25	36	46	76
TOTAL 65-69 YRS	683	13.7	116	2	3	11	19	26	38	52
70-74	685	14.2	130	2	4	12	19	29	33	69
75-79	646	15.2	140	2	4	13	20	29	37	63
80-84	587	16.0	156	3	4	12	21	31	42	70
85+	474	15.0	116	4	5	12	19	30	35	53
GRAND TOTAL	**3075**	**14.8**	**132**	**3**	**4**	**12**	**19**	**29**	**36**	**59**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	395	8.0	34	2	3	7	10	14	18	29
70-74	280	7.9	21	2	3	7	10	13	16	24
75-79	220	8.6	22	3	4	8	11	15	17	25
80-84	137	9.1	61	2	3	7	10	16	20	48
85+	107	9.2	33	3	4	8	11	16	22	33
B. *Operated*										
65-69 YRS	50	17.5	210	1	2	14	23	33	53	76
70-74	51	13.3	69	1	3	13	18	27	29	32
75-79	35	15.3	192	2	2	10	19	31	52	57
80-84	15	14.9	102	4	6	13	18	36	37	37
85+	7	16.4	34	7	8	17	19	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1233	9.5	40	3	4	8	12	17	20	32
70-74	1075	10.3	58	3	4	9	12	17	23	42
75-79	864	10.7	54	3	4	9	13	19	25	39
80-84	565	11.0	42	4	5	10	13	19	24	36
85+	510	11.8	62	4	5	10	15	21	26	42
B. *Operated*										
65-69 YRS	414	20.3	195	5	7	17	25	42	54	99+
70-74	349	20.9	201	6	8	18	26	39	50	84
75-79	262	21.8	183	7	9	19	28	40	52	78
80-84	144	21.4	155	8	10	19	26	38	49	83
85+	97	27.1	374	7	9	20	36	49	71	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1139	8.3	32	2	3	7	10	14	18	28
B. *Operated*	158	15.4	142	2	3	13	19	29	37	57
2. MULTIPLE DX										
A. *Not Operated*	4247	10.4	51	3	4	9	13	18	24	37
B. *Operated*	1266	21.4	206	6	8	18	27	41	52	95
1. SINGLE DX	1297	9.2	50	2	3	8	11	17	21	36
2. MULTIPLE DX	5513	13.0	108	4	5	10	16	25	33	62
A. NOT OPERATED	5386	10.0	47	3	4	8	12	18	22	36
B. OPERATED	1424	20.8	202	5	7	18	26	40	51	93
TOTAL 65-69 YRS	2092	11.6	94	3	4	9	14	22	30	58
70-74	1755	12.1	101	3	4	9	15	23	30	58
75-79	1381	12.6	98	3	4	10	16	25	31	55
80-84	861	12.5	81	4	5	10	15	23	29	51
85+	721	13.5	128	4	5	10	16	25	36	72
GRAND TOTAL	**6810**	**12.2**	**99**	**3**	**4**	**10**	**15**	**23**	**30**	**55**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	387	5.6	14	1	2	5	7	10	13	18
70-74	401	6.0	20	2	2	5	8	10	14	23
75-79	345	6.2	28	1	2	5	8	11	13	22
80-84	285	7.3	24	1	2	6	9	13	16	24
85+	286	7.6	27	2	3	6	10	15	17	25
B. *Operated*										
65-69 YRS	58	9.2	39	2	3	7	12	19	22	29
70-74	57	9.3	45	1	1	8	14	19	22	27
75-79	58	10.5	63	2	3	9	11	18	30	44
80-84	24	9.1	37	2	3	9	12	14	20	31
85+	34	12.7	106	4	5	9	15	28	30	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2583	8.1	38	2	3	7	10	14	19	33
70-74	2726	8.4	36	2	3	7	10	15	20	32
75-79	2737	8.9	45	2	3	7	11	16	20	33
80-84	2396	9.6	49	2	3	8	12	18	23	38
85+	2624	9.6	47	2	3	8	12	18	23	37
B. *Operated*										
65-69 YRS	782	13.2	107	3	4	11	16	25	33	57
70-74	785	14.1	120	3	4	11	18	28	35	60
75-79	722	15.4	142	4	5	12	19	31	41	70
80-84	546	15.7	155	4	5	12	19	31	44	81
85+	411	17.5	149	5	6	14	23	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1704	6.4	23	1	2	5	8	12	15	22
B. *Operated*	231	10.0	57	2	3	8	13	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	13066	8.9	43	2	3	7	11	16	21	36
B. *Operated*	3246	14.9	133	4	5	12	19	29	39	66
1. SINGLE DX	1935	6.9	28	1	2	6	9	13	16	27
2. MULTIPLE DX	16312	10.1	67	2	3	8	12	19	25	45
A. NOT OPERATED	14770	8.6	41	2	3	7	11	16	20	34
B. OPERATED	3477	14.6	129	3	5	11	18	29	38	62
TOTAL 65-69 YRS	3810	8.9	55	2	3	7	11	16	22	40
70-74	3969	9.3	58	2	3	7	11	18	24	39
75-79	3862	9.9	69	2	3	8	12	18	25	47
80-84	3251	10.4	70	2	3	8	13	20	26	50
85+	3355	10.4	66	2	3	8	13	20	26	41
GRAND TOTAL	**18247**	**9.7**	**64**	**2**	**3**	**8**	**12**	**18**	**25**	**44**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	12.1	130	<1	1	7	14	32	34	34
70-74	10	7.9	31	1	2	8	9	16	22	22
75-79	16	7.1	15	2	2	7	9	14	15	15
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	19	10.6	92	<1	1	6	16	25	30	35
70-74	10	9.6	33	<1	2	9	14	18	19	19
75-79	6	7.8	50	1	1	7	14	17	17	17
80-84	5	17.6	169	6	6	12	30	34	34	34
85+	1	37.0		37	37	37	37	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	136	12.3	88	3	3	9	16	26	28	54
70-74	87	11.4	52	3	4	11	16	21	24	35
75-79	75	11.5	61	3	4	10	14	21	27	38
80-84	51	13.6	204	2	4	10	18	25	29	94
85+	26	9.7	38	2	3	9	13	16	21	30
B. *Operated*										
65-69 YRS	78	18.7	236	3	5	15	23	38	50	99
70-74	53	16.8	168	4	6	14	20	30	44	77
75-79	41	18.9	251	2	4	14	24	38	53	79
80-84	16	20.3	141	6	7	18	25	37	48	52
85+	11	32.3	802	5	6	24	49	76	94	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.6	50	1	2	7	9	15	27	34
B. *Operated*	41	11.4	96	<1	1	8	16	27	34	37
2. MULTIPLE DX										
A. *Not Operated*	375	11.9	86	3	4	10	16	24	28	38
B. *Operated*	199	19.1	249	3	5	15	23	39	51	96
1. SINGLE DX	79	10.1	75	1	2	7	13	23	33	36
2. MULTIPLE DX	574	14.4	154	3	4	11	18	28	38	74
A. NOT OPERATED	413	11.6	84	2	4	9	15	23	28	38
B. OPERATED	240	17.8	231	3	4	14	22	37	50	96
TOTAL 65-69 YRS	243	14.2	145	2	3	11	18	30	36	64
70-74	160	12.9	95	3	4	11	17	22	29	45
75-79	138	13.0	127	2	3	10	16	26	35	58
80-84	73	15.2	190	3	4	12	22	28	36	85
85+	39	16.7	353	3	4	10	18	39	58	96
GRAND TOTAL	**653**	**13.9**	**146**	**3**	**4**	**11**	**17**	**27**	**36**	**63**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	10.2	89	2	3	6	13	20	34	41
70-74	22	9.2	35	1	2	8	13	17	22	24
75-79	11	9.5	27	3	3	10	11	18	19	19
80-84	11	9.2	38	2	3	8	10	19	24	24
85+	4	16.0	259	3	3	11	28	38	38	38
B. *Operated*										
65-69 YRS	25	9.2	92	1	1	7	13	16	24	47
70-74	16	8.0	56	1	1	5	11	17	25	29
75-79	8	12.8	157	2	2	9	19	33	38	38
80-84	8	12.0	88	2	3	8	19	26	29	29
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	187	10.9	77	2	3	9	14	21	33	52
70-74	176	10.9	60	2	3	9	15	20	27	34
75-79	131	14.3	166	2	4	11	18	28	34	77
80-84	98	11.2	61	3	4	10	14	21	28	74
85+	81	15.8	263	3	3	12	19	35	42	87
B. *Operated*										
65-69 YRS	179	14.2	130	2	3	11	18	31	39	48
70-74	127	15.1	151	3	4	12	19	30	35	67
75-79	70	18.3	213	2	4	15	24	38	43	78
80-84	29	15.2	85	3	4	14	21	31	36	99+
85+	18	18.2	316	4	6	12	22	34	62	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	9.9	59	2	3	8	13	19	24	41
B. *Operated*	58	9.7	86	1	2	7	14	19	29	46
2. MULTIPLE DX										
A. *Not Operated*	673	12.2	112	2	3	9	15	24	33	63
B. *Operated*	423	15.4	155	3	4	12	20	32	39	68
1. SINGLE DX	123	9.8	71	1	2	8	13	19	26	43
2. MULTIPLE DX	1096	13.4	131	2	4	10	17	28	35	66
A. NOT OPERATED	738	12.0	108	2	3	9	15	24	33	57
B. OPERATED	481	14.7	150	2	3	11	19	31	38	66
TOTAL 65-69 YRS	408	12.2	104	2	3	9	15	26	36	48
70-74	341	12.2	97	2	3	10	16	23	30	52
75-79	220	15.3	177	2	4	11	20	30	40	77
80-84	146	11.9	67	3	4	10	16	24	30	99+
85+	104	16.1	265	3	3	12	19	35	42	86
GRAND TOTAL	**1219**	**13.1**	**126**	**2**	**3**	**10**	**17**	**27**	**35**	**65**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	1	33.0		33	33	33	33	33	33	33
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	17.0		17	17	17	17	17	17	17
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84										
85+	2	13.5	41	9	9	13	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	13.2	491	3	3	6	11	19	70	97
70-74	19	9.6	40	2	2	9	12	19	23	26
75-79	18	10.2	62	3	4	7	12	22	28	32
80-84	10	11.5	93	3	4	8	11	29	33	33
85+	12	10.8	11	6	7	10	14	15	16	16
B. *Operated*										
65-69 YRS	20	20.9	480	2	3	14	22	53	74	91
70-74	16	12.0	34	3	3	13	17	18	19	20
75-79	15	16.8	137	3	4	14	22	36	42	44
80-84	8	19.4	68	10	11	17	22	33	37	37
85+	5	14.0	62	3	3	13	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	10.7	125	4	4	6	10	31	33	33
B. *Operated*	7	8.6	45	2	2	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	76	11.0	143	2	3	8	12	20	26	80
B. *Operated*	64	17.0	207	3	3	15	19	30	45	86
1. SINGLE DX	13	9.5	76	2	2	8	12	21	31	33
2. MULTIPLE DX	140	13.7	180	3	3	10	16	24	34	92
A. NOT OPERATED	82	11.0	140	3	4	8	12	20	28	77
B. OPERATED	71	16.1	197	2	3	14	19	28	44	84
TOTAL 65-69 YRS	41	16.0	456	2	3	9	16	37	73	97
70-74	37	11.5	50	2	3	10	17	19	24	33
75-79	35	12.8	101	3	4	9	18	26	35	44
80-84	19	14.7	90	4	5	11	20	30	35	37
85+	21	11.4	26	4	5	11	15	19	21	23
GRAND TOTAL	**153**	**13.4**	**172**	**2**	**3**	**10**	**16**	**24**	**33**	**90**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	6.0	116	<1	1	2	6	15	26	64
70-74	64	5.2	30	1	1	2	8	13	16	22
75-79	49	5.7	33	1	1	3	8	15	20	22
80-84	24	10.4	245	1	1	5	10	26	57	57
85+	8	11.6	62	1	2	11	18	21	22	22
B. *Operated*										
65-69 YRS	146	7.1	80	1	2	4	7	15	32	46
70-74	95	7.2	49	1	1	5	11	17	22	33
75-79	57	6.2	49	1	1	5	9	14	18	41
80-84	8	8.3	50	<1	1	6	13	19	19	19
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	561	8.0	77	1	1	6	11	18	27	53
70-74	612	8.1	69	1	1	6	12	19	25	40
75-79	486	8.6	76	1	1	6	12	20	30	43
80-84	346	9.6	105	1	1	7	15	22	30	63
85+	201	13.5	127	3	4	10	16	27	36	50
B. *Operated*										
65-69 YRS	735	14.3	199	2	3	9	18	34	45	68
70-74	599	14.1	187	2	2	10	19	32	45	70
75-79	342	16.1	225	2	3	12	23	33	48	79
80-84	139	18.1	217	3	4	15	22	37	49	69
85+	47	24.0	312	3	4	22	34	48	60	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	6.4	83	1	1	3	8	16	22	57
B. *Operated*	307	7.0	63	1	1	4	8	16	22	44
2. MULTIPLE DX										
A. *Not Operated*	2206	8.9	86	1	1	6	12	20	27	48
B. *Operated*	1862	15.1	207	2	3	11	20	34	46	71
1. SINGLE DX	510	6.8	71	1	1	4	8	16	22	46
2. MULTIPLE DX	4068	11.7	151	1	1	8	16	27	37	67
A. NOT OPERATED	2409	8.7	86	1	1	6	12	20	27	49
B. OPERATED	2169	14.0	195	2	2	9	19	32	44	69
TOTAL 65-69 YRS	1500	10.9	149	1	1	7	14	26	36	66
70-74	1370	10.5	128	1	1	7	15	24	33	61
75-79	934	11.0	142	1	1	7	15	26	35	65
80-84	517	11.9	154	1	1	8	17	26	37	67
85+	257	15.3	174	3	4	11	20	33	41	70
GRAND TOTAL	**4578**	**11.2**	**144**	**1**	**1**	**7**	**15**	**26**	**36**	**65**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	7.3	108	1	1	5	9	12	22	56
70-74	28	10.2	111	1	1	8	15	21	28	50
75-79	26	10.3	56	1	2	9	15	22	24	26
80-84	16	14.1	91	2	3	13	22	34	78	99+
85+	19	9.1	29	2	3	7	14	17	18	19
B. *Operated*										
65-69 YRS	27	6.3	35	1	2	4	8	13	21	24
70-74	17	8.5	163	<1	1	5	10	15	41	55
75-79	14	15.1	180	1	1	10	21	41	43	44
80-84	5	12.4	137	2	2	11	17	32	32	32
85+	2	15.0	242	4	4	15	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	362	12.0	90	2	3	10	16	24	30	46
70-74	406	12.5	94	2	3	10	17	26	32	47
75-79	416	13.6	111	2	4	11	17	27	37	56
80-84	382	14.9	142	3	5	12	18	27	35	69
85+	418	14.5	104	3	4	12	19	28	33	54
B. *Operated*										
65-69 YRS	250	19.3	206	3	4	16	28	41	49	99+
70-74	224	21.9	223	3	5	20	30	44	53	73
75-79	179	23.6	306	4	7	19	30	49	70	99+
80-84	106	25.1	268	7	8	21	33	49	56	84
85+	70	22.0	162	4	8	21	27	50	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	9.9	84	1	2	7	14	22	25	70
B. *Operated*	65	9.5	117	1	1	6	12	22	34	53
2. MULTIPLE DX										
A. *Not Operated*	1984	13.5	109	2	3	11	17	26	34	50
B. *Operated*	829	21.9	240	3	5	19	30	44	55	99+
1. SINGLE DX	183	9.7	95	1	2	7	13	22	26	56
2. MULTIPLE DX	2813	16.0	162	2	4	13	21	33	42	70
A. NOT OPERATED	2102	13.3	108	2	3	11	17	26	34	51
B. OPERATED	894	21.0	241	3	4	18	29	43	54	99+
TOTAL 65-69 YRS	668	14.3	148	2	3	11	19	32	41	64
70-74	675	15.4	160	2	3	12	21	33	42	56
75-79	635	16.3	186	2	4	13	21	35	44	87
80-84	509	17.0	183	3	5	13	21	33	41	83
85+	509	15.3	117	3	4	13	21	29	37	58
GRAND TOTAL	**2996**	**15.6**	**160**	**2**	**3**	**12**	**21**	**32**	**41**	**69**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	6.3	7	3	3	6	8	10	12	14
70-74	88	6.4	10	2	3	6	8	10	14	68
75-79	82	6.6	21	2	3	6	8	9	12	31
80-84	39	5.8	11	2	2	5	7	10	11	19
85+	51	7.4	15	2	3	7	10	13	15	16
B. *Operated*										
65-69 YRS	10	4.6	10	1	1	4	7	9	11	11
70-74	8	8.8	59	1	2	7	10	22	26	26
75-79	4	9.3	15	5	5	9	12	13	13	13
80-84	3	10.3	9	7	7	11	12	13	13	13
85+	2	10.0	50	5	5	10	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	541	8.9	53	3	4	7	11	15	18	31
70-74	502	9.3	45	3	4	8	11	16	20	35
75-79	552	10.3	43	3	4	9	13	18	22	35
80-84	389	10.2	48	3	4	8	12	18	24	38
85+	372	10.8	52	4	4	9	14	20	24	32
B. *Operated*										
65-69 YRS	127	15.2	91	5	6	13	19	27	37	67
70-74	116	15.5	123	5	6	12	19	29	34	62
75-79	97	17.2	168	5	6	15	20	28	49	71
80-84	47	16.8	85	6	7	14	22	26	36	46
85+	39	19.2	125	6	7	17	24	38	42	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	6.5	12	2	3	6	8	10	13	19
B. *Operated*	27	7.6	29	1	1	7	11	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	2356	9.8	49	3	4	8	12	17	22	36
B. *Operated*	426	16.3	120	5	6	14	20	29	38	62
1. SINGLE DX	387	6.6	14	2	3	6	8	11	13	19
2. MULTIPLE DX	2782	10.8	65	3	4	9	13	20	25	43
A. NOT OPERATED	2716	9.4	45	3	4	8	11	17	21	35
B. OPERATED	453	15.8	119	5	6	13	20	28	37	59
TOTAL 65-69 YRS	778	9.5	60	3	4	8	11	17	22	44
70-74	714	9.9	60	3	4	8	12	17	24	41
75-79	735	10.8	64	3	4	9	13	20	25	43
80-84	478	10.5	54	3	4	8	13	19	24	42
85+	464	11.1	61	3	4	9	14	21	25	42
GRAND TOTAL	**3169**	**10.3**	**61**	**3**	**4**	**8**	**13**	**19**	**24**	**42**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	5.9	15	2	3	5	7	10	11	26
70-74	94	6.4	17	2	3	6	8	11	13	23
75-79	71	6.6	25	2	2	5	8	13	18	26
80-84	54	6.9	17	3	3	6	8	13	17	20
85+	47	6.9	18	2	2	6	9	13	16	20
B. *Operated*										
65-69 YRS	44	8.0	44	2	2	7	10	13	21	38
70-74	32	9.3	62	1	2	7	13	24	27	29
75-79	24	11.6	104	2	3	7	14	28	33	39
80-84	12	13.3	100	2	2	14	20	26	33	34
85+	8	12.3	56	6	6	9	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	560	8.4	32	3	3	7	11	15	19	30
70-74	524	8.7	27	3	3	7	11	15	19	27
75-79	548	10.3	75	3	4	8	12	18	23	57
80-84	414	10.5	51	3	4	9	13	19	22	36
85+	397	10.5	42	3	4	9	13	18	23	37
B. *Operated*										
65-69 YRS	326	12.8	98	2	3	10	16	26	33	52
70-74	293	13.9	104	2	3	12	18	26	33	50
75-79	223	17.2	169	3	4	14	22	33	46	70
80-84	131	18.5	194	3	5	14	25	37	51	77
85+	77	16.4	165	2	4	13	22	32	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	6.4	18	2	3	5	8	11	14	24
B. *Operated*	120	9.9	68	2	2	7	13	24	27	38
2. MULTIPLE DX										
A. *Not Operated*	2443	9.6	46	3	4	8	12	17	21	37
B. *Operated*	1050	15.0	136	2	4	12	19	29	38	59
1. SINGLE DX	490	7.3	32	2	2	6	9	13	20	29
2. MULTIPLE DX	3493	11.2	79	3	4	9	14	21	28	52
A. NOT OPERATED	2813	9.2	44	3	3	8	11	16	20	35
B. OPERATED	1170	14.5	131	2	3	11	19	29	37	57
TOTAL 65-69 YRS	1034	9.5	57	2	3	7	12	18	24	41
70-74	943	10.1	58	2	3	8	13	19	24	39
75-79	866	11.8	107	3	4	9	14	23	31	58
80-84	611	11.9	92	3	4	9	15	22	31	54
85+	529	11.0	64	3	4	9	14	21	27	42
GRAND TOTAL	**3983**	**10.7**	**75**	**3**	**3**	**8**	**13**	**20**	**27**	**49**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	259	3.3	6	1	1	3	4	6	7	12
70-74	138	3.6	8	1	1	3	4	7	9	14
75-79	65	4.1	7	1	2	3	5	8	9	14
80-84	36	3.5	7	1	1	3	4	6	9	13
85+	25	4.3	8	<1	1	3	6	9	10	11
B. *Operated*										
65-69 YRS	302	10.0	31	2	3	10	12	15	18	27
70-74	176	9.4	23	2	3	9	12	15	17	25
75-79	112	10.4	37	2	3	10	13	17	22	31
80-84	34	10.6	42	2	3	9	14	17	26	30
85+	17	9.2	36	2	2	8	14	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	523	5.1	15	1	2	4	7	10	13	21
70-74	402	6.4	30	1	2	5	8	12	17	30
75-79	300	6.4	35	2	2	5	8	12	15	21
80-84	157	6.8	34	2	2	5	8	11	18	47
85+	110	7.5	23	2	2	7	9	14	16	24
B. *Operated*										
65-69 YRS	789	12.5	82	2	3	11	16	22	29	47
70-74	576	12.1	83	2	3	10	16	23	30	49
75-79	373	12.8	80	2	3	11	16	25	31	43
80-84	199	14.0	111	2	3	11	19	29	35	46
85+	104	13.3	102	2	3	11	16	29	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.5	7	1	1	3	5	7	8	13
B. *Operated*	641	9.9	31	2	3	10	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	1492	6.1	26	1	2	5	8	11	15	24
B. *Operated*	2041	12.6	86	2	3	11	16	24	31	46
1. SINGLE DX	1164	7.0	30	1	2	6	10	14	17	26
2. MULTIPLE DX	3533	9.9	71	2	2	8	13	20	26	42
A. NOT OPERATED	2015	5.4	22	1	2	4	7	11	14	23
B. OPERATED	2682	12.0	74	2	3	10	15	22	29	45
TOTAL 65-69 YRS	1873	8.8	58	1	2	7	12	17	22	37
70-74	1292	9.0	60	1	2	7	12	18	24	39
75-79	850	9.6	63	2	2	8	13	19	25	37
80-84	426	10.2	83	2	2	8	13	24	30	46
85+	256	9.6	64	2	2	8	12	17	24	42
GRAND TOTAL	**4697**	**9.2**	**62**	**1**	**2**	**7**	**12**	**18**	**24**	**39**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	815	2.9	5	1	1	2	4	5	7	9
70-74	433	3.1	4	1	1	3	4	5	7	11
75-79	209	3.3	4	1	1	3	4	6	7	10
80-84	87	3.5	9	1	1	3	5	8	10	68
85+	41	3.0	4	1	1	3	3	6	7	10
B. *Operated*										
65-69 YRS	898	8.0	23	2	3	7	11	14	17	22
70-74	510	8.6	28	2	3	8	11	15	17	24
75-79	244	8.4	29	2	2	8	11	15	18	28
80-84	87	9.1	39	2	3	8	12	15	19	36
85+	36	8.2	26	2	3	7	10	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	801	4.2	27	1	1	3	5	8	10	19
70-74	472	4.3	10	1	1	4	5	8	10	15
75-79	334	5.3	18	1	2	4	6	10	14	22
80-84	116	5.9	53	1	2	4	6	10	17	40
85+	68	5.7	22	1	2	4	7	11	16	25
B. *Operated*										
65-69 YRS	1162	10.4	51	2	3	9	13	19	23	34
70-74	840	11.2	59	3	4	9	14	20	26	42
75-79	486	12.4	70	3	4	10	16	22	27	42
80-84	214	13.7	92	3	5	11	18	24	32	63
85+	99	13.4	91	3	5	10	17	28	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1585	3.0	5	1	1	3	4	6	7	10
B. *Operated*	1775	8.3	26	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	1791	4.6	23	1	1	4	6	8	11	22
B. *Operated*	2801	11.3	62	3	4	10	14	21	25	41
1. SINGLE DX	3360	5.8	23	1	1	4	8	12	15	21
2. MULTIPLE DX	4592	8.7	58	2	2	7	12	18	23	36
A. NOT OPERATED	3376	3.9	15	1	1	3	5	7	9	17
B. OPERATED	4576	10.2	50	2	3	9	13	18	23	36
TOTAL 65-69 YRS	3676	6.8	38	1	2	5	9	14	18	28
70-74	2255	7.6	42	1	2	6	11	15	20	33
75-79	1273	8.3	51	2	2	6	11	17	22	34
80-84	504	9.3	76	1	2	7	12	20	24	54
85+	244	8.7	64	1	2	6	11	19	26	36
GRAND TOTAL	**7952**	**7.5**	**45**	**1**	**2**	**6**	**10**	**15**	**20**	**32**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	3.6	10	1	1	3	4	6	11	18
70-74	68	4.7	14	1	2	4	6	8	10	25
75-79	38	5.1	21	1	1	3	7	11	15	21
80-84	30	4.4	13	1	1	3	6	9	12	17
85+	34	6.7	30	1	1	5	11	15	17	21
B. *Operated*										
65-69 YRS	317	6.8	41	1	1	5	9	15	19	27
70-74	258	6.9	36	1	1	5	10	16	19	26
75-79	116	6.6	43	1	2	4	9	13	19	32
80-84	56	8.2	63	1	2	6	11	18	23	42
85+	35	7.0	28	1	2	6	11	15	15	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	400	8.4	88	1	2	6	10	17	24	51
70-74	423	9.3	69	2	2	7	12	18	25	43
75-79	375	9.0	56	2	2	7	11	17	25	47
80-84	286	10.5	69	2	3	8	14	20	29	42
85+	263	11.2	95	2	3	9	14	21	27	48
B. *Operated*										
65-69 YRS	1006	11.6	126	2	2	9	15	24	31	58
70-74	866	11.9	113	2	2	9	16	24	31	53
75-79	604	12.5	96	2	3	10	17	25	30	45
80-84	312	14.4	124	2	3	11	19	28	37	56
85+	220	13.2	100	2	3	11	18	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	4.6	16	1	1	3	6	10	13	21
B. *Operated*	782	6.9	41	1	2	5	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	1747	9.5	75	2	2	7	12	19	26	46
B. *Operated*	3008	12.3	115	2	2	10	16	25	32	54
1. SINGLE DX	1034	6.3	36	1	1	4	9	14	18	26
2. MULTIPLE DX	4755	11.3	102	2	2	9	15	23	30	52
A. NOT OPERATED	1999	8.9	70	2	2	7	11	18	24	44
B. OPERATED	3790	11.2	104	2	2	9	15	23	30	51
TOTAL 65-69 YRS	1805	9.7	103	1	2	7	13	21	27	52
70-74	1615	10.1	90	2	2	8	13	21	27	49
75-79	1133	10.5	80	2	2	8	14	22	28	46
80-84	684	11.8	98	2	3	9	16	24	31	48
85+	552	11.5	92	2	2	9	15	23	30	50
GRAND TOTAL	**5789**	**10.4**	**94**	**2**	**2**	**8**	**14**	**22**	**28**	**49**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	3.1	4	1	1	3	4	6	8	10
70-74	41	4.0	10	1	1	3	5	7	9	17
75-79	19	5.3	14	1	2	4	6	12	14	15
80-84	11	3.4	2	1	2	3	4	5	7	7
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	164	6.5	23	1	2	6	9	13	15	22
70-74	114	6.6	36	1	2	5	9	12	15	35
75-79	81	5.9	20	1	2	4	9	11	14	22
80-84	31	8.3	44	2	2	7	11	15	20	33
85+	31	8.2	38	2	2	7	12	18	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	5.8	36	1	1	4	7	11	18	32
70-74	75	6.8	126	1	1	4	7	12	18	75
75-79	64	6.1	59	1	2	4	6	9	14	46
80-84	24	7.3	52	1	1	5	11	14	22	33
85+	30	6.2	29	1	1	5	9	12	13	28
B. *Operated*										
65-69 YRS	416	9.4	50	2	3	8	12	18	22	41
70-74	383	9.9	51	2	2	9	13	20	25	33
75-79	355	11.4	81	2	3	9	14	23	28	49
80-84	204	13.1	116	3	4	10	17	27	32	50
85+	157	13.2	134	2	3	10	18	25	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.7	7	1	1	3	5	7	8	15
B. *Operated*	421	6.7	29	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	278	6.3	66	1	1	4	7	12	17	42
B. *Operated*	1515	10.9	77	2	3	9	14	22	28	45
1. SINGLE DX	569	5.9	25	1	2	4	8	12	15	23
2. MULTIPLE DX	1793	10.2	78	2	2	8	13	20	27	45
A. NOT OPERATED	426	5.4	47	1	1	4	6	11	14	32
B. OPERATED	1936	10.0	70	2	2	8	13	20	26	39
TOTAL 65-69 YRS	740	7.7	42	1	2	6	10	15	19	34
70-74	613	8.5	58	2	2	7	11	17	23	33
75-79	519	9.6	73	2	2	8	12	19	26	46
80-84	270	11.6	105	2	3	8	15	25	32	47
85+	220	11.4	113	2	2	9	15	23	28	49
GRAND TOTAL	**2362**	**9.1**	**68**	**2**	**2**	**7**	**12**	**19**	**24**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	4.0	5	1	1	4	5	7	8	13
70-74	73	4.9	9	1	2	4	6	9	12	14
75-79	76	5.4	11	1	2	5	7	10	13	16
80-84	50	6.2	23	2	2	5	7	12	15	28
85+	58	5.9	19	1	2	5	7	12	14	24
B. *Operated*										
65-69 YRS	581	3.7	11	1	1	3	4	7	9	18
70-74	488	3.7	9	1	1	3	5	8	10	13
75-79	333	4.3	11	1	2	3	5	8	10	18
80-84	212	4.6	16	1	2	3	6	10	13	20
85+	146	5.4	15	2	2	4	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	508	7.3	31	2	3	6	9	14	18	28
70-74	592	8.0	45	2	3	6	10	14	18	31
75-79	574	8.5	36	2	3	7	11	16	21	29
80-84	570	9.6	81	2	3	7	11	16	22	47
85+	602	9.6	53	2	3	8	12	17	23	40
B. *Operated*										
65-69 YRS	1623	6.8	46	2	2	5	9	14	18	34
70-74	1487	7.1	43	2	2	5	9	14	19	29
75-79	1424	8.5	69	2	2	6	11	18	24	44
80-84	888	9.1	67	2	2	7	12	18	25	51
85+	654	9.6	65	2	3	7	12	19	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.2	13	1	2	4	6	9	13	16
B. *Operated*	1760	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	2846	8.6	50	2	3	7	11	16	21	35
B. *Operated*	6076	7.9	57	2	2	6	10	16	22	38
1. SINGLE DX	2097	4.3	12	1	1	3	5	8	11	17
2. MULTIPLE DX	8922	8.1	55	2	2	6	10	16	22	38
A. NOT OPERATED	3183	8.2	48	2	3	7	10	15	20	34
B. OPERATED	7836	7.1	49	1	2	5	9	14	20	36
TOTAL 65-69 YRS	2792	6.2	36	1	2	4	8	13	17	31
70-74	2640	6.6	38	1	2	5	8	13	17	28
75-79	2407	7.8	53	2	2	6	10	16	22	38
80-84	1720	8.6	67	2	2	7	11	16	22	41
85+	1460	9.0	55	2	3	7	11	17	24	39
GRAND TOTAL	**11019**	**7.4**	**49**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	3.6	6	1	1	3	6	7	8	8
70-74	27	3.6	12	<1	1	3	5	6	10	18
75-79	23	5.4	19	1	2	4	7	13	15	16
80-84	16	5.4	21	1	1	4	7	10	16	19
85+	14	4.9	11	1	1	4	6	11	12	12
B. *Operated*										
65-69 YRS	536	4.3	12	1	2	3	5	9	11	18
70-74	502	4.2	12	1	2	3	5	8	11	17
75-79	354	5.0	25	1	2	4	6	9	13	34
80-84	209	4.3	12	1	2	3	6	7	9	21
85+	131	5.8	31	1	2	4	8	12	15	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	6.8	30	1	2	5	11	15	17	22
70-74	95	7.0	45	1	2	5	8	11	19	41
75-79	113	8.2	98	2	2	5	9	17	24	78
80-84	83	6.9	20	2	2	6	9	14	15	21
85+	77	8.2	139	1	2	5	9	14	20	81
B. *Operated*										
65-69 YRS	1423	6.3	35	1	2	5	8	13	18	31
70-74	1394	6.8	44	1	2	5	9	14	18	34
75-79	1133	7.6	47	2	2	6	10	15	20	33
80-84	758	7.9	40	2	2	6	11	16	20	30
85+	484	9.0	59	2	2	7	11	17	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	14	1	1	3	6	9	13	18
B. *Operated*	1732	4.5	16	1	2	3	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	440	7.4	68	1	2	5	9	14	20	47
B. *Operated*	5192	7.2	43	2	2	5	9	15	19	33
1. SINGLE DX	1834	4.5	16	1	2	3	6	8	12	20
2. MULTIPLE DX	5632	7.2	45	2	2	5	9	15	19	33
A. NOT OPERATED	542	6.9	59	1	2	5	8	13	18	42
B. OPERATED	6924	6.5	38	1	2	5	8	14	18	31
TOTAL 65-69 YRS	2053	5.8	29	1	2	4	7	12	16	27
70-74	2018	6.1	37	1	2	4	8	12	17	30
75-79	1623	7.0	46	2	2	5	9	14	19	34
80-84	1066	7.1	35	2	2	5	9	15	18	29
85+	706	8.3	63	2	2	6	10	16	21	37
GRAND TOTAL	**7466**	**6.6**	**40**	**1**	**2**	**5**	**8**	**14**	**18**	**31**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	420	4.7	9	1	2	4	6	9	10	16
70-74	455	5.4	15	1	2	4	7	10	13	22
75-79	417	5.7	30	1	2	5	7	10	13	27
80-84	356	6.4	19	2	2	6	8	12	14	18
85+	390	6.7	33	2	2	5	8	12	15	31
B. *Operated*										
65-69 YRS	1024	4.5	26	1	1	3	5	8	11	27
70-74	871	4.9	27	1	1	4	6	10	13	25
75-79	624	5.1	20	1	2	4	6	10	15	22
80-84	350	5.6	40	1	2	4	7	11	16	26
85+	225	6.3	23	1	2	5	8	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2947	8.2	46	2	3	7	10	15	19	39
70-74	3745	8.8	46	2	3	7	11	17	21	38
75-79	4046	9.2	51	2	3	7	11	17	21	37
80-84	3797	9.9	64	3	3	8	12	19	24	41
85+	4517	10.3	65	3	3	8	13	19	25	45
B. *Operated*										
65-69 YRS	3583	8.3	69	2	2	6	10	17	23	43
70-74	3571	9.0	75	2	2	7	11	19	25	48
75-79	2996	10.2	87	2	2	8	13	20	28	49
80-84	2038	11.4	112	2	3	9	14	23	32	62
85+	1582	12.5	111	2	3	10	16	23	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	5.7	21	1	2	5	7	10	13	23
B. *Operated*	3094	5.0	27	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	19052	9.4	56	2	3	7	12	17	22	41
B. *Operated*	13770	9.9	88	2	2	7	13	20	27	49
1. SINGLE DX	5132	5.3	25	1	2	4	7	10	13	24
2. MULTIPLE DX	32822	9.6	69	2	3	7	12	18	24	46
A. NOT OPERATED	21090	9.0	54	2	3	7	11	17	22	40
B. OPERATED	16864	9.0	80	2	2	6	11	19	25	47
TOTAL 65-69 YRS	7974	7.6	54	1	2	6	9	15	20	39
70-74	8642	8.3	56	2	2	6	10	17	22	41
75-79	8083	9.1	63	2	2	7	11	18	23	42
80-84	6541	10.0	78	2	3	8	12	19	25	49
85+	6714	10.5	75	2	3	8	13	20	26	47
GRAND TOTAL	**37954**	**9.0**	**65**	**2**	**2**	**7**	**11**	**18**	**23**	**44**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	4.6	15	1	1	3	7	10	12	20
70-74	131	4.7	18	1	1	3	7	10	12	18
75-79	82	4.9	18	<1	1	4	6	10	13	22
80-84	60	4.6	16	<1	1	3	6	10	14	18
85+	51	4.9	17	1	1	3	7	11	14	19
B. *Operated*										
65-69 YRS	6437	7.2	18	2	2	7	9	12	14	22
70-74	5343	7.6	18	2	3	7	9	13	15	22
75-79	3509	8.3	24	2	3	7	10	14	17	25
80-84	1752	9.1	29	2	4	8	11	15	19	29
85+	908	10.1	38	2	4	9	13	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	630	5.6	24	1	1	4	7	11	14	25
70-74	673	6.4	40	1	2	4	8	13	19	32
75-79	624	7.0	42	1	2	5	9	15	19	31
80-84	471	8.5	67	1	2	6	10	17	24	48
85+	465	9.0	69	1	2	7	11	19	26	42
B. *Operated*										
65-69 YRS	11108	9.3	38	2	4	8	11	16	21	33
70-74	10873	10.3	50	3	4	9	13	18	23	36
75-79	8402	11.2	60	3	5	9	14	20	25	41
80-84	4701	12.6	75	4	5	10	16	22	28	47
85+	2936	14.2	97	4	6	12	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	4.7	17	1	1	3	7	10	12	20
B. *Operated*	17949	7.9	22	2	3	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	2863	7.1	48	1	2	5	9	15	20	34
B. *Operated*	38020	10.8	57	3	4	9	13	19	25	40
1. SINGLE DX	18423	7.8	22	2	3	7	10	13	16	24
2. MULTIPLE DX	40883	10.5	58	2	4	9	13	19	24	40
A. NOT OPERATED	3337	6.8	44	1	2	5	9	14	19	33
B. OPERATED	55969	9.9	48	2	4	8	12	17	22	36
TOTAL 65-69 YRS	18325	8.4	31	2	3	7	10	15	18	30
70-74	17020	9.3	42	2	3	8	11	16	21	33
75-79	12617	10.1	51	2	4	8	12	18	23	37
80-84	6984	11.4	66	3	4	9	14	21	26	43
85+	4360	12.7	86	3	4	10	16	24	30	50
GRAND TOTAL	**59306**	**9.7**	**48**	**2**	**3**	**8**	**12**	**17**	**22**	**36**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	4.4	5	2	2	4	5	6	9	12
70-74	66	4.5	10	1	2	4	5	8	8	22
75-79	27	4.9	12	1	2	4	6	9	11	18
80-84	26	4.8	7	1	2	4	5	9	10	12
85+	13	6.5	14	1	2	6	10	12	13	13
B. *Operated*										
65-69 YRS	180	4.0	14	1	1	2	5	9	12	21
70-74	133	4.4	14	1	1	3	6	10	13	16
75-79	87	4.7	17	1	1	3	7	12	13	70
80-84	22	4.9	31	1	1	3	7	9	17	27
85+	20	5.0	7	2	2	4	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	265	6.0	13	2	2	5	7	10	12	18
70-74	206	6.6	31	2	2	5	8	12	14	29
75-79	152	7.0	22	2	3	6	8	13	16	24
80-84	105	7.0	36	2	3	6	8	12	14	76
85+	76	6.9	15	2	3	6	9	12	15	19
B. *Operated*										
65-69 YRS	593	6.7	34	1	2	5	9	14	17	25
70-74	465	7.8	39	2	2	6	10	16	20	31
75-79	308	8.2	40	2	2	7	11	16	21	27
80-84	154	10.2	65	2	2	8	13	19	29	40
85+	97	11.8	91	2	3	8	17	26	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	4.7	8	1	2	4	5	8	10	16
B. *Operated*	442	4.4	15	1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	804	6.5	22	2	2	6	8	11	14	25
B. *Operated*	1617	7.9	45	2	2	6	10	16	21	32
1. SINGLE DX	644	4.5	13	1	1	3	6	9	12	20
2. MULTIPLE DX	2421	7.5	38	2	2	6	9	15	19	31
A. NOT OPERATED	1006	6.2	20	2	2	5	8	10	14	24
B. OPERATED	2059	7.2	41	1	2	5	9	15	20	31
TOTAL 65-69 YRS	1108	5.9	25	1	2	5	8	12	15	24
70-74	870	6.7	33	1	2	5	8	14	18	31
75-79	574	7.2	32	2	2	6	9	15	19	26
80-84	307	8.3	52	2	2	7	10	15	22	42
85+	206	9.0	57	2	3	7	10	19	26	36
GRAND TOTAL	**3065**	**6.8**	**34**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	6	1	1	3	5	7	7	7
70-74	1	4.0		4	4	4	4	4	4	4
75-79	4	2.5	2	<1	<1	2	3	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	356	4.3	6	2	2	4	5	7	8	11
70-74	216	4.4	6	2	2	4	5	8	9	14
75-79	128	4.7	7	1	2	4	6	9	10	14
80-84	58	4.7	8	2	2	4	6	9	10	16
85+	20	6.6	46	1	2	4	6	16	24	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	4.8	9	1	1	4	7	9	10	12
70-74	12	7.0	62	<1	<1	4	9	21	24	25
75-79	11	8.3	52	<1	1	4	13	20	22	22
80-84	6	8.5	28	3	3	7	11	17	18	18
85+	5	8.0	12	4	4	9	10	12	12	12
B. *Operated*										
65-69 YRS	429	5.9	18	2	2	5	7	11	15	25
70-74	326	6.6	25	2	3	5	8	13	16	24
75-79	171	8.1	61	2	3	6	10	15	20	60
80-84	104	7.7	38	2	3	6	9	13	17	39
85+	48	9.4	27	2	3	9	13	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.1	3	<1	<1	3	4	6	7	7
B. *Operated*	778	4.5	8	2	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	57	6.6	31	<1	1	4	9	14	20	25
B. *Operated*	1078	6.8	30	2	3	5	8	13	16	30
1. SINGLE DX	787	4.5	8	2	2	4	5	8	9	14
2. MULTIPLE DX	1135	6.8	30	2	3	5	8	13	16	29
A. NOT OPERATED	66	6.1	28	<1	1	4	9	12	19	25
B. OPERATED	1856	5.8	22	2	2	5	7	11	14	24
TOTAL 65-69 YRS	812	5.1	13	2	2	4	6	9	11	20
70-74	555	5.7	19	2	2	4	6	11	14	23
75-79	314	6.7	41	2	2	5	8	13	16	42
80-84	168	6.7	29	2	2	6	8	11	16	33
85+	73	8.5	32	2	3	7	12	16	18	28
GRAND TOTAL	**1922**	**5.8**	**22**	**2**	**2**	**4**	**7**	**11**	**14**	**25**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	6.7	19	2	3	6	8	11	14	25
70-74	87	6.4	8	2	3	6	8	10	11	14
75-79	53	6.6	17	3	3	6	8	10	16	25
80-84	27	6.4	10	2	3	6	8	11	12	15
85+	16	6.2	8	2	3	6	8	11	12	12
B. *Operated*										
65-69 YRS	74	5.8	18	2	3	4	6	10	18	22
70-74	51	6.3	12	3	3	6	7	10	16	17
75-79	39	7.2	19	2	3	6	9	14	17	20
80-84	19	5.9	10	1	3	5	9	11	12	12
85+	18	7.6	70	<1	1	6	8	14	29	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	7.1	17	3	3	6	9	11	13	23
70-74	194	7.2	18	3	3	6	9	12	14	23
75-79	172	8.5	28	3	4	8	10	14	17	26
80-84	76	8.4	25	3	3	7	11	16	20	99+
85+	48	8.0	25	2	3	7	9	11	17	32
B. *Operated*										
65-69 YRS	183	10.3	75	2	3	8	14	20	25	64
70-74	177	10.0	57	3	3	8	12	21	28	40
75-79	106	11.7	77	3	3	10	14	22	29	47
80-84	55	10.0	52	3	4	8	12	19	28	35
85+	33	11.6	55	2	3	9	16	22	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	6.6	14	2	3	6	8	11	13	24
B. *Operated*	201	6.4	21	2	3	5	8	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	724	7.7	22	3	3	7	9	13	16	27
B. *Operated*	554	10.5	66	2	3	9	13	20	26	44
1. SINGLE DX	500	6.5	17	2	3	6	8	11	14	23
2. MULTIPLE DX	1278	8.9	43	3	3	7	11	16	21	39
A. NOT OPERATED	1023	7.3	20	3	3	6	9	12	15	25
B. OPERATED	755	9.4	58	2	3	7	12	19	24	41
TOTAL 65-69 YRS	607	7.8	38	2	3	6	10	14	19	32
70-74	509	7.9	32	3	3	7	10	14	19	34
75-79	370	9.0	43	3	3	7	11	16	20	40
80-84	177	8.3	31	3	3	7	10	16	20	81
85+	115	8.7	41	2	3	7	10	17	22	34
GRAND TOTAL	**1778**	**8.2**	**37**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	2.4	2	1	1	2	3	3	5	11
70-74	31	2.4	2	1	1	2	3	4	5	8
75-79	25	2.9	6	1	1	2	3	5	9	12
80-84	15	3.3	5	1	2	3	4	6	9	10
85+	16	3.3	3	1	2	3	4	5	6	7
B. *Operated*										
65-69 YRS	112	3.3	39	1	1	2	3	4	8	38
70-74	94	2.8	10	1	1	2	3	4	6	21
75-79	56	2.7	4	1	1	2	3	4	7	11
80-84	25	4.4	44	1	2	2	3	5	24	30
85+	22	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	3.7	10	1	1	2	4	8	11	16
70-74	39	4.7	20	1	1	4	5	8	10	28
75-79	38	3.0	4	1	1	3	4	6	7	9
80-84	37	5.5	49	1	2	3	6	9	11	44
85+	29	5.6	26	1	1	4	7	12	18	23
B. *Operated*										
65-69 YRS	230	4.6	37	1	2	3	5	10	13	20
70-74	175	4.9	23	2	2	3	6	10	13	27
75-79	123	5.8	34	2	2	4	7	12	18	29
80-84	83	6.5	29	1	2	5	9	14	18	28
85+	80	7.3	59	1	2	4	8	19	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.7	3	1	1	2	3	5	6	11
B. *Operated*	309	3.1	22	1	1	2	3	4	7	24
2. MULTIPLE DX										
A. *Not Operated*	219	4.3	20	1	1	3	5	8	11	25
B. *Operated*	691	5.4	35	1	2	3	6	12	16	30
1. SINGLE DX	444	3.0	16	1	1	2	3	4	7	22
2. MULTIPLE DX	910	5.2	32	1	2	3	6	11	15	28
A. NOT OPERATED	354	3.7	14	1	1	3	4	7	10	18
B. OPERATED	1000	4.7	32	1	2	3	5	10	15	28
TOTAL 65-69 YRS	466	3.9	30	1	1	2	4	8	12	20
70-74	339	4.1	18	1	2	2	5	8	12	26
75-79	242	4.3	21	1	2	3	5	9	12	25
80-84	160	5.7	35	1	2	3	7	11	17	31
85+	147	5.8	41	1	2	4	6	15	21	32
GRAND TOTAL	**1354**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	3.4	7	1	2	2	4	9	10	11
70-74	28	3.9	9	1	1	3	5	9	11	12
75-79	15	3.7	11	2	2	2	3	10	12	13
80-84	8	5.4	13	1	1	5	8	10	11	11
85+	8	4.1	3	2	2	4	5	6	6	6
B. *Operated*										
65-69 YRS	216	4.1	13	1	2	3	5	7	9	19
70-74	142	4.5	18	2	2	3	5	8	11	26
75-79	70	4.6	19	1	2	3	6	10	12	25
80-84	29	4.1	7	1	2	4	5	8	9	13
85+	8	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	6.4	45	2	2	4	7	14	15	40
70-74	63	7.7	53	2	2	5	10	16	22	38
75-79	53	7.8	28	2	2	7	11	15	18	24
80-84	26	8.7	70	1	2	6	10	20	28	37
85+	35	9.0	86	2	2	6	12	15	17	55
B. *Operated*										
65-69 YRS	401	6.2	44	2	2	4	7	11	16	41
70-74	243	8.0	69	2	2	5	9	17	26	39
75-79	170	7.9	44	2	2	6	10	18	21	30
80-84	73	8.4	66	1	2	6	11	16	25	44
85+	50	11.4	100	2	3	8	16	29	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	8	1	2	3	5	9	11	13
B. *Operated*	465	4.3	15	1	2	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	246	7.6	52	2	2	5	10	15	19	39
B. *Operated*	937	7.4	57	2	2	5	9	16	22	39
1. SINGLE DX	553	4.2	14	1	2	3	5	8	10	20
2. MULTIPLE DX	1183	7.5	56	2	2	5	9	15	21	39
A. NOT OPERATED	334	6.6	43	2	2	4	9	14	17	37
B. OPERATED	1402	6.4	45	2	2	4	7	13	19	36
TOTAL 65-69 YRS	715	5.5	34	2	2	4	6	10	14	36
70-74	476	6.7	51	2	2	4	8	15	20	37
75-79	308	6.9	36	2	2	5	9	15	20	27
80-84	136	7.4	54	1	2	5	9	15	22	40
85+	101	9.2	87	2	2	6	12	19	31	48
GRAND TOTAL	**1736**	**6.4**	**45**	**2**	**2**	**4**	**8**	**13**	**19**	**37**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.5	4	<1	<1	2	3	5	8	9
70-74	9	2.7	1	1	1	3	3	4	5	5
75-79	7	3.0	5	<1	<1	2	3	7	8	8
80-84	2	4.5	5	3	3	4	6	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	1042	2.8	7	1	2	2	3	4	6	10
70-74	636	2.9	4	1	2	2	3	5	6	11
75-79	305	3.1	4	2	2	3	4	5	6	9
80-84	126	3.5	6	2	2	3	4	5	8	15
85+	70	3.4	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	6.0	31	1	2	4	7	12	20	26
70-74	16	4.3	7	1	1	4	6	8	9	10
75-79	8	6.9	36	1	1	5	10	17	19	19
80-84	7	3.7	6	1	1	3	5	7	8	8
85+	6	6.8	12	3	3	6	10	12	12	12
B. *Operated*										
65-69 YRS	867	4.3	15	2	2	3	5	8	10	21
70-74	620	4.5	14	2	2	3	5	9	11	19
75-79	349	4.7	26	2	2	3	5	8	12	27
80-84	135	5.0	19	2	2	4	6	9	13	2[illegible]
85+	74	5.6	21	2	2	4	8	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.7	4	<1	1	2	3	6	7	9
B. *Operated*	2179	3.0	6	1	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	64	5.5	21	1	2	4	7	10	15	25
B. *Operated*	2045	4.5	17	2	2	3	5	8	11	22
1. SINGLE DX	2216	3.0	6	1	2	2	3	5	6	10
2. MULTIPLE DX	2109	4.6	17	2	2	3	5	9	11	22
A. NOT OPERATED	101	4.5	17	1	1	3	6	9	11	23
B. OPERATED	4224	3.7	12	2	2	3	4	7	9	18
TOTAL 65-69 YRS	1954	3.5	12	1	2	3	4	6	9	17
70-74	1281	3.7	10	2	2	3	4	7	9	17
75-79	669	4.0	16	2	2	3	4	7	9	22
80-84	270	4.3	13	2	2	3	5	8	10	20
[illegible]+	151	4.6	14	2	2	3	5	9	12	23
GRAN[illegible]TAL	**4325**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	3.3	4	<1	<1	3	4	7	7	8
70-74	13	4.2	8	<1	1	3	7	8	9	9
75-79	13	4.4	13	<1	1	3	8	10	12	12
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	10	5.9	13	3	3	4	8	12	13	13
B. *Operated*										
65-69 YRS	409	3.4	8	1	2	3	4	6	8	16
70-74	270	3.3	6	2	2	2	4	6	9	13
75-79	173	3.1	4	1	1	3	4	5	7	13
80-84	79	4.0	24	1	1	3	4	6	12	32
85+	40	4.8	26	1	1	3	6	9	14	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	5.4	29	1	1	4	6	11	17	30
70-74	48	5.9	17	1	1	5	8	14	15	17
75-79	37	7.9	38	<1	1	7	13	16	19	25
80-84	24	8.8	46	1	2	8	10	18	22	31
85+	18	8.7	80	1	2	5	9	23	31	35
B. *Operated*										
65-69 YRS	397	5.9	49	2	2	4	7	11	17	39
70-74	280	4.8	24	2	2	4	6	9	11	19
75-79	171	5.5	33	2	2	4	7	10	15	35
80-84	99	5.7	35	1	2	4	7	11	17	34
85+	46	7.0	29	2	2	5	8	12	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.1	8	<1	1	3	5	8	10	13
B. *Operated*	971	3.4	9	1	2	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	188	6.8	36	1	1	5	9	15	17	32
B. *Operated*	993	5.6	37	2	2	4	7	10	15	32
1. SINGLE DX	1037	3.5	9	1	2	3	4	6	8	15
2. MULTIPLE DX	1181	5.8	37	1	2	4	7	11	16	32
A. NOT OPERATED	254	6.1	30	1	1	4	8	14	16	31
B. OPERATED	1964	4.5	24	1	2	3	5	8	12	24
TOTAL 65-69 YRS	894	4.7	29	1	2	3	5	9	13	24
70-74	611	4.2	16	2	2	3	5	8	11	17
75-79	394	4.6	22	1	2	3	5	9	14	23
80-84	205	5.3	33	1	2	3	6	10	16	32
85+	114	6.4	35	1	2	5	8	13	18	31
GRAND TOTAL	**2218**	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**13**	**25**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	8	2	2	3	5	9	10	10
70-74	2	8.5	5	7	7	8	10	10	10	10
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84										
85+	5	3.0	3	2	2	2	4	6	6	6
B. *Operated*										
65-69 YRS	52	9.6	24	5	5	8	11	15	20	28
70-74	32	9.4	21	4	5	9	10	14	17	28
75-79	19	8.1	2	6	7	8	9	10	11	11
80-84	12	9.3	17	3	4	9	12	16	17	17
85+	17	11.8	31	5	6	10	15	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	4.3	6	1	2	4	6	8	9	9
70-74	12	9.9	268	<1	1	5	9	25	56	61
75-79	9	8.6	57	2	2	5	12	21	24	24
80-84	11	7.6	14	3	4	7	10	13	16	16
85+	7	10.7	79	2	2	6	18	24	25	25
B. *Operated*										
65-69 YRS	108	11.5	40	6	7	9	13	20	26	38
70-74	91	11.9	62	6	7	10	13	19	28	51
75-79	67	13.2	73	5	7	11	15	22	32	52
80-84	36	16.3	195	7	7	12	19	28	39	83
85+	25	15.4	114	4	6	12	23	33	36	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.4	7	2	2	3	6	9	10	10
B. *Operated*	132	9.6	21	5	6	9	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	54	7.8	83	2	2	5	9	16	23	60
B. *Operated*	327	12.8	77	6	7	10	14	22	30	47
1. SINGLE DX	148	9.0	22	3	4	8	10	15	17	28
2. MULTIPLE DX	381	12.1	81	4	5	10	13	22	28	52
A. NOT OPERATED	70	7.0	67	2	2	5	8	12	20	54
B. OPERATED	459	11.9	63	5	6	10	13	20	27	43
TOTAL 65-69 YRS	182	10.1	37	3	5	9	12	17	23	36
70-74	137	11.1	69	4	6	9	12	17	26	61
75-79	97	11.5	62	4	5	10	13	18	26	48
80-84	59	13.3	139	4	6	10	15	23	30	79
85+	54	12.5	83	2	3	10	17	25	31	44
GRAND TOTAL	**529**	**11.2**	**66**	**3**	**5**	**9**	**12**	**20**	**26**	**43**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.0	6	2	2	5	6	9	10	10
70-74	10	7.5	16	3	3	7	9	14	14	14
75-79	12	7.3	52	3	3	5	6	17	27	29
80-84	1	31.0		31	31	31	31	31	31	31
85+	6	3.7	7	1	1	3	8	82	99+	99+
B. *Operated*										
65-69 YRS	33	10.2	34	1	2	8	13	18	26	36
70-74	11	9.3	171	1	2	4	9	29	45	46
75-79	12	13.8	94	1	2	14	19	28	32	33
80-84	5	17.4	225	3	3	17	25	41	41	41
85+	9	5.8	5	2	2	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	10.1	49	4	4	8	12	18	28	35
70-74	17	12.0	62	4	5	10	14	21	31	36
75-79	14	9.6	45	5	5	7	9	23	25	26
80-84	8	10.9	32	4	4	10	16	18	18	18
85+	13	11.6	257	2	3	7	13	25	56	63
B. *Operated*										
65-69 YRS	114	12.5	79	2	3	10	16	23	32	46
70-74	66	15.7	158	4	6	12	19	29	42	67
75-79	43	22.5	323	4	6	15	30	44	59	94
80-84	14	18.5	124	3	3	18	28	33	36	37
85+	32	18.1	532	4	5	11	14	46	91	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.9	40	2	3	5	8	14	30	99+
B. *Operated*	70	10.6	87	1	2	8	15	22	33	45
2. MULTIPLE DX										
A. *Not Operated*	90	10.6	76	4	4	8	12	19	26	52
B. *Operated*	269	15.8	203	3	4	11	20	32	43	89
1. SINGLE DX	108	9.3	73	2	3	7	11	20	31	68
2. MULTIPLE DX	359	14.5	176	3	4	11	17	30	37	67
A. NOT OPERATED	128	9.5	68	3	3	7	11	19	29	71
B. OPERATED	339	14.8	183	2	3	11	18	31	40	70
TOTAL 65-69 YRS	194	11.3	68	2	3	9	14	22	30	40
70-74	104	13.6	136	3	4	10	16	26	38	65
75-79	81	16.7	238	3	4	13	23	34	44	86
80-84	28	16.6	121	3	4	16	22	32	37	41
85+	60	13.4	364	2	3	7	13	36	77	99+
GRAND TOTAL	**467**	**13.3**	**157**	**3**	**3**	**10**	**16**	**28**	**36**	**67**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	5.4	10	1	2	5	9	9	9	9
70-74	9	7.0	67	1	1	6	9	20	27	27
75-79	2	10.0	18	7	7	10	13	13	13	13
80-84	2	4.0		4	4	4	4	4	4	4
85+	6	3.7	7	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	83	8.7	16	2	5	8	10	14	16	24
70-74	40	9.0	19	3	4	8	11	16	18	19
75-79	30	10.9	41	2	5	9	12	18	26	33
80-84	8	10.9	76	1	3	8	14	26	28	28
85+	15	8.7	23	2	2	8	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	5.7	25	1	1	5	8	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*	176	9.3	24	2	4	8	11	15	19	27
1. SINGLE DX	33	5.7	25	1	1	5	8	9	12	27
2. MULTIPLE DX	178	9.2	24	2	4	8	11	15	19	27
A. NOT OPERATED	2	8.0	2	7	7	8	9	9	9	9
B. OPERATED	209	8.7	26	2	2	8	10	15	18	27
TOTAL 65-69 YRS	98	8.2	16	2	3	8	10	13	15	24
70-74	49	8.6	27	2	2	8	11	16	19	27
75-79	32	10.8	39	2	5	9	12	17	25	33
80-84	11	9.5	60	1	3	8	9	23	28	28
85+	21	7.3	24	1	1	7	10	15	17	18
GRAND TOTAL	**211**	**8.7**	**26**	**2**	**2**	**8**	**10**	**15**	**18**	**27**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	67	2.5	3	1	1	2	3	4	6	11
70-74	35	2.5	2	<1	1	2	3	4	4	9
75-79	26	3.8	12	2	2	3	3	7	10	19
80-84	10	3.5	3	2	2	3	4	6	7	7
85+	6	6.0	10	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.6	3	<1	<1	4	5	5	5	5
70-74	6	5.7	17	2	2	4	9	12	12	12
75-79	4	6.3	5	4	4	6	8	9	9	9
80-84	3	10.7	96	5	5	5	18	22	22	22
85+	3	7.0	31	2	2	6	11	13	13	13
B. *Operated*										
65-69 YRS	207	5.3	39	1	2	3	7	10	12	49
70-74	126	6.2	46	2	2	4	8	11	17	36
75-79	79	6.2	23	1	2	4	9	13	17	21
80-84	36	7.3	44	2	2	4	11	18	22	25
85+	21	10.2	395	2	2	6	8	14	54	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	144	3.0	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	23	6.0	22	1	2	5	7	12	16	22
B. *Operated*	469	6.1	54	1	2	4	8	11	17	34
1. SINGLE DX	145	3.0	5	1	1	2	3	6	7	12
2. MULTIPLE DX	492	6.1	53	1	2	4	8	11	17	32
A. NOT OPERATED	24	6.0	21	1	2	5	7	12	16	22
B. OPERATED	613	5.3	45	1	2	3	7	10	14	28
TOTAL 65-69 YRS	281	4.6	31	1	1	3	6	9	12	33
70-74	167	5.4	37	1	2	3	7	10	14	27
75-79	109	5.7	20	2	2	4	8	10	17	20
80-84	49	6.7	40	2	2	3	9	17	22	25
85+	31	8.9	271	2	2	6	8	11	21	95
GRAND TOTAL	**637**	**5.4**	**44**	**1**	**2**	**3**	**7**	**10**	**14**	**28**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.5	5	<1	<1	3	4	7	8	8
70-74	11	5.0	21	1	1	4	6	13	15	15
75-79	9	5.6	14	1	1	5	7	11	13	13
80-84	5	8.2	23	3	3	7	12	15	15	15
85+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	69	2.7	3	1	1	2	3	5	6	12
70-74	44	3.5	4	2	2	3	5	6	8	10
75-79	26	3.3	4	<1	1	3	5	6	7	9
80-84	13	3.8	2	1	2	4	5	6	6	6
85+	8	9.3	86	2	2	6	12	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	6.5	22	1	2	6	8	10	17	26
70-74	44	7.6	18	2	3	6	11	13	17	18
75-79	40	7.5	17	3	3	7	9	11	17	21
80-84	38	8.9	26	2	3	8	12	17	19	22
85+	43	8.0	17	2	3	8	10	13	14	22
B. *Operated*										
65-69 YRS	109	6.4	58	1	2	4	8	14	19	42
70-74	83	8.8	92	2	2	5	10	22	29	50
75-79	53	7.4	45	2	2	5	10	16	18	34
80-84	43	7.2	33	1	2	6	8	17	21	22
85+	29	10.8	101	2	2	8	13	26	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.0	15	1	1	4	7	12	14	15
B. *Operated*	160	3.5	9	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	208	7.7	20	2	3	7	10	13	17	22
B. *Operated*	317	7.7	66	1	2	5	10	17	22	44
1. SINGLE DX	198	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	525	7.7	48	2	2	6	10	15	20	35
A. NOT OPERATED	246	7.2	20	2	2	7	9	13	16	22
B. OPERATED	477	6.3	51	1	2	4	8	13	20	36
TOTAL 65-69 YRS	231	5.2	35	1	1	3	6	10	15	26
70-74	182	7.0	53	2	2	5	8	14	21	42
75-79	128	6.4	28	2	2	5	9	12	16	30
80-84	99	7.5	28	2	2	6	10	15	20	22
85+	83	8.9	53	2	2	7	11	17	25	39
GRAND TOTAL	**723**	**6.6**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**31**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	5.4	10	<1	1	6	8	9	11	12
70-74	22	4.0	11	<1	1	3	6	9	11	12
75-79	25	5.0	9	1	1	5	8	9	9	10
80-84	9	7.3	12	2	3	7	9	12	14	14
85+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
65-69 YRS	1365	8.3	10	4	5	8	10	12	14	19
70-74	1017	8.5	11	4	5	8	10	12	14	19
75-79	617	8.7	11	4	5	8	10	13	15	20
80-84	227	9.2	28	4	5	8	10	14	18	26
85+	105	8.7	15	3	4	8	11	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	150	5.4	30	1	1	4	7	11	14	30
70-74	123	6.2	36	1	1	5	8	12	19	29
75-79	107	5.9	26	1	2	5	8	11	14	29
80-84	76	6.8	38	2	3	5	8	12	16	39
85+	66	8.0	41	2	2	6	11	16	21	89
B. *Operated*										
65-69 YRS	3370	9.7	20	5	6	9	11	15	18	27
70-74	2561	10.0	25	5	6	9	12	15	19	30
75-79	1606	10.7	28	5	6	9	13	17	20	30
80-84	621	11.0	34	5	6	10	13	17	21	33
85+	238	11.8	42	4	6	10	14	19	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.0	10	1	1	5	8	9	10	13
B. *Operated*	3331	8.5	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	522	6.2	34	1	1	5	8	12	16	34
B. *Operated*	8396	10.1	25	5	6	9	12	16	19	30
1. SINGLE DX	3417	8.4	12	4	5	8	10	12	14	20
2. MULTIPLE DX	8918	9.9	26	4	5	9	12	15	19	30
A. NOT OPERATED	608	6.1	30	1	1	5	8	12	15	33
B. OPERATED	11727	9.7	22	5	6	9	11	15	18	28
TOTAL 65-69 YRS	4912	9.1	19	4	5	8	11	14	17	25
70-74	3723	9.4	22	4	5	9	11	14	17	28
75-79	2355	9.9	25	4	5	9	12	16	19	29
80-84	933	10.1	34	4	5	9	12	16	20	33
85+	412	10.3	38	3	4	9	13	18	22	35
GRAND TOTAL	**12335**	**9.5**	**23**	**4**	**5**	**9**	**11**	**15**	**18**	**28**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	2.2	2	<1	<1	2	3	4	5	6
70-74	12	2.3	1	1	1	2	3	4	4	4
75-79	11	3.4	4	1	1	2	5	6	6	6
80-84	4	2.8	2	1	1	3	4	4	4	4
85+	7	6.0	34	1	1	5	7	16	18	18
B. *Operated*										
65-69 YRS	662	2.3	5	<1	1	2	2	3	4	11
70-74	439	2.4	3	1	1	2	2	4	5	10
75-79	199	2.6	6	1	1	2	3	4	6	12
80-84	81	2.8	3	1	2	2	3	5	6	10
85+	44	3.5	13	1	2	3	4	5	9	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	4.7	18	<1	1	4	6	10	12	22
70-74	62	4.8	20	<1	1	3	8	11	13	20
75-79	46	6.1	36	1	2	5	8	11	15	38
80-84	36	6.0	30	1	1	5	7	12	20	24
85+	42	7.2	37	1	2	5	9	16	17	33
B. *Operated*										
65-69 YRS	1292	4.1	31	1	1	2	4	9	11	21
70-74	836	4.4	22	1	2	3	5	10	14	23
75-79	484	5.0	42	1	2	3	5	10	15	29
80-84	236	5.1	22	1	2	3	7	12	15	22
85+	120	5.2	16	2	2	4	7	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.9	7	1	1	2	4	6	6	17
B. *Operated*	1425	2.4	5	<1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	262	5.5	27	1	1	4	7	11	16	24
B. *Operated*	2968	4.4	29	1	1	3	5	10	13	23
1. SINGLE DX	1482	2.4	5	<1	1	2	2	4	5	11
2. MULTIPLE DX	3230	4.5	29	1	1	3	5	10	13	23
A. NOT OPERATED	319	5.1	24	1	1	4	7	10	15	23
B. OPERATED	4393	3.8	22	1	1	2	4	8	11	21
TOTAL 65-69 YRS	2053	3.5	23	1	1	2	3	7	10	19
70-74	1349	3.7	17	1	1	2	4	8	12	21
75-79	740	4.4	33	1	1	3	5	9	13	26
80-84	357	4.6	19	1	2	3	5	10	14	22
85+	213	5.3	21	2	2	4	7	11	16	23
GRAND TOTAL	**4712**	**3.9**	**22**	**1**	**1**	**2**	**4**	**8**	**12**	**21**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.9	2	1	1	2	4	5	6	7
70-74	12	3.6	13	1	1	2	3	11	12	12
75-79	17	3.5	9	1	1	2	4	8	11	12
80-84	11	3.0	4	1	1	2	4	6	8	8
85+	11	3.6	6	1	1	3	5	7	9	9
B. *Operated*										
65-69 YRS	664	3.4	12	1	1	2	3	7	10	19
70-74	371	3.8	17	1	1	2	4	7	10	21
75-79	200	3.8	11	1	2	3	4	8	10	18
80-84	71	3.7	10	1	1	3	4	8	12	15
85+	54	4.2	16	<1	1	2	6	9	10	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	6.1	40	1	1	4	7	14	19	35
70-74	58	7.5	37	2	2	6	9	15	25	94
75-79	67	7.8	36	2	3	6	10	15	22	29
80-84	60	8.6	80	1	2	6	10	18	35	95
85+	61	8.4	41	2	2	6	10	17	23	32
B. *Operated*										
65-69 YRS	1371	6.2	49	1	2	4	8	13	17	35
70-74	792	7.5	78	1	2	5	9	15	22	46
75-79	543	7.8	83	1	2	4	10	17	23	48
80-84	241	8.5	79	2	2	6	11	20	26	39
85+	145	8.7	74	2	2	7	11	17	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.3	6	1	1	2	4	7	9	12
B. *Operated*	1360	3.6	13	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	325	7.6	47	1	2	6	9	15	24	41
B. *Operated*	3092	7.1	66	1	2	4	9	15	20	42
1. SINGLE DX	1429	3.6	13	1	1	2	4	7	10	20
2. MULTIPLE DX	3417	7.2	64	1	2	5	9	15	21	42
A. NOT OPERATED	394	6.8	42	1	2	5	9	15	21	38
B. OPERATED	4452	6.0	53	1	2	3	8	13	18	36
TOTAL 65-69 YRS	2132	5.3	38	1	1	3	7	11	16	29
70-74	1233	6.4	60	1	2	4	8	14	20	42
75-79	827	6.7	63	1	2	4	8	16	20	43
80-84	383	7.5	68	1	2	5	10	17	25	42
85+	271	7.5	56	1	2	5	9	16	23	42
GRAND TOTAL	**4846**	**6.1**	**52**	**1**	**2**	**3**	**8**	**13**	**18**	**37**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.7	33	<1	<1	3	9	16	17	17
70-74	11	3.0	4	<1	1	2	5	6	6	6
75-79	9	3.8	9	<1	<1	3	5	9	10	10
80-84	6	5.7	17	1	1	5	10	11	11	11
85+	4	3.5	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	318	9.4	16	3	5	9	11	15	17	23
70-74	216	10.0	31	2	3	9	12	15	19	33
75-79	98	9.4	35	1	2	9	11	15	21	34
80-84	39	10.1	51	2	2	10	12	16	20	42
85+	16	9.8	62	<1	1	9	13	21	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	7.3	43	1	2	5	9	19	23	26
70-74	39	6.4	37	1	1	5	8	11	19	32
75-79	32	8.0	19	2	3	8	10	15	18	18
80-84	18	16.2	468	3	3	8	12	54	72	80
85+	12	7.3	21	2	3	6	9	13	18	19
B. *Operated*										
65-69 YRS	601	10.4	31	3	5	9	13	17	21	30
70-74	378	11.6	41	3	5	10	14	20	24	33
75-79	207	11.9	62	3	4	11	14	20	25	56
80-84	91	12.5	80	2	3	10	17	21	29	48
85+	37	11.6	68	1	2	10	15	22	31	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.4	15	<1	1	3	6	10	13	17
B. *Operated*	687	9.7	26	2	3	9	12	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	147	8.3	92	1	2	6	9	17	22	62
B. *Operated*	1314	11.2	44	3	5	10	14	19	23	34
1. SINGLE DX	729	9.3	27	2	3	9	11	15	18	30
2. MULTIPLE DX	1461	10.9	49	2	4	10	13	19	23	35
A. NOT OPERATED	189	7.4	78	1	1	5	9	15	19	52
B. OPERATED	2001	10.6	38	2	4	10	13	17	22	33
TOTAL 65-69 YRS	977	9.9	27	2	4	9	12	16	20	28
70-74	644	10.6	40	2	3	10	13	18	22	33
75-79	346	10.6	52	2	3	10	13	18	24	36
80-84	154	12.1	117	2	3	10	15	21	29	61
85+	69	10.0	59	1	2	9	13	20	30	35
GRAND TOTAL	**2190**	**10.4**	**42**	**2**	**3**	**9**	**13**	**17**	**22**	**34**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	407	7.2	32	2	3	6	9	13	16	30
70-74	350	7.7	29	2	3	7	10	13	16	30
75-79	269	8.1	24	2	3	7	10	15	19	26
80-84	198	8.2	28	3	3	7	10	15	20	28
85+	191	7.9	20	3	3	7	10	13	16	24
B. *Operated*										
65-69 YRS	187	8.9	53	1	2	7	11	17	23	33
70-74	140	8.9	47	2	2	7	11	19	22	32
75-79	136	10.2	125	2	3	7	11	21	24	63
80-84	56	9.6	97	2	3	7	11	18	21	63
85+	59	11.0	42	2	4	10	14	20	24	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1703	9.9	47	3	4	8	12	18	23	37
70-74	1639	10.5	60	3	4	8	13	20	25	45
75-79	1480	11.3	68	3	4	9	14	21	27	45
80-84	1256	11.6	72	3	4	9	14	21	28	45
85+	1275	12.0	81	3	4	10	15	21	27	48
B. *Operated*										
65-69 YRS	746	15.9	173	3	5	12	20	32	43	88
70-74	674	18.4	215	4	5	14	25	39	50	87
75-79	510	18.4	221	4	5	14	24	38	55	99+
80-84	404	18.3	206	4	6	14	24	37	49	99
85+	311	18.7	214	4	5	15	23	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1415	7.7	28	2	3	7	10	14	17	27
B. *Operated*	578	9.5	72	2	2	7	12	19	23	41
2. MULTIPLE DX										
A. *Not Operated*	7353	10.9	65	3	4	9	14	20	26	44
B. *Operated*	2645	17.7	203	4	5	14	23	37	51	94
1. SINGLE DX	1993	8.2	41	2	3	7	10	15	20	30
2. MULTIPLE DX	9998	12.7	111	3	4	10	15	25	33	62
A. NOT OPERATED	8768	10.4	60	3	4	8	13	19	25	42
B. OPERATED	3223	16.2	190	3	4	12	21	34	45	89
TOTAL 65-69 YRS	3043	10.9	85	3	4	8	14	21	28	54
70-74	2803	11.9	107	3	4	9	14	24	33	58
75-79	2395	12.4	110	3	4	10	15	24	32	63
80-84	1914	12.6	106	3	4	10	15	24	33	65
85+	1836	12.7	105	3	4	10	16	23	31	62
GRAND TOTAL	**11991**	**12.0**	**102**	**3**	**4**	**9**	**15**	**23**	**31**	**59**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	7.4	27	1	2	6	9	16	20	24
70-74	50	7.3	34	3	3	5	9	13	16	38
75-79	34	7.5	41	2	3	6	10	14	17	36
80-84	26	8.6	101	2	4	6	8	11	38	47
85+	32	8.0	24	2	3	7	10	14	19	21
B. *Operated*										
65-69 YRS	119	6.7	42	<1	1	5	9	14	18	35
70-74	86	7.7	62	1	1	5	10	20	27	35
75-79	61	7.3	83	1	2	4	8	17	26	51
80-84	33	6.9	21	2	2	6	9	12	18	21
85+	28	8.5	41	2	2	6	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	304	9.8	60	3	3	7	12	19	24	47
70-74	275	11.5	123	3	4	8	13	21	30	56
75-79	262	11.0	93	3	4	8	13	21	27	79
80-84	207	11.1	51	3	4	9	15	21	26	99+
85+	191	11.7	93	3	4	9	15	22	27	51
B. *Operated*										
65-69 YRS	322	13.6	167	2	3	10	17	30	38	63
70-74	265	16.0	211	3	4	11	22	36	49	87
75-79	209	16.0	218	2	3	11	22	34	51	78
80-84	155	15.9	197	2	3	11	22	31	41	74
85+	101	16.0	169	3	4	12	21	33	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	7.6	40	2	3	6	9	14	19	37
B. *Operated*	327	7.3	52	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*	1239	10.9	85	3	4	8	13	21	27	60
B. *Operated*	1052	15.3	193	2	3	11	21	32	44	75
1. SINGLE DX	525	7.4	48	1	2	5	9	15	20	37
2. MULTIPLE DX	2291	12.9	139	3	4	9	16	26	36	73
A. NOT OPERATED	1437	10.5	80	3	3	8	13	21	26	57
B. OPERATED	1379	13.4	171	2	3	9	17	30	39	71
TOTAL 65-69 YRS	801	10.7	105	2	3	8	13	22	30	53
70-74	676	12.5	153	2	3	8	15	28	38	71
75-79	566	12.2	144	2	3	8	15	26	37	73
80-84	421	12.4	113	3	3	9	16	24	32	77
85+	352	12.3	111	3	3	10	15	24	33	57
GRAND TOTAL	**2816**	**11.9**	**127**	**2**	**3**	**8**	**15**	**25**	**34**	**68**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	26	5.1	17	1	2	4	6	12	15	17
70-74	10	4.9	21	1	1	4	6	12	16	16
75-79	11	4.5	4	2	2	4	6	8	8	8
80-84	5	4.0	1	3	3	4	4	5	5	5
85+	11	4.4	4	2	2	4	6	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	1	5	5	7	7	7	7	7
70-74	3	14.0	97	6	6	11	21	25	25	25
75-79	3	2.7		2	2	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	23	7.3	25	2	2	6	10	16	17	18
70-74	21	11.2	114	2	2	7	15	25	36	45
75-79	7	11.3	64	2	2	10	16	23	25	25
80-84	7	12.9	32	7	7	12	17	21	22	22
85+	8	13.9	231	<1	1	11	15	39	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	63	4.7	11	1	2	4	6	8	14	17
2. MULTIPLE DX										
A. *Not Operated*	9	7.7	50	2	2	6	8	19	25	25
B. *Operated*	66	10.3	83	2	3	7	14	20	26	48
1. SINGLE DX	63	4.7	11	1	2	4	6	8	14	17
2. MULTIPLE DX	75	10.0	79	2	3	7	14	20	25	48
A. NOT OPERATED	9	7.7	50	2	2	6	8	19	25	25
B. OPERATED	129	7.6	56	1	2	5	9	17	20	46
TOTAL 65-69 YRS	52	6.1	20	1	2	5	7	15	17	18
70-74	34	9.6	91	1	2	6	14	22	28	45
75-79	21	6.5	34	2	2	4	8	15	20	25
80-84	12	9.2	39	3	3	7	12	20	22	22
85+	19	8.4	115	1	2	4	10	15	35	49
GRAND TOTAL	**138**	**7.6**	**55**	**1**	**2**	**5**	**9**	**17**	**21**	**45**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	6	2.0	2	1	1	2	2	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	199	2.6	8	<1	<1	2	3	5	8	16
70-74	115	2.3	4	<1	<1	2	3	4	5	11
75-79	72	2.7	19	<1	<1	2	3	4	6	31
80-84	28	4.1	51	<1	<1	2	3	6	25	33
85+	20	3.7	13	<1	<1	2	4	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	5.3	8	<1	1	5	7	9	10	10
70-74	6	4.0	16	<1	<1	2	6	10	11	11
75-79	6	4.7	15	1	1	4	5	11	12	12
80-84	5	7.4	28	1	1	8	10	15	15	15
85+	3	5.3	10	3	3	4	8	9	9	9
B. *Operated*										
65-69 YRS	169	4.5	15	1	2	3	5	10	14	22
70-74	108	5.2	30	1	2	3	6	12	16	30
75-79	80	5.6	31	1	1	4	7	12	17	31
80-84	47	5.7	20	1	1	4	8	12	14	20
85+	23	6.7	42	1	2	6	8	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.9	2	1	1	2	2	4	5	5
B. *Operated*	434	2.7	12	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	32	5.3	13	<1	1	4	8	10	12	15
B. *Operated*	427	5.1	24	1	2	3	6	11	15	25
1. SINGLE DX	442	2.7	11	<1	<1	2	3	5	7	17
2. MULTIPLE DX	459	5.1	23	1	1	3	6	11	15	24
A. NOT OPERATED	40	4.6	13	<1	1	4	7	10	11	15
B. OPERATED	861	3.9	19	<1	<1	2	4	8	13	23
TOTAL 65-69 YRS	380	3.6	12	<1	<1	2	4	8	11	17
70-74	235	3.6	18	<1	<1	2	4	8	12	24
75-79	160	4.2	27	<1	<1	2	5	9	13	34
80-84	80	5.2	31	<1	1	3	7	12	15	30
85+	46	5.3	29	<1	1	3	7	11	16	29
GRAND TOTAL	**901**	**3.9**	**19**	**<1**	**<1**	**2**	**4**	**9**	**12**	**23**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	287	8.0	48	1	2	6	10	17	22	35
70-74	219	10.5	130	2	2	8	12	20	32	62
75-79	216	10.9	95	2	3	8	14	22	28	57
80-84	186	10.9	143	2	2	8	13	22	30	79
85+	213	11.7	124	2	3	9	14	25	35	88
B. *Operated*										
65-69 YRS	920	6.8	88	1	1	3	7	18	27	46
70-74	643	9.2	149	1	1	4	12	25	35	93
75-79	471	10.7	195	1	1	5	14	27	36	75
80-84	274	14.2	212	1	1	9	23	36	42	68
85+	241	14.6	245	1	2	9	21	37	48	88
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1472	11.7	108	2	3	9	15	23	31	64
70-74	1461	12.6	130	3	3	9	15	27	36	71
75-79	1522	13.8	133	3	4	10	17	28	36	70
80-84	1319	14.6	148	3	4	11	19	30	42	99+
85+	1300	14.5	152	3	4	11	19	29	38	87
B. *Operated*										
65-69 YRS	1812	14.3	261	1	2	8	20	38	52	99+
70-74	1572	18.2	353	2	2	12	27	46	65	97
75-79	1260	19.9	328	2	3	15	30	49	65	99+
80-84	874	21.8	360	2	3	17	31	53	69	99+
85+	802	23.1	335	2	4	19	33	53	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1121	10.2	105	2	2	7	12	21	29	58
B. *Operated*	2549	9.7	159	1	1	4	13	26	36	66
2. MULTIPLE DX										
A. *Not Operated*	7074	13.4	135	3	4	10	17	27	37	74
B. *Operated*	6320	18.5	330	2	2	13	27	46	63	99+
1. SINGLE DX	3670	9.8	142	1	1	5	13	25	34	63
2. MULTIPLE DX	13394	15.8	233	2	3	11	21	37	52	99+
A. NOT OPERATED	8195	13.0	132	3	4	10	16	27	36	72
B. OPERATED	8869	16.0	297	1	2	10	23	41	57	99+
TOTAL 65-69 YRS	4491	11.5	170	1	2	7	15	28	41	77
70-74	3895	14.2	235	2	2	9	18	34	50	90
75-79	3469	15.4	222	2	3	11	20	36	49	99
80-84	2653	16.7	238	2	3	12	22	38	55	99+
85+	2556	17.0	234	2	4	13	22	38	52	99+
GRAND TOTAL	**17064**	**14.5**	**220**	**2**	**2**	**10**	**19**	**34**	**48**	**94**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	11.3	197	2	3	8	12	20	29	97
70-74	32	8.0	18	3	3	9	11	12	17	20
75-79	15	9.5	49	1	2	8	14	16	24	27
80-84	4	9.3	72	5	5	5	14	22	22	22
85+	3	9.7	4	8	8	9	11	12	12	12
B. *Operated*										
65-69 YRS	35	13.0	124	2	4	9	20	22	28	61
70-74	23	11.8	73	3	4	9	18	24	30	33
75-79	14	17.0	146	1	2	14	22	40	42	42
80-84	5	11.6	18	4	4	13	14	14	14	14
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	243	10.8	67	2	3	9	14	21	25	44
70-74	208	12.5	81	3	3	10	17	27	31	45
75-79	118	12.7	102	3	3	10	15	25	37	47
80-84	62	13.4	104	3	4	9	17	29	36	48
85+	25	14.2	186	3	5	9	16	30	44	66
B. *Operated*										
65-69 YRS	162	17.9	198	3	4	14	24	37	43	65
70-74	142	18.3	163	5	6	16	23	33	48	73
75-79	66	21.4	243	4	6	16	31	44	61	96
80-84	28	22.4	247	3	4	17	33	43	55	63
85+	9	13.1	139	4	4	9	16	32	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	9.9	110	2	3	8	12	17	22	63
B. *Operated*	78	13.3	105	2	4	10	20	23	32	56
2. MULTIPLE DX										
A. *Not Operated*	656	12.1	86	3	3	9	16	25	32	46
B. *Operated*	407	18.8	197	4	5	15	25	37	50	73
1. SINGLE DX	182	11.3	110	2	3	9	14	22	28	55
2. MULTIPLE DX	1063	14.7	139	3	4	11	19	31	38	63
A. NOT OPERATED	760	11.8	90	3	3	9	15	23	31	46
B. OPERATED	485	17.9	186	3	5	14	23	36	44	70
TOTAL 65-69 YRS	490	13.4	137	3	3	10	17	27	36	60
70-74	405	14.1	115	3	4	11	20	28	34	68
75-79	213	15.5	161	3	4	12	20	36	44	67
80-84	99	15.7	154	3	4	12	22	36	40	59
85+	38	13.5	152	4	4	9	16	28	39	66
GRAND TOTAL	**1245**	**14.2**	**136**	**3**	**4**	**11**	**19**	**29**	**37**	**62**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	341	9.7	50	3	4	8	12	18	22	42
70-74	267	10.4	52	2	4	9	14	21	24	45
75-79	169	10.9	70	3	4	8	14	21	28	42
80-84	69	9.8	35	3	4	9	13	18	22	32
85+	41	9.8	25	3	4	9	13	16	20	22
B. *Operated*										
65-69 YRS	513	14.0	110	2	3	12	18	27	33	50
70-74	292	13.9	102	3	3	12	18	26	33	47
75-79	119	16.5	118	3	5	16	22	28	37	56
80-84	33	19.7	195	4	8	15	25	39	58	61
85+	8	18.1	773	2	2	7	18	65	85	85
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1296	11.2	68	3	4	9	14	21	26	47
70-74	1108	11.7	69	3	4	10	15	22	28	42
75-79	829	12.4	105	3	4	10	15	23	32	67
80-84	470	11.7	72	3	4	10	14	22	30	54
85+	231	11.4	62	3	4	9	14	21	30	44
B. *Operated*										
65-69 YRS	841	16.8	170	3	4	15	22	32	43	72
70-74	613	18.1	208	3	5	15	23	36	48	98
75-79	332	20.1	241	3	5	17	26	43	61	99+
80-84	104	20.6	209	6	7	17	25	41	51	70
85+	44	16.9	141	4	5	12	25	32	42	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	10.1	52	3	4	8	13	19	24	42
B. *Operated*	965	14.5	118	3	3	13	19	27	34	52
2. MULTIPLE DX										
A. *Not Operated*	3934	11.7	76	3	4	10	15	22	28	50
B. *Operated*	1934	18.0	197	3	4	15	23	35	48	90
1. SINGLE DX	1852	12.4	91	3	3	10	16	24	31	47
2. MULTIPLE DX	5868	13.8	125	3	4	11	18	27	35	68
A. NOT OPERATED	4821	11.4	72	3	4	9	14	21	28	48
B. OPERATED	2899	16.8	173	3	4	15	22	32	44	79
TOTAL 65-69 YRS	2991	13.1	109	3	4	10	17	26	32	59
70-74	2280	13.5	117	3	4	11	18	26	34	67
75-79	1449	14.3	145	3	4	11	18	28	38	78
80-84	676	13.3	108	3	4	11	16	26	34	63
85+	324	12.1	88	3	4	10	15	24	31	50
GRAND TOTAL	**7720**	**13.4**	**117**	**3**	**4**	**11**	**17**	**26**	**34**	**63**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	293	6.9	32	1	2	5	9	16	18	26
70-74	322	7.6	32	2	2	6	10	15	18	29
75-79	351	7.5	30	2	2	6	10	15	19	24
80-84	243	8.0	33	2	2	7	11	15	17	28
85+	210	7.0	29	1	2	6	10	13	16	28
B. *Operated*										
65-69 YRS	2613	15.0	49	4	7	15	18	23	27	39
70-74	2375	16.3	51	5	8	16	20	25	30	40
75-79	1636	17.9	60	8	10	17	21	27	32	43
80-84	684	18.7	68	8	11	17	22	27	33	45
85+	246	19.5	72	9	10	18	24	31	36	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1709	8.4	37	2	3	7	10	16	20	31
70-74	2028	8.9	48	2	3	7	11	16	21	35
75-79	2315	9.6	56	2	3	8	12	17	23	43
80-84	1842	9.8	55	2	3	8	12	18	24	39
85+	1671	10.2	70	2	3	8	13	19	23	45
B. *Operated*										
65-69 YRS	2588	17.1	102	4	6	16	21	28	35	55
70-74	2699	18.9	110	5	8	17	23	31	39	59
75-79	2111	20.5	124	7	9	18	25	34	42	62
80-84	950	21.8	158	7	10	19	26	37	48	77
85+	414	21.8	161	6	9	20	27	37	53	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1419	7.4	31	1	2	6	10	15	18	27
B. *Operated*	7554	16.5	57	5	8	16	20	25	30	41
2. MULTIPLE DX										
A. *Not Operated*	9565	9.4	54	2	3	8	12	17	22	39
B. *Operated*	8762	19.2	121	5	8	17	24	32	40	62
1. SINGLE DX	8973	15.1	64	3	5	15	19	24	29	40
2. MULTIPLE DX	18327	14.1	110	3	4	12	19	26	33	56
A. NOT OPERATED	10984	9.1	51	2	3	7	12	17	22	38
B. OPERATED	16316	18.0	93	5	8	17	22	29	36	55
TOTAL 65-69 YRS	7203	13.9	78	3	4	13	18	24	29	45
70-74	7424	14.9	90	3	4	14	19	26	32	48
75-79	6413	15.2	104	3	4	14	20	27	34	52
80-84	3719	14.4	113	3	4	12	19	27	34	56
85+	2541	12.7	107	3	3	10	17	25	32	60
GRAND TOTAL	**27300**	**14.4**	**95**	**3**	**4**	**13**	**19**	**26**	**32**	**50**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	7.1	28	1	2	6	10	13	17	26
70-74	113	7.4	42	2	2	6	9	14	21	38
75-79	95	8.2	65	1	3	7	11	14	17	52
80-84	79	8.6	56	2	2	6	10	19	23	39
85+	66	9.8	183	2	3	6	9	19	32	78
B. *Operated*										
65-69 YRS	215	12.1	77	2	3	11	17	21	27	46
70-74	180	14.8	83	3	4	14	19	23	26	53
75-79	106	15.4	65	3	4	16	20	25	28	67
80-84	38	17.2	87	2	4	16	22	29	36	43
85+	23	17.0	95	2	3	16	25	28	33	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	519	9.6	79	2	3	7	12	18	26	43
70-74	578	9.3	55	2	3	7	12	18	25	38
75-79	506	9.8	77	3	3	7	12	18	24	59
80-84	411	9.8	59	2	3	7	12	20	28	46
85+	344	10.3	68	3	3	8	13	19	26	55
B. *Operated*										
65-69 YRS	286	18.1	252	3	4	15	23	38	53	93
70-74	229	18.9	203	3	4	16	26	37	50	72
75-79	202	21.3	254	5	7	17	27	42	55	93
80-84	107	22.8	258	6	7	20	30	45	60	99+
85+	60	25.0	314	4	7	20	31	54	63	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	8.0	66	1	2	6	10	15	20	43
B. *Operated*	562	14.2	81	2	3	14	19	24	28	51
2. MULTIPLE DX										
A. *Not Operated*	2358	9.7	67	2	3	7	12	19	26	47
B. *Operated*	884	20.1	248	3	5	16	26	42	56	93
1. SINGLE DX	1023	11.4	83	2	3	9	16	21	26	46
2. MULTIPLE DX	3242	12.5	138	3	3	9	16	26	36	70
A. NOT OPERATED	2819	9.4	67	2	3	7	12	18	25	46
B. OPERATED	1446	17.8	191	3	4	15	22	35	49	82
TOTAL 65-69 YRS	1128	12.0	132	2	3	9	15	23	32	62
70-74	1100	12.0	106	2	3	9	16	24	31	54
75-79	909	12.8	137	3	3	9	16	25	37	71
80-84	635	12.3	119	2	3	9	16	26	35	80
85+	493	12.3	137	3	3	8	15	26	36	71
GRAND TOTAL	**4265**	**12.3**	**125**	**2**	**3**	**9**	**16**	**25**	**34**	**64**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.2	12	1	1	3	6	8	12	15
70-74	13	9.2	33	1	2	8	13	18	18	18
75-79	13	5.7	14	1	1	5	8	10	12	13
80-84	2	7.0	2	6	6	7	8	8	8	8
85+	3	16.0	111	5	5	17	24	26	26	26
B. *Operated*										
65-69 YRS	243	5.9	16	2	2	5	7	9	11	23
70-74	137	6.5	14	2	3	6	8	11	14	21
75-79	44	6.8	23	2	2	6	8	13	14	28
80-84	22	8.3	23	2	3	8	11	14	18	22
85+	20	6.0	14	2	3	5	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	8.9	48	2	3	6	12	17	26	29
70-74	40	7.3	20	2	2	5	10	14	15	20
75-79	21	9.3	50	2	3	7	12	17	25	33
80-84	12	8.8	50	2	3	5	13	19	25	26
85+	8	8.3	33	4	4	6	10	18	21	21
B. *Operated*										
65-69 YRS	478	7.3	26	2	3	6	9	13	17	29
70-74	239	8.0	40	2	3	6	9	16	21	30
75-79	124	9.2	46	2	3	8	11	17	22	38
80-84	34	9.6	83	2	3	8	11	17	29	49
85+	20	6.5	13	2	2	6	7	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.6	30	1	1	5	8	16	18	26
B. *Operated*	466	6.3	16	2	3	5	8	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	104	8.3	36	2	3	6	11	15	20	31
B. *Operated*	895	7.8	35	2	3	6	9	14	18	32
1. SINGLE DX	517	6.3	18	2	2	5	8	11	14	23
2. MULTIPLE DX	999	7.8	35	2	3	6	9	14	18	32
A. NOT OPERATED	155	7.7	34	1	2	6	10	15	19	29
B. OPERATED	1361	7.3	29	2	3	6	9	13	17	30
TOTAL 65-69 YRS	764	6.8	24	2	3	6	8	12	15	29
70-74	429	7.5	30	2	3	6	9	14	18	27
75-79	202	8.5	40	2	2	7	10	15	20	35
80-84	70	9.0	55	2	3	8	11	16	22	46
85+	51	7.1	25	2	3	6	8	14	18	26
GRAND TOTAL	**1516**	**7.3**	**30**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	124	6.5	41	1	1	5	8	13	18	33
70-74	97	6.4	29	1	1	5	8	15	17	26
75-79	106	8.5	45	2	2	7	11	18	23	31
80-84	64	8.8	83	2	3	6	10	18	22	60
85+	73	7.5	20	2	3	7	11	13	16	19
B. *Operated*										
65-69 YRS	229	7.5	57	1	2	5	9	16	24	37
70-74	175	9.5	89	1	2	6	14	21	25	47
75-79	118	10.4	84	1	2	7	15	22	31	64
80-84	51	10.1	87	1	2	8	14	23	27	45
85+	33	9.3	59	1	2	7	12	19	25	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	329	8.1	43	2	2	6	10	16	21	32
70-74	353	8.2	32	2	2	7	11	15	20	28
75-79	321	9.8	52	2	3	8	13	19	24	37
80-84	258	9.8	83	2	3	8	12	19	22	45
85+	271	9.7	64	2	3	8	12	18	25	50
B. *Operated*										
65-69 YRS	329	11.6	136	2	2	8	15	26	34	55
70-74	267	14.9	180	2	3	12	20	30	41	69
75-79	206	15.2	198	2	2	11	22	33	42	78
80-84	107	16.2	163	2	3	13	23	32	42	84
85+	81	16.1	159	3	4	15	23	31	37	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	7.4	43	1	2	6	9	15	19	28
B. *Operated*	606	9.0	75	1	2	6	13	20	26	43
2. MULTIPLE DX										
A. *Not Operated*	1532	9.1	53	2	3	7	11	18	22	37
B. *Operated*	990	14.1	168	2	3	10	20	30	39	73
1. SINGLE DX	1070	8.3	62	1	2	6	11	18	23	36
2. MULTIPLE DX	2522	11.0	104	2	3	8	14	23	30	55
A. NOT OPERATED	1996	8.7	51	2	2	7	11	17	22	37
B. OPERATED	1596	12.2	139	2	2	8	17	27	35	64
TOTAL 65-69 YRS	1011	8.9	80	1	2	6	11	19	27	44
70-74	892	10.3	97	2	2	7	14	22	27	52
75-79	751	11.2	102	2	2	8	15	23	31	51
80-84	480	11.1	108	2	3	8	14	23	28	62
85+	458	10.4	80	2	3	8	13	21	28	59
GRAND TOTAL	**3592**	**10.2**	**93**	**2**	**2**	**7**	**13**	**22**	**28**	**51**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	10.0	55	4	4	7	12	23	24	24
70-74	9	8.0	18	2	3	7	10	14	16	16
75-79	1	4.0		4	4	4	4	4	4	4
80-84	5	7.0	26	4	4	5	8	16	16	16
85+										
B. *Operated*										
65-69 YRS	4	11.5	26	5	5	12	15	16	16	16
70-74	2	12.0	32	8	8	12	16	16	16	16
75-79	2	8.0		8	8	8	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	8.9	58	2	3	7	10	20	23	36
70-74	38	7.9	22	2	2	7	10	14	19	20
75-79	21	13.2	68	4	5	10	21	23	28	34
80-84	8	11.4	59	3	4	9	16	23	25	25
85+	7	5.1	18	<1	<1	4	9	12	12	12
B. *Operated*										
65-69 YRS	13	13.8	224	3	5	10	16	64	92	99+
70-74	8	20.6	28	14	14	20	25	28	28	28
75-79	5	8.0	22	3	3	6	11	15	15	15
80-84	1	69.0		69	69	69	69	69	69	69
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	8.1	28	3	4	7	10	16	20	24
B. *Operated*	8	10.8	19	5	6	9	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	109	9.3	48	2	3	7	12	20	23	35
B. *Operated*	27	16.8	243	3	5	13	22	50	72	99+
1. SINGLE DX	29	8.9	26	4	4	8	12	16	17	24
2. MULTIPLE DX	136	10.8	94	2	3	8	14	22	26	73
A. NOT OPERATED	130	9.1	45	2	3	7	12	20	23	34
B. OPERATED	35	15.4	196	4	5	12	18	28	66	99+
TOTAL 65-69 YRS	58	10.3	92	2	3	8	13	23	31	96
70-74	57	9.9	41	2	3	8	14	19	23	28
75-79	29	11.6	59	3	4	9	16	23	24	34
80-84	14	13.9	295	3	4	7	16	29	60	69
85+	7	5.1	18	<1	<1	4	9	12	12	12
GRAND TOTAL	**165**	**10.5**	**83**	**2**	**3**	**8**	**13**	**22**	**24**	**68**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	356	7.5	29	2	3	6	9	14	18	30
70-74	334	7.5	21	2	3	7	9	14	17	22
75-79	259	7.7	55	2	3	6	10	14	17	27
80-84	171	7.7	36	2	3	6	10	14	19	35
85+	116	8.1	44	1	2	7	10	17	21	35
B. *Operated*										
65-69 YRS	335	10.1	64	1	2	8	14	22	26	38
70-74	165	11.5	98	2	2	10	16	22	24	87
75-79	102	11.3	79	2	3	9	15	22	30	43
80-84	32	13.7	110	2	2	12	20	29	36	40
85+	11	8.6	51	2	2	7	11	19	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1994	8.8	37	3	3	7	11	16	20	31
70-74	2183	8.9	38	3	3	7	11	16	20	32
75-79	1915	9.3	37	3	3	8	12	17	21	30
80-84	1416	9.8	48	3	3	8	12	18	22	35
85+	1108	9.9	56	3	3	8	13	18	23	43
B. *Operated*										
65-69 YRS	846	13.6	121	2	3	11	17	26	35	62
70-74	645	15.7	143	3	4	13	21	30	42	70
75-79	372	16.6	166	3	4	13	22	32	44	69
80-84	173	18.3	220	4	5	15	23	36	47	92
85+	111	21.8	280	4	7	17	27	41	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1236	7.7	35	2	3	6	10	14	18	27
B. *Operated*	645	10.8	78	2	2	9	15	22	27	40
2. MULTIPLE DX										
A. *Not Operated*	8616	9.2	42	3	3	8	12	17	21	32
B. *Operated*	2147	15.5	156	3	4	12	20	30	41	71
1. SINGLE DX	1881	8.7	52	2	2	7	11	17	22	35
2. MULTIPLE DX	10763	10.5	71	3	3	8	13	20	26	46
A. NOT OPERATED	9852	9.0	41	3	3	8	11	16	21	32
B. OPERATED	2792	14.5	141	2	3	12	19	28	37	69
TOTAL 65-69 YRS	3531	9.9	63	2	3	8	13	19	25	44
70-74	3327	10.2	67	3	3	8	13	19	25	44
75-79	2648	10.2	65	3	3	8	13	19	25	41
80-84	1792	10.5	71	3	3	8	13	20	26	43
85+	1346	10.7	84	3	3	8	13	20	26	51
GRAND TOTAL	**12644**	**10.2**	**68**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	478	9.2	33	2	3	8	12	17	20	28
70-74	321	8.9	26	2	3	8	12	15	18	25
75-79	170	9.2	27	3	3	8	12	16	18	25
80-84	84	9.5	36	1	3	8	12	19	21	28
85+	44	9.8	51	3	3	8	14	21	31	99+
B. *Operated*										
65-69 YRS	1150	12.6	60	2	3	11	16	22	26	36
70-74	518	13.6	96	2	3	12	17	25	31	56
75-79	197	14.1	85	2	4	13	19	25	29	44
80-84	58	15.2	102	2	3	14	20	29	36	43
85+	34	13.1	115	1	3	11	17	24	27	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1124	9.8	37	3	4	9	13	17	20	30
70-74	807	10.4	35	3	4	9	13	18	21	34
75-79	584	10.4	38	3	4	9	13	18	22	30
80-84	381	11.1	72	3	4	9	14	20	23	44
85+	221	11.8	74	3	4	10	15	21	27	52
B. *Operated*										
65-69 YRS	1133	15.8	106	3	5	14	20	29	34	65
70-74	686	17.2	116	3	6	15	22	30	36	60
75-79	369	19.3	165	5	7	17	24	36	46	69
80-84	133	20.7	171	3	6	18	28	40	46	57
85+	51	20.1	178	3	6	15	28	44	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	9.2	31	2	3	8	12	17	20	28
B. *Operated*	1957	13.1	75	2	3	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	3117	10.4	44	3	4	9	13	18	22	35
B. *Operated*	2372	17.1	126	3	6	15	22	31	38	61
1. SINGLE DX	3054	11.7	62	2	3	10	15	21	26	38
2. MULTIPLE DX	5489	13.3	90	3	4	11	17	25	31	50
A. NOT OPERATED	4214	10.1	41	3	4	9	13	18	21	31
B. OPERATED	4329	15.3	107	2	4	13	20	27	34	56
TOTAL 65-69 YRS	3885	12.3	70	2	4	11	16	22	28	42
70-74	2332	12.9	81	3	4	11	17	24	29	45
75-79	1320	13.3	95	3	4	11	17	24	32	50
80-84	656	13.2	106	3	4	10	17	26	32	49
85+	350	12.9	99	3	4	10	16	25	35	58
GRAND TOTAL	**8543**	**12.7**	**81**	**3**	**4**	**11**	**16**	**23**	**29**	**47**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	186	8.7	25	3	3	8	11	15	19	24
70-74	108	8.7	36	2	3	8	11	16	19	33
75-79	55	8.8	42	2	4	7	11	15	18	43
80-84	24	8.8	42	2	3	6	12	21	22	23
85+	15	8.7	13	4	5	8	11	15	16	16
B. *Operated*										
65-69 YRS	220	11.3	49	2	3	10	16	21	25	30
70-74	100	11.8	70	2	3	10	16	21	31	42
75-79	35	12.5	69	2	4	9	18	25	32	34
80-84	7	10.4	61	2	2	11	17	21	22	22
85+	5	11.6	22	7	7	10	14	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	496	8.9	25	3	4	8	11	15	19	25
70-74	412	9.3	33	3	4	8	12	16	20	29
75-79	291	10.2	62	3	3	8	13	19	23	37
80-84	153	10.3	50	3	4	8	13	19	23	27
85+	127	11.9	78	3	3	9	16	25	28	42
B. *Operated*										
65-69 YRS	280	14.7	136	3	4	12	18	27	35	60
70-74	148	16.5	146	3	5	14	20	31	42	60
75-79	64	17.9	211	3	6	13	20	35	49	73
80-84	27	15.3	186	3	4	11	19	36	43	60
85+	14	16.7	143	3	6	11	25	36	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	8.7	31	3	3	8	11	15	19	25
B. *Operated*	367	11.6	56	2	3	10	16	22	26	34
2. MULTIPLE DX										
A. *Not Operated*	1479	9.7	42	3	3	8	12	18	21	31
B. *Operated*	533	15.6	151	3	4	12	20	30	39	62
1. SINGLE DX	755	10.1	45	2	3	9	13	19	23	33
2. MULTIPLE DX	2012	11.3	78	3	4	9	14	21	26	50
A. NOT OPERATED	1867	9.5	40	3	3	8	12	17	21	30
B. OPERATED	900	14.0	116	2	4	11	18	26	33	57
TOTAL 65-69 YRS	1182	10.7	61	3	4	9	14	20	24	39
70-74	768	10.9	68	3	4	9	14	20	26	46
75-79	445	11.3	89	3	4	9	14	20	29	47
80-84	211	10.8	69	3	3	8	14	21	24	48
85+	161	12.0	77	3	3	9	16	25	29	41
GRAND TOTAL	**2767**	**10.9**	**69**	**3**	**4**	**9**	**14**	**20**	**25**	**45**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	7.4	27	1	2	6	10	15	17	23
70-74	48	6.2	17	2	2	6	8	10	12	26
75-79	35	8.2	47	1	2	7	10	17	18	35
80-84	15	8.1	27	1	2	7	13	16	16	16
85+	14	6.4	12	1	3	5	9	11	12	12
B. *Operated*										
65-69 YRS	15	6.7	26	1	1	5	11	13	16	17
70-74	6	10.8	96	2	2	7	18	26	27	27
75-79	4	13.5	43	8	8	11	17	23	23	23
80-84	3	4.0	7	1	1	5	6	6	6	6
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	9.8	52	2	3	9	13	18	22	29
70-74	167	9.6	30	3	3	9	12	17	21	32
75-79	113	9.8	52	3	3	7	13	19	24	34
80-84	69	9.8	77	3	3	8	12	18	22	52
85+	51	9.1	35	2	2	8	13	17	18	32
B. *Operated*										
65-69 YRS	32	11.9	96	1	2	10	15	25	27	47
70-74	22	16.0	84	5	8	14	21	27	38	41
75-79	16	15.3	200	2	3	10	13	42	45	46
80-84	2	18.0	98	11	11	18	25	25	25	25
85+	5	26.0	226	6	6	34	37	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	7.2	27	1	2	6	9	14	17	26
B. *Operated*	29	8.6	46	1	1	7	12	18	23	27
2. MULTIPLE DX										
A. *Not Operated*	634	9.7	48	2	3	8	12	18	22	32
B. *Operated*	77	14.9	128	2	3	11	19	35	41	47
1. SINGLE DX	234	7.4	29	1	2	6	10	15	17	26
2. MULTIPLE DX	711	10.3	59	2	3	9	13	19	24	43
A. NOT OPERATED	839	9.1	44	2	3	8	12	17	20	30
B. OPERATED	106	13.1	113	1	2	11	17	27	40	46
TOTAL 65-69 YRS	374	9.3	50	2	2	8	12	17	21	29
70-74	243	9.6	40	2	3	9	12	17	23	36
75-79	168	10.1	67	2	3	8	12	19	24	44
80-84	89	9.5	68	2	3	7	12	17	22	51
85+	71	9.9	62	2	3	8	13	18	31	39
GRAND TOTAL	**945**	**9.6**	**53**	**2**	**3**	**8**	**12**	**18**	**22**	**41**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	99	8.8	30	2	3	8	11	16	19	29
70-74	85	9.8	49	2	3	8	13	19	23	40
75-79	60	8.7	40	2	3	7	11	17	19	34
80-84	34	8.1	27	<1	1	8	12	17	18	19
85+	9	10.9	30	2	4	11	14	19	19	19
B. *Operated*										
65-69 YRS	25	10.4	50	1	2	9	16	20	22	24
70-74	19	11.2	53	1	2	10	17	22	24	25
75-79	8	6.4	37	1	1	4	10	16	17	17
80-84	3	3.7	2	2	2	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	381	9.8	29	3	4	9	12	17	21	28
70-74	296	10.3	40	3	4	9	12	19	22	35
75-79	267	11.4	64	3	4	10	14	21	26	43
80-84	163	11.5	52	4	5	9	15	22	25	32
85+	93	10.7	42	2	4	9	15	20	23	30
B. *Operated*										
65-69 YRS	70	13.5	49	4	6	13	17	23	26	38
70-74	60	17.4	181	3	5	14	24	31	44	74
75-79	40	15.2	95	5	6	14	18	27	48	99+
80-84	15	15.6	104	7	7	13	18	27	41	46
85+	8	19.1	115	4	5	18	24	35	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	9.1	37	2	3	8	12	17	19	31
B. *Operated*	55	9.7	49	1	2	8	16	20	23	25
2. MULTIPLE DX										
A. *Not Operated*	1200	10.6	44	3	4	9	13	19	23	33
B. *Operated*	193	15.5	108	4	6	14	19	26	38	68
1. SINGLE DX	342	9.2	39	2	3	8	12	17	20	28
2. MULTIPLE DX	1393	11.2	56	3	4	9	14	21	25	40
A. NOT OPERATED	1487	10.3	43	3	4	9	13	19	23	32
B. OPERATED	248	14.2	100	3	4	13	18	25	30	58
TOTAL 65-69 YRS	575	10.1	34	3	4	9	13	18	22	29
70-74	460	11.1	66	3	4	9	14	21	25	43
75-79	375	11.3	66	3	4	9	14	21	26	48
80-84	215	11.1	54	3	4	9	15	21	25	35
85+	110	11.3	50	2	4	10	15	21	25	35
GRAND TOTAL	**1735**	**10.8**	**53**	**3**	**4**	**9**	**14**	**20**	**24**	**38**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	553	7.6	24	2	3	7	10	14	16	26
70-74	404	8.0	33	2	2	7	11	15	18	29
75-79	284	8.3	27	2	3	7	11	16	18	24
80-84	146	8.1	38	2	2	6	10	15	21	29
85+	118	8.0	38	2	2	7	10	15	18	34
B. *Operated*										
65-69 YRS	511	11.0	87	2	2	9	14	21	28	49
70-74	348	10.8	75	1	2	9	14	21	26	47
75-79	145	13.4	132	2	2	10	18	32	40	60
80-84	46	12.4	67	1	2	12	18	24	26	34
85+	23	15.2	176	1	2	13	23	32	42	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1768	9.1	40	2	3	8	12	17	21	32
70-74	1407	9.5	44	3	3	8	12	17	22	34
75-79	1089	9.7	45	2	3	8	13	18	22	34
80-84	747	10.0	49	3	4	8	12	18	23	33
85+	597	10.2	66	2	3	8	13	21	26	38
B. *Operated*										
65-69 YRS	896	14.2	113	2	3	12	18	27	35	54
70-74	615	15.7	137	2	4	13	20	30	38	64
75-79	403	16.6	164	2	4	13	23	33	40	66
80-84	199	18.7	207	3	4	16	23	38	50	61
85+	73	20.7	152	6	8	19	25	39	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1505	7.9	30	2	2	7	10	15	18	27
B. *Operated*	1073	11.4	91	1	2	10	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*	5608	9.5	46	2	3	8	12	18	22	34
B. *Operated*	2186	15.7	141	2	4	13	20	30	39	61
1. SINGLE DX	2578	9.4	58	2	2	8	12	18	24	39
2. MULTIPLE DX	7794	11.3	80	2	3	9	14	22	28	47
A. NOT OPERATED	7113	9.2	43	2	3	8	12	17	22	33
B. OPERATED	3259	14.3	129	2	3	12	19	28	37	57
TOTAL 65-69 YRS	3728	10.4	67	2	3	9	13	20	25	42
70-74	2774	10.8	74	2	3	9	14	21	27	47
75-79	1921	11.2	83	2	3	9	14	22	28	44
80-84	1138	11.4	88	2	3	9	14	22	29	51
85+	811	11.0	83	2	3	8	14	23	28	43
GRAND TOTAL	**10372**	**10.8**	**75**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	170	5.4	12	1	1	5	7	10	12	16
70-74	130	5.6	13	1	2	5	7	11	12	16
75-79	92	5.6	14	1	2	5	7	11	13	66
80-84	52	5.7	16	2	2	4	7	12	16	18
85+	35	7.2	29	2	3	6	9	14	21	24
B. *Operated*										
65-69 YRS	782	3.6	14	<1	1	3	4	7	10	17
70-74	451	4.0	19	1	1	3	5	8	10	45
75-79	207	3.7	9	1	1	3	5	8	11	14
80-84	71	4.2	12	1	1	3	5	7	10	19
85+	39	5.6	43	<1	1	4	6	12	16	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	528	7.6	28	2	2	6	10	15	18	28
70-74	425	8.2	38	2	3	7	10	16	20	32
75-79	340	8.6	40	2	3	7	11	18	22	31
80-84	265	8.9	38	2	3	7	12	18	20	35
85+	184	8.8	30	3	3	7	12	15	18	29
B. *Operated*										
65-69 YRS	735	5.9	24	1	2	4	7	13	17	23
70-74	423	7.6	58	2	2	5	9	16	23	39
75-79	244	7.0	41	1	2	5	9	16	22	27
80-84	100	10.7	131	2	2	8	14	21	29	65
85+	63	9.5	49	2	2	7	14	18	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	5.6	14	1	2	5	7	11	13	19
B. *Operated*	1550	3.8	15	<1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1742	8.3	34	2	3	7	11	16	19	29
B. *Operated*	1565	7.0	45	1	2	5	9	15	20	30
1. SINGLE DX	2029	4.3	16	1	1	3	5	8	12	20
2. MULTIPLE DX	3307	7.7	40	2	2	6	10	16	20	29
A. NOT OPERATED	2221	7.7	31	2	2	6	10	15	18	28
B. OPERATED	3115	5.4	33	1	1	4	6	12	17	28
TOTAL 65-69 YRS	2215	5.5	23	1	2	4	7	12	15	23
70-74	1429	6.4	39	1	2	5	8	13	18	35
75-79	883	6.7	34	1	2	5	8	14	19	27
80-84	488	8.2	55	2	2	6	10	18	20	36
85+	321	8.4	36	2	2	7	12	16	19	30
GRAND TOTAL	**5336**	**6.4**	**33**	**1**	**2**	**5**	**8**	**13**	**18**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.6	4	<1	<1	4	5	7	7	7
70-74	10	4.2	14	<1	<1	3	5	10	13	13
75-79	12	2.9	3	<1	1	3	4	5	6	6
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	790	4.7	10	2	2	4	6	8	9	14
70-74	431	4.5	6	2	2	4	5	8	9	14
75-79	320	4.6	8	1	2	4	6	8	9	14
80-84	113	5.2	10	2	2	5	6	9	12	18
85+	51	4.6	15	1	2	4	6	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	4.4	47	1	1	2	5	8	12	45
70-74	36	7.1	51	1	1	5	10	21	23	27
75-79	21	5.6	61	<1	<1	4	6	8	22	38
80-84	23	10.3	137	<1	1	7	12	19	36	57
85+	13	9.8	103	4	4	7	11	19	38	42
B. *Operated*										
65-69 YRS	2178	5.8	16	2	3	5	7	9	11	21
70-74	1303	6.1	17	2	3	5	7	10	13	22
75-79	702	6.7	26	2	3	5	8	12	15	29
80-84	267	6.6	33	2	2	5	8	12	16	31
85+	92	9.2	103	2	3	6	10	18	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.5	6	<1	1	3	5	6	8	13
B. *Operated*	1705	4.6	9	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	148	6.6	72	1	1	4	8	14	22	46
B. *Operated*	4542	6.1	21	2	3	5	7	10	13	25
1. SINGLE DX	1747	4.6	9	2	2	4	6	8	9	14
2. MULTIPLE DX	4690	6.1	22	2	3	5	7	10	13	25
A. NOT OPERATED	190	5.9	59	<1	1	4	7	12	21	44
B. OPERATED	6247	5.7	18	2	2	5	7	9	12	22
TOTAL 65-69 YRS	3042	5.4	15	2	2	5	7	9	11	18
70-74	1780	5.7	15	2	2	5	7	10	13	21
75-79	1055	6.0	22	2	2	5	7	11	13	27
80-84	403	6.4	33	2	2	5	7	12	15	30
85+	157	7.7	77	2	2	5	8	13	27	42
GRAND TOTAL	**6437**	**5.7**	**19**	**2**	**2**	**5**	**7**	**9**	**12**	**23**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.0	5	<1	1	4	5	7	7	7
70-74	7	6.6	57	1	1	3	9	19	22	22
75-79	7	5.0	16	2	2	4	6	12	13	13
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	351	3.2	14	1	1	2	4	6	7	12
70-74	209	2.9	4	<1	1	2	3	5	6	11
75-79	129	3.4	5	<1	1	2	4	7	8	11
80-84	38	4.1	7	1	2	3	5	9	10	11
85+	31	3.2	8	1	1	2	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.1	8	<1	1	3	5	8	10	11
70-74	9	6.4	28	1	1	6	8	14	18	18
75-79	11	7.5	13	3	3	7	9	12	16	16
80-84	6	9.8	122	3	3	5	9	30	32	32
85+	4	[illegible]	333	3	3	7	26	42	42	42
B. *Operated*										
65-69 YRS	276	5.2	22	1	2	4	6	11	15	25
70-74	162	5.3	22	1	2	4	7	11	15	24
75-79	99	7.3	140	1	2	4	8	14	20	99
80-84	42	7.2	80	1	2	5	8	13	24	51
85+	13	7.3	54	2	2	4	8	20	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.8	20	<1	1	4	6	9	14	22
B. *Operated*	758	3.2	9	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	44	7.2	58	1	2	6	8	11	22	42
B. *Operated*	592	5.8	47	1	2	4	7	12	17	29
1. SINGLE DX	785	3.2	9	<1	1	2	4	6	7	13
2. MULTIPLE DX	636	5.9	48	1	2	4	7	12	17	32
A. NOT OPERATED	71	6.3	45	1	1	5	7	11	18	40
B. OPERATED	1350	4.3	27	1	1	3	5	8	12	24
TOTAL 65-69 YRS	651	4.1	18	1	1	3	5	7	11	22
70-74	387	4.0	14	1	1	3	5	7	12	21
75-79	246	5.2	64	1	1	3	6	10	14	63
80-84	88	6.0	51	1	2	4	7	10	14	45
85+	49	5.2	51	1	1	3	5	10	18	42
GRAND TOTAL	**1421**	**4.4**	**28**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	16.2	245	3	4	10	21	36	56	67
70-74	33	12.5	99	2	4	9	16	26	30	48
75-79	21	11.6	47	3	4	10	16	23	24	25
80-84	16	13.1	122	2	3	11	15	22	41	49
85+	13	14.1	57	5	6	15	18	24	30	31
B. *Operated*										
65-69 YRS	131	16.5	248	2	3	11	22	41	49	88
70-74	83	14.5	139	3	4	11	20	32	40	53
75-79	51	15.4	140	2	3	11	18	32	41	51
80-84	28	12.3	125	2	2	7	20	27	32	48
85+	14	14.4	89	1	4	13	21	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	15.5	168	2	3	13	19	35	45	60
70-74	113	16.3	158	2	4	13	24	40	46	69
75-79	103	18.1	198	3	5	14	24	42	51	86
80-84	62	19.0	204	3	5	13	28	43	46	63
85+	61	17.4	239	3	4	11	24	38	47	83
B. *Operated*										
65-69 YRS	272	22.2	300	3	5	17	31	48	62	99+
70-74	265	26.6	384	4	6	23	37	53	76	99
75-79	163	24.3	341	4	6	21	34	55	74	99+
80-84	82	22.1	172	3	5	20	30	41	48	57
85+	69	19.7	268	3	4	15	28	39	55	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	13.8	134	3	4	10	16	28	36	66
B. *Operated*	307	15.3	182	2	3	11	20	35	45	66
2. MULTIPLE DX										
A. *Not Operated*	455	17.0	187	3	4	13	23	38	46	69
B. *Operated*	851	23.8	322	4	5	19	33	49	69	99+
1. SINGLE DX	428	14.9	168	2	3	11	19	32	44	65
2. MULTIPLE DX	1306	21.4	285	3	5	16	30	45	58	99+
A. NOT OPERATED	576	16.3	177	3	4	13	22	36	45	66
B. OPERATED	1158	21.5	299	3	4	17	30	46	59	99+
TOTAL 65-69 YRS	557	19.1	265	2	4	14	27	44	54	99
70-74	494	21.3	305	3	4	16	30	44	58	98
75-79	338	20.2	265	3	5	16	27	45	59	99+
80-84	188	18.8	183	3	4	15	26	40	46	57
85+	157	17.9	225	3	4	13	24	37	48	76
GRAND TOTAL	**1734**	**19.8**	**264**	**3**	**4**	**15**	**28**	**44**	**54**	**94**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	311	7.8	29	2	2	6	11	15	19	27
70-74	263	8.5	36	2	2	7	12	16	19	28
75-79	250	9.7	55	2	2	8	13	21	24	35
80-84	245	9.2	38	2	3	8	12	17	21	29
85+	212	10.1	57	2	3	8	13	18	23	35
B. *Operated*										
65-69 YRS	442	10.9	76	2	3	9	15	20	25	50
70-74	326	13.0	104	2	3	11	18	25	31	43
75-79	236	14.4	128	2	3	13	19	25	32	66
80-84	160	16.1	151	2	3	15	21	31	36	95
85+	100	15.6	87	4	5	15	19	30	35	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1682	10.2	59	2	3	8	13	20	25	41
70-74	2193	11.1	71	3	4	9	14	20	26	46
75-79	2477	11.7	77	3	4	10	15	22	29	47
80-84	2171	11.6	67	3	4	10	15	22	27	44
85+	2073	11.6	73	3	4	9	15	22	28	48
B. *Operated*										
65-69 YRS	949	16.3	154	3	4	14	22	32	40	74
70-74	893	18.6	181	3	5	16	24	34	47	79
75-79	811	20.4	190	4	6	18	27	37	48	74
80-84	560	21.6	201	5	7	19	27	40	51	86
85+	405	20.6	195	5	6	18	25	39	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1281	9.0	43	2	3	7	12	17	21	30
B. *Operated*	1264	13.1	107	2	3	11	18	25	31	50
2. MULTIPLE DX										
A. *Not Operated*	10596	11.3	70	3	4	9	14	21	27	45
B. *Operated*	3618	19.1	184	4	5	16	25	36	47	79
1. SINGLE DX	2545	11.0	79	2	3	9	15	21	27	42
2. MULTIPLE DX	14214	13.3	111	3	4	10	17	26	34	58
A. NOT OPERATED	11877	11.0	68	3	3	9	14	21	26	44
B. OPERATED	4882	17.5	171	3	4	15	23	34	43	75
TOTAL 65-69 YRS	3384	11.8	93	2	3	9	15	24	30	51
70-74	3675	12.9	109	3	4	10	17	25	31	56
75-79	3774	13.6	116	3	4	11	18	27	34	56
80-84	3136	13.4	109	3	4	11	17	26	34	59
85+	2790	12.9	101	3	4	10	17	24	32	58
GRAND TOTAL	**16759**	**12.9**	**107**	**3**	**4**	**10**	**17**	**25**	**32**	**56**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.4	19	1	1	7	10	11	11	11
70-74	5	2.6	7	<1	<1	1	4	7	7	7
75-79	4	6.0	27	<1	<1	6	10	11	11	11
80-84	3	8.0	9	5	5	8	10	11	11	11
85+										
B. *Operated*										
65-69 YRS	85	6.4	35	1	2	5	8	13	14	36
70-74	43	7.1	32	2	2	5	9	16	20	24
75-79	27	6.1	35	1	2	3	7	18	20	21
80-84	11	8.1	52	2	2	5	9	22	23	23
85+	6	8.7	27	3	3	7	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	10.5	71	1	2	8	17	25	28	28
70-74	21	24.5	647	2	3	10	54	85	99+	99+
75-79	25	13.2	100	1	3	11	19	30	32	34
80-84	22	11.4	86	1	2	9	16	20	32	42
85+	15	11.7	207	<1	<1	7	15	25	48	55
B. *Operated*										
65-69 YRS	159	9.7	88	2	2	7	12	19	26	70
70-74	119	10.5	124	2	3	8	12	23	28	62
75-79	54	16.2	134	4	5	13	20	30	39	62
80-84	30	15.3	156	3	3	11	19	37	41	45
85+	15	15.3	298	2	2	15	19	67	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.5	17	<1	<1	5	10	11	11	11
B. *Operated*	172	6.7	35	1	2	5	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	109	14.2	229	1	2	9	18	37	55	99+
B. *Operated*	377	11.5	124	2	3	8	15	24	35	72
1. SINGLE DX	189	6.6	33	1	2	5	9	14	19	24
2. MULTIPLE DX	486	12.1	149	2	3	8	16	26	41	78
A. NOT OPERATED	126	13.0	209	1	2	8	17	31	55	99+
B. OPERATED	549	10.0	101	2	2	7	13	21	29	63
TOTAL 65-69 YRS	275	8.7	71	2	2	6	10	18	25	51
70-74	188	11.0	181	2	2	7	12	25	53	92
75-79	110	12.7	115	2	2	10	18	26	34	55
80-84	66	12.5	114	2	3	8	17	29	40	45
85+	36	12.7	212	1	2	8	17	25	66	99+
GRAND TOTAL	**675**	**10.6**	**122**	**2**	**2**	**7**	**14**	**23**	**33**	**72**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	9.0	95	2	2	5	10	26	37	37
70-74	40	8.3	23	2	3	8	11	14	18	22
75-79	22	7.7	24	2	2	6	12	15	16	17
80-84	7	6.3	38	3	3	4	6	17	20	20
85+	5	9.4	9	6	6	9	11	14	14	14
B. *Operated*										
65-69 YRS	29	10.5	115	1	2	6	13	25	27	49
70-74	9	19.6	134	3	4	21	28	34	35	35
75-79	7	7.6	106	1	1	3	8	26	30	30
80-84	4	6.3	44	<1	<1	4	10	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	158	9.6	55	2	3	8	12	19	26	33
70-74	131	9.1	36	2	3	8	11	17	21	28
75-79	121	9.7	58	2	3	8	13	19	21	40
80-84	77	11.3	120	2	3	8	14	22	36	60
85+	52	9.3	40	2	4	8	12	19	26	98
B. *Operated*										
65-69 YRS	53	15.1	101	3	4	14	18	27	37	48
70-74	38	14.7	114	4	5	13	16	28	39	53
75-79	15	15.7	102	4	4	14	19	34	38	40
80-84	14	14.9	109	4	6	10	25	32	33	33
85+	7	13.9	38	3	4	14	18	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	8.3	46	2	2	6	11	15	20	37
B. *Operated*	49	11.4	123	1	2	6	17	27	32	49
2. MULTIPLE DX										
A. *Not Operated*	539	9.7	59	2	3	8	12	19	25	38
B. *Operated*	127	15.0	99	4	4	14	18	28	35	49
1. SINGLE DX	158	9.3	71	2	2	6	12	21	27	37
2. MULTIPLE DX	666	10.7	71	2	3	9	14	20	27	47
A. NOT OPERATED	648	9.5	57	2	3	8	12	18	24	37
B. OPERATED	176	14.0	108	3	3	12	18	28	34	49
TOTAL 65-69 YRS	275	10.7	79	2	3	8	14	23	29	48
70-74	218	10.3	59	2	3	9	13	20	27	39
75-79	165	9.9	62	2	3	8	13	19	23	39
80-84	102	11.3	113	2	3	8	15	26	35	53
85+	64	9.8	39	3	4	8	13	19	24	90
GRAND TOTAL	**824**	**10.4**	**71**	**2**	**3**	**8**	**13**	**20**	**27**	**46**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	252	5.8	19	1	2	5	8	12	14	19
70-74	220	6.7	30	1	2	6	8	13	17	29
75-79	160	7.0	25	2	2	6	10	13	15	20
80-84	82	6.4	21	1	2	6	8	12	18	20
85+	59	6.9	37	1	2	6	9	15	17	35
B. *Operated*										
65-69 YRS	743	3.9	14	1	2	3	4	7	10	21
70-74	490	4.4	22	1	2	3	4	9	14	22
75-79	257	5.4	67	1	1	3	6	11	16	36
80-84	86	6.2	131	1	2	3	5	12	20	77
85+	37	6.3	43	2	2	4	8	20	22	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	991	7.2	28	2	2	6	9	14	17	28
70-74	929	8.3	57	2	2	6	10	16	20	40
75-79	760	8.6	54	2	2	7	11	16	21	39
80-84	542	9.0	54	2	3	7	11	18	24	34
85+	384	9.5	61	2	3	8	12	18	24	42
B. *Operated*										
65-69 YRS	802	8.6	87	2	2	5	11	20	28	50
70-74	594	9.3	126	2	2	6	11	21	28	64
75-79	376	10.4	117	2	2	7	13	23	33	52
80-84	167	13.4	163	2	2	10	16	31	35	64
85+	96	12.3	98	2	3	10	18	25	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	6.4	25	1	2	5	8	13	16	21
B. *Operated*	1613	4.5	32	1	2	3	5	9	14	26
2. MULTIPLE DX										
A. *Not Operated*	3606	8.3	49	2	3	7	10	16	20	35
B. *Operated*	2035	9.7	113	2	2	6	12	22	30	55
1. SINGLE DX	2386	5.1	31	1	2	3	6	10	14	25
2. MULTIPLE DX	5641	8.8	72	2	2	6	11	18	24	43
A. NOT OPERATED	4379	8.0	45	2	2	6	10	15	20	34
B. OPERATED	3648	7.4	84	1	2	4	9	17	24	47
TOTAL 65-69 YRS	2788	6.6	44	1	2	4	8	14	19	35
70-74	2233	7.5	68	2	2	5	9	16	21	40
75-79	1553	8.3	71	2	2	6	10	16	22	42
80-84	877	9.3	84	2	2	7	12	19	26	44
85+	576	9.5	66	2	2	7	12	19	24	43
GRAND TOTAL	**8027**	**7.7**	**63**	**2**	**2**	**5**	**10**	**16**	**21**	**40**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	2	6	6	7	8	9	9	9
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	2	16.5	61	11	11	16	22	22	22	22
75-79	4	9.0	103	1	1	6	16	23	23	23
80-84										
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	8.0	23	3	4	7	9	16	18	22
70-74	26	11.2	36	3	4	12	16	19	19	20
75-79	11	9.5	34	4	5	8	11	19	24	24
80-84	7	9.7	59	2	3	9	10	23	26	26
85+	6	7.2	8	4	4	7	9	11	11	11
B. *Operated*										
65-69 YRS	9	18.0	114	8	8	12	29	33	35	35
70-74	4	18.3	277	8	8	11	28	43	43	43
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	11.0	50	6	6	11	16	16	16	16
85+	2	9.0	2	8	8	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	7.0	3	4	4	7	8	9	9	9
B. *Operated*	9	10.2	76	1	1	10	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	74	9.4	32	4	4	8	13	19	20	26
B. *Operated*	18	15.4	129	4	6	11	17	34	40	43
1. SINGLE DX	16	8.8	44	1	2	7	10	21	23	23
2. MULTIPLE DX	92	10.6	55	4	4	8	14	19	26	40
A. NOT OPERATED	81	9.2	30	4	4	8	12	18	20	25
B. OPERATED	27	13.7	114	2	2	11	17	31	36	43
TOTAL 65-69 YRS	39	10.0	59	3	4	8	11	20	30	35
70-74	32	12.4	64	4	4	12	17	20	22	43
75-79	17	8.9	44	1	2	8	10	22	24	24
80-84	10	9.7	46	2	3	8	10	21	26	26
85+	10	8.2	16	4	4	8	10	14	17	17
GRAND TOTAL	**108**	**10.3**	**54**	**2**	**4**	**8**	**14**	**19**	**24**	**38**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.0	47	<1	<1	3	8	18	19	19
70-74	2	3.5	13	<1	<1	3	6	6	6	6
75-79	3	4.3	6	2	2	4	6	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	3	24.3	34	20	20	22	29	31	31	31
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	11.8	204	<1	1	5	16	35	46	50
70-74	4	6.0	5	3	3	6	7	8	8	8
75-79	10	12.5	75	4	5	8	19	27	27	27
80-84	10	5.7	19	2	2	6	7	12	16	16
85+	3	7.0	4	5	5	7	8	9	9	9
B. *Operated*										
65-69 YRS	7	15.7	101	3	4	13	24	30	31	31
70-74	11	16.5	310	4	4	10	17	43	63	65
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	10.5	5	9	9	10	12	12	12	12
85+	2	13.5	5	12	12	13	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.9	25	<1	<1	3	6	11	18	19
B. *Operated*	6	13.8	146	3	3	12	22	30	31	31
2. MULTIPLE DX										
A. *Not Operated*	42	9.6	100	1	2	7	10	24	30	50
B. *Operated*	23	15.4	172	3	4	12	17	29	43	65
1. SINGLE DX	18	7.9	78	<1	<1	4	8	21	27	31
2. MULTIPLE DX	65	11.7	131	2	2	8	15	27	32	63
A. NOT OPERATED	54	8.6	86	<1	2	6	8	20	27	49
B. OPERATED	29	15.1	162	3	3	12	20	30	33	65
TOTAL 65-69 YRS	31	12.8	150	<1	1	8	20	31	35	50
70-74	18	12.0	219	1	3	7	13	26	51	65
75-79	15	10.5	65	2	4	7	14	27	27	27
80-84	14	6.0	18	2	2	6	8	12	15	16
85+	5	9.6	16	5	5	9	13	15	15	15
GRAND TOTAL	**83**	**10.9**	**121**	**1**	**2**	**7**	**14**	**25**	**31**	**60**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.4	2	2	2	3	4	6	7	7
70-74	11	3.1	1	2	2	3	3	4	6	6
75-79	6	2.5		2	2	2	3	3	3	3
80-84	3	2.7		2	2	3	3	3	3	3
85+	6	2.7	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	236	3.1	2	2	2	3	4	5	5	11
70-74	157	3.2	2	2	2	3	4	5	5	11
75-79	131	3.2	2	1	2	3	4	5	6	9
80-84	70	3.6	4	2	2	3	4	6	7	11
85+	54	4.4	28	2	2	3	4	6	12	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	3.6	8	<1	1	3	4	7	11	12
70-74	10	4.5	11	1	1	3	6	9	12	12
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	4	3.8	6	2	2	3	5	7	7	7
85+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
65-69 YRS	194	4.3	14	2	2	3	5	7	11	23
70-74	162	4.1	12	2	2	3	4	7	11	22
75-79	148	3.8	6	2	2	3	4	7	9	13
80-84	92	5.0	13	2	2	4	6	10	10	22
85+	58	4.3	11	2	2	4	4	6	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.0	1	1	2	3	3	4	6	7
B. *Operated*	648	3.3	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	34	3.7	7	1	1	3	4	7	11	12
B. *Operated*	654	4.2	11	2	2	3	5	7	10	19
1. SINGLE DX	683	3.3	4	2	2	3	4	5	6	11
2. MULTIPLE DX	688	4.2	11	2	2	3	5	7	10	19
A. NOT OPERATED	69	3.3	4	1	2	3	4	6	7	12
B. OPERATED	1302	3.8	8	2	2	3	4	6	9	15
TOTAL 65-69 YRS	453	3.6	8	2	2	3	4	6	8	13
70-74	340	3.7	7	2	2	3	4	6	9	18
75-79	288	3.5	4	2	2	3	4	5	7	12
80-84	169	4.4	9	2	2	4	5	8	10	18
85+	121	4.2	18	1	2	3	4	6	11	27
GRAND TOTAL	**1371**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**9**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.8	10	1	1	3	6	9	10	10
70-74	4	4.8	14	2	2	4	7	10	10	10
75-79	3	2.3		2	2	2	3	3	3	3
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	53	8.4	75	1	2	5	11	21	29	38
70-74	27	8.1	44	1	2	8	11	18	23	26
75-79	8	13.3	217	1	1	8	19	38	44	44
80-84	7	13.3	288	2	2	6	17	43	49	49
85+	5	8.8	148	1	1	3	13	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	8.5	81	1	2	6	11	15	25	52
70-74	83	9.0	41	3	3	7	11	17	23	34
75-79	66	7.7	36	2	3	6	10	15	17	36
80-84	51	9.1	60	3	3	7	10	21	31	33
85+	23	9.7	37	3	4	7	13	19	23	26
B. *Operated*										
65-69 YRS	144	12.6	138	2	2	11	16	26	36	73
70-74	77	14.8	134	2	2	12	22	30	32	54
75-79	35	14.5	102	2	2	13	20	29	42	99+
80-84	21	14.0	68	5	6	11	17	28	33	34
85+	7	6.3	15	2	2	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.8	8	1	1	3	5	9	10	10
B. *Operated*	100	9.1	93	1	2	5	12	22	30	46
2. MULTIPLE DX										
A. *Not Operated*	299	8.7	53	2	3	7	11	16	24	38
B. *Operated*	284	13.4	126	2	2	11	17	27	34	67
1. SINGLE DX	123	8.1	81	1	2	5	11	21	27	45
2. MULTIPLE DX	583	11.0	94	2	2	8	14	24	30	48
A. NOT OPERATED	322	8.3	51	2	2	6	11	16	23	37
B. OPERATED	384	12.2	120	2	2	10	16	26	32	54
TOTAL 65-69 YRS	286	10.3	111	2	2	8	14	22	30	52
70-74	191	11.1	87	2	2	8	15	25	30	47
75-79	112	10.1	78	2	2	8	14	22	29	65
80-84	81	10.6	82	3	3	7	14	24	32	44
85+	36	8.8	45	2	2	7	12	19	24	30
GRAND TOTAL	**706**	**10.5**	**93**	**2**	**2**	**8**	**14**	**23**	**30**	**48**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	12.5	13	10	10	12	15	15	15	15
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	7.6	28	2	2	8	11	15	15	15
1. SINGLE DX	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX	5	7.6	28	2	2	8	11	15	15	15
A. NOT OPERATED										
B. OPERATED	7	7.4	19	2	2	8	10	14	15	15
TOTAL 65-69 YRS	2	12.5	13	10	10	12	15	15	15	15
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**7**	**7.4**	**19**	**2**	**2**	**8**	**10**	**14**	**15**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.0	13	1	1	4	7	10	13	13
70-74	10	3.0	4	<1	<1	2	5	6	7	7
75-79	6	4.7	15	<1	<1	3	8	11	11	11
80-84	6	7.3	4	5	5	7	9	10	10	10
85+	3	4.3	12	1	1	4	7	8	8	8
B. *Operated*										
65-69 YRS	33	6.2	33	1	1	4	9	14	21	23
70-74	22	9.7	78	1	2	7	14	21	31	36
75-79	22	9.0	60	<1	1	7	12	23	25	26
80-84	8	6.1	55	<1	<1	2	9	19	22	22
85+	8	6.8	42	<1	<1	4	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	7.6	53	1	2	6	9	16	23	41
70-74	58	6.7	27	2	2	5	9	13	18	25
75-79	58	7.3	49	1	2	6	8	14	18	45
80-84	59	8.2	40	2	2	6	10	15	21	34
85+	31	9.5	107	1	2	6	11	20	40	47
B. *Operated*										
65-69 YRS	84	10.2	66	2	3	9	14	20	25	44
70-74	70	13.4	134	1	2	11	18	36	40	89
75-79	62	13.2	99	2	3	10	17	25	36	46
80-84	33	18.9	262	2	3	16	22	33	48	87
85+	23	16.1	174	2	3	14	19	36	49	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.7	10	<1	1	4	7	9	11	13
B. *Operated*	93	7.7	53	<1	1	5	11	19	23	32
2. MULTIPLE DX										
A. *Not Operated*	275	7.7	50	1	2	6	9	14	20	44
B. *Operated*	272	13.3	129	2	3	10	18	26	38	52
1. SINGLE DX	128	6.9	43	<1	1	5	10	16	22	29
2. MULTIPLE DX	547	10.5	97	1	2	8	14	22	29	48
A. NOT OPERATED	310	7.3	46	1	2	6	9	13	20	43
B. OPERATED	365	11.9	115	1	2	9	16	24	35	50
TOTAL 65-69 YRS	196	8.4	55	1	2	7	11	18	23	39
70-74	160	9.8	91	1	2	6	14	23	36	48
75-79	148	9.9	77	1	2	7	13	21	26	47
80-84	106	11.3	132	2	2	8	13	22	29	66
85+	65	11.3	129	1	1	8	14	21	42	51
GRAND TOTAL	**675**	**9.8**	**88**	**1**	**2**	**7**	**13**	**21**	**27**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	5.7	2	4	4	6	7	7	7	7
70-74	2	6.5	13	4	4	6	9	9	9	9
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84										
85+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	12	4.9	10	1	1	5	6	9	12	12
70-74	5	5.2	13	2	2	4	7	11	11	11
75-79	3	6.0	16	2	2	6	9	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	4	4.0	8	2	2	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	4.9	8	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	25	5.0	10	1	2	5	7	10	11	12
1. SINGLE DX	10	4.9	8	1	1	4	7	9	9	9
2. MULTIPLE DX	26	5.0	9	1	2	5	6	10	11	12
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	35	5.0	9	1	2	4	7	9	11	12
TOTAL 65-69 YRS	16	4.9	8	1	1	5	6	8	11	12
70-74	7	5.6	11	2	2	4	8	11	11	11
75-79	5	5.8	14	2	2	6	9	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	7	3.4	5	1	1	3	4	7	8	8
GRAND TOTAL	**36**	**4.9**	**9**	**1**	**2**	**4**	**7**	**9**	**11**	**12**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	3.3	9	1	1	2	4	8	10	10
70-74	9	3.3	5	1	1	3	5	7	8	8
75-79	10	2.1	1	1	1	2	3	4	4	4
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	61	4.8	18	1	1	3	7	9	13	22
70-74	41	5.8	19	2	2	4	9	13	15	17
75-79	24	5.3	27	1	2	3	6	10	17	25
80-84	15	6.5	76	<1	1	3	9	15	29	34
85+	4	5.5	22	2	2	4	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	7.4	26	2	2	6	9	14	19	25
70-74	58	6.8	18	2	2	6	9	14	15	17
75-79	45	7.5	26	1	2	7	10	15	19	20
80-84	29	8.4	28	1	2	7	12	16	17	21
85+	21	8.7	16	3	4	8	10	15	16	17
B. *Operated*										
65-69 YRS	165	8.8	87	1	2	6	11	19	25	37
70-74	145	10.3	66	2	2	8	15	21	27	37
75-79	102	10.1	103	2	2	7	12	23	29	53
80-84	52	11.0	72	2	3	9	15	19	23	44
85+	27	12.2	171	1	2	7	15	40	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.9	5	1	1	2	3	7	8	10
B. *Operated*	145	5.4	26	1	2	3	7	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	230	7.5	23	2	2	7	10	15	17	22
B. *Operated*	491	9.9	87	2	2	7	13	21	27	42
1. SINGLE DX	183	4.8	22	1	1	3	7	10	14	24
2. MULTIPLE DX	721	9.2	68	2	2	7	12	19	24	41
A. NOT OPERATED	268	6.9	23	1	2	6	9	14	16	21
B. OPERATED	636	8.9	77	2	2	6	12	19	26	41
TOTAL 65-69 YRS	317	7.5	58	1	2	6	9	15	22	32
70-74	253	8.5	50	2	2	6	11	18	23	36
75-79	181	8.4	73	1	2	6	10	19	25	40
80-84	99	9.3	61	1	2	7	13	17	21	43
85+	54	10.0	98	2	2	7	12	18	40	43
GRAND TOTAL	**904**	**8.3**	**62**	**1**	**2**	**6**	**11**	**17**	**23**	**39**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	8	5.5	22	<1	1	4	7	13	15	15
70-74	7	7.0	15	3	3	6	9	13	14	14
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	3	3.3	1	2	2	4	4	4	4	4
85+	2	5.C	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	9	4	4	6	9	10	10	10
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	48	7.2	18	3	3	6	9	13	20	99+
70-74	27	5.5	6	2	3	5	8	9	10	10
75-79	13	7.1	25	1	2	6	10	14	19	20
80-84	5	16.8	141	11	11	12	19	38	38	38
85+	3	10.3	2	9	9	10	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	22	5.7	13	1	2	5	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	6	4.5	12	<1	<1	4	6	10	10	10
B. *Operated*	96	7.3	26	2	3	6	10	12	18	71
1. SINGLE DX	24	5.3	13	<1	2	4	6	11	14	15
2. MULTIPLE DX	102	7.1	25	2	3	6	10	12	17	67
A. NOT OPERATED	8	3.8	10	<1	<1	3	5	9	10	10
B. OPERATED	118	7.0	23	2	3	6	9	12	15	57
TOTAL 65-69 YRS	59	6.9	17	2	3	6	9	13	17	92
70-74	35	5.7	9	2	3	5	8	10	10	14
75-79	16	6.8	20	2	3	6	8	12	18	20
80-84	9	10.6	126	<1	1	11	12	28	38	38
85+	7	6.3	18	<1	<1	6	10	12	12	12
GRAND TOTAL	**126**	**6.8**	**23**	**2**	**3**	**6**	**9**	**12**	**15**	**52**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	6.5	10	2	2	7	9	10	12	13
70-74	32	7.7	29	1	2	7	10	14	17	27
75-79	23	10.8	48	4	4	9	15	21	26	28
80-84	12	10.1	47	3	4	9	13	19	27	28
85+	8	7.4	39	1	1	7	11	16	18	18
B. *Operated*										
65-69 YRS	133	8.2	55	2	2	5	10	20	24	49
70-74	65	7.2	70	1	2	4	8	15	24	48
75-79	30	8.8	74	1	2	5	10	27	28	29
80-84	16	6.6	35	2	2	4	7	14	22	25
85+	9	8.8	75	2	2	6	11	23	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	9.5	68	2	3	7	11	19	25	47
70-74	137	9.5	32	3	3	9	13	17	23	99+
75-79	96	10.4	62	2	3	9	13	22	26	99+
80-84	83	11.0	108	3	4	9	13	20	24	68
85+	50	8.3	37	1	2	7	9	17	19	31
B. *Operated*										
65-69 YRS	247	11.1	88	2	2	9	15	22	29	86
70-74	139	14.3	148	2	3	12	19	28	37	55
75-79	86	14.2	154	3	4	9	19	31	45	85
80-84	32	15.9	301	3	3	10	22	35	43	88
85+	17	13.7	132	1	1	11	23	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	8.2	31	1	3	7	10	15	20	28
B. *Operated*	253	7.9	60	2	2	5	10	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	532	9.8	61	2	3	8	12	19	25	64
B. *Operated*	521	12.8	131	2	3	10	18	27	35	81
1. SINGLE DX	363	8.0	51	2	2	6	10	18	25	36
2. MULTIPLE DX	1053	11.3	98	2	3	9	15	23	30	77
A. NOT OPERATED	642	9.5	56	2	3	8	12	18	24	55
B. OPERATED	774	11.2	113	2	2	8	15	25	31	59
TOTAL 65-69 YRS	581	9.7	72	2	2	8	13	20	26	47
70-74	373	10.7	90	2	3	9	14	23	28	52
75-79	235	11.6	99	2	3	9	15	25	32	99+
80-84	143	11.5	143	3	3	8	13	24	28	84
85+	84	9.4	63	1	1	7	12	21	29	32
GRAND TOTAL	**1416**	**10.5**	**88**	**2**	**3**	**8**	**13**	**22**	**28**	**58**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	312	5.1	15	1	2	4	7	9	12	21
70-74	265	5.6	43	1	2	4	6	10	14	37
75-79	162	5.1	13	1	2	4	7	10	12	16
80-84	86	5.2	13	1	2	5	6	10	10	21
85+	65	5.3	14	1	2	4	7	10	13	87
B. *Operated*										
65-69 YRS	30	5.9	17	2	2	5	8	12	16	16
70-74	15	5.3	8	2	2	5	8	10	10	10
75-79	5	10.0	169	2	2	4	13	33	33	33
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1366	7.7	48	2	2	6	9	15	20	38
70-74	1191	8.0	58	2	2	6	10	15	21	42
75-79	998	8.7	68	2	2	7	10	17	23	49
80-84	558	9.1	60	2	2	7	11	18	24	36
85+	459	8.9	82	2	2	7	11	16	23	61
B. *Operated*										
65-69 YRS	169	13.9	151	3	3	10	19	28	39	85
70-74	121	15.8	169	3	4	13	21	32	46	92
75-79	77	15.4	121	3	5	13	19	30	39	56
80-84	57	17.3	260	2	5	12	21	35	44	85
85+	34	17.8	198	2	4	14	24	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	5.3	23	1	2	4	7	10	13	22
B. *Operated*	53	6.0	26	2	2	4	7	10	15	32
2. MULTIPLE DX										
A. *Not Operated*	4572	8.3	60	2	2	6	10	16	21	41
B. *Operated*	458	15.4	168	3	4	12	20	31	40	84
1. SINGLE DX	943	5.3	23	1	2	4	7	10	13	22
2. MULTIPLE DX	5030	8.9	74	2	2	7	11	18	24	47
A. NOT OPERATED	5462	7.8	55	2	2	6	9	15	20	40
B. OPERATED	511	14.4	161	2	3	11	19	30	39	81
TOTAL 65-69 YRS	1877	7.8	56	2	2	6	9	16	21	39
70-74	1592	8.1	69	2	2	6	10	16	22	48
75-79	1242	8.7	69	2	2	6	10	17	24	45
80-84	702	9.3	77	2	2	7	11	19	26	41
85+	560	9.0	86	2	2	7	11	18	25	68
GRAND TOTAL	**5973**	**8.4**	**68**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	146	6.5	16	2	2	6	9	13	14	19
70-74	129	5.8	13	2	2	5	7	10	13	22
75-79	89	6.9	21	2	2	6	9	13	18	21
80-84	63	5.3	8	1	2	5	8	9	11	13
85+	65	6.3	18	2	2	5	8	13	16	17
B. *Operated*										
65-69 YRS	25	12.9	71	3	5	11	16	23	29	39
70-74	20	17.3	125	3	4	17	23	30	40	48
75-79	9	19.0	172	2	2	19	27	38	40	40
80-84	5	12.4	42	7	7	10	16	23	23	23
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	646	7.6	33	2	3	6	10	14	16	29
70-74	740	8.5	44	2	3	7	11	16	20	31
75-79	579	9.2	50	2	3	7	12	17	23	43
80-84	451	9.2	55	2	3	7	12	19	24	48
85+	463	9.2	74	2	3	7	12	18	26	64
B. *Operated*										
65-69 YRS	175	15.1	103	4	5	12	19	30	35	58
70-74	152	15.8	172	3	5	12	21	29	37	80
75-79	114	18.6	171	5	6	16	22	35	46	84
80-84	70	16.8	143	4	5	13	24	34	42	57
85+	49	16.4	111	4	6	13	23	33	38	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	6.2	16	2	2	5	8	11	14	20
B. *Operated*	60	15.3	102	3	4	14	21	27	37	47
2. MULTIPLE DX										
A. *Not Operated*	2879	8.7	50	2	3	7	11	16	21	38
B. *Operated*	560	16.3	142	4	5	13	22	32	38	75
1. SINGLE DX	552	7.2	33	2	2	6	9	14	18	29
2. MULTIPLE DX	3439	9.9	73	2	3	7	12	19	26	46
A. NOT OPERATED	3371	8.3	46	2	3	7	10	15	20	34
B. OPERATED	620	16.2	138	4	5	13	22	32	38	74
TOTAL 65-69 YRS	992	8.9	53	2	3	7	11	17	23	38
70-74	1041	9.4	69	2	3	7	11	18	24	38
75-79	791	10.4	78	2	3	8	13	20	27	54
80-84	589	9.7	69	2	3	7	12	20	27	46
85+	578	9.5	76	2	3	7	12	19	27	58
GRAND TOTAL	**3991**	**9.5**	**68**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.6	7	1	2	4	6	9	10	12
70-74	90	5.6	19	1	2	4	7	12	14	22
75-79	48	5.4	20	2	2	4	6	11	17	21
80-84	39	5.8	13	1	2	5	8	12	13	14
85+	23	4.7	18	<1	1	3	5	13	15	16
B. *Operated*										
65-69 YRS	25	6.4	15	2	2	5	8	12	14	16
70-74	23	5.3	15	1	2	4	8	11	13	14
75-79	9	3.8	2	2	2	3	5	6	6	6
80-84	2	7.0		7	7	7	7	7	7	7
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	573	6.6	33	2	2	5	8	12	17	28
70-74	418	6.6	24	2	2	5	8	13	16	23
75-79	314	6.6	44	2	2	5	8	12	15	55
80-84	163	7.3	32	2	2	5	9	15	20	29
85+	114	6.9	45	2	2	5	8	13	16	40
B. *Operated*										
65-69 YRS	93	9.4	54	2	3	7	11	17	23	41
70-74	73	9.4	50	3	3	7	12	19	23	35
75-79	41	9.3	35	2	3	8	12	18	22	27
80-84	26	10.3	48	3	3	9	13	21	27	29
85+	9	12.3	57	4	5	8	19	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	5.1	14	1	2	4	7	10	12	20
B. *Operated*	60	5.6	13	2	2	5	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	1582	6.7	33	2	2	5	8	12	16	28
B. *Operated*	242	9.6	49	2	3	8	12	18	24	35
1. SINGLE DX	407	5.2	14	1	2	4	7	10	12	18
2. MULTIPLE DX	1824	7.1	36	2	2	6	9	13	18	30
A. NOT OPERATED	1929	6.4	30	2	2	5	8	12	15	27
B. OPERATED	302	8.8	44	2	3	7	11	17	23	34
TOTAL 65-69 YRS	838	6.6	32	2	2	5	8	12	16	28
70-74	604	6.7	27	2	2	5	8	13	17	25
75-79	412	6.7	40	2	2	5	8	12	16	31
80-84	230	7.4	32	2	2	6	9	15	19	29
85+	147	7.0	43	2	2	5	8	13	17	34
GRAND TOTAL	**2231**	**6.7**	**33**	**2**	**2**	**5**	**8**	**13**	**17**	**28**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	297	3.8	8	1	1	4	5	6	7	16
70-74	258	4.1	13	1	1	3	5	8	10	23
75-79	173	3.9	12	<1	1	3	5	7	9	13
80-84	118	3.8	8	1	1	3	5	7	8	16
85+	110	4.1	14	1	1	3	5	7	11	23
B. *Operated*										
65-69 YRS	178	4.8	7	1	2	5	6	8	9	12
70-74	146	5.3	64	1	2	4	6	9	10	17
75-79	79	5.0	8	1	2	4	7	8	10	15
80-84	50	4.2	7	1	1	4	6	7	8	15
85+	35	3.7	6	1	1	3	5	7	7	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	5.3	16	1	2	4	7	9	13	22
70-74	662	5.1	21	1	1	4	7	10	12	21
75-79	540	5.6	42	1	2	4	7	11	14	24
80-84	428	5.8	29	1	2	4	7	11	14	31
85+	371	5.7	20	1	2	4	7	11	14	22
B. *Operated*										
65-69 YRS	293	6.7	27	1	2	5	8	12	17	29
70-74	251	7.5	39	2	2	6	9	14	20	32
75-79	209	7.5	31	2	2	6	9	15	18	28
80-84	135	7.6	51	2	2	6	10	16	20	38
85+	122	7.2	42	1	2	5	9	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	3.9	11	1	1	3	5	7	8	22
B. *Operated*	488	4.9	24	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	2699	5.5	25	1	2	4	7	10	13	23
B. *Operated*	1010	7.2	36	1	2	6	9	15	19	28
1. SINGLE DX	1444	4.3	16	1	1	4	5	7	9	16
2. MULTIPLE DX	3709	5.9	29	1	2	5	7	11	15	25
A. NOT OPERATED	3655	5.1	22	1	1	4	6	9	12	23
B. OPERATED	1498	6.5	33	1	2	5	8	13	16	27
TOTAL 65-69 YRS	1466	5.2	16	1	2	4	6	9	12	21
70-74	1317	5.4	29	1	1	4	7	10	13	25
75-79	1001	5.7	33	1	2	4	7	11	14	26
80-84	731	5.7	29	1	2	4	7	11	15	25
85+	638	5.6	24	1	2	4	7	11	14	22
GRAND TOTAL	**5153**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.6	7	1	1	3	4	8	9	13
70-74	34	5.6	88	1	1	4	5	7	20	54
75-79	18	4.3	8	1	1	3	7	8	10	11
80-84	14	9.1	104	1	2	5	11	31	32	32
85+	10	4.7	7	<1	<1	5	7	8	8	8
B. *Operated*										
65-69 YRS	121	4.3	20	1	1	3	5	9	12	24
70-74	60	4.1	20	1	2	3	5	8	10	30
75-79	48	6.0	74	1	2	3	5	14	23	51
80-84	16	4.6	5	1	1	5	6	7	8	9
85+	6	3.5	3	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	7.5	41	1	2	5	9	16	21	32
70-74	202	9.8	100	1	2	6	12	20	30	55
75-79	195	8.5	42	1	2	7	11	17	23	32
80-84	130	9.2	73	1	2	6	12	23	27	36
85+	103	11.0	108	2	2	9	14	18	23	67
B. *Operated*										
65-69 YRS	185	7.8	79	2	2	4	10	19	23	51
70-74	146	11.7	180	2	2	6	15	28	39	66
75-79	106	11.5	171	2	2	7	15	28	32	66
80-84	51	15.5	201	2	2	10	26	34	37	60
85+	35	17.4	283	2	2	11	22	43	59	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	5.2	47	1	1	4	6	9	13	41
B. *Operated*	251	4.6	29	1	2	3	5	9	12	31
2. MULTIPLE DX										
A. *Not Operated*	872	8.9	69	1	2	6	12	18	24	39
B. *Operated*	523	11.0	158	2	2	6	14	27	36	64
1. SINGLE DX	358	4.8	35	1	1	3	5	9	13	32
2. MULTIPLE DX	1395	9.7	103	2	2	6	12	21	28	58
A. NOT OPERATED	979	8.5	68	1	2	6	11	18	24	38
B. OPERATED	774	8.9	125	2	2	4	10	22	30	61
TOTAL 65-69 YRS	579	6.7	49	1	2	4	8	15	20	32
70-74	442	9.3	121	1	2	5	11	21	31	58
75-79	367	8.9	85	1	2	6	11	19	26	51
80-84	211	10.4	109	2	2	6	13	27	31	55
85+	154	11.7	149	2	2	9	15	22	30	65
GRAND TOTAL	**1753**	**8.7**	**93**	**1**	**2**	**5**	**11**	**20**	**27**	**54**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	9.1	52	3	4	7	10	19	27	32
70-74	18	10.5	51	2	3	10	14	19	27	31
75-79	13	10.3	61	<1	2	10	13	18	28	31
80-84	11	9.1	26	4	4	8	12	16	21	21
85+	30	13.6	196	2	2	9	17	30	51	59
B. *Operated*										
65-69 YRS	128	20.5	231	3	5	16	27	45	53	93
70-74	140	18.3	208	3	4	15	23	44	55	99+
75-79	153	21.0	270	4	7	17	25	39	65	92
80-84	130	19.0	196	4	6	15	26	36	49	97
85+	135	17.8	148	4	7	15	22	32	46	80
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	131	12.8	116	3	4	11	17	21	38	56
70-74	123	14.1	168	2	3	11	18	25	38	97
75-79	149	12.7	125	3	3	11	16	25	36	99+
80-84	146	14.3	145	2	3	11	18	32	40	99+
85+	217	13.6	130	2	4	11	17	27	36	71
B. *Operated*										
65-69 YRS	882	27.0	353	5	8	23	36	58	80	99+
70-74	919	26.9	328	6	8	23	36	53	66	98
75-79	863	28.5	330	8	10	24	38	60	73	99+
80-84	660	25.9	300	6	9	22	35	53	74	99+
85+	705	24.5	278	7	8	20	33	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	11.0	98	2	3	9	13	22	31	56
B. *Operated*	686	19.3	213	4	5	16	25	38	53	98
2. MULTIPLE DX										
A. *Not Operated*	766	13.5	135	2	3	11	17	27	37	94
B. *Operated*	4029	26.7	322	6	9	22	36	55	72	99+
1. SINGLE DX	776	18.4	206	3	5	15	24	37	50	95
2. MULTIPLE DX	4795	24.6	315	5	7	20	33	52	68	99+
A. NOT OPERATED	856	13.3	132	2	3	11	17	26	37	89
B. OPERATED	4715	25.6	313	6	8	21	34	53	69	99+
TOTAL 65-69 YRS	1159	24.4	334	4	6	20	34	53	71	99+
70-74	1200	24.4	316	4	7	20	32	50	63	99
75-79	1178	25.3	325	5	8	21	34	54	70	99+
80-84	947	23.0	280	4	7	19	31	50	64	99+
85+	1087	21.2	251	4	6	17	28	43	58	99+
GRAND TOTAL	**5571**	**23.7**	**305**	**4**	**7**	**19**	**32**	**50**	**67**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	938	3.9	10	1	1	3	5	7	9	16
70-74	561	4.3	10	1	1	4	5	8	10	16
75-79	383	4.5	32	1	1	3	5	9	11	21
80-84	214	4.5	14	1	1	4	5	8	13	22
85+	155	4.8	14	1	1	4	6	10	14	18
B. *Operated*										
65-69 YRS	223	3.8	8	2	2	3	5	8	10	14
70-74	72	5.2	21	2	2	4	7	11	15	23
75-79	14	3.4	8	1	1	2	5	9	9	9
80-84	5	5.0	7	3	3	4	7	9	9	9
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4094	5.5	18	2	2	4	7	10	13	21
70-74	3159	5.5	17	2	2	4	7	10	13	21
75-79	2210	5.8	18	2	2	5	7	11	13	22
80-84	1290	5.9	21	2	2	5	7	11	14	26
85+	899	6.2	32	2	2	5	7	12	15	26
B. *Operated*										
65-69 YRS	613	7.0	46	2	2	5	9	14	16	31
70-74	311	8.6	40	2	2	7	11	18	21	30
75-79	130	10.5	46	2	3	10	14	20	25	29
80-84	65	15.1	110	4	5	12	21	29	39	46
85+	45	10.7	73	3	3	9	13	19	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2251	4.2	15	1	1	3	5	8	10	17
B. *Operated*	316	4.1	11	2	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	11652	5.6	19	2	2	5	7	10	13	22
B. *Operated*	1164	8.4	53	2	2	7	11	16	23	34
1. SINGLE DX	2567	4.2	14	1	1	3	5	8	10	17
2. MULTIPLE DX	12816	5.9	23	2	2	5	7	11	14	25
A. NOT OPERATED	13903	5.4	19	1	2	4	7	10	13	22
B. OPERATED	1480	7.5	47	2	2	6	10	15	20	31
TOTAL 65-69 YRS	5868	5.4	20	1	2	4	7	10	13	22
70-74	4103	5.6	18	1	2	4	7	10	13	22
75-79	2737	5.8	23	1	2	5	7	11	14	25
80-84	1574	6.1	27	1	2	5	7	11	16	29
85+	1101	6.1	32	1	2	5	7	12	15	26
GRAND TOTAL	**15383**	**5.6**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	111	4.5	14	1	1	3	6	10	12	18
70-74	96	4.9	25	<1	1	3	6	9	14	30
75-79	50	6.3	30	1	2	5	8	14	15	33
80-84	47	5.8	13	1	2	5	8	10	13	17
85+	34	5.8	29	1	1	4	7	11	19	26
B. *Operated*										
65-69 YRS	189	4.5	20	1	1	3	6	9	12	23
70-74	128	4.6	12	1	1	3	6	9	12	18
75-79	79	5.9	42	1	2	4	7	12	14	41
80-84	41	6.6	32	1	1	6	9	12	14	32
85+	12	6.2	13	2	2	6	9	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	945	8.2	55	2	2	6	10	15	21	37
70-74	848	8.3	48	2	2	6	11	17	22	35
75-79	671	7.9	37	2	2	6	10	16	20	35
80-84	428	7.9	39	2	2	6	10	15	21	29
85+	318	7.7	46	1	2	6	9	15	21	39
B. *Operated*										
65-69 YRS	557	8.8	80	1	2	6	11	18	25	49
70-74	414	9.9	94	2	2	7	12	19	26	60
75-79	317	10.0	97	2	2	8	12	19	28	52
80-84	158	10.6	121	2	3	8	12	20	28	63
85+	68	14.2	185	3	3	10	17	29	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	5.2	21	1	1	4	7	10	14	22
B. *Operated*	449	5.0	23	1	1	4	6	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	3210	8.1	46	2	2	6	10	16	21	35
B. *Operated*	1514	9.8	97	2	2	7	12	19	26	57
1. SINGLE DX	787	5.1	22	1	1	4	6	10	14	24
2. MULTIPLE DX	4724	8.6	63	2	2	6	11	17	23	42
A. NOT OPERATED	3548	7.8	45	2	2	6	10	15	20	34
B. OPERATED	1963	8.7	85	1	2	6	11	17	24	52
TOTAL 65-69 YRS	1802	7.8	59	1	2	6	10	15	21	38
70-74	1486	8.2	59	2	2	6	10	17	22	40
75-79	1117	8.3	55	2	2	6	10	16	22	41
80-84	674	8.3	57	2	2	6	10	15	21	34
85+	432	8.5	71	1	2	6	10	17	23	45
GRAND TOTAL	**5511**	**8.1**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	238	3.3	9	1	1	3	4	6	7	23
70-74	150	3.8	9	1	1	3	5	7	10	15
75-79	124	4.4	16	1	1	3	5	9	11	23
80-84	75	5.0	12	1	2	4	6	10	13	16
85+	77	4.8	45	<1	1	3	5	9	11	43
B. *Operated*										
65-69 YRS	146	7.0	33	1	2	6	9	14	17	28
70-74	133	6.8	29	1	2	5	9	13	16	30
75-79	113	7.9	43	2	2	6	10	17	21	32
80-84	52	8.3	28	2	3	7	11	16	17	23
85+	49	8.0	49	1	1	6	11	17	19	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	615	5.5	20	1	1	4	7	11	15	23
70-74	597	6.5	41	1	2	5	8	13	17	33
75-79	572	7.3	39	2	2	6	9	15	19	31
80-84	486	8.2	73	2	2	6	10	17	25	50
85+	560	8.3	46	2	2	6	10	17	22	46
B. *Operated*										
65-69 YRS	779	10.4	49	2	3	9	13	19	23	33
70-74	798	11.9	87	3	4	10	14	22	29	49
75-79	752	13.2	79	3	4	11	17	25	30	48
80-84	556	13.5	112	3	4	11	17	25	32	55
85+	414	13.6	104	3	4	11	18	24	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	664	4.0	15	1	1	3	5	7	10	21
B. *Operated*	493	7.4	35	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	2830	7.1	44	1	2	5	9	14	19	34
B. *Operated*	3299	12.3	84	3	4	10	16	23	29	50
1. SINGLE DX	1157	5.4	26	1	1	4	7	11	15	29
2. MULTIPLE DX	6129	9.9	72	2	2	8	13	20	26	46
A. NOT OPERATED	3494	6.5	40	1	2	5	8	13	18	32
B. OPERATED	3792	11.7	80	2	3	10	15	22	28	47
TOTAL 65-69 YRS	1778	7.5	40	1	2	6	10	15	20	30
70-74	1678	8.9	68	2	2	7	11	18	23	42
75-79	1561	9.9	67	2	2	8	13	20	26	43
80-84	1169	10.5	94	2	3	8	14	21	28	53
85+	1100	10.0	76	2	2	8	13	21	26	50
GRAND TOTAL	**7286**	**9.2**	**67**	**1**	**2**	**7**	**12**	**19**	**24**	**42**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	839	4.6	11	1	1	4	6	9	11	15
70-74	702	4.5	10	1	1	4	6	9	11	15
75-79	554	5.0	22	1	2	4	6	9	12	19
80-84	337	5.0	18	1	1	4	6	9	12	18
85+	275	5.2	15	1	2	4	7	10	13	16
B. *Operated*										
65-69 YRS	107	6.7	30	1	1	6	9	15	16	27
70-74	78	8.7	38	2	2	7	12	18	21	28
75-79	44	7.3	41	1	1	6	10	15	18	34
80-84	18	9.7	60	2	2	6	13	21	26	30
85+	12	8.9	8	4	5	10	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2672	6.0	18	2	2	5	8	11	14	22
70-74	2369	6.3	21	2	2	5	8	11	15	24
75-79	2081	6.7	27	2	2	5	8	12	17	29
80-84	1388	6.8	31	2	2	5	8	12	17	31
85+	1182	7.8	57	2	2	6	9	14	20	42
B. *Operated*										
65-69 YRS	484	10.2	53	2	3	8	13	19	23	35
70-74	345	10.8	56	3	4	9	13	21	25	37
75-79	272	11.8	73	3	4	9	15	22	30	44
80-84	152	11.9	54	3	4	10	16	21	27	37
85+	93	12.4	64	4	4	11	15	27	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2707	4.8	14	1	1	4	6	9	11	16
B. *Operated*	259	7.7	36	1	2	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	9692	6.6	28	2	2	5	8	12	16	27
B. *Operated*	1346	11.0	59	3	4	9	14	21	26	37
1. SINGLE DX	2966	5.0	17	1	1	4	6	10	12	19
2. MULTIPLE DX	11038	7.1	34	2	2	6	9	13	18	30
A. NOT OPERATED	12399	6.2	25	1	2	5	8	11	15	25
B. OPERATED	1605	10.5	57	2	3	9	14	20	25	37
TOTAL 65-69 YRS	4102	6.2	23	1	2	5	8	12	15	25
70-74	3494	6.4	25	1	2	5	8	12	16	26
75-79	2951	6.8	34	2	2	5	9	13	17	30
80-84	1895	6.9	33	2	2	5	9	13	18	30
85+	1562	7.6	52	2	2	6	9	14	20	41
GRAND TOTAL	**14004**	**6.7**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	179	4.8	19	1	1	3	6	10	13	22
70-74	155	5.2	13	1	2	4	7	10	12	18
75-79	137	5.5	23	1	1	4	7	10	13	30
80-84	94	5.5	17	1	1	5	7	10	14	22
85+	68	6.0	44	1	2	4	7	12	14	45
B. *Operated*										
65-69 YRS	83	7.6	90	1	2	4	9	16	23	54
70-74	47	8.0	43	1	2	7	11	16	22	30
75-79	46	8.8	51	2	2	7	11	19	24	32
80-84	21	7.8	31	2	2	6	10	16	19	22
85+	13	7.2	17	1	3	7	10	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1111	7.3	42	1	2	6	9	14	19	30
70-74	1018	7.5	41	2	2	6	9	14	20	33
75-79	1031	7.7	42	2	2	6	10	15	21	32
80-84	787	8.1	43	2	3	6	10	16	20	32
85+	693	8.7	68	2	2	6	11	17	23	56
B. *Operated*										
65-69 YRS	305	11.8	112	2	3	9	15	23	30	70
70-74	271	14.1	141	3	4	11	18	30	36	61
75-79	229	13.5	152	2	3	10	17	26	38	67
80-84	156	14.7	117	2	4	11	19	32	40	44
85+	91	13.8	103	2	3	12	18	26	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	5.3	21	1	1	4	7	10	13	21
B. *Operated*	210	7.9	60	1	2	6	11	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	4640	7.8	46	2	2	6	10	15	20	34
B. *Operated*	1052	13.4	129	2	3	11	17	27	36	63
1. SINGLE DX	843	5.9	32	1	1	4	8	12	16	29
2. MULTIPLE DX	5692	8.8	66	2	2	6	11	18	24	44
A. NOT OPERATED	5273	7.5	44	2	2	6	9	15	20	33
B. OPERATED	1262	12.5	121	2	2	10	16	25	34	58
TOTAL 65-69 YRS	1678	7.9	59	1	2	6	10	16	21	38
70-74	1491	8.5	64	2	2	6	10	17	24	43
75-79	1443	8.4	63	2	2	6	11	17	23	48
80-84	1058	8.8	58	2	2	7	11	18	24	41
85+	865	9.0	72	2	2	6	11	18	25	51
GRAND TOTAL	**6535**	**8.4**	**63**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1553	6.8	74	1	1	4	8	15	21	50
70-74	1414	6.2	48	1	2	4	7	13	19	39
75-79	1119	6.9	74	1	2	5	8	14	20	54
80-84	767	7.4	81	1	2	5	9	15	21	50
85+	594	7.1	62	1	1	5	8	14	21	41
B. *Operated*										
65-69 YRS	436	6.0	61	1	2	3	7	12	18	47
70-74	319	6.6	61	1	2	4	8	14	19	43
75-79	203	7.5	73	1	2	4	10	17	25	45
80-84	89	10.0	151	1	1	5	13	25	38	63
85+	55	8.1	61	1	2	6	11	14	22	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6246	7.3	40	2	2	6	9	14	19	32
70-74	6443	7.5	41	2	2	6	9	15	19	34
75-79	6161	7.8	44	2	2	6	10	15	20	33
80-84	4639	7.9	46	2	2	6	10	15	20	35
85+	3940	8.5	59	2	2	6	11	17	22	39
B. *Operated*										
65-69 YRS	1148	11.5	131	2	2	8	14	25	35	66
70-74	1121	12.6	151	2	2	9	16	27	38	79
75-79	876	13.9	148	2	3	10	18	30	37	67
80-84	577	14.3	170	3	4	10	18	29	47	99
85+	421	15.3	146	3	4	12	20	32	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5447	6.8	67	1	2	4	8	14	20	47
B. *Operated*	1102	6.9	71	1	2	4	9	15	21	44
2. MULTIPLE DX										
A. *Not Operated*	27429	7.7	45	2	2	6	10	15	20	34
B. *Operated*	4143	13.1	148	2	3	10	17	28	38	71
1. SINGLE DX	6549	6.8	67	1	2	4	8	14	20	46
2. MULTIPLE DX	31572	8.4	62	2	2	6	10	17	23	42
A. NOT OPERATED	32876	7.6	49	2	2	6	9	15	20	36
B. OPERATED	5245	11.8	139	2	2	8	15	26	36	70
TOTAL 65-69 YRS	9383	7.7	60	1	2	5	9	15	21	43
70-74	9297	7.9	59	2	2	6	10	16	22	42
75-79	8359	8.3	63	2	2	6	10	16	22	42
80-84	6072	8.5	67	2	2	6	10	17	23	48
85+	5010	8.9	71	2	2	7	11	18	25	44
GRAND TOTAL	**38121**	**8.1**	**63**	**2**	**2**	**6**	**10**	**16**	**22**	**43**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.3	21	1	2	4	6	14	16	17
70-74	10	6.1	17	1	2	5	6	12	16	16
75-79	7	7.4	32	1	1	7	9	16	18	18
80-84	9	8.1	31	1	1	9	12	16	17	17
85+	5	9.4	42	3	3	9	16	16	16	16
B. *Operated*										
65-69 YRS	4	26.8	2012	3	3	5	50	94	94	94
70-74	3	9.7	9	7	7	9	12	13	13	13
75-79	1	34.0		34	34	34	34	34	34	34
80-84	4	19.0	81	8	8	19	25	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	9.9	101	2	2	6	11	24	33	49
70-74	52	10.4	65	2	3	8	12	24	28	37
75-79	51	10.3	62	2	2	9	12	24	25	34
80-84	24	9.4	70	1	2	7	11	18	28	39
85+	30	13.0	121	2	2	10	21	35	41	99+
B. *Operated*										
65-69 YRS	37	22.1	365	2	3	15	37	63	90	99+
70-74	29	24.7	567	4	5	16	31	65	84	86
75-79	22	24.0	375	5	7	16	29	55	66	71
80-84	16	21.1	183	5	7	20	28	34	52	59
85+	9	28.6	750	4	5	14	45	73	85	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	6.8	25	1	2	6	9	16	17	18
B. *Operated*	12	20.5	636	3	4	11	25	52	88	94
2. MULTIPLE DX										
A. *Not Operated*	215	10.5	82	2	2	8	12	25	32	44
B. *Operated*	113	23.5	411	3	4	16	34	59	78	99+
1. SINGLE DX	58	9.6	174	1	2	6	12	18	26	89
2. MULTIPLE DX	328	15.0	233	2	3	10	20	36	48	89
A. NOT OPERATED	261	9.9	74	2	2	7	12	23	29	41
B. OPERATED	125	23.2	429	3	4	16	31	58	80	99+
TOTAL 65-69 YRS	114	13.9	269	2	2	8	17	37	58	99+
70-74	94	14.3	258	2	3	9	16	29	47	85
75-79	81	14.1	185	2	3	10	17	31	45	69
80-84	53	13.4	126	2	2	10	19	29	34	58
85+	44	15.8	270	2	3	11	21	41	63	99+
GRAND TOTAL	**386**	**14.2**	**227**	**2**	**2**	**9**	**18**	**34**	**48**	**91**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	9.2	68	2	2	6	19	20	20	20
70-74	5	6.6	33	2	2	4	10	16	16	16
75-79	5	6.8	12	2	2	7	9	11	11	11
80-84	8	6.6	42	1	1	3	12	16	17	17
85+	8	7.1	44	2	2	4	11	18	20	20
B. *Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	11.4	156	2	2	9	13	20	29	80
70-74	47	9.4	58	2	2	7	11	22	26	34
75-79	42	16.4	193	2	3	14	20	40	50	52
80-84	31	12.3	72	3	4	10	16	22	27	42
85+	24	7.7	33	2	3	7	9	15	22	27
B. *Operated*										
65-69 YRS	25	20.5	534	4	6	12	23	80	86	99+
70-74	24	16.3	307	3	3	9	22	37	63	67
75-79	22	29.9	705	3	5	23	50	82	95	99+
80-84	21	17.3	151	3	4	16	22	33	47	51
85+	10	9.4	100	1	2	6	9	27	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.3	37	2	2	5	10	18	20	20
B. *Operated*	8	4.3	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	193	11.7	118	2	3	9	15	22	33	52
B. *Operated*	102	19.8	419	3	3	12	26	61	80	99+
1. SINGLE DX	40	6.7	32	1	2	5	9	16	19	20
2. MULTIPLE DX	295	14.5	236	2	3	10	19	31	51	88
A. NOT OPERATED	225	11.0	108	2	2	8	14	21	29	51
B. OPERATED	110	18.7	406	2	3	12	25	55	79	99+
TOTAL 65-69 YRS	82	13.8	277	2	2	9	15	27	75	94
70-74	78	11.2	141	2	2	7	13	26	33	65
75-79	71	19.6	383	2	3	14	26	51	71	98
80-84	61	13.2	105	2	3	11	19	24	34	50
85+	43	8.0	48	2	2	6	9	20	25	31
GRAND TOTAL	**335**	**13.5**	**218**	**2**	**3**	**9**	**17**	**29**	**47**	**84**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.5	33	<1	<1	2	5	11	18	25
70-74	13	2.5	2	1	1	2	3	4	6	6
75-79	27	3.1	6	<1	1	3	4	5	8	12
80-84	9	7.2	122	1	1	3	7	25	36	36
85+	10	5.5	22	2	2	4	6	13	17	17
B. *Operated*										
65-69 YRS	85	4.9	29	1	1	3	6	10	13	34
70-74	59	5.4	32	<1	1	3	6	12	18	31
75-79	56	4.8	19	1	1	3	6	9	15	21
80-84	21	8.0	176	1	2	4	6	15	38	63
85+	14	4.9	13	2	2	4	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	8.0	72	2	2	6	9	15	22	54
70-74	114	5.8	18	1	1	5	8	12	15	18
75-79	135	7.3	37	2	2	5	10	16	20	32
80-84	139	8.0	97	1	2	6	9	14	18	61
85+	144	8.8	68	2	2	6	11	17	22	40
B. *Operated*										
65-69 YRS	235	8.6	84	1	2	6	11	17	27	50
70-74	183	10.8	113	1	2	7	13	24	38	56
75-79	162	11.1	147	1	2	8	14	22	28	84
80-84	93	10.8	104	1	2	8	14	20	28	59
85+	83	11.4	96	2	3	8	14	31	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.1	27	<1	1	3	4	9	12	33
B. *Operated*	235	5.3	39	1	1	3	6	11	14	34
2. MULTIPLE DX										
A. *Not Operated*	632	7.6	60	1	2	6	10	15	20	37
B. *Operated*	756	10.2	109	1	2	7	13	22	32	58
1. SINGLE DX	316	5.0	36	1	1	3	6	10	14	33
2. MULTIPLE DX	1388	9.1	88	1	2	6	11	18	26	52
A. NOT OPERATED	713	7.2	57	1	2	5	9	14	19	36
B. OPERATED	991	9.1	97	1	2	6	11	20	29	53
TOTAL 65-69 YRS	442	7.5	70	1	2	5	9	15	23	49
70-74	369	8.1	74	1	2	5	10	17	26	49
75-79	380	8.2	86	1	2	5	10	18	22	36
80-84	262	9.0	107	1	2	6	11	17	24	62
85+	251	9.3	75	2	2	7	12	21	31	65
GRAND TOTAL	**1704**	**8.3**	**81**	**1**	**2**	**6**	**10**	**17**	**24**	**50**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	496	9.6	41	3	4	8	12	17	22	37
70-74	528	9.8	39	3	4	9	12	17	20	29
75-79	505	10.4	36	3	4	10	14	18	21	35
80-84	373	10.6	36	3	4	10	14	19	21	31
85+	398	10.7	39	3	4	10	14	19	22	29
B. *Operated*										
65-69 YRS	34	13.4	106	3	3	11	15	33	39	40
70-74	26	17.7	101	6	7	15	22	32	40	44
75-79	16	15.8	91	4	6	13	19	33	37	38
80-84	10	14.1	62	3	4	14	18	25	31	31
85+	10	14.8	72	4	4	14	20	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1314	11.8	70	3	4	10	15	21	26	46
70-74	1698	12.8	66	3	5	11	16	23	28	44
75-79	2048	13.0	66	4	5	11	17	23	28	41
80-84	1800	13.8	82	4	5	12	17	24	30	46
85+	1850	13.3	86	3	4	11	17	24	30	50
B. *Operated*										
65-69 YRS	173	20.4	177	4	7	19	27	34	48	91
70-74	229	20.0	150	5	7	17	26	40	46	57
75-79	233	21.5	216	6	8	18	27	37	47	87
80-84	168	21.7	201	6	8	19	28	40	53	95
85+	147	22.1	234	6	8	17	29	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2300	10.2	38	3	4	9	13	18	21	32
B. *Operated*	96	15.2	94	3	4	13	19	31	38	42
2. MULTIPLE DX										
A. *Not Operated*	8710	13.0	74	4	5	11	16	23	29	46
B. *Operated*	950	21.1	193	6	8	18	27	39	51	89
1. SINGLE DX	2396	10.4	41	3	4	9	13	18	22	36
2. MULTIPLE DX	9660	13.8	92	4	5	12	17	25	32	52
A. NOT OPERATED	11010	12.4	68	3	4	11	16	22	27	44
B. OPERATED	1046	20.5	187	5	7	17	26	38	48	87
TOTAL 65-69 YRS	2017	12.0	80	3	4	10	15	22	29	47
70-74	2481	12.9	75	3	5	11	16	23	30	47
75-79	2802	13.3	80	4	5	11	17	23	30	47
80-84	2351	13.9	89	4	5	12	17	24	31	50
85+	2405	13.4	93	3	4	11	17	24	32	55
GRAND TOTAL	**12056**	**13.1**	**84**	**3**	**5**	**11**	**17**	**24**	**30**	**49**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	6.4	20	1	2	4	11	13	13	14
70-74	26	11.2	196	3	4	9	12	15	29	77
75-79	19	9.8	37	4	5	8	14	21	22	22
80-84	15	10.6	30	4	6	9	12	21	23	24
85+	7	11.1	27	6	6	10	13	20	21	21
B. *Operated*										
65-69 YRS	9	17.9	317	2	3	18	20	45	61	61
70-74	5	31.0	525	13	13	24	37	71	71	71
75-79	2	32.5	685	14	14	32	51	51	51	51
80-84	3	13.0	91	7	7	8	20	24	24	24
85+	2	20.5	13	18	18	20	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	14.2	125	4	4	11	18	24	33	61
70-74	59	14.0	91	3	4	11	20	28	32	43
75-79	64	14.7	136	4	5	13	18	23	28	80
80-84	59	13.3	39	4	6	12	17	21	27	30
85+	71	13.9	82	4	6	12	15	23	34	53
B. *Operated*										
65-69 YRS	23	23.5	241	7	8	22	37	56	99+	99+
70-74	12	42.9	780	8	12	59	94	99+	99+	99+
75-79	11	27.5	201	15	15	22	41	70	96	99+
80-84	7	25.4	385	8	8	26	32	57	63	63
85+	11	21.6	130	7	8	20	30	36	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	9.7	80	2	3	8	12	17	21	57
B. *Operated*	21	22.0	327	4	6	19	24	55	65	71
2. MULTIPLE DX										
A. *Not Operated*	297	14.0	92	4	5	12	18	24	29	52
B. *Operated*	64	27.7	367	8	8	26	45	93	99+	99+
1. SINGLE DX	108	12.1	149	2	3	9	14	22	24	74
2. MULTIPLE DX	361	16.5	168	4	5	13	22	31	55	99+
A. NOT OPERATED	384	13.0	92	3	4	11	17	23	27	53
B. OPERATED	85	26.3	360	7	8	23	42	75	99+	99+
TOTAL 65-69 YRS	96	15.2	178	2	3	11	20	34	56	99+
70-74	102	17.5	309	3	5	12	24	55	85	99+
75-79	96	15.6	155	4	5	14	20	27	42	94
80-84	84	13.8	75	4	6	12	17	24	28	53
85+	91	14.7	89	5	6	12	18	27	34	51
GRAND TOTAL	**469**	**15.4**	**166**	**4**	**5**	**12**	**19**	**30**	**49**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	6.2	22	1	2	5	8	12	15	24
70-74	157	5.3	13	1	2	4	7	10	12	18
75-79	146	6.0	24	1	2	5	8	11	14	26
80-84	116	6.8	25	2	2	6	9	14	18	24
85+	155	6.4	25	1	2	5	8	12	15	28
B. *Operated*										
65-69 YRS	12	7.3	19	3	4	6	8	13	18	19
70-74	5	7.8	5	5	5	8	10	10	10	10
75-79	6	7.3	34	1	1	6	9	17	18	18
80-84	4	9.3	140	3	3	4	15	27	27	27
85+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1147	8.4	38	2	3	7	11	16	20	32
70-74	1113	9.4	62	2	3	7	12	18	24	44
75-79	1220	9.6	48	2	3	8	12	18	24	33
80-84	1069	10.1	52	2	3	8	13	19	24	39
85+	1217	10.4	68	2	3	8	13	19	25	43
B. *Operated*										
65-69 YRS	233	14.9	157	3	4	12	19	32	40	73
70-74	207	15.4	152	3	4	12	21	31	41	69
75-79	168	17.6	171	4	5	14	25	35	42	74
80-84	146	17.2	178	3	5	14	21	34	43	83
85+	130	18.8	154	5	7	16	25	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	6.1	22	1	2	5	8	12	15	24
B. *Operated*	29	7.6	31	3	3	6	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	5766	9.6	54	2	3	8	12	18	23	38
B. *Operated*	884	16.5	163	3	5	13	22	34	42	77
1. SINGLE DX	791	6.2	22	1	2	5	8	12	15	25
2. MULTIPLE DX	6650	10.5	74	2	3	8	13	20	26	48
A. NOT OPERATED	6528	9.2	51	2	3	7	12	18	23	36
B. OPERATED	913	16.2	161	3	5	13	21	33	42	76
TOTAL 65-69 YRS	1580	9.1	59	2	3	7	11	18	23	40
70-74	1482	9.8	76	2	3	7	12	20	25	48
75-79	1540	10.1	67	2	3	8	13	20	26	40
80-84	1335	10.6	70	2	3	9	14	21	26	46
85+	1504	10.7	78	2	3	8	14	21	28	56
GRAND TOTAL	**7441**	**10.0**	**70**	**2**	**3**	**8**	**13**	**20**	**26**	**45**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	254	11.8	63	3	4	10	15	23	27	35
70-74	272	13.2	64	3	5	11	16	24	28	41
75-79	357	13.7	74	4	5	13	17	25	31	42
80-84	399	13.2	97	3	4	11	16	25	34	63
85+	517	12.6	67	3	4	12	17	22	26	39
B. *Operated*										
65-69 YRS	8	19.3	326	4	5	11	30	48	55	55
70-74	9	28.9	743	1	5	16	43	75	77	77
75-79	8	29.0	883	7	8	16	36	80	97	97
80-84	7	16.7	245	5	6	13	16	44	51	51
85+	8	21.9	80	4	8	23	26	33	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	577	15.8	103	4	6	13	20	28	35	58
70-74	713	17.0	131	4	6	15	22	29	38	63
75-79	1059	17.0	111	4	6	15	22	30	38	56
80-84	1185	16.5	122	4	6	14	21	30	39	57
85+	1599	15.9	118	4	5	14	21	30	36	63
B. *Operated*										
65-69 YRS	114	30.6	400	7	10	26	41	60	81	99+
70-74	125	28.4	322	7	11	24	38	56	69	94
75-79	141	29.7	353	7	9	27	41	58	77	99+
80-84	115	28.1	367	7	10	23	34	60	88	99+
85+	144	27.1	293	7	10	23	36	45	63	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1799	12.9	74	3	4	11	16	24	29	42
B. *Operated*	40	23.5	447	4	5	16	29	53	74	97
2. MULTIPLE DX										
A. *Not Operated*	5133	16.4	118	4	6	14	21	29	37	60
B. *Operated*	639	28.7	344	7	10	24	38	56	78	99+
1. SINGLE DX	1839	13.2	84	3	4	11	17	24	30	44
2. MULTIPLE DX	5772	17.8	158	4	6	15	23	33	41	75
A. NOT OPERATED	6932	15.5	109	4	5	13	20	28	35	56
B. OPERATED	679	28.4	350	7	10	24	38	56	77	99+
TOTAL 65-69 YRS	953	16.5	159	4	5	13	20	32	41	67
70-74	1119	17.5	159	4	6	14	22	31	41	69
75-79	1565	17.4	145	4	6	15	23	32	41	67
80-84	1706	16.6	144	4	6	14	21	31	39	73
85+	2268	15.9	128	3	5	14	21	29	37	65
GRAND TOTAL	**7611**	**16.7**	**144**	**4**	**5**	**14**	**21**	**31**	**39**	**68**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	335	5.1	24	1	1	4	6	9	15	27
70-74	397	5.4	29	1	1	4	6	11	15	30
75-79	399	7.0	56	1	2	5	8	15	21	52
80-84	371	7.7	56	1	2	6	9	16	22	36
85+	363	6.7	46	1	2	5	8	13	18	40
B. *Operated*										
65-69 YRS	348	7.7	53	1	2	5	10	16	23	35
70-74	307	8.2	84	1	2	6	10	15	22	45
75-79	291	9.0	80	1	2	6	12	21	27	41
80-84	198	9.6	48	2	2	8	12	19	24	33
85+	189	9.8	64	2	3	8	13	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	572	9.8	102	2	2	7	12	20	27	53
70-74	700	10.6	100	2	3	8	14	21	31	52
75-79	863	10.9	90	2	3	8	14	23	29	48
80-84	871	11.6	93	2	3	9	15	23	32	61
85+	915	11.1	80	2	3	9	14	22	30	49
B. *Operated*										
65-69 YRS	536	13.8	157	2	3	10	18	30	44	64
70-74	584	14.0	136	2	3	11	19	30	39	68
75-79	594	13.8	146	2	3	10	18	28	37	65
80-84	467	16.2	172	3	4	12	21	33	44	66
85+	364	15.4	156	3	4	12	20	33	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1865	6.4	43	1	2	5	8	13	19	33
B. *Operated*	1333	8.7	67	1	2	6	11	18	25	38
2. MULTIPLE DX										
A. *Not Operated*	3921	10.9	92	2	3	8	14	22	30	52
B. *Operated*	2545	14.5	153	2	3	11	19	30	40	66
1. SINGLE DX	3198	7.4	55	1	2	5	9	15	22	36
2. MULTIPLE DX	6466	12.3	119	2	3	9	16	26	34	59
A. NOT OPERATED	5786	9.5	81	1	2	7	12	20	27	49
B. OPERATED	3878	12.5	131	2	3	9	16	27	35	59
TOTAL 65-69 YRS	1791	9.7	104	1	2	6	12	21	29	54
70-74	1988	10.2	103	1	2	7	13	22	31	50
75-79	2147	10.7	103	2	2	8	14	24	30	56
80-84	1907	11.8	109	2	3	9	15	25	33	61
85+	1831	11.0	94	2	3	8	14	23	30	51
GRAND TOTAL	**9664**	**10.7**	**103**	**2**	**2**	**8**	**14**	**23**	**31**	**54**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	3.2	4	1	1	3	4	6	7	9
70-74	77	3.7	16	1	1	3	4	8	10	24
75-79	88	4.1	9	1	1	4	5	8	9	68
80-84	70	4.5	16	1	1	3	6	9	13	19
85+	78	5.6	42	1	1	4	7	13	17	37
B. *Operated*										
65-69 YRS	999	3.3	7	1	1	3	4	6	8	13
70-74	828	3.5	10	1	1	3	4	7	9	15
75-79	620	4.1	18	1	1	3	5	8	10	19
80-84	376	4.7	24	1	1	3	6	10	13	30
85+	261	5.2	29	1	1	4	6	10	15	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	182	7.4	47	1	2	5	9	17	25	34
70-74	204	7.7	55	1	2	5	10	19	23	35
75-79	227	8.1	43	2	2	6	11	15	20	35
80-84	234	8.8	59	1	2	6	11	18	24	40
85+	273	9.7	72	2	2	7	13	23	25	46
B. *Operated*										
65-69 YRS	794	7.5	63	1	2	5	9	17	22	49
70-74	791	8.0	72	1	2	5	10	18	25	47
75-79	691	8.6	77	2	2	6	11	19	25	45
80-84	544	10.0	100	2	2	7	13	20	28	56
85+	438	10.9	111	2	2	8	14	23	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	4.2	18	1	1	3	5	9	11	25
B. *Operated*	3084	3.9	14	1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1120	8.5	57	1	2	6	11	18	24	41
B. *Operated*	3258	8.7	82	1	2	6	11	19	26	48
1. SINGLE DX	3467	3.9	15	1	1	3	5	8	10	20
2. MULTIPLE DX	4378	8.7	76	1	2	6	11	19	25	46
A. NOT OPERATED	1503	7.4	50	1	2	5	9	16	23	37
B. OPERATED	6342	6.4	55	1	1	4	7	14	20	39
TOTAL 65-69 YRS	2045	5.3	37	1	1	3	6	11	17	35
70-74	1900	5.9	46	1	1	4	7	12	19	37
75-79	1626	6.6	51	1	1	4	8	14	19	38
80-84	1224	7.8	70	1	2	5	10	17	22	44
85+	1050	8.8	81	1	2	6	11	20	26	44
GRAND TOTAL	**7845**	**6.6**	**54**	**1**	**1**	**4**	**8**	**14**	**21**	**39**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	4.6	23	1	1	2	9	12	14	14
70-74	25	3.0	5	<1	1	2	4	5	9	10
75-79	24	4.7	32	1	1	3	5	11	18	25
80-84	15	4.3	14	<1	1	2	8	9	11	11
85+	23	5.9	28	1	1	5	7	15	17	18
B. *Operated*										
65-69 YRS	172	2.9	7	1	1	2	3	6	9	12
70-74	130	3.0	9	1	1	2	3	6	9	16
75-79	91	3.7	12	1	1	3	5	7	12	17
80-84	51	6.0	130	1	1	3	6	11	21	78
85+	52	5.0	37	1	1	3	7	10	15	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.2	49	1	2	6	9	12	16	46
70-74	103	8.2	48	2	2	6	12	18	21	69
75-79	87	9.3	101	2	2	6	12	18	29	59
80-84	80	7.9	41	1	2	6	11	18	21	26
85+	99	9.0	53	2	2	7	12	19	24	72
B. *Operated*										
65-69 YRS	214	6.2	71	1	1	4	7	14	19	48
70-74	168	7.5	73	1	2	4	9	16	23	52
75-79	143	8.0	75	1	2	5	10	15	19	50
80-84	104	10.5	119	1	2	7	15	21	24	65
85+	71	9.0	111	1	2	7	10	20	31	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.5	21	1	1	2	6	11	15	22
B. *Operated*	496	3.6	25	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	431	8.4	59	2	2	6	11	18	22	50
B. *Operated*	700	7.8	85	1	1	5	10	17	23	53
1. SINGLE DX	595	3.8	24	1	1	2	4	9	10	21
2. MULTIPLE DX	1131	8.0	75	1	2	5	10	17	22	51
A. NOT OPERATED	530	7.7	54	1	2	6	10	17	21	45
B. OPERATED	1196	6.1	64	1	1	3	7	14	19	46
TOTAL 65-69 YRS	460	5.1	45	1	1	3	6	10	15	44
70-74	426	6.1	48	1	1	4	7	14	19	38
75-79	345	7.0	67	1	1	4	8	15	18	49
80-84	250	8.4	93	1	1	5	11	18	22	45
85+	245	7.9	67	1	2	6	10	16	22	78
GRAND TOTAL	**1726**	**6.6**	**62**	**1**	**1**	**4**	**8**	**15**	**20**	**46**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	12.5	145	1	2	9	17	25	31	61
70-74	202	14.1	172	1	2	12	18	26	37	74
75-79	235	14.6	161	1	2	12	19	29	43	79
80-84	314	14.8	194	1	2	11	20	29	37	79
85+	450	13.6	183	1	2	11	18	28	40	99
B. *Operated*										
65-69 YRS	1844	16.7	64	8	9	15	20	25	31	50
70-74	2556	17.4	68	8	10	16	20	26	33	48
75-79	3408	18.4	78	9	10	17	21	28	33	58
80-84	3896	19.1	87	9	11	17	22	29	36	58
85+	4883	19.1	94	9	10	17	22	30	37	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	312	17.4	221	2	4	14	23	36	53	96
70-74	425	17.3	207	2	4	14	22	37	53	99+
75-79	549	17.7	254	3	4	14	22	36	58	99+
80-84	730	17.2	212	3	4	14	22	35	58	99+
85+	1108	17.6	221	2	4	14	23	37	51	99+
B. *Operated*										
65-69 YRS	3001	21.5	148	9	11	18	25	37	47	79
70-74	4661	22.5	156	10	11	19	27	39	49	82
75-79	6415	23.0	165	10	12	20	28	40	51	88
80-84	7786	23.0	160	10	12	20	27	39	50	86
85+	10340	22.7	164	10	11	19	27	39	50	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	14.0	176	1	2	11	19	28	39	86
B. *Operated*	16587	18.4	82	8	10	17	21	28	35	57
2. MULTIPLE DX										
A. *Not Operated*	3124	17.5	223	3	4	14	23	36	54	99+
B. *Operated*	32203	22.7	161	10	11	19	27	39	50	86
1. SINGLE DX	17932	18.1	91	7	9	16	21	28	35	59
2. MULTIPLE DX	35327	22.2	168	8	11	19	27	39	50	90
A. NOT OPERATED	4469	16.4	211	2	3	13	21	34	50	99+
B. OPERATED	48790	21.2	138	9	11	18	25	35	45	80
TOTAL 65-69 YRS	5301	19.3	130	7	9	17	23	33	42	72
70-74	7844	20.4	138	8	10	18	24	34	45	77
75-79	10607	21.1	147	8	10	18	25	35	46	82
80-84	12726	21.2	147	8	10	18	25	36	46	83
85+	16781	21.1	153	8	10	18	25	36	46	86
GRAND TOTAL	**53259**	**20.8**	**146**	**8**	**10**	**18**	**25**	**35**	**46**	**82**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	28.4	438	1	5	25	46	60	69	99+
70-74	86	24.8	478	3	5	18	39	55	73	93
75-79	102	24.3	419	3	5	16	39	56	64	96
80-84	108	24.0	429	2	3	19	36	54	73	91
85+	137	20.2	344	1	3	14	31	50	69	99+
B. *Operated*										
65-69 YRS	140	22.7	267	5	8	18	30	48	62	99+
70-74	190	24.1	301	8	9	19	28	52	66	98
75-79	201	23.7	270	7	10	19	28	43	63	99
80-84	215	24.5	240	9	11	20	28	47	62	99+
85+	248	21.7	199	6	9	18	28	43	50	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	30.3	611	3	7	20	49	71	89	99+
70-74	152	29.4	531	6	7	22	45	70	90	99+
75-79	200	27.9	489	5	6	20	41	66	82	99+
80-84	241	27.0	540	3	4	19	43	69	84	99+
85+	325	23.7	424	3	5	17	36	62	74	99+
B. *Operated*										
65-69 YRS	295	30.7	402	9	11	26	46	64	91	99+
70-74	349	30.2	368	8	12	26	41	72	90	99+
75-79	419	30.6	368	8	11	25	43	64	79	99+
80-84	405	27.0	299	9	11	23	35	50	75	99+
85+	548	26.9	300	7	10	23	37	59	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	23.9	418	2	4	17	38	55	69	99+
B. *Operated*	994	23.3	251	7	9	19	28	47	62	99
2. MULTIPLE DX										
A. *Not Operated*	1059	26.9	507	3	6	19	41	68	83	99+
B. *Operated*	2016	28.8	343	8	11	24	39	63	81	99+
1. SINGLE DX	1513	23.5	309	4	7	18	31	51	64	99+
2. MULTIPLE DX	3075	28.2	400	6	8	23	40	64	83	99+
A. NOT OPERATED	1578	25.9	479	3	5	19	40	63	78	99+
B. OPERATED	3010	27.0	319	8	10	22	36	58	77	99+
TOTAL 65-69 YRS	662	28.6	431	5	8	22	43	63	83	99+
70-74	777	27.9	402	6	9	22	39	64	84	99+
75-79	922	27.8	386	6	9	22	38	61	77	99+
80-84	969	26.1	361	5	8	21	35	59	75	99+
85+	1258	24.3	322	4	6	20	34	55	72	99+
GRAND TOTAL	**4588**	**26.6**	**375**	**5**	**8**	**21**	**37**	**60**	**77**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	192	8.2	49	1	2	6	10	16	20	38
70-74	182	9.9	67	2	2	8	13	20	26	38
75-79	149	10.0	62	2	3	8	13	20	25	34
80-84	103	9.6	64	2	2	7	12	22	29	37
85+	103	9.8	72	2	2	8	12	21	28	46
B. *Operated*										
65-69 YRS	325	11.2	80	3	3	9	14	20	26	48
70-74	233	12.7	125	3	4	10	16	23	27	71
75-79	146	14.2	153	3	4	12	18	24	31	83
80-84	63	15.3	151	2	5	12	19	29	46	63
85+	60	12.4	92	2	3	9	19	30	31	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	300	13.3	129	2	4	10	18	26	32	60
70-74	288	13.9	158	3	4	10	17	27	40	66
75-79	289	12.7	98	2	3	10	17	27	35	51
80-84	215	14.7	142	3	4	12	18	28	37	61
85+	235	14.1	170	2	3	10	18	30	46	99+
B. *Operated*										
65-69 YRS	423	18.6	258	4	5	14	23	38	56	93
70-74	331	18.8	217	3	5	16	23	38	58	99+
75-79	247	20.1	226	4	7	16	25	41	58	99+
80-84	147	20.4	294	4	6	15	28	48	61	99+
85+	141	20.1	294	4	5	14	26	46	64	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	9.4	62	2	2	7	12	19	25	40
B. *Operated*	827	12.5	113	3	4	10	16	23	30	54
2. MULTIPLE DX										
A. *Not Operated*	1327	13.7	138	2	4	10	17	27	37	69
B. *Operated*	1289	19.3	249	4	5	15	24	40	58	99
1. SINGLE DX	1556	11.1	91	2	3	9	14	21	28	50
2. MULTIPLE DX	2616	16.4	200	3	4	13	21	34	48	91
A. NOT OPERATED	2056	12.2	115	2	3	9	15	25	32	58
B. OPERATED	2116	16.7	207	3	4	13	21	33	49	92
TOTAL 65-69 YRS	1240	13.8	162	2	4	10	17	27	38	75
70-74	1034	14.5	164	3	4	11	19	29	40	81
75-79	831	14.7	153	3	4	11	19	28	40	76
80-84	528	15.4	183	3	4	12	19	31	43	80
85+	539	14.6	187	2	3	11	19	31	46	82
GRAND TOTAL	**4172**	**14.4**	**166**	**3**	**4**	**11**	**18**	**29**	**40**	**78**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	300	5.8	21	1	2	5	7	11	14	25
70-74	265	6.1	27	1	2	5	7	12	15	27
75-79	207	7.9	58	1	2	6	10	15	22	45
80-84	161	8.2	67	1	2	6	10	14	24	51
85+	116	8.0	59	1	2	6	10	17	22	46
B. *Operated*										
65-69 YRS	1006	8.2	27	3	3	7	10	14	17	26
70-74	764	8.8	26	3	4	8	11	16	19	25
75-79	397	10.5	43	3	4	9	13	18	24	34
80-84	232	11.3	63	3	4	10	14	20	26	45
85+	119	10.8	41	3	5	9	14	19	23	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	490	8.5	49	2	2	7	11	16	21	36
70-74	476	9.7	64	2	3	7	13	20	25	40
75-79	459	10.8	97	2	3	8	13	22	29	54
80-84	316	10.7	79	3	3	8	13	21	27	51
85+	269	11.1	79	2	3	9	15	22	32	49
B. *Operated*										
65-69 YRS	1006	12.4	103	3	4	10	15	24	32	65
70-74	796	13.5	128	3	5	11	16	25	33	69
75-79	626	14.5	137	4	5	11	18	29	41	67
80-84	303	16.0	126	4	5	13	19	30	41	65
85+	232	18.2	255	4	5	14	22	34	48	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1049	6.9	42	1	2	5	9	13	18	34
B. *Operated*	2518	9.2	35	3	4	8	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	2010	10.0	73	2	3	8	13	20	26	47
B. *Operated*	2963	14.0	134	3	5	11	17	26	36	69
1. SINGLE DX	3567	8.5	38	2	3	7	11	15	19	32
2. MULTIPLE DX	4973	12.4	113	3	4	10	15	24	33	63
A. NOT OPERATED	3059	8.9	64	2	2	7	11	17	24	44
B. OPERATED	5481	11.8	94	3	4	9	14	22	29	57
TOTAL 65-69 YRS	2802	9.5	63	2	3	7	12	18	23	46
70-74	2301	10.3	75	2	3	8	13	20	25	46
75-79	1689	11.8	99	2	3	9	14	23	31	55
80-84	1012	12.0	95	2	3	9	15	23	31	53
85+	736	12.8	139	2	3	10	16	25	35	73
GRAND TOTAL	**8540**	**10.7**	**85**	**2**	**3**	**8**	**13**	**21**	**27**	**52**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	5.2	27	<1	1	4	6	11	19	23
70-74	29	6.2	31	1	1	4	10	12	16	25
75-79	23	5.0	21	<1	1	4	7	10	14	21
80-84	25	5.2	11	1	1	5	7	11	11	11
85+	21	7.2	34	1	2	5	10	15	20	24
B. *Operated*										
65-69 YRS	8	4.3	10	2	2	3	5	9	11	11
70-74	4	6.0	18	3	3	5	9	12	12	12
75-79	4	4.0	6	2	2	4	6	7	7	7
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	8.5	76	1	2	6	11	15	20	48
70-74	163	10.0	63	2	2	8	14	19	26	43
75-79	195	10.0	64	2	2	8	13	21	23	39
80-84	179	10.9	103	2	3	9	13	22	24	65
85+	192	10.4	62	2	3	9	14	20	23	33
B. *Operated*										
65-69 YRS	52	12.9	181	2	3	9	17	25	37	77
70-74	48	13.6	143	2	3	10	20	28	31	68
75-79	39	14.1	101	1	2	13	21	25	31	45
80-84	28	16.2	237	3	4	11	21	34	47	76
85+	25	14.2	203	2	3	10	17	28	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.8	24	1	1	4	8	11	15	24
B. *Operated*	19	5.1	13	1	2	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	910	10.0	74	2	2	8	13	20	23	43
B. *Operated*	192	14.0	164	2	3	11	19	27	37	73
1. SINGLE DX	136	5.7	23	1	1	4	8	11	14	24
2. MULTIPLE DX	1102	10.7	92	2	2	8	14	21	26	50
A. NOT OPERATED	1027	9.5	70	1	2	8	12	19	23	40
B. OPERATED	211	13.2	157	2	2	10	18	26	34	71
TOTAL 65-69 YRS	260	9.0	96	1	2	6	11	17	24	52
70-74	244	10.2	78	1	2	8	14	21	27	44
75-79	261	10.1	70	1	2	8	14	22	24	41
80-84	233	10.9	115	2	3	9	13	22	25	73
85+	240	10.5	76	2	3	9	14	20	25	41
GRAND TOTAL	**1238**	**10.1**	**87**	**1**	**2**	**8**	**13**	**21**	**25**	**46**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	4	11.8	33	5	5	11	15	19	19	19
80-84	2	16.0	128	8	8	16	24	24	24	24
85+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
65-69 YRS										
70-74	3	11.0	175	1	1	6	21	26	26	26
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	12.1	73	1	2	13	16	24	28	28
70-74	6	16.8	49	8	8	17	21	26	27	27
75-79	8	19.1	251	6	6	13	26	46	52	52
80-84	6	19.3	461	4	4	7	40	52	53	53
85+	7	18.7	182	7	8	15	21	42	47	47
B. *Operated*										
65-69 YRS	6	35.2	1051	7	8	21	57	88	91	91
70-74	2	24.5	421	10	10	39	85	99+	99+	99+
75-79	4	26.3	701	3	3	23	73	99+	99+	99+
80-84	4	42.0	375	17	17	44	56	63	63	63
85+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	15.3	73	5	6	12	23	27	28	28
B. *Operated*	4	11.0	117	1	1	8	18	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	35	17.1	182	3	5	15	20	40	51	53
B. *Operated*	17	32.9	602	5	8	26	61	96	99+	99+
1. SINGLE DX	11	13.7	84	1	3	11	23	27	28	28
2. MULTIPLE DX	52	22.3	366	3	6	16	33	58	86	99+
A. NOT OPERATED	42	16.8	162	4	5	13	21	35	49	53
B. OPERATED	21	28.7	576	2	5	23	55	93	99+	99+
TOTAL 65-69 YRS	14	22.0	583	1	3	15	22	60	84	91
70-74	11	16.6	124	1	4	17	26	57	94	99+
75-79	17	18.6	278	4	5	13	23	60	86	99+
80-84	12	26.3	459	4	5	20	44	56	62	63
85+	9	20.6	150	7	8	17	26	39	47	47
GRAND TOTAL	**63**	**20.8**	**325**	**3**	**5**	**15**	**27**	**53**	**71**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	2.9	14	<1	1	1	3	9	13	14
70-74	11	1.7	1	1	1	1	3	4	4	4
75-79	15	2.5	6	<1	<1	1	4	5	8	9
80-84	11	2.6	2	1	1	2	4	5	5	5
85+	8	3.1	2	1	1	3	4	5	6	6
B. *Operated*										
65-69 YRS	133	3.4	39	<1	1	2	3	6	10	33
70-74	117	2.6	8	<1	1	2	3	6	8	16
75-79	89	3.7	24	<1	1	2	4	9	13	29
80-84	49	4.0	19	1	1	2	4	10	13	22
85+	48	4.1	22	1	1	3	5	8	9	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.0	19	1	1	4	7	11	15	18
70-74	43	5.6	40	1	1	3	7	13	18	35
75-79	36	7.1	58	1	2	5	9	11	22	42
80-84	30	7.9	58	1	2	5	9	17	24	36
85+	27	9.4	100	2	2	6	11	20	36	45
B. *Operated*										
65-69 YRS	125	5.6	27	1	1	4	8	12	17	24
70-74	120	6.3	34	1	1	4	8	15	20	50
75-79	101	6.0	30	1	1	5	8	14	19	24
80-84	75	7.9	119	1	2	4	11	16	26	68
85+	74	8.8	47	1	2	7	11	20	26	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.6	6	<1	1	2	3	5	7	14
B. *Operated*	436	3.4	24	<1	1	2	4	7	11	25
2. MULTIPLE DX										
A. *Not Operated*	168	6.8	54	1	1	5	8	15	20	41
B. *Operated*	495	6.7	47	1	1	5	9	15	20	32
1. SINGLE DX	496	3.3	22	<1	1	2	4	6	10	24
2. MULTIPLE DX	663	6.7	49	1	1	5	9	15	20	36
A. NOT OPERATED	228	5.7	44	1	1	4	7	12	17	37
B. OPERATED	931	5.1	39	1	1	3	6	12	17	29
TOTAL 65-69 YRS	305	4.5	32	1	1	3	5	10	15	24
70-74	291	4.5	26	1	1	3	6	11	16	29
75-79	241	5.1	32	1	1	3	7	12	16	26
80-84	165	6.4	74	1	1	4	7	15	18	38
85+	157	7.2	51	1	1	5	9	16	25	44
GRAND TOTAL	**1159**	**5.3**	**40**	**1**	**1**	**3**	**6**	**12**	**17**	**31**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.9	6	<1	1	4	5	7	9	10
70-74	4	7.3	14	2	2	8	10	10	10	10
75-79	4	4.5	4	2	2	5	6	6	6	6
80-84	3	8.0	109	1	1	3	16	20	20	20
85+	2	7.5	13	5	5	7	10	10	10	10
B. *Operated*										
65-69 YRS	195	6.5	15	2	3	6	7	10	14	24
70-74	77	6.3	10	2	3	5	8	11	13	17
75-79	48	7.2	13	3	3	7	9	12	14	17
80-84	8	8.0	22	3	3	7	12	14	15	15
85+	17	7.4	39	1	1	5	10	14	22	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	8.5	80	1	1	6	14	16	29	40
70-74	14	7.2	42	1	3	6	8	12	24	28
75-79	18	8.4	55	1	2	6	12	15	26	33
80-84	10	11.0	37	5	5	9	14	20	24	24
85+	7	13.4	41	5	6	11	20	22	22	22
B. *Operated*										
65-69 YRS	236	7.8	31	2	3	7	9	13	20	32
70-74	130	9.8	55	3	4	8	13	17	21	46
75-79	61	12.1	201	2	3	9	12	26	40	80
80-84	20	14.6	97	4	5	11	21	24	35	46
85+	10	15.7	240	1	2	10	25	39	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.3	17	1	1	5	6	10	12	20
B. *Operated*	345	6.6	15	2	3	6	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	75	9.1	58	1	2	7	12	17	25	38
B. *Operated*	457	9.4	72	2	3	7	11	17	24	48
1. SINGLE DX	371	6.5	15	2	3	6	8	11	14	22
2. MULTIPLE DX	532	9.3	70	2	3	7	11	17	24	46
A. NOT OPERATED	101	8.1	50	1	2	6	10	16	23	36
B. OPERATED	802	8.2	49	2	3	7	9	15	20	36
TOTAL 65-69 YRS	470	7.2	27	2	3	6	8	12	16	29
70-74	225	8.4	41	2	3	7	10	15	18	32
75-79	131	9.6	111	2	3	7	11	15	29	68
80-84	41	11.9	72	3	4	11	15	23	24	46
85+	36	10.9	101	1	2	8	13	25	26	52
GRAND TOTAL	**903**	**8.2**	**49**	**2**	**3**	**6**	**9**	**15**	**20**	**36**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.8	17	<1	<1	4	7	10	14	17
70-74	9	4.4	13	1	1	4	5	10	13	13
75-79	6	6.8	17	4	4	5	11	13	13	13
80-84	7	4.6	16	1	1	3	8	11	11	11
85+	9	6.3	13	2	2	5	8	12	12	12
B. *Operated*										
65-69 YRS	84	5.4	40	1	1	3	6	14	21	31
70-74	66	9.4	159	1	1	4	9	30	41	60
75-79	43	10.7	215	1	2	5	13	27	41	73
80-84	30	12.2	99	2	3	8	20	27	30	37
85+	23	7.0	72	1	1	3	11	16	25	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	9.3	82	2	4	6	11	21	29	51
70-74	39	10.9	196	1	2	6	14	21	42	74
75-79	38	9.0	55	2	2	8	10	18	20	42
80-84	25	10.0	92	1	2	7	13	29	31	35
85+	30	10.5	100	2	2	8	14	19	28	52
B. *Operated*										
65-69 YRS	131	10.4	136	1	2	6	13	26	36	55
70-74	101	14.6	254	1	2	8	20	35	44	77
75-79	72	12.3	164	1	1	7	19	27	43	56
80-84	44	13.7	145	2	3	10	17	37	43	99+
85+	33	14.8	205	2	2	8	21	39	46	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.2	15	1	1	4	7	12	13	17
B. *Operated*	246	8.4	117	1	1	4	9	22	31	55
2. MULTIPLE DX										
A. *Not Operated*	190	9.8	102	2	2	7	12	20	29	52
B. *Operated*	381	12.6	181	1	2	7	17	31	43	74
1. SINGLE DX	296	7.8	101	1	1	4	9	20	30	50
2. MULTIPLE DX	571	11.7	156	1	2	7	15	28	41	69
A. NOT OPERATED	240	8.9	87	1	2	6	11	18	26	52
B. OPERATED	627	11.0	160	1	1	6	15	28	39	65
TOTAL 65-69 YRS	292	8.3	95	1	1	5	9	21	28	[illegible]
70-74	215	11.9	210	1	1	6	15	31	42	75
75-79	159	10.9	147	1	2	6	14	24	38	57
80-84	106	11.8	114	1	2	8	16	29	37	69
85+	95	10.7	129	1	2	6	14	23	38	52
GRAND TOTAL	**867**	**10.4**	**141**	**1**	**2**	**6**	**13**	**25**	**37**	**57**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	5.0	12	2	2	4	6	9	11	19
70-74	39	7.3	33	2	2	6	8	15	20	28
75-79	25	6.6	20	1	1	6	8	14	17	18
80-84	30	5.8	12	2	2	5	8	11	12	16
85+	15	8.8	48	1	2	6	11	20	22	23
B. *Operated*										
65-69 YRS	42	7.9	29	1	2	7	10	12	18	29
70-74	15	9.7	20	3	5	10	11	14	20	22
75-79	15	12.8	260	2	4	9	11	28	57	67
80-84	8	10.4	20	2	3	11	14	15	15	15
85+	4	6.5	52	1	1	4	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	126	8.4	36	2	3	7	11	16	19	31
70-74	114	8.6	54	2	3	6	10	18	27	36
75-79	108	7.3	19	2	3	6	10	14	18	21
80-84	114	8.9	50	2	3	7	11	20	23	37
85+	95	7.2	14	2	3	6	9	12	14	17
B. *Operated*										
65-69 YRS	59	14.4	170	4	5	10	18	41	49	96
70-74	42	15.3	221	3	4	12	17	34	64	99+
75-79	24	13.5	74	4	5	11	17	27	31	34
80-84	25	15.5	139	3	4	13	21	29	46	46
85+	12	8.4	34	2	3	8	10	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	6.4	23	2	2	5	8	13	18	23
B. *Operated*	84	9.3	69	2	3	8	11	14	23	54
2. MULTIPLE DX										
A. *Not Operated*	557	8.1	36	2	3	6	10	15	20	29
B. *Operated*	162	14.2	154	3	4	11	18	30	46	97
1. SINGLE DX	234	7.4	41	2	2	6	10	14	19	28
2. MULTIPLE DX	719	9.5	69	2	3	7	11	18	25	47
A. NOT OPERATED	707	7.7	34	2	3	6	10	15	19	29
B. OPERATED	246	12.5	130	2	4	10	14	25	42	78
TOTAL 65-69 YRS	268	9.1	69	2	2	7	11	17	25	51
70-74	210	9.8	88	2	3	7	12	21	28	65
75-79	172	8.6	53	2	3	6	10	16	19	33
80-84	177	9.4	62	2	3	7	12	20	23	44
85+	126	7.5	20	2	3	6	9	14	16	23
GRAND TOTAL	**953**	**9.0**	**63**	**2**	**3**	**7**	**11**	**17**	**23**	**46**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	339	6.9	18	2	3	6	9	12	14	19
70-74	188	7.4	17	3	3	6	10	13	16	23
75-79	141	7.6	19	2	2	7	10	13	16	20
80-84	104	8.3	37	2	3	6	11	17	21	29
85+	61	6.7	18	1	2	6	9	12	15	20
B. *Operated*										
65-69 YRS	18	8.5	14	2	3	9	11	13	14	15
70-74	4	7.5	20	2	2	7	10	13	13	13
75-79	7	15.1	140	2	3	13	20	35	38	38
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1022	8.6	26	3	4	8	11	15	18	24
70-74	856	9.0	34	3	3	8	12	16	19	29
75-79	685	9.5	35	3	4	8	12	17	20	30
80-84	508	10.7	70	3	4	9	14	19	25	41
85+	488	10.3	72	2	3	8	13	19	25	42
B. *Operated*										
65-69 YRS	98	13.0	71	3	4	11	17	24	31	44
70-74	69	16.4	179	4	5	12	21	28	38	80
75-79	70	13.9	75	4	5	11	18	26	31	46
80-84	38	19.7	136	5	6	16	28	36	38	51
85+	24	17.4	139	4	5	13	24	36	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	7.3	21	2	3	6	10	13	16	22
B. *Operated*	30	9.7	50	2	2	9	13	15	21	38
2. MULTIPLE DX										
A. *Not Operated*	3559	9.4	43	3	3	8	12	16	20	33
B. *Operated*	299	15.2	114	4	5	12	20	29	36	49
1. SINGLE DX	863	7.4	22	2	3	6	10	13	16	22
2. MULTIPLE DX	3858	9.8	51	3	4	8	12	17	22	37
A. NOT OPERATED	4392	9.0	39	3	3	8	11	16	20	31
B. OPERATED	329	14.7	111	3	5	12	19	28	36	48
TOTAL 65-69 YRS	1477	8.5	29	2	3	7	11	15	18	27
70-74	1117	9.2	43	3	3	8	12	16	20	37
75-79	903	9.6	39	3	3	8	12	17	21	32
80-84	650	10.9	74	3	3	9	14	20	27	41
85+	574	10.2	72	2	3	8	12	19	26	41
GRAND TOTAL	**4721**	**9.4**	**46**	**3**	**3**	**8**	**12**	**17**	**21**	**36**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	6.7	27	1	2	5	9	13	17	26
70-74	109	6.7	22	2	2	6	8	12	15	26
75-79	115	6.3	21	1	2	5	8	12	15	27
80-84	65	6.9	18	2	2	6	9	15	16	17
85+	48	6.0	26	2	2	5	7	12	17	28
B. *Operated*										
65-69 YRS	7	6.7	35	1	1	4	11	15	16	16
70-74	5	8.0	34	4	4	7	10	18	18	18
75-79	3	6.0	37	2	2	3	10	13	13	13
80-84	1	44.0		44	44	44	44	44	44	44
85+	3	12.0	21	8	8	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	802	8.1	30	2	3	7	10	15	19	29
70-74	622	7.9	30	2	3	7	10	15	19	27
75-79	507	8.7	36	2	3	7	11	16	20	31
80-84	409	8.3	31	2	3	7	11	15	19	27
85+	323	9.8	45	2	3	8	13	18	23	34
B. *Operated*										
65-69 YRS	72	11.5	102	2	4	9	13	21	27	61
70-74	45	12.0	93	2	3	9	15	28	39	99+
75-79	46	13.9	68	3	4	13	18	25	29	42
80-84	34	15.5	104	3	5	14	18	28	37	49
85+	23	15.8	65	4	6	15	22	28	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	525	6.6	23	1	2	5	8	13	16	26
B. *Operated*	19	9.7	98	1	2	7	13	18	32	44
2. MULTIPLE DX										
A. *Not Operated*	2663	8.4	33	2	3	7	11	16	20	29
B. *Operated*	220	13.2	91	3	4	11	17	26	32	54
1. SINGLE DX	544	6.7	26	1	2	5	8	13	16	27
2. MULTIPLE DX	2883	8.8	39	2	3	7	11	17	21	32
A. NOT OPERATED	3188	8.1	32	2	3	7	10	15	19	28
B. OPERATED	239	12.9	92	2	4	11	17	26	32	51
TOTAL 65-69 YRS	1069	8.1	35	2	3	7	10	15	20	30
70-74	781	8.0	33	2	3	7	10	15	20	31
75-79	671	8.7	38	2	3	7	11	16	20	31
80-84	509	8.7	40	2	3	7	11	17	19	31
85+	397	9.7	47	2	3	8	13	19	24	33
GRAND TOTAL	**3427**	**8.5**	**38**	**2**	**3**	**7**	**11**	**16**	**20**	**32**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	4.3	10	1	1	3	6	9	10	16
70-74	64	5.3	22	1	1	4	7	11	12	28
75-79	51	6.1	35	1	1	4	8	12	18	35
80-84	44	5.3	16	1	1	4	7	12	14	16
85+	52	5.7	14	2	2	5	7	11	15	16
B. *Operated*										
65-69 YRS	219	5.7	11	2	2	5	7	9	12	20
70-74	130	6.1	11	1	2	6	8	10	13	36
75-79	71	7.1	22	2	2	6	9	12	16	27
80-84	21	7.8	71	1	1	5	10	14	27	39
85+	9	7.6	45	2	2	5	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	6.5	25	2	2	5	8	14	17	29
70-74	228	7.6	37	1	2	6	10	16	19	27
75-79	269	7.9	45	2	2	6	10	15	19	30
80-84	234	7.7	30	2	2	6	10	15	20	28
85+	266	8.9	40	2	3	7	12	18	22	88
B. *Operated*										
65-69 YRS	178	7.8	37	2	2	6	9	16	22	30
70-74	104	8.6	63	2	3	7	10	15	21	47
75-79	48	12.5	163	3	5	9	14	19	29	86
80-84	41	12.4	161	2	3	8	17	23	32	71
85+	18	12.4	54	2	3	13	18	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	5.3	19	1	2	4	7	11	13	19
B. *Operated*	450	6.2	16	2	2	5	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	1253	7.8	36	2	2	6	10	16	20	31
B. *Operated*	389	9.3	77	2	3	7	12	19	23	39
1. SINGLE DX	723	5.8	18	1	2	5	7	11	13	22
2. MULTIPLE DX	1642	8.1	46	2	2	6	11	16	21	34
A. NOT OPERATED	1526	7.3	34	2	2	6	10	15	19	30
B. OPERATED	839	7.6	47	2	2	6	9	14	19	32
TOTAL 65-69 YRS	715	6.4	23	2	2	5	8	13	17	25
70-74	526	7.1	35	1	2	6	9	14	18	27
75-79	439	8.1	56	2	2	6	10	15	19	35
80-84	340	8.0	49	2	2	6	11	16	21	39
85+	345	8.6	39	2	2	7	12	18	21	38
GRAND TOTAL	**2365**	**7.4**	**38**	**2**	**2**	**6**	**9**	**15**	**19**	**31**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	121	3.0	16	1	1	2	3	5	8	26
70-74	100	4.5	63	1	1	2	5	8	12	47
75-79	64	3.5	7	<1	1	3	5	8	9	12
80-84	53	3.2	6	<1	1	3	4	6	8	12
85+	52	3.3	7	1	1	3	4	7	9	12
B. *Operated*										
65-69 YRS	3	4.3	16	2	2	2	7	9	9	9
70-74	2	6.5	61	1	1	6	12	12	12	12
75-79	2	6.5	25	3	3	10	77	99+	99+	99+
80-84	2	5.5	25	2	2	5	9	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	6.1	31	1	1	4	8	14	18	30
70-74	672	7.2	55	1	2	5	9	15	20	45
75-79	629	7.6	49	1	2	6	10	16	20	30
80-84	483	8.5	64	1	2	6	11	19	25	40
85+	513	8.2	59	1	2	6	10	18	24	41
B. *Operated*										
65-69 YRS	226	9.6	131	1	1	6	11	24	33	61
70-74	216	9.5	136	1	1	6	11	23	32	59
75-79	194	10.4	164	1	2	5	14	27	35	80
80-84	127	9.8	80	1	2	7	13	22	30	43
85+	102	10.7	138	1	2	7	13	23	45	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.5	24	1	1	2	4	7	10	20
B. *Operated*	10	6.1	20	1	1	9	11	47	96	99+
2. MULTIPLE DX										
A. *Not Operated*	2995	7.4	51	1	2	5	10	16	21	35
B. *Operated*	925	10.0	133	1	2	6	12	23	33	65
1. SINGLE DX	400	3.6	24	1	1	2	4	7	10	22
2. MULTIPLE DX	3920	8.0	72	1	2	5	10	18	24	46
A. NOT OPERATED	3385	7.0	49	1	1	5	9	15	20	34
B. OPERATED	935	9.9	132	1	2	6	12	23	33	67
TOTAL 65-69 YRS	1048	6.5	55	1	1	4	8	14	20	37
70-74	990	7.4	75	1	1	5	9	16	22	47
75-79	889	7.9	74	1	1	5	10	17	23	51
80-84	665	8.3	65	1	2	6	10	19	25	41
85+	728	8.4	76	1	2	6	10	19	25	55
GRAND TOTAL	**4320**	**7.6**	**69**	**1**	**1**	**5**	**10**	**17**	**23**	**45**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	5.8	48	1	1	3	6	15	21	33
70-74	54	5.0	37	1	1	3	5	13	21	29
75-79	36	9.4	218	1	1	5	8	23	40	76
80-84	31	5.2	35	<1	1	3	6	11	16	30
85+	37	5.6	43	<1	1	3	7	12	23	29
B. *Operated*										
65-69 YRS	70	15.3	142	4	5	11	19	30	49	51
70-74	77	17.1	173	4	6	13	22	34	45	66
75-79	72	16.4	116	5	7	13	22	29	37	54
80-84	37	17.8	173	3	7	15	21	41	52	57
85+	18	17.2	134	5	8	16	19	22	44	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	263	8.8	114	1	1	5	11	19	30	59
70-74	259	9.2	73	1	2	6	11	22	27	43
75-79	275	9.2	89	1	2	6	11	21	27	76
80-84	249	9.4	78	1	2	7	13	20	27	76
85+	244	10.1	115	1	2	7	13	22	29	78
B. *Operated*										
65-69 YRS	194	21.2	353	1	2	16	31	54	73	99+
70-74	185	21.8	354	2	2	17	31	51	65	99+
75-79	189	23.1	306	2	6	20	33	53	69	99+
80-84	135	22.3	307	3	6	17	30	51	62	85
85+	119	20.8	331	2	2	17	27	45	66	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	73	1	1	3	7	15	23	40
B. *Operated*	274	16.5	146	4	6	13	21	30	46	59
2. MULTIPLE DX										
A. *Not Operated*	1290	9.3	93	1	2	6	12	21	27	63
B. *Operated*	822	21.9	331	2	3	17	31	52	68	99+
1. SINGLE DX	474	12.1	142	1	1	9	17	25	35	57
2. MULTIPLE DX	2112	14.2	223	1	2	9	19	35	49	99+
A. NOT OPERATED	1490	8.9	92	1	1	6	11	20	27	56
B. OPERATED	1096	20.5	290	2	4	16	28	48	62	99+
TOTAL 65-69 YRS	569	13.6	228	1	1	9	18	34	50	86
70-74	575	13.9	211	1	2	9	19	34	45	94
75-79	572	14.7	211	1	2	10	21	35	49	99+
80-84	452	13.6	189	1	2	9	18	30	45	80
85+	418	13.0	198	1	2	9	18	29	39	79
GRAND TOTAL	**2586**	**13.8**	**209**	**1**	**2**	**9**	**19**	**33**	**47**	**92**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	6	1	1	3	6	6	6	6
70-74	10	5.4	28	1	1	4	8	14	16	16
75-79	7	4.1	5	1	1	5	6	7	7	7
80-84	4	9.5	40	3	3	8	14	18	18	18
85+	5	4.8	8	1	1	4	7	8	8	8
B. *Operated*										
65-69 YRS	20	8.6	30	2	2	7	14	17	18	19
70-74	8	7.1	14	3	3	7	8	13	15	15
75-79	3	13.0	79	6	6	10	20	23	23	23
80-84	3	7.7	9	5	5	7	10	11	11	11
85+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	9.4	78	2	3	7	12	19	25	54
70-74	61	8.0	31	1	2	7	10	16	20	25
75-79	47	11.0	42	2	3	11	15	21	23	25
80-84	42	11.3	78	2	3	10	14	22	23	52
85+	42	9.7	56	2	3	8	13	16	21	45
B. *Operated*										
65-69 YRS	92	13.4	142	3	4	9	17	31	39	86
70-74	69	17.6	266	4	4	12	21	36	54	79
75-79	59	17.5	164	4	5	13	26	33	51	96
80-84	24	16.0	255	3	4	9	19	41	56	59
85+	23	16.6	111	4	6	14	21	32	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.2	18	1	1	5	7	11	16	18
B. *Operated*	36	8.4	27	2	3	7	12	15	19	23
2. MULTIPLE DX										
A. *Not Operated*	268	9.7	58	2	3	8	12	19	22	43
B. *Operated*	267	15.9	187	3	4	12	20	34	49	79
1. SINGLE DX	68	6.9	25	1	1	6	8	15	18	22
2. MULTIPLE DX	535	12.8	132	2	3	10	16	27	36	64
A. NOT OPERATED	300	9.2	56	1	2	7	12	18	22	40
B. OPERATED	303	15.0	174	3	4	11	19	33	42	78
TOTAL 65-69 YRS	194	11.1	107	2	3	8	13	23	33	66
70-74	148	12.2	163	2	3	8	15	24	35	78
75-79	116	13.9	117	2	4	12	18	30	34	75
80-84	73	12.6	134	2	3	10	15	23	39	58
85+	72	11.5	81	2	4	9	14	21	31	45
GRAND TOTAL	**603**	**12.1**	**123**	**2**	**3**	**9**	**15**	**25**	**34**	**63**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.9	5	1	2	5	6	8	9	10
70-74	21	3.1	3	1	1	3	5	6	6	6
75-79	11	4.4	7	2	2	3	7	8	9	9
80-84	6	7.3	43	2	2	5	8	19	20	20
85+	10	5.2	9	<1	1	5	6	9	12	12
B. *Operated*										
65-69 YRS	17	8.4	22	2	3	7	10	16	18	19
70-74	11	6.1	13	2	2	6	8	11	14	14
75-79	3	8.3	1	7	7	9	9	9	9	9
80-84	5	11.2	9	7	7	13	13	14	14	14
85+	6	5.0	19	<1	<1	4	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.4	37	1	2	6	9	13	17	34
70-74	57	7.4	28	2	2	6	10	15	19	22
75-79	53	9.0	68	1	1	7	13	19	23	46
80-84	39	8.0	36	2	3	6	9	16	19	34
85+	61	10.1	69	1	2	8	15	21	29	36
B. *Operated*										
65-69 YRS	106	18.4	192	5	7	14	22	34	49	75
70-74	82	21.3	278	5	6	15	32	42	55	80
75-79	53	20.0	276	3	7	14	31	46	83	99+
80-84	40	21.4	376	3	5	18	28	62	96	99+
85+	26	15.5	144	2	2	14	21	31	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.5	9	1	2	4	6	7	9	19
B. *Operated*	42	7.6	18	1	2	7	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*	272	8.4	49	1	2	7	11	17	21	34
B. *Operated*	307	19.6	249	3	6	15	27	39	55	99+
1. SINGLE DX	107	5.7	15	1	2	5	7	10	14	19
2. MULTIPLE DX	579	14.3	186	2	3	10	19	32	41	87
A. NOT OPERATED	337	7.7	43	1	2	6	10	16	20	34
B. OPERATED	349	18.1	236	3	5	13	24	38	54	99+
TOTAL 65-69 YRS	202	13.0	146	2	3	9	17	28	34	68
70-74	171	13.4	201	2	2	8	16	35	42	73
75-79	120	13.4	187	1	2	9	17	32	46	99+
80-84	90	14.1	227	2	4	9	19	32	53	99+
85+	103	10.7	89	1	2	8	15	22	31	44
GRAND TOTAL	**686**	**13.0**	**169**	**2**	**2**	**9**	**16**	**31**	**38**	**81**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	41	3.7	9	1	1	3	4	6	9	18
70-74	23	3.0	2	1	2	3	4	5	6	7
75-79	20	3.7	7	<1	1	3	5	6	9	12
80-84	19	3.7	6	1	1	3	5	7	9	10
85+	10	5.1	15	1	1	5	6	11	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	4.7	13	1	1	3	6	11	12	12
70-74	16	5.3	21	1	1	5	7	11	17	19
75-79	9	12.0	177	2	2	7	14	36	38	38
80-84	8	14.6	228	1	2	9	24	39	41	41
85+	10	5.1	9	2	2	5	7	9	11	11
B. *Operated*										
65-69 YRS	57	7.8	75	2	2	5	9	15	29	44
70-74	55	6.7	30	1	2	5	8	16	18	26
75-79	45	8.8	62	1	2	6	10	19	24	40
80-84	26	4.5	14	1	1	3	5	9	14	15
85+	29	6.4	52	1	1	3	9	17	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.3	6	3	3	5	6	9	10	10
B. *Operated*	113	3.7	7	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	60	7.4	76	1	1	5	8	14	33	41
B. *Operated*	212	7.1	51	1	2	5	9	15	19	40
1. SINGLE DX	120	3.8	7	1	1	3	5	6	9	15
2. MULTIPLE DX	272	7.2	56	1	2	5	9	15	21	40
A. NOT OPERATED	67	7.1	69	1	2	5	8	14	32	40
B. OPERATED	325	5.9	38	1	1	4	7	14	18	36
TOTAL 65-69 YRS	116	5.9	45	1	2	4	7	12	16	41
70-74	95	5.6	23	1	2	4	7	13	17	23
75-79	76	7.8	64	1	2	5	9	18	27	39
80-84	54	5.7	53	1	1	4	6	14	15	41
85+	51	5.8	34	1	1	4	8	12	19	27
GRAND TOTAL	**392**	**6.1**	**43**	**1**	**1**	**4**	**7**	**14**	**18**	**39**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	4.6	30	1	1	3	4	8	21	22
70-74	21	3.3	15	<1	<1	2	4	12	50	99+
75-79	12	3.3	12	1	1	2	5	8	11	12
80-84	16	5.1	40	1	1	2	6	16	21	23
85+	24	3.2	4	1	1	3	5	6	7	7
B. *Operated*										
65-69 YRS	45	3.9	21	<1	1	2	5	8	9	30
70-74	44	4.7	36	1	1	3	6	11	14	35
75-79	32	3.2	11	<1	<1	2	4	8	10	16
80-84	22	4.5	22	1	1	3	5	10	17	20
85+	34	3.4	6	<1	1	3	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	233	5.8	31	1	1	4	8	13	19	25
70-74	207	7.3	53	1	1	5	9	17	22	39
75-79	242	7.1	33	1	2	5	10	15	19	27
80-84	236	7.3	58	1	1	5	9	15	19	39
85+	308	7.4	79	1	1	5	9	15	18	54
B. *Operated*										
65-69 YRS	335	7.3	88	1	1	5	9	16	24	60
70-74	340	7.4	70	1	1	5	9	16	24	36
75-79	330	7.5	55	1	2	5	9	15	23	41
80-84	279	7.5	75	1	1	5	8	18	24	58
85+	387	8.9	118	1	2	6	11	19	26	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.9	19	1	1	2	4	8	17	62
B. *Operated*	177	3.9	20	<1	1	2	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	1226	7.0	53	1	1	5	9	15	19	39
B. *Operated*	1671	7.8	83	1	1	5	9	17	25	50
1. SINGLE DX	275	3.9	20	1	1	2	5	8	12	28
2. MULTIPLE DX	2897	7.4	70	1	1	5	9	16	23	45
A. NOT OPERATED	1324	6.8	51	1	1	5	9	15	19	39
B. OPERATED	1848	7.4	78	1	1	5	9	16	24	46
TOTAL 65-69 YRS	638	6.4	61	1	1	4	8	14	21	35
70-74	612	7.0	61	1	1	5	9	16	22	39
75-79	616	7.0	44	1	1	5	9	15	20	32
80-84	553	7.2	64	1	1	5	9	16	22	44
85+	753	7.9	96	1	1	5	9	16	24	62
GRAND TOTAL	**3172**	**7.1**	**67**	**1**	**1**	**5**	**9**	**16**	**22**	**44**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	2.9	5	1	1	2	4	6	7	8
70-74	8	4.0	7	1	1	3	7	7	7	7
75-79	7	3.1	4	1	1	2	4	7	7	7
80-84	7	8.3	66	2	2	4	12	22	24	24
85+	4	4.8	6	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	21	6.2	68	1	1	3	8	11	25	39
70-74	12	6.4	48	1	1	4	7	16	25	26
75-79	9	10.6	78	1	2	7	18	24	28	28
80-84	3	16.7	254	6	6	9	28	35	35	35
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	6.1	20	1	1	5	9	13	16	19
70-74	29	6.4	23	2	2	4	9	14	17	20
75-79	30	9.2	45	2	2	8	11	18	25	28
80-84	21	9.9	91	2	3	8	11	14	30	48
85+	23	8.0	23	1	3	7	12	16	17	17
B. *Operated*										
65-69 YRS	67	13.0	171	2	4	10	14	35	60	99+
70-74	44	14.5	195	3	3	11	17	34	37	80
75-79	34	13.3	188	2	2	10	16	33	64	99+
80-84	18	9.4	54	1	2	6	17	21	22	23
85+	16	13.2	164	1	2	8	18	33	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.1	16	1	1	3	5	8	9	24
B. *Operated*	46	7.7	76	1	1	5	9	18	29	39
2. MULTIPLE DX										
A. *Not Operated*	154	7.6	37	1	2	6	10	15	17	28
B. *Operated*	179	13.1	166	2	3	10	17	31	45	99+
1. SINGLE DX	93	5.9	49	1	1	4	7	12	23	37
2. MULTIPLE DX	333	10.5	114	2	2	8	13	21	34	83
A. NOT OPERATED	201	6.8	34	1	1	5	9	14	17	26
B. OPERATED	225	12.0	152	2	2	9	14	29	40	99+
TOTAL 65-69 YRS	160	8.6	102	1	2	5	11	17	33	96
70-74	93	10.1	123	1	2	7	12	21	33	62
75-79	80	10.6	112	2	2	8	14	22	31	91
80-84	49	9.9	80	2	2	8	12	21	25	48
85+	44	9.5	79	1	2	7	12	18	29	46
GRAND TOTAL	**426**	**9.5**	**103**	**1**	**2**	**7**	**12**	**19**	**30**	**72**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.0	5	<1	1	2	4	6	8	9
70-74	16	5.4	13	1	1	4	8	9	13	15
75-79	13	3.4	4	1	1	3	4	6	8	8
80-84	13	4.3	9	1	1	3	7	9	10	10
85+	9	3.9	4	<1	<1	5	6	53	99+	99+
B. *Operated*										
65-69 YRS	279	2.7	8	<1	1	2	3	6	9	15
70-74	157	2.8	9	<1	1	2	3	6	8	18
75-79	112	3.2	15	1	1	2	4	7	11	21
80-84	41	4.7	26	1	1	3	6	9	20	21
85+	45	5.6	45	1	1	4	6	9	19	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	6.4	51	1	1	5	8	11	18	47
70-74	44	7.0	37	1	1	5	10	14	18	31
75-79	44	9.6	150	1	2	5	11	18	40	66
80-84	46	7.4	24	2	2	6	11	16	16	19
85+	66	7.5	37	1	2	6	9	17	20	30
B. *Operated*										
65-69 YRS	309	5.7	64	1	1	3	6	14	21	39
70-74	218	5.3	47	1	1	3	6	11	20	44
75-79	126	7.1	81	1	1	4	9	16	24	41
80-84	89	7.7	87	1	1	5	10	15	21	56
85+	84	8.4	110	1	2	5	10	15	24	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.9	7	1	1	3	5	8	9	77
B. *Operated*	634	3.2	14	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	264	7.5	57	1	2	5	9	15	19	41
B. *Operated*	826	6.3	70	1	1	3	7	15	21	52
1. SINGLE DX	710	3.2	13	1	1	2	4	7	10	20
2. MULTIPLE DX	1090	6.6	67	1	1	4	8	15	20	49
A. NOT OPERATED	340	6.7	48	1	2	5	8	13	18	42
B. OPERATED	1460	4.9	48	1	1	3	5	11	17	37
TOTAL 65-69 YRS	677	4.4	39	1	1	2	4	10	15	31
70-74	435	4.6	33	1	1	3	5	10	15	32
75-79	295	5.8	68	1	1	3	7	13	18	41
80-84	189	6.7	54	1	1	4	9	15	19	44
85+	204	7.3	68	1	2	5	9	15	21	59
GRAND TOTAL	**1800**	**5.3**	**48**	**1**	**1**	**3**	**6**	**12**	**17**	**39**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	6.5	132	1	1	4	7	11	15	73
70-74	32	4.4	22	<1	1	3	5	9	18	21
75-79	19	6.1	34	1	2	5	6	10	20	28
80-84	14	8.8	88	2	3	6	9	14	34	40
85+	16	6.2	19	<1	1	5	8	13	14	15
B. *Operated*										
65-69 YRS	105	8.9	166	1	1	4	11	21	27	79
70-74	70	10.9	145	2	2	7	11	29	36	61
75-79	41	11.7	161	1	1	8	14	28	44	55
80-84	18	8.9	54	1	1	7	11	21	25	27
85+	18	18.7	522	1	2	12	23	46	77	92
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	9.1	48	2	3	7	11	19	25	29
70-74	70	10.4	74	2	3	8	13	19	27	45
75-79	60	8.6	30	2	2	8	11	16	19	27
80-84	55	8.9	47	2	3	7	11	20	31	99+
85+	48	8.9	50	1	2	7	10	20	26	29
B. *Operated*										
65-69 YRS	156	14.1	221	1	2	9	17	31	51	66
70-74	130	17.3	310	2	3	11	22	42	61	95
75-79	87	14.2	113	2	3	13	21	31	41	99+
80-84	53	16.2	161	2	5	13	24	39	47	98
85+	49	15.4	210	2	3	11	19	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	6.1	67	1	1	4	7	11	17	50
B. *Operated*	252	10.6	180	1	1	6	12	23	36	68
2. MULTIPLE DX										
A. *Not Operated*	297	9.2	50	2	2	7	12	19	26	45
B. *Operated*	475	15.4	218	2	3	11	20	35	52	98
1. SINGLE DX	373	9.1	147	1	1	5	11	21	30	67
2. MULTIPLE DX	772	13.0	162	2	3	9	17	28	43	94
A. NOT OPERATED	418	8.3	57	1	2	7	10	18	24	45
B. OPERATED	727	13.7	210	1	2	9	18	31	50	92
TOTAL 65-69 YRS	365	10.9	172	1	2	7	13	23	33	68
70-74	302	12.9	204	2	2	9	15	29	46	80
75-79	207	11.3	98	2	2	8	15	22	36	73
80-84	140	11.6	106	2	3	8	16	28	41	99+
85+	131	12.4	184	1	2	9	16	26	35	93
GRAND TOTAL	**1145**	**11.7**	**161**	**1**	**2**	**8**	**15**	**26**	**38**	**86**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	4.3	9	1	1	4	6	8	8	8
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	19.5	421	5	5	19	34	34	34	34
75-79	2	12.0	18	9	9	12	15	15	15	15
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	7.0	102	<1	1	5	6	19	35	37
70-74	17	7.3	25	<1	1	6	10	13	18	20
75-79	8	9.1	40	3	3	8	10	19	23	23
80-84	8	8.8	21	1	2	10	12	14	14	14
85+	9	6.8	63	1	1	3	12	20	22	22
B. *Operated*										
65-69 YRS	12	25.1	477	5	6	19	32	63	73	75
70-74	8	20.5	101	12	12	19	31	77	99+	99+
75-79	9	20.9	593	1	1	11	28	63	65	65
80-84	8	15.3	110	3	3	13	24	30	31	31
85+	2	17.5	221	7	7	17	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	5	1	1	3	4	7	8	8
B. *Operated*	8	9.3	119	2	2	4	12	28	34	34
2. MULTIPLE DX										
A. *Not Operated*	53	7.6	46	1	1	6	10	15	22	37
B. *Operated*	39	20.8	320	2	4	16	28	59	70	99+
1. SINGLE DX	17	6.1	64	1	1	4	6	14	27	34
2. MULTIPLE DX	92	13.2	203	1	2	10	16	31	56	89
A. NOT OPERATED	62	7.0	42	1	1	5	10	14	21	35
B. OPERATED	47	18.8	302	2	3	14	27	53	66	99+
TOTAL 65-69 YRS	25	15.3	355	1	2	6	23	37	62	75
70-74	30	11.1	98	1	2	9	16	30	42	99+
75-79	20	14.5	303	1	2	9	15	41	62	65
80-84	18	10.9	73	1	2	10	14	25	29	31
85+	16	7.3	67	1	1	4	9	21	26	28
GRAND TOTAL	**109**	**12.1**	**187**	**1**	**2**	**8**	**15**	**30**	**42**	**85**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	8.1	139	1	1	5	9	14	23	78
70-74	30	9.0	57	1	2	7	12	20	24	30
75-79	22	10.1	36	3	4	8	15	19	21	23
80-84	24	10.1	94	2	3	6	13	23	36	38
85+	18	6.6	40	1	1	3	15	17	17	17
B. *Operated*										
65-69 YRS	122	7.1	49	1	2	4	10	15	24	35
70-74	87	9.3	175	1	2	6	12	17	22	96
75-79	57	10.9	95	2	3	7	15	24	26	51
80-84	35	13.3	125	2	2	10	19	27	40	44
85+	17	16.9	166	3	3	16	26	31	41	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	104	10.8	105	2	2	7	15	22	27	53
70-74	112	11.3	86	3	3	8	15	27	32	41
75-79	115	12.3	72	2	3	11	16	23	29	44
80-84	122	13.0	82	3	4	11	18	26	36	99+
85+	110	12.8	174	1	2	9	18	40	95	99+
B. *Operated*										
65-69 YRS	192	13.9	265	2	2	9	13	31	54	99+
70-74	176	14.0	161	2	3	10	19	31	36	65
75-79	128	18.1	279	3	4	13	24	37	56	99
80-84	83	17.7	224	2	3	14	22	38	54	91
85+	59	18.2	112	3	6	17	24	32	39	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	8.7	84	1	2	6	12	18	23	42
B. *Operated*	318	9.6	112	1	2	6	13	23	27	63
2. MULTIPLE DX										
A. *Not Operated*	563	12.1	103	2	3	9	17	26	35	99+
B. *Operated*	638	15.7	222	2	3	12	21	34	48	90
1. SINGLE DX	458	9.3	104	1	2	6	12	22	26	52
2. MULTIPLE DX	1201	14.0	169	2	3	10	19	31	41	99
A. NOT OPERATED	703	11.4	101	2	3	9	16	24	33	99+
B. OPERATED	956	13.6	194	2	2	10	18	30	39	86
TOTAL 65-69 YRS	464	10.9	168	2	2	7	14	24	35	85
70-74	405	11.9	138	2	2	8	16	28	33	72
75-79	322	14.2	165	2	3	12	18	28	37	79
80-84	264	14.3	138	2	3	11	19	32	42	95
85+	204	14.1	154	2	2	12	21	33	46	99+
GRAND TOTAL	**1659**	**12.7**	**155**	**2**	**2**	**9**	**17**	**28**	**37**	**88**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.2	16	1	1	4	7	12	13	13
70-74	6	4.5	19	1	1	3	4	12	13	13
75-79	7	7.0	53	3	3	3	7	20	23	23
80-84	3	6.7	52	2	2	3	12	15	15	15
85+	3	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	3	4.7	6	2	2	5	6	7	7	7
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.6	22	1	1	6	8	13	15	24
70-74	41	5.2	17	1	1	4	7	10	15	19
75-79	30	5.4	21	1	1	4	7	10	12	23
80-84	39	9.7	136	2	2	6	12	21	26	67
85+	40	6.2	18	2	2	5	8	12	14	21
B. *Operated*										
65-69 YRS	11	4.9	8	3	3	4	6	9	13	13
70-74	11	7.7	27	1	2	7	13	14	14	14
75-79	5	23.0	1218	<1	<1	7	36	84	84	84
80-84	7	12.4	53	3	4	13	19	22	22	22
85+	8	17.9	922	1	1	7	13	69	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.5	24	1	2	4	7	13	15	23
B. *Operated*	8	3.5	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	199	6.7	44	1	2	5	8	13	18	27
B. *Operated*	42	11.5	332	1	2	6	13	20	47	92
1. SINGLE DX	39	5.1	20	1	1	4	6	12	14	23
2. MULTIPLE DX	241	7.5	96	1	2	5	9	14	20	69
A. NOT OPERATED	230	6.5	41	1	2	5	8	13	17	25
B. OPERATED	50	10.2	287	1	2	5	13	18	22	92
TOTAL 65-69 YRS	75	6.0	19	1	1	5	8	13	14	22
70-74	61	5.5	19	1	1	4	7	13	14	19
75-79	42	7.8	174	1	2	4	7	14	23	84
80-84	50	9.8	117	2	2	6	13	21	22	67
85+	52	7.8	159	2	2	5	8	12	17	91
GRAND TOTAL	**280**	**7.2**	**87**	**1**	**2**	**5**	**8**	**14**	**19**	**56**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	275	4.4	14	1	1	3	6	10	11	17
70-74	257	4.8	15	1	1	4	6	10	13	16
75-79	254	6.0	43	1	1	4	8	11	15	31
80-84	296	6.1	35	1	1	4	8	13	17	24
85+	331	5.9	26	1	1	4	8	12	16	24
B. *Operated*										
65-69 YRS	70	7.2	42	1	1	5	10	17	23	27
70-74	59	6.8	45	1	1	5	9	14	22	32
75-79	46	6.3	23	1	1	5	8	14	16	22
80-84	31	11.5	81	2	2	8	17	26	30	36
85+	17	13.5	231	1	2	5	20	33	51	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1674	7.1	37	1	2	5	9	14	19	30
70-74	1817	7.6	44	1	2	6	10	15	19	33
75-79	2105	8.1	57	1	2	6	10	16	21	39
80-84	2166	8.6	57	2	2	7	11	16	21	38
85+	2748	9.0	64	2	2	7	12	18	24	42
B. *Operated*										
65-69 YRS	240	10.9	78	1	2	9	15	22	28	43
70-74	258	12.0	125	2	3	9	14	24	36	57
75-79	262	14.3	144	2	3	11	19	26	36	59
80-84	259	15.9	193	2	3	11	21	35	44	72
85+	264	14.7	153	2	3	11	22	30	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	5.5	27	1	1	4	7	11	14	22
B. *Operated*	223	8.0	63	1	1	5	10	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	10510	8.2	54	2	2	6	10	16	21	38
B. *Operated*	1283	13.6	143	2	3	10	18	28	37	57
1. SINGLE DX	1636	5.8	32	1	1	4	8	12	16	26
2. MULTIPLE DX	11793	8.8	67	2	2	7	11	17	23	43
A. NOT OPERATED	11923	7.9	52	1	2	6	10	15	20	37
B. OPERATED	1506	12.8	135	2	3	9	17	27	35	56
TOTAL 65-69 YRS	2259	7.2	41	1	2	5	9	15	19	34
70-74	2391	7.8	53	1	2	6	10	15	20	38
75-79	2667	8.5	68	1	2	6	11	17	22	42
80-84	2752	9.0	73	2	2	7	11	17	24	45
85+	3360	9.1	72	2	2	7	12	19	25	43
GRAND TOTAL	**13429**	**8.4**	**63**	**1**	**2**	**6**	**11**	**17**	**22**	**41**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.0	61	1	1	4	12	18	18	18
70-74	4	4.5	6	2	2	4	6	8	8	8
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	6.4	14	1	1	7	9	11	11	11
B. *Operated*										
65-69 YRS	13	9.5	123	1	1	6	12	28	34	35
70-74	6	8.7	121	1	1	4	11	28	30	30
75-79	4	3.5	3	1	1	4	5	5	5	5
80-84	2	14.5	313	2	2	14	27	27	27	27
85+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.2	23	1	2	6	8	13	18	19
70-74	10	9.9	31	1	2	11	14	16	18	18
75-79	12	12.8	191	1	2	9	15	33	48	51
80-84	6	9.8	7	6	6	10	12	13	13	13
85+	5	16.8	111	6	6	12	27	30	30	30
B. *Operated*										
65-69 YRS	28	10.7	146	1	1	6	14	29	33	53
70-74	14	8.1	152	<1	1	3	9	19	42	48
75-79	18	22.9	476	1	2	12	39	59	63	65
80-84	4	10.3	318	1	1	2	19	37	37	37
85+	7	9.7	97	2	2	4	19	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.6	19	1	1	5	7	11	16	18
B. *Operated*	28	8.2	99	1	1	4	7	27	30	35
2. MULTIPLE DX										
A. *Not Operated*	47	10.3	80	1	2	8	13	19	27	51
B. *Operated*	71	13.2	256	1	1	7	16	38	53	64
1. SINGLE DX	44	7.2	70	1	1	4	7	23	28	35
2. MULTIPLE DX	118	12.0	187	1	1	8	14	30	47	62
A. NOT OPERATED	63	9.1	68	1	2	7	12	18	25	48
B. OPERATED	99	11.8	215	1	1	5	14	33	47	63
TOTAL 65-69 YRS	59	9.1	105	1	1	6	11	25	31	51
70-74	34	8.3	90	1	1	5	11	16	28	48
75-79	35	16.7	352	1	2	9	23	51	59	65
80-84	14	9.7	110	1	1	7	12	28	35	37
85+	20	9.8	79	1	2	6	11	25	28	30
GRAND TOTAL	**162**	**10.7**	**159**	**1**	**1**	**6**	**12**	**27**	**38**	**60**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0		2	2	2	2	2	2	2
B. *Operated*	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	3	2.7		2	2	3	3	3	3	3
B. *Operated*	3	3.3	2	2	2	3	4	5	5	5
1. SINGLE DX	6	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX	6	3.0	1	2	2	3	3	5	5	5
A. NOT OPERATED	6	2.3		2	2	2	3	3	3	3
B. OPERATED	6	2.5	2	<1	<1	2	3	5	5	5
TOTAL 65-69 YRS	5	3.0	2	2	2	3	4	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**12**	**2.4**	**1**	**<1**	**1**	**2**	**3**	**4**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	184	1.7	2	<1	1	1	2	3	4	10
70-74	149	2.0	6	<1	1	1	2	4	5	9
75-79	135	2.1	8	<1	1	1	2	4	4	19
80-84	74	2.2	13	1	1	1	2	3	6	25
85+	83	2.1	3	1	1	2	3	4	6	69
B. *Operated*										
65-69 YRS	40	4.0	32	<1	<1	2	4	10	17	28
70-74	35	4.5	85	1	1	2	4	6	20	52
75-79	31	3.5	26	<1	1	2	3	8	11	28
80-84	16	4.8	33	<1	1	3	5	11	20	24
85+	18	2.4	4	<1	<1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	200	3.9	16	1	1	2	5	9	11	17
70-74	209	5.1	42	1	1	3	6	11	16	36
75-79	187	4.4	18	1	1	3	6	10	16	21
80-84	150	5.1	43	1	1	3	7	10	15	31
85+	113	5.0	21	1	1	3	6	11	14	23
B. *Operated*										
65-69 YRS	134	8.8	91	1	1	5	13	22	28	42
70-74	122	7.0	48	1	1	4	10	15	20	36
75-79	98	9.0	105	1	1	5	10	23	35	46
80-84	59	8.6	93	1	2	5	12	19	27	56
85+	53	9.2	79	1	2	5	13	25	27	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	2.0	6	<1	1	1	2	3	5	12
B. *Operated*	140	3.9	40	<1	1	2	3	8	13	31
2. MULTIPLE DX										
A. *Not Operated*	859	4.6	28	1	1	3	6	10	14	29
B. *Operated*	466	8.4	82	1	1	5	11	21	27	41
1. SINGLE DX	765	2.3	13	<1	1	1	2	4	6	24
2. MULTIPLE DX	1325	6.0	50	1	1	3	7	14	20	36
A. NOT OPERATED	1484	3.5	20	1	1	2	4	8	11	22
B. OPERATED	606	7.4	76	1	1	4	9	19	26	40
TOTAL 65-69 YRS	558	4.4	38	1	1	2	5	11	15	33
70-74	515	4.6	39	1	1	2	5	11	16	33
75-79	451	4.7	41	1	1	2	5	10	18	37
80-84	299	5.1	49	1	1	3	6	12	16	32
85+	267	4.7	32	1	1	3	5	11	20	29
GRAND TOTAL	**2090**	**4.6**	**39**	**1**	**1**	**2**	**5**	**11**	**16**	**33**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	13.3	66	<1	1	14	20	22	23	23
70-74	5	14.6	113	4	4	10	25	27	27	27
75-79	4	12.5	142	4	4	8	20	30	30	30
80-84	3	21.7	272	8	8	17	34	40	40	40
85+	4	8.3	20	3	3	8	11	14	14	14
B. *Operated*										
65-69 YRS	36	22.9	359	4	6	15	34	59	67	99+
70-74	21	27.9	456	4	5	26	34	58	73	88
75-79	17	29.8	332	4	6	36	42	57	61	61
80-84	12	24.8	461	7	9	19	27	50	83	88
85+	17	18.6	202	4	5	17	27	53	83	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	13.3	91	3	4	10	19	26	32	44
70-74	45	16.1	186	2	2	11	22	41	44	48
75-79	35	17.8	240	4	6	13	21	34	58	73
80-84	31	18.5	310	3	4	15	27	31	38	96
85+	28	18.5	221	1	3	13	24	44	53	55
B. *Operated*										
65-69 YRS	113	29.2	481	3	6	25	48	70	85	99+
70-74	89	36.1	510	6	11	33	54	83	99	99+
75-79	83	33.9	511	3	9	33	51	85	99+	99+
80-84	57	32.4	427	7	9	30	45	69	90	99+
85+	34	36.3	611	4	8	28	52	82	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	13.6	99	2	4	10	20	27	33	40
B. *Operated*	103	24.6	360	4	6	20	36	58	65	99+
2. MULTIPLE DX										
A. *Not Operated*	181	16.6	200	2	4	12	22	35	44	69
B. *Operated*	376	33.0	500	4	8	29	49	76	97	99+
1. SINGLE DX	127	22.5	328	4	5	18	32	56	61	99+
2. MULTIPLE DX	557	27.6	461	3	5	23	43	66	86	99+
A. NOT OPERATED	205	16.2	189	2	4	12	22	33	44	66
B. OPERATED	479	31.2	481	4	7	27	48	72	93	99+
TOTAL 65-69 YRS	199	24.0	401	3	4	19	36	59	76	99+
70-74	160	28.7	476	4	5	24	45	61	86	99+
75-79	139	28.7	458	4	6	24	43	68	90	99+
80-84	103	27.0	420	5	7	23	37	58	85	99+
85+	83	25.3	448	3	5	21	39	58	84	99+
GRAND TOTAL	**684**	**26.7**	**440**	**4**	**5**	**22**	**41**	**61**	**84**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	8.6	74	1	1	6	12	19	25	40
70-74	37	10.2	91	1	1	9	13	20	29	48
75-79	23	11.4	123	1	2	6	17	28	34	44
80-84	24	13.3	217	2	3	9	13	28	44	72
85+	13	9.0	35	3	3	8	11	20	21	21
B. *Operated*										
65-69 YRS	26	16.0	232	2	3	10	23	30	53	67
70-74	10	15.2	177	1	2	10	22	37	39	39
75-79	4	26.8	385	8	8	23	42	52	52	52
80-84	7	17.6	193	7	7	15	21	41	46	46
85+	7	21.7	121	7	8	21	30	37	38	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	12.9	145	2	2	10	17	24	36	62
70-74	167	12.9	142	3	3	10	16	28	36	62
75-79	157	14.8	208	2	3	9	19	38	46	68
80-84	85	13.0	156	2	2	10	17	25	36	96
85+	87	15.4	200	2	3	11	21	38	48	86
B. *Operated*										
65-69 YRS	66	28.4	466	4	8	22	40	64	90	99+
70-74	66	27.5	284	7	8	26	34	57	65	97
75-79	52	25.1	472	4	6	18	36	60	67	94
80-84	33	28.4	524	4	6	20	41	61	80	91
85+	29	28.3	454	2	3	24	35	70	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	10.5	110	1	1	7	13	22	29	53
B. *Operated*	54	17.6	208	2	4	14	23	38	48	66
2. MULTIPLE DX										
A. *Not Operated*	665	13.7	168	2	3	10	17	31	42	67
B. *Operated*	246	27.5	419	4	7	22	36	61	80	99+
1. SINGLE DX	182	12.6	149	1	2	9	17	28	38	62
2. MULTIPLE DX	911	17.4	273	2	3	12	23	41	58	90
A. NOT OPERATED	793	13.2	160	2	3	9	17	29	40	66
B. OPERATED	300	25.7	395	4	6	21	35	59	71	99+
TOTAL 65-69 YRS	292	16.2	262	2	3	12	21	38	53	92
70-74	280	16.1	210	2	3	11	22	35	49	74
75-79	236	16.9	280	2	3	10	22	42	55	73
80-84	149	16.7	284	2	3	12	20	39	57	91
85+	136	17.9	266	2	3	13	25	43	61	99+
GRAND TOTAL	**1093**	**16.6**	**255**	**2**	**3**	**11**	**22**	**39**	**54**	**89**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	6.5	24	<1	1	6	9	12	17	19
70-74	11	9.0	155	<1	1	5	10	25	43	45
75-79	13	9.2	173	1	1	4	8	25	45	50
80-84	1	13.0		13	13	13	13	13	13	13
85+	3	11.0	7	8	8	12	13	13	13	13
B. *Operated*										
65-69 YRS	14	3.1	6	<1	1	2	4	6	9	10
70-74	13	6.7	37	1	2	4	13	16	18	18
75-79	6	5.7	17	2	2	4	11	11	11	11
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	9.7	69	2	2	8	12	20	22	48
70-74	54	7.0	23	2	2	6	9	13	15	23
75-79	53	13.7	216	2	2	8	16	37	45	71
80-84	33	10.8	58	1	2	9	15	23	23	31
85+	53	12.1	92	2	3	10	15	23	34	43
B. *Operated*										
65-69 YRS	31	24.8	873	1	2	9	63	82	99	99+
70-74	26	11.0	267	1	2	4	11	33	60	61
75-79	23	14.9	411	1	1	4	17	50	65	66
80-84	9	17.9	76	1	4	21	24	27	28	28
85+	4	16.5	481	1	1	8	29	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	8.5	99	<1	1	7	10	15	30	50
B. *Operated*	37	4.8	21	<1	1	3	5	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	240	10.7	99	2	2	8	14	22	31	48
B. *Operated*	93	17.5	510	1	1	7	25	64	77	99+
1. SINGLE DX	79	6.8	65	<1	1	4	9	13	18	49
2. MULTIPLE DX	333	12.6	222	1	2	8	14	31	48	81
A. NOT OPERATED	282	10.3	99	1	2	8	13	22	31	48
B. OPERATED	130	13.9	402	1	1	4	15	52	66	99+
TOTAL 65-69 YRS	106	12.9	348	1	1	7	12	45	76	99+
70-74	104	8.2	99	1	2	5	10	15	23	60
75-79	95	12.9	245	1	2	7	14	37	48	69
80-84	45	11.9	69	1	1	11	17	23	26	31
85+	62	12.1	105	2	3	9	15	24	37	48
GRAND TOTAL	**412**	**11.4**	**197**	**1**	**2**	**7**	**13**	**25**	**46**	**78**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	5.5	17	1	1	5	8	10	13	22
70-74	54	5.9	40	1	1	4	7	11	18	37
75-79	45	5.6	17	1	1	5	8	13	14	16
80-84	39	7.1	43	1	2	5	10	16	22	29
85+	41	6.0	18	1	2	4	8	13	14	17
B. *Operated*										
65-69 YRS	32	12.3	274	1	2	8	15	24	34	90
70-74	17	9.9	184	1	1	5	14	18	43	57
75-79	8	2.4	2	<1	<1	2	3	4	5	5
80-84	11	11.0	166	2	2	7	14	31	44	45
85+	5	9.6	55	2	2	12	14	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	8.6	52	2	2	7	10	19	21	43
70-74	275	8.8	67	2	2	7	11	18	24	38
75-79	269	9.3	63	2	2	8	11	20	23	40
80-84	308	9.6	75	2	3	8	12	18	24	70
85+	332	11.1	113	2	3	9	13	21	32	69
B. *Operated*										
65-69 YRS	71	18.8	460	2	3	11	20	48	82	90
70-74	73	16.0	199	2	3	12	22	38	57	99+
75-79	64	13.2	180	1	3	9	18	29	51	95
80-84	40	17.0	115	3	4	15	23	32	35	51
85+	35	13.5	88	2	4	10	19	32	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	5.9	26	1	1	5	8	13	16	24
B. *Operated*	73	10.3	194	1	2	5	13	20	34	82
2. MULTIPLE DX										
A. *Not Operated*	1437	9.6	76	2	2	7	12	19	25	53
B. *Operated*	283	15.9	237	2	3	12	21	33	57	99+
1. SINGLE DX	315	6.9	68	1	1	5	9	14	19	40
2. MULTIPLE DX	1720	10.6	108	2	3	8	13	21	29	73
A. NOT OPERATED	1679	9.0	71	2	2	7	11	18	23	48
B. OPERATED	356	14.8	232	2	2	10	20	32	50	99
TOTAL 65-69 YRS	419	10.1	149	2	2	7	12	20	28	85
70-74	419	9.7	100	1	2	7	12	20	29	65
75-79	386	9.4	80	1	2	7	11	20	25	55
80-84	398	10.1	83	2	3	8	13	21	27	59
85+	413	10.8	103	2	3	8	13	21	32	69
GRAND TOTAL	**2035**	**10.0**	**104**	**2**	**2**	**7**	**12**	**20**	**28**	**69**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	176	4.1	13	1	1	3	6	8	10	17
70-74	174	5.6	39	1	1	4	7	11	14	29
75-79	134	5.7	21	1	1	5	8	11	13	28
80-84	83	5.6	21	1	1	5	8	10	13	25
85+	76	6.6	24	1	1	5	10	14	17	21
B. *Operated*										
65-69 YRS	8	9.6	38	3	3	8	14	18	20	20
70-74	8	12.1	126	2	2	11	14	30	37	37
75-79	2	9.0	50	4	4	9	14	14	14	14
80-84	3	6.7	32	2	2	5	11	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1352	7.5	41	1	2	6	9	15	20	34
70-74	1445	7.9	45	2	2	6	10	16	21	35
75-79	1371	8.1	43	2	2	7	10	15	19	33
80-84	1037	8.3	46	2	2	7	10	15	19	39
85+	876	8.9	53	2	3	7	11	17	23	39
B. *Operated*										
65-69 YRS	135	13.8	93	2	4	11	18	29	32	43
70-74	114	16.3	141	4	5	13	23	38	46	99+
75-79	125	15.7	155	2	4	12	20	33	39	63
80-84	91	16.3	98	5	6	14	21	29	40	50
85+	63	13.9	87	3	5	12	18	27	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	5.4	25	1	1	4	7	10	14	25
B. *Operated*	21	10.1	67	2	2	9	14	17	28	37
2. MULTIPLE DX										
A. *Not Operated*	6081	8.1	45	2	2	6	10	15	20	35
B. *Operated*	528	15.2	118	3	5	12	20	31	39	57
1. SINGLE DX	664	5.5	27	1	1	4	7	11	14	25
2. MULTIPLE DX	6609	8.6	55	2	2	7	11	17	23	40
A. NOT OPERATED	6724	7.8	44	1	2	6	10	15	20	35
B. OPERATED	549	15.0	117	3	4	12	19	31	39	57
TOTAL 65-69 YRS	1671	7.6	47	1	2	6	10	15	22	35
70-74	1741	8.3	56	1	2	6	10	17	24	41
75-79	1632	8.5	54	2	2	7	10	16	21	39
80-84	1214	8.7	53	2	2	7	11	16	22	42
85+	1015	9.1	55	2	3	7	12	17	23	40
GRAND TOTAL	**7273**	**8.4**	**53**	**1**	**2**	**7**	**10**	**16**	**22**	**39**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	2.2	5	<1	1	2	3	4	4	15
70-74	49	3.1	16	<1	1	2	3	6	14	20
75-79	46	4.4	171	<1	1	2	3	6	9	90
80-84	27	3.7	10	1	1	3	5	8	10	14
85+	24	2.6	5	1	1	2	3	6	7	10
B. *Operated*										
65-69 YRS	6	7.0	64	2	2	4	7	21	23	23
70-74	2	6.0	50	1	1	6	11	11	11	11
75-79	3	31.3	137	18	18	36	39	40	40	40
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	237	5.6	39	1	1	3	7	13	17	37
70-74	193	5.9	58	1	1	3	6	12	19	44
75-79	122	5.9	32	1	1	4	7	13	19	28
80-84	96	7.9	75	1	1	6	10	18	26	45
85+	90	9.4	145	1	1	6	11	21	27	69
B. *Operated*										
65-69 YRS	10	31.9	508	6	12	29	36	63	90	90
70-74	18	22.2	591	1	2	11	41	56	73	84
75-79	9	23.0	328	5	8	14	35	52	62	62
80-84	8	26.9	268	10	11	21	34	55	60	60
85+	11	17.9	178	4	5	14	26	38	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	3.0	40	1	1	2	3	5	8	17
B. *Operated*	11	13.5	197	1	2	7	22	38	40	40
2. MULTIPLE DX										
A. *Not Operated*	738	6.5	62	1	1	4	8	15	21	44
B. *Operated*	56	23.9	401	2	5	19	34	55	61	90
1. SINGLE DX	252	3.5	50	1	1	2	3	6	11	36
2. MULTIPLE DX	794	7.7	105	1	1	4	9	18	27	53
A. NOT OPERATED	979	5.7	59	1	1	3	7	12	18	42
B. OPERATED	67	22.2	379	2	3	18	33	50	60	89
TOTAL 65-69 YRS	348	5.5	65	1	1	3	6	13	19	36
70-74	262	6.5	104	1	1	3	7	14	22	55
75-79	180	6.8	106	1	1	4	7	15	23	55
80-84	131	8.2	97	1	1	5	10	20	26	53
85+	125	8.8	135	1	1	5	10	21	28	67
GRAND TOTAL	**1046**	**6.7**	**95**	**1**	**1**	**3**	**7**	**15**	**23**	**51**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	136	3.7	12	1	1	2	5	8	11	18
70-74	96	4.8	14	1	1	4	6	9	12	20
75-79	101	4.8	68	1	1	3	5	9	10	49
80-84	69	6.3	48	1	2	5	8	11	18	41
85+	41	6.6	38	1	1	5	8	15	17	33
B. *Operated*										
65-69 YRS	12	18.1	392	2	4	10	32	73	95	99+
70-74	14	14.9	142	2	2	14	25	31	38	40
75-79	9	12.4	114	<1	1	8	20	29	31	31
80-84	3	22.3	16	18	18	23	25	26	26	26
85+	3	12.3	22	7	7	14	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	6.8	34	1	2	5	9	14	18	28
70-74	679	7.5	44	1	2	6	9	14	19	32
75-79	639	7.8	39	2	2	6	10	16	21	32
80-84	510	8.4	48	2	2	7	11	17	22	32
85+	429	8.8	46	2	3	7	11	17	21	38
B. *Operated*										
65-69 YRS	153	16.8	270	2	2	12	22	42	57	99+
70-74	98	17.0	273	2	3	12	23	39	55	93
75-79	85	18.1	216	3	3	16	25	36	41	74
80-84	50	18.6	236	4	5	13	28	42	52	99+
85+	38	18.7	221	4	5	17	27	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	4.9	34	1	1	3	6	9	13	24
B. *Operated*	41	15.6	187	2	2	13	25	34	56	99+
2. MULTIPLE DX										
A. *Not Operated*	2955	7.7	42	1	2	6	10	15	20	32
B. *Operated*	424	17.5	250	2	3	13	24	39	52	99+
1. SINGLE DX	484	5.8	56	1	1	4	7	12	18	41
2. MULTIPLE DX	3379	9.0	79	1	2	6	11	19	25	47
A. NOT OPERATED	3398	7.4	42	1	2	6	9	15	19	32
B. OPERATED	465	17.3	244	2	3	13	24	39	52	99+
TOTAL 65-69 YRS	999	8.1	88	1	1	5	10	17	24	55
70-74	887	8.4	78	1	2	6	10	16	23	47
75-79	834	8.5	73	1	2	6	10	18	25	43
80-84	632	9.0	71	2	2	7	11	18	25	42
85+	511	9.4	65	2	3	7	12	19	24	46
GRAND TOTAL	**3863**	**8.6**	**77**	**1**	**2**	**6**	**11**	**18**	**24**	**47**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	7.3	43	1	1	5	10	15	19	33
70-74	114	7.5	60	1	1	5	9	15	25	41
75-79	100	8.4	68	1	2	5	11	19	27	38
80-84	74	7.4	80	1	2	5	9	16	39	99+
85+	67	4.8	25	<1	1	3	6	10	11	31
B. *Operated*										
65-69 YRS	1248	9.2	99	1	2	5	13	21	27	50
70-74	1353	8.8	38	1	2	5	12	21	26	45
75-79	1227	8.2	82	1	2	5	11	19	26	44
80-84	921	7.8	82	1	2	4	10	19	25	43
85+	744	7.3	69	1	2	4	9	15	21	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	8.4	60	1	1	6	11	19	24	35
70-74	205	7.9	73	1	2	5	10	17	25	82
75-79	214	9.4	66	1	2	8	12	19	28	42
80-84	178	9.3	79	1	1	7	12	23	27	40
85+	186	8.4	66	1	2	6	11	16	22	50
B. *Operated*										
65-69 YRS	2126	12.1	180	1	2	8	16	27	39	74
70-74	2141	12.3	175	2	2	8	16	29	41	71
75-79	2012	12.1	161	2	2	8	16	28	41	81
80-84	1585	11.2	143	2	2	7	14	27	37	60
85+	1248	10.7	112	2	3	7	13	23	32	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	7.2	57	1	1	5	10	16	23	42
B. *Operated*	5493	8.4	86	1	2	5	11	20	25	45
2. MULTIPLE DX										
A. *Not Operated*	993	8.7	69	1	2	6	11	18	26	43
B. *Operated*	9112	11.8	159	2	2	8	15	27	39	70
1. SINGLE DX	5950	8.3	84	1	2	5	11	19	25	44
2. MULTIPLE DX	10105	11.5	151	2	2	7	15	26	38	68
A. NOT OPERATED	1450	8.2	65	1	2	6	11	18	25	42
B. OPERATED	14605	10.5	134	2	2	6	14	24	34	62
TOTAL 65-69 YRS	3686	10.8	144	1	2	7	14	24	33	66
70-74	3813	10.7	139	2	2	6	14	25	34	63
75-79	3553	10.5	129	2	2	6	14	25	34	63
80-84	2758	9.9	119	2	2	6	12	24	32	55
85+	2245	9.2	94	2	2	6	11	20	28	55
GRAND TOTAL	**16055**	**10.3**	**129**	**2**	**2**	**6**	**13**	**24**	**33**	**61**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	357	4.4	17	1	1	4	5	7	10	13
70-74	325	4.3	8	1	1	4	5	7	9	15
75-79	241	4.5	8	1	2	4	6	8	11	14
80-84	112	5.1	12	1	2	4	6	9	10	20
85+	68	5.3	23	1	2	4	7	10	12	31
B. *Operated*										
65-69 YRS	134	4.9	12	1	1	4	7	9	11	16
70-74	98	6.2	22	1	2	5	8	11	17	24
75-79	62	6.4	19	2	2	5	8	12	16	22
80-84	43	4.0	6	1	1	4	6	7	9	11
85+	21	7.7	46	1	2	5	10	18	23	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	5.1	17	1	2	4	6	9	12	17
70-74	292	5.4	14	1	2	4	7	10	12	18
75-79	229	5.7	20	1	2	4	7	11	15	25
80-84	155	6.9	42	2	2	5	8	12	21	38
85+	78	7.4	33	2	2	6	8	15	17	31
B. *Operated*										
65-69 YRS	157	9.5	125	2	2	6	12	18	25	66
70-74	121	8.8	87	2	2	6	10	19	25	48
75-79	92	9.7	76	1	2	7	13	21	23	49
80-84	54	9.4	99	2	2	7	12	15	20	59
85+	34	11.5	84	3	4	8	14	25	33	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1103	4.5	12	1	1	4	6	8	10	15
B. *Operated*	358	5.6	18	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1042	5.8	22	1	2	5	7	10	14	27
B. *Operated*	458	9.5	99	2	2	6	12	19	25	60
1. SINGLE DX	1461	4.8	14	1	1	4	6	9	11	17
2. MULTIPLE DX	1500	6.9	48	1	2	5	8	13	18	38
A. NOT OPERATED	2145	5.1	17	1	2	4	6	9	12	22
B. OPERATED	816	7.8	67	1	2	5	9	15	22	41
TOTAL 65-69 YRS	936	5.5	37	1	2	4	6	10	13	30
70-74	836	5.6	25	1	2	4	7	10	14	25
75-79	624	5.9	26	1	2	4	7	11	15	25
80-84	364	6.4	39	1	2	5	7	12	15	38
85+	201	7.4	43	1	2	6	9	14	22	34
GRAND TOTAL	**2961**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	132	8.2	36	2	3	7	9	16	21	35
70-74	100	8.2	36	2	3	7	10	16	19	31
75-79	69	8.7	63	1	2	6	10	17	24	40
80-84	51	9.9	63	2	3	8	13	18	27	45
85+	25	9.5	42	3	3	8	13	19	22	29
B. *Operated*										
65-69 YRS	137	11.9	118	2	2	9	14	25	34	65
70-74	107	13.4	215	2	3	9	16	29	39	90
75-79	57	13.2	219	2	3	9	17	26	37	95
80-84	38	9.7	48	2	3	8	12	19	25	32
85+	24	17.9	170	4	6	14	24	40	4[illegible]	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	238	10.8	70	2	4	8	13	20	29	42
70-74	186	11.8	116	2	3	9	15	24	28	64
75-79	161	12.6	120	3	4	10	15	25	30	68
80-84	111	11.2	74	3	4	9	14	22	26	45
85+	66	12.7	131	4	4	11	16	24	40	99+
B. *Operated*										
65-69 YRS	237	16.1	165	2	4	12	22	34	44	99+
70-74	202	17.3	213	3	4	13	22	37	50	91
75-79	133	17.8	228	3	5	13	22	35	46	85
80-84	60	15.3	159	3	4	11	20	34	43	59
85+	30	17.7	167	3	4	14	25	37	47	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	8.6	45	2	3	7	10	16	21	38
B. *Operated*	363	12.7	160	2	3	9	16	26	38	83
2. MULTIPLE DX										
A. *Not Operated*	762	11.6	98	3	4	9	14	23	29	61
B. *Operated*	662	16.8	191	3	4	13	22	35	47	91
1. SINGLE DX	740	10.6	105	2	3	8	13	21	29	53
2. MULTIPLE DX	1424	14.0	148	3	4	10	18	28	38	83
A. NOT OPERATED	1139	10.6	82	2	3	8	13	20	27	45
B. OPERATED	1025	15.4	184	2	3	11	20	33	44	90
TOTAL 65-69 YRS	744	12.2	111	2	3	9	15	26	34	61
70-74	595	13.4	163	2	3	10	16	27	39	83
75-79	420	13.7	167	3	3	10	17	27	37	75
80-84	260	11.7	91	3	3	9	15	23	32	50
85+	145	14.0	136	3	4	11	18	29	41	99+
GRAND TOTAL	**2164**	**12.9**	**136**	**2**	**3**	**10**	**16**	**27**	**35**	**71**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	8.6	118	1	1	6	11	16	20	66
70-74	87	8.7	100	1	2	7	11	15	28	61
75-79	49	7.1	33	1	2	5	9	14	17	33
80-84	39	6.3	18	2	2	6	8	12	15	22
85+	23	9.3	76	<1	1	7	14	20	30	33
B. *Operated*										
65-69 YRS	296	7.1	48	1	2	5	10	15	20	35
70-74	198	7.8	68	1	2	5	10	17	27	42
75-79	155	8.1	82	1	2	4	9	20	31	45
80-84	70	8.2	102	1	1	5	11	19	26	61
85+	58	9.3	89	1	2	5	12	24	33	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	285	8.6	58	1	2	7	11	16	23	43
70-74	276	10.3	103	2	2	8	13	19	31	63
75-79	197	10.3	84	2	3	7	14	21	30	55
80-84	116	11.6	141	2	3	8	13	25	36	67
85+	97	10.1	68	2	3	8	13	19	30	75
B. *Operated*										
65-69 YRS	601	14.4	238	2	2	9	18	32	50	96
70-74	502	13.0	178	2	2	9	16	29	37	92
75-79	363	13.4	195	2	2	9	18	31	44	81
80-84	193	14.6	174	2	2	10	21	31	39	65
85+	138	13.3	144	2	2	10	19	25	33	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	8.1	83	1	2	6	10	16	20	39
B. *Operated*	777	7.8	68	1	2	5	10	18	25	41
2. MULTIPLE DX										
A. *Not Operated*	971	9.9	88	2	2	7	13	20	28	55
B. *Operated*	1797	13.7	198	2	2	9	18	30	42	90
1. SINGLE DX	1075	7.9	72	1	2	5	10	17	24	41
2. MULTIPLE DX	2768	12.4	163	2	2	9	16	27	38	79
A. NOT OPERATED	1269	9.5	87	1	2	7	12	19	27	53
B. OPERATED	2574	11.9	167	1	2	8	16	27	37	78
TOTAL 65-69 YRS	1282	10.9	155	1	2	7	13	24	34	79
70-74	1063	11.0	136	1	2	8	14	24	33	75
75-79	764	11.1	139	2	2	7	14	26	36	63
80-84	418	11.9	146	2	2	8	16	27	35	66
85+	316	11.3	108	2	2	8	16	24	33	71
GRAND TOTAL	**3843**	**11.1**	**142**	**1**	**2**	**8**	**14**	**25**	**34**	**70**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	6	1	1	1	5	6	6	6
70-74	5	1.8	1	1	1	2	2	3	3	3
75-79	7	5.4	14	1	1	5	7	11	12	12
80-84	6	3.3	19	1	1	1	4	11	12	12
85+	4	1.3		1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79		3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	6.6	62	1	1	5	8	13	26	37
70-74	27	6.0	14	1	1	6	9	12	13	14
75-79	27	4.4	14	1	1	3	7	9	12	15
80-84	17	4.6	11	1	1	5	7	9	10	10
85+	25	6.4	39	1	1	5	10	17	20	23
B. *Operated*										
65-69 YRS	18	15.7	255	1	2	11	18	42	55	60
70-74	11	14.0	397	1	2	9	15	38	69	72
75-79	8	19.4	425	2	2	13	26	53	64	64
80-84	5	22.4	521	5	5	15	30	62	62	62
85+	3	13.3	30	7	7	16	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.2	10	1	1	2	5	8	12	12
B. *Operated*	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	135	5.8	32	1	1	4	8	11	15	34
B. *Operated*	45	16.5	313	2	2	11	18	47	62	72
1. SINGLE DX	30	3.3	10	1	1	2	5	7	12	12
2. MULTIPLE DX	180	8.5	123	1	1	6	10	17	26	63
A. NOT OPERATED	162	5.3	29	1	1	4	8	11	14	33
B. OPERATED	48	15.8	302	2	2	10	18	42	62	72
TOTAL 65-69 YRS	63	8.9	129	1	1	6	10	19	35	58
70-74	44	7.5	117	1	1	5	9	13	16	72
75-79	43	7.3	115	1	1	4	8	16	26	64
80-84	28	7.5	138	1	1	5	9	14	24	62
85+	32	6.4	40	1	1	4	10	17	19	23
GRAND TOTAL	**210**	**7.7**	**110**	**1**	**1**	**5**	**9**	**16**	**23**	**63**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	6	1.7	1	<1	<1	1	2	4	4	4
75-79	5	1.6		1	1	2	2	2	2	2
80-84	4	1.8		<1	<1	2	2	2	2	2
85+	20	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	14.5	365	1	1	14	28	28	28	28
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	2.0	2	<1	<1	2	2	4	5	5
70-74	4	3.5	4	2	2	3	5	6	6	6
75-79	5	1.4		1	1	1	2	2	2	2
80-84	3	4.7	40	1	1	1	9	12	12	12
85+	15	2.3	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	40	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	14.5	365	1	1	14	28	28	28	28
B. *Operated*	36	2.4	4	1	1	2	3	5	6	12
1. SINGLE DX	40	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	38	3.1	21	1	1	2	3	5	10	28
A. NOT OPERATED	2	14.5	365	1	1	14	28	28	28	28
B. OPERATED	76	2.1	3	<1	1	2	2	4	5	10
TOTAL 65-69 YRS	16	3.3	44	<1	<1	1	2	5	21	28
70-74	10	2.4	3	<1	<1	2	4	5	6	6
75-79	10	1.5		1	1	1	2	2	2	2
80-84	7	3.0	16	<1	<1	2	2	10	12	12
85+	35	2.1	1	1	1	2	3	3	5	5
GRAND TOTAL	**78**	**2.4**	**11**	**<1**	**1**	**2**	**2**	**4**	**5**	**24**

Length of Stay Tables
Operation Groups

1,660 PAS Hospitals, United States, 1979, by Operation

B: Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106522	7.3	50	1	2	5	10	16	20	34
70-74	86366	7.6	56	1	2	5	10	17	21	36
75-79	62549	8.0	64	2	2	5	11	18	23	38
80-84	37266	8.8	76	2	2	6	12	20	25	42
85+	25625	10.1	93	2	2	7	14	22	28	46
2. MULTIPLE DX										
65-69 YRS	211133	12.1	129	2	2	9	16	25	34	63
70-74	186246	13.1	143	2	3	10	17	27	37	66
75-79	147920	14.0	156	2	3	11	18	29	39	69
80-84	94117	15.0	165	2	3	12	20	31	41	71
85+	69082	16.3	177	2	3	13	22	33	43	76
TOT. SINGLE DX	318328	7.9	62	1	2	5	11	17	22	38
" MULTIPLE DX	708498	13.6	150	2	3	10	16	28	38	68
TOTAL 65-69 YRS	317655	10.5	108	2	2	8	14	22	30	57
70-74	272612	11.3	122	2	2	8	15	24	33	59
75-79	210469	12.2	136	2	2	9	16	26	35	63
80-84	131383	13.3	148	2	2	10	18	28	37	65
85+	94707	14.6	162	2	3	12	20	30	40	70
GRAND TOTAL	**1026826**	**11.8**	**129**	**2**	**2**	**9**	**16**	**25**	**34**	**61**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.0	33	<1	1	3	6	14	19	20
70-74	10	4.2	30	<1	<1	2	5	12	19	19
75-79	10	11.2	101	2	2	8	17	26	33	33
80-84	7	16.0	683	<1	<1	5	15	63	74	74
85+	6	19.3	1499	1	1	3	76	99+	99+	99+
B. *Operated*										
65-69 YRS	475	4.4	24	1	2	3	5	8	11	27
70-74	329	4.6	14	1	2	3	5	9	11	21
75-79	253	6.4	62	1	2	4	7	14	17	35
80-84	130	6.3	25	1	2	5	8	14	16	24
85+	121	10.2	126	1	2	8	14	19	25	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	6.3	97	<1	<1	2	8	24	28	28
70-74	7	6.4	58	1	1	2	11	19	21	21
75-79	2	4.5	13	2	2	4	7	7	7	7
80-84	5	6.0	22	2	2	4	10	12	12	12
85+	6	14.2	199	1	1	12	25	33	34	34
B. *Operated*										
65-69 YRS	201	8.5	100	2	2	5	10	17	22	57
70-74	176	8.9	80	2	2	6	11	20	29	51
75-79	158	10.6	82	2	3	7	14	23	31	45
80-84	123	13.6	186	2	3	10	17	26	41	74
85+	95	13.5	175	3	4	9	16	25	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	9.8	331	<1	1	4	11	20	79	99+
B. *Operated*	1308	5.6	41	1	2	4	6	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	28	7.8	90	1	1	2	12	24	29	34
B. *Operated*	753	10.5	119	2	2	7	13	22	31	58
1. SINGLE DX	1353	5.7	51	1	2	4	6	12	16	33
2. MULTIPLE DX	781	10.4	118	2	2	7	13	22	31	58
A. NOT OPERATED	73	9.1	237	<1	1	3	12	21	34	99+
B. OPERATED	2061	7.4	75	1	2	5	9	16	22	45
TOTAL 65-69 YRS	696	5.6	50	1	2	3	6	11	17	36
70-74	522	6.1	42	1	2	4	7	13	20	39
75-79	423	8.1	74	2	2	5	10	17	25	43
80-84	265	9.9	128	2	2	6	13	21	26	69
85+	228	11.9	181	1	2	8	14	24	35	96
GRAND TOTAL	**2134**	**7.4**	**81**	**1**	**2**	**5**	**9**	**16**	**22**	**49**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.2		<1	<1	1	1	2	2	2
70-74	9	1.4	1	1	1	1	2	3	4	4
75-79	20	1.9	13	1	1	1	1	2	10	17
80-84	3	1.7		<1	<1	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	317	1.4	2	1	1	1	1	2	3	8
70-74	372	1.7	3	1	1	1	2	2	3	10
75-79	262	1.6	2	<1	1	1	2	2	3	10
80-84	104	2.1	10	<1	<1	2	2	2	3	20
85+	12	1.5		1	1	1	2	3	3	3
B. *Operated*										
65-69 YRS	40	6.2	67	<1	<1	2	8	17	25	37
70-74	26	7.7	117	<1	2	3	10	16	32	50
75-79	18	5.5	65	<1	1	3	5	12	26	35
80-84	6	10.0	312	2	2	3	5	42	46	46
85+	2	2.5	5	<1	<1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.7	7	<1	1	1	1	2	3	17
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1067	1.6	3	1	1	1	2	2	3	10
B. *Operated*	92	6.7	92	<1	<1	3	7	16	28	48
1. SINGLE DX	40	1.9	8	<1	1	1	2	2	6	17
2. MULTIPLE DX	1159	2.0	12	1	1	1	2	3	4	17
A. NOT OPERATED	1105	1.6	3	1	1	1	2	2	3	10
B. OPERATED	94	6.6	90	<1	<1	3	8	16	27	48
TOTAL 65-69 YRS	364	1.9	11	1	1	1	2	3	6	18
70-74	408	2.1	12	1	1	1	2	3	4	17
75-79	300	1.9	7	<1	1	1	2	2	4	15
80-84	113	2.5	27	<1	<1	2	2	2	5	37
85+	14	1.6	1	<1	1	1	2	3	4	4
GRAND TOTAL	**1199**	**2.0**	**12**	**1**	**1**	**1**	**2**	**3**	**4**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	990	4.6	53	1	1	2	5	11	17	74
70-74	806	4.8	47	<1	1	2	5	12	19	99+
75-79	549	6.5	83	1	1	3	7	18	28	98
80-84	380	9.1	182	<1	1	5	12	29	71	99+
85+	299	11.7	239	1	1	6	16	47	96	99+
B. *Operated*										
65-69 YRS	1651	4.8	34	1	1	2	7	12	15	28
70-74	1442	4.5	25	1	1	2	6	11	14	27
75-79	1019	4.6	30	1	1	2	5	11	14	29
80-84	619	4.4	28	1	1	2	5	11	14	27
85+	305	4.5	28	1	1	3	6	11	15	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5364	6.3	81	1	1	4	6	15	24	54
70-74	3918	7.3	110	1	1	4	8	18	27	69
75-79	2798	8.6	130	1	1	5	10	21	33	89
80-84	1491	10.9	180	1	2	6	14	29	42	99+
85+	1081	12.4	211	1	2	7	17	34	59	99+
B. *Operated*										
65-69 YRS	3181	6.8	84	1	1	3	9	15	23	[illegible]1
70-74	2784	7.0	75	1	1	4	10	16	23	44
75-79	2049	7.5	96	1	1	3	10	18	25	54
80-84	1212	7.3	77	1	1	4	9	17	24	45
85+	688	8.1	111	1	1	4	11	19	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3024	6.3	97	1	1	3	7	16	31	99+
B. *Operated*	5036	4.6	30	1	1	2	6	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	14652	7.9	121	1	1	4	9	20	31	84
B. *Operated*	9914	7.1	85	1	1	3	9	16	24	53
1. SINGLE DX	8060	5.2	55	1	1	2	6	13	18	67
2. MULTIPLE DX	24566	7.6	107	1	1	4	9	18	28	70
A. NOT OPERATED	17676	7.6	117	1	1	4	8	19	31	98
B. OPERATED	14950	6.3	68	1	1	3	8	15	21	45
TOTAL 65-69 YRS	11186	6.1	73	1	1	3	7	14	21	54
70-74	8950	6.5	81	1	1	3	8	15	23	57
75-79	6415	7.4	101	1	1	4	9	18	26	69
80-84	3702	8.4	127	1	1	4	10	22	34	94
85+	2373	10.0	169	1	1	5	13	28	47	99+
GRAND TOTAL	**32626**	**7.0**	**95**	**1**	**1**	**4**	**8**	**17**	**26**	**69**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	257	19.7	209	6	8	16	24	41	55	72
70-74	249	19.6	199	4	7	16	24	39	51	77
75-79	143	20.2	225	4	7	16	27	36	51	80
80-84	50	19.5	236	5	7	16	21	39	57	78
85+	30	17.4	113	6	8	15	20	27	40	59
2. MULTIPLE DX										
65-69 YRS	467	29.5	376	8	10	25	41	63	83	99+
70-74	398	28.4	330	6	9	24	40	58	69	99+
75-79	284	28.6	347	8	10	24	39	58	76	99+
80-84	131	27.8	313	8	10	23	37	58	75	99+
85+	66	28.9	357	8	9	23	35	59	74	97
TOT. SINGLE DX	729	19.7	206	5	7	16	24	39	52	77
" MULTIPLE DX	1346	28.8	349	8	10	24	39	61	76	99+
TOTAL 65-69 YRS	724	26.1	339	7	9	21	34	58	72	99+
70-74	647	25.0	298	6	8	20	32	52	65	99+
75-79	427	25.8	321	7	9	21	34	50	68	99+
80-84	181	25.5	304	7	9	21	35	52	68	99+
85+	96	25.3	308	8	9	20	31	56	65	93
GRAND TOTAL	**2075**	**25.6**	**317**	**6**	**9**	**21**	**34**	**55**	**68**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	201	19.6	177	6	8	16	24	35	46	68
70-74	152	19.8	248	5	7	14	24	40	54	82
75-79	98	20.3	227	6	7	17	27	33	43	92
80-84	54	19.0	184	6	7	15	23	45	54	58
85+	28	18.9	77	8	8	17	25	32	35	38
2. MULTIPLE DX										
65-69 YRS	356	28.9	364	8	10	24	41	67	87	99+
70-74	255	31.3	382	9	12	27	43	63	81	99+
75-79	197	29.5	383	8	10	27	39	63	85	99+
80-84	142	27.3	304	9	11	24	34	58	69	99+
85+	91	25.5	230	9	10	21	29	50	55	76
TOT. SINGLE DX	533	19.7	201	6	8	16	24	36	49	74
" MULTIPLE DX	1041	29.1	354	8	10	25	40	61	80	99+
TOTAL 65-69 YRS	557	25.5	316	7	9	21	35	55	78	99+
70-74	407	27.0	362	7	9	22	36	55	73	99+
75-79	295	26.4	349	7	8	22	34	56	79	99+
80-84	196	25.0	283	8	9	20	32	55	62	95
85+	119	23.9	201	8	10	21	29	44	53	75
GRAND TOTAL	**1574**	**25.9**	**321**	**7**	**9**	**21**	**34**	**55**	**73**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	13.3	342	2	3	8	10	29	48	94
70-74	9	7.9	23	2	3	6	11	15	17	17
75-79	4	10.0	5	8	8	9	11	13	13	13
80-84	4	11.3	47	5	5	10	17	19	19	19
85+										
2. MULTIPLE DX										
65-69 YRS	25	14.3	194	3	4	9	25	54	99+	99+
70-74	20	18.7	466	2	4	11	20	53	74	84
75-79	13	21.3	325	6	6	14	32	51	62	64
80-84	9	16.1	57	5	6	15	22	26	26	26
85+	4	7.5	11	3	3	8	10	11	11	11
TOT. SINGLE DX	42	11.6	214	2	4	8	11	20	31	94
" MULTIPLE DX	71	16.6	268	3	5	11	23	44	64	99+
TOTAL 65-69 YRS	50	13.8	263	2	4	9	17	39	90	99+
70-74	29	15.3	348	2	4	10	14	38	65	84
75-79	17	18.6	269	6	7	13	20	45	58	64
80-84	13	14.6	55	5	5	15	20	26	26	26
85+	4	7.5	11	3	3	8	10	11	11	11
GRAND TOTAL	**113**	**14.8**	**251**	**3**	**4**	**10**	**17**	**35**	**62**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	17.3	172	6	7	14	21	32	38	84
70-74	62	19.3	140	7	8	17	26	35	45	96
75-79	41	18.1	181	5	6	15	23	33	51	64
80-84	15	20.1	123	7	7	20	25	37	39	39
85+	4	17.5	244	6	6	12	28	40	40	40
2. MULTIPLE DX										
65-69 YRS	134	30.7	392	8	10	26	43	65	93	99+
70-74	128	30.5	271	9	11	28	41	55	68	99+
75-79	107	33.3	404	9	12	30	49	74	99	99+
80-84	48	27.5	250	11	12	23	35	45	82	99+
85+	18	28.0	176	14	15	28	36	57	85	99+
TOT. SINGLE DX	183	18.4	158	6	7	15	24	34	43	82
" MULTIPLE DX	435	30.8	335	9	12	27	42	64	85	99+
TOTAL 65-69 YRS	195	26.5	361	7	8	22	36	61	83	99+
70-74	190	26.8	255	8	9	24	38	53	66	99+
75-79	148	29.1	387	7	9	26	41	69	93	99+
80-84	63	25.7	227	8	11	23	34	43	59	98
85+	22	26.1	195	7	13	22	36	48	78	99+
GRAND TOTAL	**618**	**27.1**	**315**	**7**	**9**	**24**	**37**	**56**	**78**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	38	16.7	261	2	3	11	18	40	55	72
70-74	18	20.3	265	2	4	18	24	40	58	69
75-79	14	12.9	87	2	4	11	17	26	32	34
80-84	5	13.6	203	3	3	8	20	38	38	38
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	90	22.9	400	4	5	15	36	59	76	99+
70-74	66	19.6	264	3	5	14	25	47	60	96
75-79	56	25.9	307	3	8	22	32	49	64	85
80-84	24	27.1	404	4	6	21	44	55	83	99+
85+	7	34.4	130	20	21	32	43	52	53	53
TOT. SINGLE DX	76	16.6	221	2	3	12	20	38	45	71
" MULTIPLE DX	243	23.4	340	4	6	18	34	53	67	99+
TOTAL 65-69 YRS	128	21.1	365	3	5	14	32	52	72	99+
70-74	84	19.8	261	3	4	14	25	45	61	91
75-79	70	23.3	289	3	5	21	30	44	63	83
80-84	29	24.8	388	3	5	17	42	54	78	99+
85+	8	32.1	154	16	17	31	39	51	53	53
GRAND TOTAL	**319**	**21.8**	**319**	**3**	**5**	**16**	**32**	**48**	**64**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	353	15.3	61	6	7	13	19	26	30	40
70-74	217	16.2	100	6	7	13	20	27	33	57
75-79	119	17.2	109	7	8	15	21	34	41	49
80-84	25	18.6	80	8	9	16	26	31	35	40
85+	11	15.5	38	9	9	13	20	25	26	26
2. MULTIPLE DX										
65-69 YRS	700	22.4	219	8	9	18	29	44	55	86
70-74	481	24.4	249	8	10	20	31	50	61	99+
75-79	296	26.1	246	9	11	23	33	50	68	99+
80-84	102	28.7	215	10	12	25	39	50	62	99+
85+	44	34.1	329	11	15	32	47	57	76	99+
TOT. SINGLE DX	725	16.0	81	6	8	13	20	27	34	48
" MULTIPLE DX	1623	24.4	241	8	10	20	31	48	60	99+
TOTAL 65-69 YRS	1053	20.0	177	7	9	16	25	37	48	77
70-74	698	21.9	217	7	9	18	27	42	56	99+
75-79	415	23.6	223	8	9	20	30	46	60	99+
80-84	127	26.7	204	9	11	23	35	49	60	99+
85+	55	30.4	325	9	11	26	43	56	67	99
GRAND TOTAL	**2348**	**21.8**	**207**	**7**	**9**	**18**	**28**	**42**	**54**	**99+**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	77	15.5	249	2	2	11	20	39	43	73
70-74	48	16.6	215	2	2	13	21	41	46	65
75-79	24	15.5	103	4	6	12	21	25	38	49
80-84	18	14.4	116	1	2	12	21	30	34	37
85+	3	16.3	264	2	2	13	29	34	34	34
2. MULTIPLE DX										
65-69 YRS	190	22.6	323	3	4	17	34	53	75	99+
70-74	120	24.4	341	4	5	21	31	51	70	86
75-79	87	25.4	329	3	6	22	35	45	64	89
80-84	40	26.3	329	3	6	23	37	54	63	67
85+	18	20.1	139	2	4	21	26	35	41	45
TOT. SINGLE DX	170	15.7	201	2	2	12	21	35	43	71
" MULTIPLE DX	455	23.9	322	3	5	19	33	50	67	99+
TOTAL 65-69 YRS	267	20.6	311	2	3	15	32	49	70	99+
70-74	168	22.2	316	2	4	17	30	48	63	81
75-79	111	23.3	296	3	6	20	32	44	52	88
80-84	58	22.6	290	2	3	19	30	52	59	67
85+	21	19.5	146	2	3	19	27	35	40	45
GRAND TOTAL	**625**	**21.6**	**302**	**2**	**4**	**17**	**31**	**48**	**63**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	509	4.1	21	1	2	3	4	8	12	24
70-74	289	4.1	11	1	2	3	5	8	11	17
75-79	161	4.4	16	1	2	3	5	9	12	26
80-84	67	5.5	27	2	2	4	6	12	17	30
85+	43	4.9	12	1	2	3	7	9	13	15
2. MULTIPLE DX										
65-69 YRS	333	7.0	63	2	2	4	9	15	24	58
70-74	213	7.7	60	2	2	4	9	20	26	33
75-79	120	7.9	68	2	2	5	10	18	24	41
80-84	45	8.4	59	2	2	6	11	17	24	38
85+	23	9.8	103	2	2	7	12	27	32	42
TOT. SINGLE DX	1069	4.3	18	1	2	3	5	8	12	21
" MULTIPLE DX	734	7.5	64	2	2	4	9	18	24	42
TOTAL 65-69 YRS	842	5.2	40	1	2	3	5	11	16	34
70-74	502	5.6	35	1	2	3	6	13	20	30
75-79	281	5.9	41	1	2	4	7	12	19	36
80-84	112	6.7	42	2	2	4	8	14	20	34
85+	66	6.6	48	1	2	4	8	14	19	40
GRAND TOTAL	**1803**	**5.6**	**39**	**1**	**2**	**3**	**6**	**12**	**18**	**33**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1295	3.3	15	1	1	2	3	6	9	17
70-74	915	3.2	11	1	1	2	3	5	8	20
75-79	573	2.9	5	1	1	2	3	5	7	14
80-84	348	3.3	9	1	1	2	4	5	7	19
85+	183	3.0	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
65-69 YRS	906	5.6	53	1	2	3	6	11	16	33
70-74	741	6.1	58	2	2	3	7	13	19	36
75-79	492	6.2	43	1	2	4	8	14	20	35
80-84	257	6.1	53	2	2	3	6	13	19	38
85+	129	7.1	49	2	2	4	9	16	20	37
TOT. SINGLE DX	3314	3.2	11	1	1	2	3	5	8	17
" MULTIPLE DX	2525	6.0	53	1	2	3	7	13	18	35
TOTAL 65-69 YRS	2201	4.3	32	1	1	3	4	8	12	26
70-74	1656	4.5	34	1	2	3	4	9	15	29
75-79	1065	4.5	25	1	2	3	4	10	14	26
80-84	605	4.5	30	1	2	3	4	9	14	28
85+	312	4.7	27	1	2	3	5	10	16	26
GRAND TOTAL	**5839**	**4.4**	**31**	**1**	**2**	**3**	**4**	**9**	**14**	**27**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	95	12.6	100	5	6	10	14	22	27	63
70-74	76	13.7	88	3	5	11	18	27	35	43
75-79	52	15.6	75	5	7	13	22	26	30	45
80-84	37	14.6	120	4	5	12	19	26	36	59
85+	17	18.0	259	6	7	13	17	35	60	73
2. MULTIPLE DX										
65-69 YRS	356	19.0	199	5	7	15	23	37	49	79
70-74	356	19.4	184	6	8	15	24	40	48	72
75-79	288	21.4	193	7	9	18	27	39	53	87
80-84	168	21.8	166	8	9	19	28	37	42	79
85+	92	22.8	293	8	9	18	26	45	58	87
TOT. SINGLE DX	277	14.1	105	4	6	11	17	25	34	55
" MULTIPLE DX	1260	20.3	197	6	8	16	25	38	48	80
TOTAL 65-69 YRS	451	17.7	184	5	6	14	21	33	46	80
70-74	432	18.4	171	5	7	14	23	36	46	68
75-79	340	20.5	179	6	8	17	26	37	48	85
80-84	205	20.5	165	6	9	18	25	35	41	75
85+	109	22.0	288	8	8	18	25	44	59	86
GRAND TOTAL	**1537**	**19.2**	**186**	**6**	**7**	**15**	**24**	**36**	**46**	**78**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	8.9	66	1	2	7	12	17	30	33
70-74	14	11.5	92	1	2	10	15	24	35	38
75-79	16	13.6	337	2	3	8	14	24	61	77
80-84	9	10.9	167	1	1	4	15	32	41	41
85+	4	6.8	10	4	4	7	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	62	13.5	145	3	4	11	14	26	41	63
70-74	62	14.7	193	3	4	11	17	29	36	83
75-79	45	13.6	91	1	3	11	17	31	34	35
80-84	21	15.9	162	4	5	13	19	24	44	64
85+	21	16.8	147	4	5	13	21	40	41	42
TOT. SINGLE DX	67	10.7	143	2	2	8	13	24	34	71
" MULTIPLE DX	211	14.4	148	3	4	11	18	28	38	63
TOTAL 65-69 YRS	86	12.2	126	2	3	10	14	25	34	62
70-74	76	14.1	174	2	3	10	16	28	37	79
75-79	61	13.6	151	2	3	11	16	28	34	72
80-84	30	14.4	163	2	3	13	19	25	41	64
85+	25	15.2	138	4	4	11	19	40	41	42
GRAND TOTAL	**278**	**13.5**	**149**	**2**	**3**	**10**	**16**	**28**	**37**	**64**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	682	5.6	9	3	3	5	6	9	10	18
70-74	423	6.0	18	3	3	5	7	9	11	19
75-79	156	6.4	13	3	3	6	7	10	14	25
80-84	79	7.2	25	3	4	5	8	14	19	28
85+	27	7.2	14	3	4	6	8	12	15	19
2. MULTIPLE DX										
65-69 YRS	722	9.0	49	3	4	6	11	17	24	40
70-74	479	9.7	69	3	4	7	12	20	28	49
75-79	293	10.8	81	4	4	8	12	22	26	43
80-84	117	12.5	64	4	4	11	15	25	30	39
85+	37	16.7	95	5	6	14	23	29	35	43
TOT. SINGLE DX	1367	5.9	14	3	3	5	7	9	12	22
" MULTIPLE DX	1648	9.9	64	3	4	7	12	20	27	42
TOTAL 65-69 YRS	1404	7.4	32	3	4	5	8	14	18	33
70-74	902	8.0	49	3	4	6	9	15	21	41
75-79	449	9.2	62	3	4	7	10	18	23	39
80-84	196	10.4	55	4	4	8	13	21	28	37
85+	64	12.7	82	4	4	9	19	26	30	42
GRAND TOTAL	**3015**	**8.1**	**45**	**3**	**4**	**6**	**9**	**15**	**22**	**37**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	7.2	33	2	3	6	8	13	23	31
70-74	81	7.4	35	2	3	6	9	13	20	34
75-79	43	7.9	44	2	2	6	9	22	23	24
80-84	19	6.6	22	1	2	5	9	14	17	18
85+	12	9.3	80	2	2	7	11	24	31	32
2. MULTIPLE DX										
65-69 YRS	235	10.9	68	3	4	8	14	21	27	44
70-74	163	13.6	139	4	5	9	17	29	38	64
75-79	93	17.9	285	4	5	11	26	44	53	94
80-84	66	17.3	236	3	4	11	28	44	50	94
85+	25	21.3	228	5	6	20	25	50	54	60
TOT. SINGLE DX	270	7.4	37	2	2	6	8	15	23	31
" MULTIPLE DX	582	13.9	157	3	4	9	17	32	43	66
TOTAL 65-69 YRS	350	9.7	59	3	3	7	12	19	26	42
70-74	244	11.5	113	3	4	8	14	25	34	50
75-79	136	14.8	230	2	3	9	19	37	49	88
80-84	85	14.9	208	2	3	9	22	39	49	88
85+	37	17.4	209	2	2	13	24	34	51	60
GRAND TOTAL	**852**	**11.9**	**128**	**3**	**3**	**8**	**14**	**26**	**37**	**60**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	11.6	39	3	5	10	16	21	23	28
70-74	15	17.9	299	5	6	12	20	31	63	74
75-79	12	14.2	49	2	6	14	19	22	26	27
80-84	2	26.0	338	13	13	26	39	39	39	39
85+										
2. MULTIPLE DX										
65-69 YRS	92	21.7	266	7	8	17	25	47	59	95
70-74	54	23.4	249	8	10	19	28	40	52	88
75-79	24	26.2	289	6	8	21	39	50	61	65
80-84	9	20.4	273	3	3	21	25	45	57	57
85+	4	19.0	74	10	10	18	26	29	29	29
TOT. SINGLE DX	60	14.2	117	4	5	12	18	25	30	70
" MULTIPLE DX	183	22.7	258	7	8	18	28	44	59	89
TOTAL 65-69 YRS	123	19.2	227	5	7	15	23	37	53	92
70-74	69	22.2	261	8	8	18	28	40	55	86
75-79	36	22.2	238	6	8	19	27	48	56	65
80-84	11	21.5	257	3	4	21	26	46	56	57
85+	4	19.0	74	10	10	18	26	29	29	29
GRAND TOTAL	**243**	**20.6**	**236**	**5**	**8**	**16**	**26**	**40**	**55**	**89**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19: 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	221	2.6	7	<1	1	2	3	4	6	15
70-74	224	2.3	2	<1	1	2	3	4	5	7
75-79	175	2.7	5	<1	1	2	3	5	7	12
80-84	114	2.4	4	<1	1	2	3	4	6	12
85+	78	3.0	6	1	1	2	3	5	8	15
2. MULTIPLE DX										
65-69 YRS	239	5.5	54	1	1	3	6	13	17	39
70-74	216	6.6	95	1	2	3	7	14	21	71
75-79	195	6.2	51	1	2	3	8	15	20	49
80-84	160	5.6	58	1	1	3	6	11	18	39
85+	116	6.9	42	1	2	5	9	16	24	27
TOT. SINGLE DX	812	2.5	5	<1	1	2	3	4	6	11
" MULTIPLE DX	926	6.1	62	1	2	3	7	14	19	43
TOTAL 65-69 YRS	460	4.1	34	<1	1	2	4	9	14	25
70-74	440	4.4	52	<1	1	2	4	9	14	45
75-79	370	4.5	32	1	1	2	5	11	16	32
80-84	274	4.3	38	1	1	2	4	8	13	33
85+	194	5.3	31	1	1	3	6	13	19	27
GRAND TOTAL	**1738**	**4.4**	**39**	**1**	**1**	**2**	**4**	**10**	**15**	**34**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	565	2.1	1	<1	1	2	2	3	4	7
70-74	639	2.2	3	<1	1	2	2	3	4	7
75-79	496	2.2	2	<1	1	2	2	3	4	8
80-84	327	2.1	2	<1	1	2	2	3	4	9
85+	206	2.8	15	<1	1	2	3	5	7	35
2. MULTIPLE DX										
65-69 YRS	744	4.4	42	1	1	3	4	8	13	34
70-74	738	4.5	46	1	1	2	4	9	15	40
75-79	606	4.8	51	1	1	2	4	10	18	43
80-84	486	5.3	61	1	1	3	5	12	21	44
85+	393	6.5	113	1	2	3	7	14	24	70
TOT. SINGLE DX	2233	2.2	3	<1	1	2	2	3	4	8
" MULTIPLE DX	2967	4.9	58	1	1	3	4	10	18	42
TOTAL 65-69 YRS	1309	3.4	25	1	1	2	3	6	9	28
70-74	1377	3.4	27	<1	1	2	3	5	10	29
75-79	1102	3.6	31	<1	1	2	3	7	12	31
80-84	813	4.0	40	1	1	2	4	8	14	40
85+	599	5.2	82	1	1	2	4	12	20	59
GRAND TOTAL	**5200**	**3.8**	**36**	**1**	**1**	**2**	**3**	**7**	**12**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	2.9	2	2	2	3	3	4	6	8
70-74	125	3.4	32	2	2	3	3	4	5	24
75-79	89	2.8	1	2	2	3	3	4	5	6
80-84	57	3.6	9	2	2	3	4	5	8	20
85+	22	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	100	4.1	6	2	2	3	4	8	10	13
70-74	114	4.2	19	1	2	3	4	7	12	25
75-79	127	4.3	16	2	2	3	4	7	14	22
80-84	64	5.7	87	2	2	3	5	10	16	64
85+	52	4.8	18	2	2	3	5	9	15	24
TOT. SINGLE DX	433	3.1	11	2	2	3	3	4	5	9
" MULTIPLE DX	457	4.5	25	2	2	3	4	8	13	23
TOTAL 65-69 YRS	240	3.4	4	2	2	3	4	5	8	12
70-74	239	3.8	26	2	2	3	4	5	8	21
75-79	216	3.7	11	2	2	3	4	6	9	21
80-84	121	4.7	51	2	2	3	4	8	13	41
85+	74	4.1	14	2	2	3	4	7	12	22
GRAND TOTAL	**890**	**3.8**	**19**	**2**	**2**	**3**	**4**	**6**	**9**	**20**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	2.8	12	<1	<1	2	3	4	9	18
70-74	31	1.8		<1	1	2	2	2	3	4
75-79	21	2.4	2	<1	<1	2	3	4	5	6
80-84	10	2.8	2	<1	<1	3	4	5	5	5
85+	7	3.3	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	35	3.9	14	1	1	3	5	8	14	18
70-74	32	4.1	12	1	2	3	4	10	13	14
75-79	31	4.7	22	1	2	3	6	11	16	22
80-84	14	9.4	125	2	2	4	14	24	38	42
85+	12	8.3	63	<1	1	4	11	23	25	25
TOT. SINGLE DX	112	2.5	5	<1	<1	2	3	4	5	17
" MULTIPLE DX	124	5.2	35	1	2	3	6	12	17	29
TOTAL 65-69 YRS	78	3.3	13	<1	1	2	3	6	13	18
70-74	63	2.9	7	1	1	2	3	6	10	14
75-79	52	3.8	15	<1	1	2	4	8	12	22
80-84	24	6.7	83	1	2	4	5	17	28	42
85+	19	6.4	45	1	2	4	8	18	24	25
GRAND TOTAL	**236**	**3.9**	**23**	**<1**	**1**	**2**	**4**	**9**	**14**	**23**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	4.7	5	2	2	4	5	8	10	12
70-74	154	4.7	7	2	3	4	5	8	9	14
75-79	118	4.8	6	2	2	4	6	8	10	42
80-84	93	4.8	11	2	2	4	6	7	8	22
85+	40	5.4	12	2	2	4	7	10	12	17
2. MULTIPLE DX										
65-69 YRS	198	5.6	10	2	3	5	6	10	12	18
70-74	279	6.1	29	2	3	5	7	9	12	40
75-79	246	6.5	29	3	3	5	7	10	15	36
80-84	180	6.8	30	3	3	5	7	11	15	33
85+	81	6.2	11	2	3	5	7	10	13	18
TOT. SINGLE DX	544	4.8	7	2	2	4	6	8	10	14
" MULTIPLE DX	984	6.2	24	2	3	5	7	10	14	30
TOTAL 65-69 YRS	337	5.2	8	2	3	5	6	9	11	16
70-74	433	5.6	22	2	3	5	6	8	11	20
75-79	364	6.0	22	2	3	5	7	9	13	35
80-84	273	6.1	24	2	3	5	7	10	12	31
85+	121	6.0	11	2	2	5	7	10	13	17
GRAND TOTAL	**1528**	**5.7**	**18**	**2**	**3**	**5**	**7**	**9**	**12**	**27**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	169	2.4	5	<1	1	2	3	4	5	12
70-74	127	2.6	6	1	1	2	3	4	7	14
75-79	104	3.2	11	1	1	2	4	6	9	20
80-84	47	2.8	9	1	1	2	3	5	7	18
85+	41	3.0	10	<1	1	2	3	5	6	21
2. MULTIPLE DX										
65-69 YRS	147	5.2	62	1	1	3	5	13	18	41
70-74	135	4.9	41	1	2	3	4	9	15	41
75-79	112	5.2	40	1	1	3	5	12	15	37
80-84	80	4.9	22	1	2	3	7	9	12	28
85+	49	5.4	20	1	1	4	7	13	16	19
TOT. SINGLE DX	488	2.7	7	1	1	2	3	4	7	15
" MULTIPLE DX	523	5.1	42	1	2	3	6	11	16	37
TOTAL 65-69 YRS	316	3.7	33	1	1	2	3	7	13	25
70-74	262	3.8	25	1	1	2	4	8	11	30
75-79	216	4.2	27	1	1	3	4	8	14	32
80-84	127	4.1	18	1	1	2	5	9	12	24
85+	90	4.3	17	1	1	3	5	9	14	20
GRAND TOTAL	**1011**	**3.9**	**26**	**1**	**1**	**2**	**4**	**8**	**13**	**28**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	378	4.2	13	2	2	3	5	7	11	17
70-74	423	4.1	10	2	2	3	5	8	10	18
75-79	302	3.9	5	2	2	3	5	7	8	12
80-84	142	3.9	6	2	2	3	4	7	9	14
85+	73	4.3	12	1	2	3	5	8	10	21
2. MULTIPLE DX										
65-69 YRS	391	5.5	35	1	2	4	6	10	14	26
70-74	411	5.7	47	2	2	4	6	11	14	28
75-79	346	5.4	21	2	2	4	7	11	13	22
80-84	189	5.7	26	2	2	4	7	11	14	29
85+	75	5.2	16	1	2	4	6	11	12	23
TOT. SINGLE DX	1318	4.0	9	2	2	3	5	7	10	16
" MULTIPLE DX	1412	5.5	33	2	2	4	6	11	14	25
TOTAL 65-69 YRS	769	4.8	25	2	2	3	5	9	13	23
70-74	834	4.9	29	2	2	3	5	9	12	22
75-79	648	4.7	14	2	2	4	5	9	12	17
80-84	331	4.9	19	2	2	4	6	9	12	23
85+	148	4.8	14	1	2	4	6	9	12	22
GRAND TOTAL	**2730**	**4.8**	**22**	**2**	**2**	**3**	**5**	**9**	**12**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	520	3.5	9	1	1	3	4	6	8	14
70-74	487	3.4	6	1	2	3	4	6	9	13
75-79	362	3.7	11	1	2	3	4	7	9	17
80-84	166	3.6	10	1	2	3	4	7	10	17
85+	93	4.3	14	1	2	3	5	8	11	22
2. MULTIPLE DX										
65-69 YRS	412	5.4	30	1	2	4	6	11	15	30
70-74	424	5.4	27	1	2	4	7	11	16	24
75-79	328	5.6	31	1	2	4	7	12	18	33
80-84	212	5.7	45	1	2	4	7	11	17	25
85+	107	8.3	87	1	2	5	10	18	35	67
TOT. SINGLE DX	1628	3.6	9	1	2	3	4	7	9	16
" MULTIPLE DX	1483	5.7	36	1	2	4	7	12	17	34
TOTAL 65-69 YRS	932	4.3	19	1	2	3	5	8	11	23
70-74	911	4.3	17	1	2	3	5	9	12	19
75-79	690	4.6	21	1	2	3	5	9	14	26
80-84	378	4.8	30	1	2	3	6	10	14	19
85+	200	6.4	57	1	2	4	7	14	23	43
GRAND TOTAL	**3111**	**4.6**	**23**	**1**	**2**	**3**	**5**	**9**	**14**	**25**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9457	3.5	6	2	2	3	4	5	6	11
70-74	11016	3.6	6	2	2	3	4	5	7	12
75-79	10564	3.6	5	2	2	3	4	5	7	12
80-84	7560	3.7	6	2	2	3	4	6	7	12
85+	4556	3.8	10	2	2	3	4	6	8	12
2. MULTIPLE DX										
65-69 YRS	8706	4.4	17	2	2	3	5	7	11	21
70-74	10338	4.6	16	2	2	4	5	8	11	22
75-79	10665	4.8	20	2	2	4	5	8	11	24
80-84	7618	5.0	22	2	2	4	5	9	12	24
85+	4813	5.3	29	2	2	4	6	10	14	26
TOT. SINGLE DX	43153	3.6	6	2	2	3	4	5	7	12
" MULTIPLE DX	42140	4.7	20	2	2	4	5	8	12	23
TOTAL 65-69 YRS	18163	3.9	11	2	2	3	4	6	9	16
70-74	21354	4.1	11	2	2	3	4	6	9	17
75-79	21229	4.2	13	2	2	3	4	7	10	18
80-84	15178	4.3	14	2	2	3	5	7	10	19
85+	9369	4.6	21	2	2	4	5	8	11	22
GRAND TOTAL	**85293**	**4.2**	**13**	**2**	**2**	**3**	**4**	**7**	**10**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2438	2.5	2	1	2	2	3	4	4	8
70-74	2391	2.7	3	1	2	2	3	4	5	10
75-79	2095	2.7	3	1	2	2	3	4	5	11
80-84	1405	2.8	3	1	2	2	3	4	5	10
85+	775	3.1	16	1	2	2	3	5	6	12
2. MULTIPLE DX										
65-69 YRS	1403	3.7	15	2	2	3	4	6	9	20
70-74	1379	3.4	7	2	2	3	4	6	8	16
75-79	1367	3.9	25	2	2	3	4	6	9	20
80-84	888	4.4	27	2	2	3	5	8	13	27
85+	549	4.9	31	2	2	3	5	9	13	32
TOT. SINGLE DX	9104	2.7	4	1	2	2	3	4	5	10
" MULTIPLE DX	5586	3.9	19	2	2	3	4	7	10	22
TOTAL 65-69 YRS	3841	2.9	7	1	2	2	3	4	6	13
70-74	3770	2.9	5	1	2	2	3	4	6	13
75-79	3462	3.2	12	1	2	2	3	5	7	15
80-84	2293	3.4	13	1	2	2	4	5	8	19
85+	1324	3.8	23	2	2	3	4	6	9	23
GRAND TOTAL	**14690**	**3.2**	**10**	**1**	**2**	**2**	**3**	**5**	**7**	**16**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	615	2.7	2	1	1	2	3	4	5	8
70-74	702	2.9	5	1	2	2	3	4	5	9
75-79	675	2.9	4	1	1	3	3	4	5	10
80-84	369	3.1	4	1	2	3	4	5	7	11
85+	228	2.9	4	1	1	3	3	5	5	15
2. MULTIPLE DX										
65-69 YRS	401	3.6	10	2	2	3	4	6	9	18
70-74	488	3.8	14	2	2	3	4	6	9	20
75-79	517	3.8	13	1	2	3	4	6	9	20
80-84	364	4.2	22	2	2	3	4	7	11	24
85+	163	4.7	33	2	2	3	5	8	12	30
TOT. SINGLE DX	2589	2.9	4	1	1	2	3	4	5	10
" MULTIPLE DX	1933	3.9	16	2	2	3	4	6	9	22
TOTAL 65-69 YRS	1016	3.1	5	1	2	3	3	5	6	13
70-74	1190	3.2	9	1	2	3	4	5	6	17
75-79	1192	3.3	8	1	2	3	4	5	7	15
80-84	733	3.6	13	1	2	3	4	6	8	23
85+	391	3.7	17	1	2	3	4	6	8	24
GRAND TOTAL	**4522**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**17**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	893	5.4	13	1	2	5	7	9	11	22
70-74	635	5.5	8	2	2	5	7	9	10	15
75-79	347	5.4	9	2	2	5	7	9	11	16
80-84	166	5.8	8	2	3	5	7	10	11	15
85+	71	6.5	13	2	3	6	8	11	13	23
2. MULTIPLE DX										
65-69 YRS	978	6.4	17	2	3	5	8	11	14	22
70-74	743	6.5	19	2	3	6	8	11	14	25
75-79	474	6.8	21	2	3	6	8	12	15	23
80-84	197	6.9	18	2	3	6	8	12	14	23
85+	94	6.8	24	2	3	6	8	12	15	29
TOT. SINGLE DX	2112	5.5	10	2	2	5	7	9	11	16
" MULTIPLE DX	2486	6.5	19	2	3	6	8	11	14	24
TOTAL 65-69 YRS	1871	5.9	16	2	2	5	7	10	13	22
70-74	1378	6.0	14	2	3	5	7	10	12	21
75-79	821	6.2	16	2	3	5	8	11	14	19
80-84	363	6.4	14	2	3	6	8	10	13	18
85+	165	6.7	19	2	3	6	8	11	14	24
GRAND TOTAL	**4598**	**6.1**	**15**	**2**	**2**	**5**	**7**	**10**	**13**	**21**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	3.6	4	1	2	3	5	6	8	10
70-74	117	4.3	13	1	2	3	5	9	13	20
75-79	92	4.7	14	2	2	4	6	8	10	23
80-84	51	4.2	8	2	2	4	5	7	9	15
85+	24	4.2	5	1	2	4	5	8	9	10
2. MULTIPLE DX										
65-69 YRS	271	5.5	20	1	2	4	7	11	13	21
70-74	229	5.3	19	2	2	4	6	11	14	24
75-79	212	5.4	23	1	2	4	6	11	13	22
80-84	105	4.8	12	1	2	3	6	10	11	18
85+	59	6.9	40	2	2	5	9	15	21	33
TOT. SINGLE DX	388	4.2	10	1	2	3	5	7	10	15
" MULTIPLE DX	876	5.4	21	1	2	4	7	11	13	23
TOTAL 65-69 YRS	375	5.0	16	1	2	4	6	10	12	21
70-74	346	5.0	17	1	2	4	6	10	14	20
75-79	304	5.2	20	1	2	4	6	10	12	22
80-84	156	4.6	11	2	2	3	6	9	11	15
85+	83	6.1	31	2	2	4	8	11	17	31
GRAND TOTAL	**1264**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	92	2.0		1	1	2	2	2	3	4
70-74	60	2.3	1	1	1	2	3	3	4	4
75-79	37	2.2	1	1	1	2	3	3	3	5
80-84	16	2.7	2	1	1	2	3	5	6	6
85+	13	2.1	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	81	3.0	12	1	2	2	3	4	8	21
70-74	62	2.5	2	1	2	2	3	4	4	11
75-79	35	3.3	9	2	2	2	3	5	12	15
80-84	11	2.2	1	1	1	2	3	4	4	4
85+	7	2.6	1	1	1	3	3	4	4	4
TOT. SINGLE DX	218	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	196	2.9	7	1	2	2	3	4	5	18
TOTAL 65-69 YRS	173	2.5	6	1	1	2	2	3	4	18
70-74	122	2.4	1	1	2	2	3	3	4	7
75-79	72	2.7	5	1	1	2	3	3	5	14
80-84	27	2.5	2	1	1	2	3	5	5	6
85+	20	2.3	1	1	1	2	3	4	4	4
GRAND TOTAL	**414**	**2.5**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**13**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	11.7	94	1	1	14	18	20	20	20
70-74	2	8.5	61	3	3	8	14	14	14	14
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	5	15.0	140	1	1	19	25	27	27	27
70-74	5	17.0	319	<1	<1	15	26	46	46	46
75-79	3	11.7	280	2	2	2	24	31	31	31
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	9	7.9	44	1	1	6	14	18	20	20
" MULTIPLE DX	16	13.0	184	<1	1	7	22	31	41	46
TOTAL 65-69 YRS	8	13.8	110	1	1	16	22	26	27	27
70-74	7	14.6	240	<1	1	14	18	41	46	46
75-79	5	9.8	147	2	2	6	14	31	31	31
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	2	6.0	18	3	3	6	9	9	9	9
GRAND TOTAL	**25**	**11.2**	**136**	**<1**	**1**	**6**	**19**	**27**	**35**	**46**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	176	3.6	7	1	1	3	4	6	9	14
70-74	131	4.1	13	1	2	3	5	8	10	21
75-79	126	4.1	13	1	1	3	5	8	9	19
80-84	72	5.3	82	1	2	3	5	8	13	60
85+	55	4.4	14	1	2	3	5	8	13	22
2. MULTIPLE DX										
65-69 YRS	248	6.9	65	1	2	4	8	15	20	34
70-74	230	7.2	95	2	2	4	7	14	26	52
75-79	227	6.4	51	2	2	4	7	13	23	38
80-84	129	5.7	26	1	2	4	7	11	14	30
85+	127	7.7	56	2	2	5	9	17	23	40
TOT. SINGLE DX	560	4.1	20	1	2	3	5	7	10	21
" MULTIPLE DX	961	6.8	63	2	2	4	8	14	22	44
TOTAL 65-69 YRS	424	5.5	43	1	2	4	6	12	17	29
70-74	361	6.1	68	1	2	3	6	12	21	50
75-79	353	5.6	39	1	2	4	6	10	17	35
80-84	201	5.6	46	1	2	4	6	10	14	41
85+	182	6.7	46	2	2	4	8	14	22	37
GRAND TOTAL	**1521**	**5.8**	**49**	**1**	**2**	**4**	**7**	**11**	**18**	**36**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	2.7	6	<1	1	2	3	5	9	13
70-74	123	3.1	10	<1	1	2	3	6	10	18
75-79	131	3.5	8	1	1	3	4	8	9	16
80-84	85	4.1	16	1	1	3	5	8	12	23
85+	88	4.8	96	1	1	2	5	9	13	63
2. MULTIPLE DX										
65-69 YRS	204	7.2	92	1	2	4	9	14	22	50
70-74	194	8.6	120	1	2	5	11	19	25	58
75-79	215	7.9	62	1	2	5	11	15	24	36
80-84	156	9.5	123	1	2	6	12	20	32	99
85+	138	9.3	101	1	2	6	12	22	32	71
TOT. SINGLE DX	606	3.5	22	<1	1	2	4	7	10	17
" MULTIPLE DX	907	8.4	98	1	2	5	11	19	26	55
TOTAL 65-69 YRS	383	5.1	57	1	1	3	6	11	15	39
70-74	317	6.5	84	<1	1	3	8	16	20	36
75-79	346	6.3	46	1	1	4	8	14	20	35
80-84	241	7.6	92	1	2	4	9	17	27	93
85+	226	7.5	103	1	2	4	9	19	26	73
GRAND TOTAL	**1513**	**6.4**	**73**	**1**	**1**	**3**	**8**	**15**	**20**	**42**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	438	2.8	1	1	2	3	3	4	5	7
70-74	261	3.0	6	1	2	3	3	4	5	12
75-79	121	2.8	2	1	2	3	3	4	5	8
80-84	32	2.8	1	1	2	3	3	4	6	6
85+	19	2.8	2	1	1	3	3	4	6	8
2. MULTIPLE DX										
65-69 YRS	144	3.3	7	1	2	3	3	5	8	13
70-74	84	3.1	3	2	2	3	3	5	6	12
75-79	46	3.1	3	1	2	3	3	7	7	8
80-84	12	5.7	36	2	2	3	5	17	20	21
85+	5	2.2	1	1	1	2	3	3	3	3
TOT. SINGLE DX	871	2.9	3	1	2	3	3	4	5	8
" MULTIPLE DX	291	3.3	6	2	2	3	3	5	8	14
TOTAL 65-69 YRS	582	2.9	3	1	2	3	3	4	5	10
70-74	345	3.0	5	1	2	3	3	4	5	12
75-79	167	2.9	2	1	2	3	3	4	6	8
80-84	44	3.6	12	1	2	3	3	5	9	21
85+	24	2.7	2	1	1	3	3	4	5	8
GRAND TOTAL	**1162**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**11**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	292	2.5	1	1	1	2	3	3	4	8
70-74	130	2.6	2	1	1	2	3	4	5	10
75-79	57	2.6	1	1	2	2	3	4	5	7
80-84	10	4.3	48	1	1	2	3	14	24	24
85+	10	2.8	8	1	1	2	2	7	11	11
2. MULTIPLE DX										
65-69 YRS	297	3.0	5	1	2	2	3	4	6	13
70-74	177	2.7	3	1	2	2	3	4	5	9
75-79	70	2.9	5	1	1	2	3	5	8	14
80-84	20	4.6	34	1	2	3	5	8	18	28
85+	8	3.1	1	2	2	3	4	4	4	4
TOT. SINGLE DX	499	2.5	3	1	1	2	3	4	4	10
" MULTIPLE DX	572	2.9	5	1	2	2	3	4	6	13
TOTAL 65-69 YRS	589	2.7	3	1	2	2	3	4	5	11
70-74	307	2.6	3	1	1	2	3	4	5	10
75-79	127	2.8	3	1	1	2	3	4	6	11
80-84	30	4.5	37	1	2	3	3	8	24	28
85+	18	2.9	5	1	2	2	3	4	8	11
GRAND TOTAL	**1071**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

537: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	101	2.3	7	<1	1	2	3	3	5	60
70-74	59	1.9	3	<1	<1	2	2	3	5	12
75-79	40	1.5		<1	1	1	2	3	3	3
80-84	14	1.4		<1	<1	1	2	2	2	2
85+	27	1.4	1	<1	<1	1	1	2	4	6
2. MULTIPLE DX										
65-69 YRS	120	6.1	66	1	1	3	7	17	26	40
70-74	88	6.5	83	1	1	2	8	16	21	54
75-79	60	8.0	154	<1	1	3	10	16	22	78
80-84	28	7.9	70	1	1	4	11	23	28	29
85+	29	5.7	51	<1	<1	2	7	17	22	30
TOT. SINGLE DX	241	1.9	4	<1	<1	1	2	3	4	13
" MULTIPLE DX	325	6.7	86	1	1	3	8	16	23	48
TOTAL 65-69 YRS	221	4.4	43	1	1	2	3	11	21	40
70-74	147	4.6	56	<1	1	2	4	12	17	49
75-79	100	5.4	103	<1	1	2	5	14	18	64
80-84	42	5.7	56	<1	<1	2	6	16	26	29
85+	56	3.6	31	<1	<1	1	3	8	18	29
GRAND TOTAL	**566**	**4.6**	**56**	**<1**	**1**	**2**	**4**	**12**	**20**	**43**

538: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106	3.9	6	2	2	3	5	7	10	13
70-74	56	4.3	9	2	2	3	5	8	10	18
75-79	29	4.0	9	1	2	3	5	8	11	14
80-84	4	2.8		2	2	3	3	3	3	3
85+	9	5.7	19	1	1	5	7	12	15	15
2. MULTIPLE DX										
65-69 YRS	199	5.6	72	2	2	3	6	9	15	64
70-74	102	6.0	51	2	2	3	5	15	22	36
75-79	72	6.0	56	2	2	3	6	11	17	47
80-84	9	8.0	79	2	2	4	9	24	25	25
85+	19	12.3	262	1	1	6	12	37	55	63
TOT. SINGLE DX	204	4.1	8	2	2	3	5	7	10	15
" MULTIPLE DX	401	6.1	74	2	2	3	6	11	21	56
TOTAL 65-69 YRS	305	5.0	49	2	2	3	5	8	12	56
70-74	158	5.4	36	2	2	3	5	11	19	29
75-79	101	5.4	43	2	2	3	6	10	15	43
80-84	13	6.4	59	2	2	3	5	23	25	25
85+	28	10.1	190	1	1	6	10	23	47	63
GRAND TOTAL	**605**	**5.4**	**52**	**2**	**2**	**3**	**5**	**10**	**16**	**49**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	4.0	23	1	1	3	4	7	9	34
70-74	73	3.5	4	1	2	3	4	5	7	12
75-79	22	4.0	5	2	2	3	5	7	8	9
80-84	7	3.6	8	1	1	2	5	8	9	9
85+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	87	4.5	16	1	1	3	5	10	12	20
70-74	67	6.7	70	1	2	3	7	19	31	34
75-79	33	10.4	211	1	2	4	11	30	49	56
80-84	11	7.8	109	2	2	3	7	24	36	37
85+	7	5.9	15	2	2	5	8	12	13	13
TOT. SINGLE DX	251	3.8	15	1	1	3	4	6	9	23
" MULTIPLE DX	205	6.4	72	1	2	3	7	13	24	48
TOTAL 65-69 YRS	233	4.2	20	1	1	3	4	8	11	25
70-74	140	5.0	38	1	2	3	5	10	17	32
75-79	55	7.8	137	1	2	4	7	18	42	56
80-84	18	6.2	71	1	2	3	6	13	28	37
85+	10	5.1	12	2	2	4	5	11	12	13
GRAND TOTAL	**456**	**5.0**	**42**	**1**	**2**	**3**	**5**	**10**	**14**	**37**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	67	3.0	2	1	1	3	4	5	5	6
70-74	40	3.2	4	1	2	3	3	5	7	13
75-79	24	3.6	3	1	2	3	5	7	7	7
80-84	5	3.8	6	2	2	3	5	8	8	8
85+	6	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	190	3.9	9	2	2	3	4	7	9	18
70-74	94	3.9	9	2	2	3	4	7	12	16
75-79	46	5.2	37	2	2	3	5	10	17	36
80-84	12	4.4	7	1	2	4	6	9	10	10
85+	10	5.2	19	1	1	4	6	12	16	16
TOT. SINGLE DX	142	3.2	3	1	2	3	4	5	6	8
" MULTIPLE DX	352	4.1	13	2	2	3	4	7	12	18
TOTAL 65-69 YRS	257	3.7	7	1	2	3	4	6	8	18
70-74	134	3.7	7	2	2	3	4	6	11	15
75-79	70	4.7	26	2	2	3	5	8	13	33
80-84	17	4.2	6	1	2	4	5	8	9	10
85+	16	4.2	13	1	2	3	5	8	14	16
GRAND TOTAL	**494**	**3.9**	**10**	**2**	**2**	**3**	**4**	**7**	**9**	**17**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	190	2.9	3	1	1	3	3	5	5	10
70-74	106	3.3	6	1	1	3	4	7	9	51
75-79	55	2.6	2	1	1	2	3	4	6	8
80-84	18	3.9	17	1	1	3	3	10	15	17
85+	15	2.9	5	<1	1	2	3	4	9	10
2. MULTIPLE DX										
65-69 YRS	451	4.1	24	1	2	3	4	8	10	26
70-74	253	4.6	24	1	2	3	5	9	13	27
75-79	110	5.6	33	1	2	3	7	11	19	30
80-84	46	5.5	25	1	1	4	8	12	17	24
85+	48	6.8	31	1	2	5	10	14	25	99+
TOT. SINGLE DX	384	3.0	4	1	1	3	3	5	7	13
" MULTIPLE DX	908	4.6	26	1	2	3	5	9	13	27
TOTAL 65-69 YRS	641	3.8	18	1	1	3	4	6	9	21
70-74	359	4.2	19	1	1	3	5	8	12	27
75-79	165	4.6	25	1	2	3	5	8	15	26
80-84	64	5.0	23	1	1	3	7	12	17	23
85+	63	5.9	27	1	2	4	8	13	18	90
GRAND TOTAL	**1292**	**4.2**	**20**	**1**	**1**	**3**	**4**	**8**	**12**	**26**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	433	2.6	8	1	1	2	3	4	5	10
70-74	359	3.0	17	<1	1	2	3	5	7	15
75-79	274	2.9	5	1	1	2	3	5	7	13
80-84	158	3.8	15	1	1	3	5	7	9	23
85+	127	4.4	36	1	1	3	5	9	12	24
2. MULTIPLE DX										
65-69 YRS	668	5.2	33	1	2	3	6	12	16	26
70-74	542	6.6	91	1	2	3	7	15	23	50
75-79	378	6.8	49	1	2	4	9	14	20	34
80-84	257	6.9	36	1	2	5	9	15	20	93
85+	235	10.3	103	2	2	7	14	23	31	75
TOT. SINGLE DX	1351	3.1	13	<1	1	2	3	5	7	15
" MULTIPLE DX	2080	6.6	61	1	2	4	8	15	21	45
TOTAL 65-69 YRS	1101	4.2	25	1	1	3	4	9	14	23
70-74	901	5.2	65	1	1	3	5	11	18	44
75-79	652	5.2	34	1	1	3	6	12	17	31
80-84	415	5.7	30	1	1	4	8	13	16	37
85+	362	8.2	87	1	2	5	11	19	25	62
GRAND TOTAL	**3431**	**5.2**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	192	4.5	7	1	1	4	6	8	9	12
70-74	155	5.1	62	1	1	4	6	9	10	17
75-79	95	4.6	18	1	1	4	6	8	10	27
80-84	49	4.2	7	1	1	4	6	7	8	15
85+	44	4.2	11	1	1	3	5	7	14	15
2. MULTIPLE DX										
65-69 YRS	367	7.1	45	1	2	5	8	15	20	30
70-74	310	7.5	47	1	2	5	9	16	24	40
75-79	257	7.7	32	2	2	6	10	14	20	28
80-84	162	8.0	55	2	2	6	11	16	22	35
85+	141	7.1	32	1	2	5	9	15	18	27
TOT. SINGLE DX	535	4.6	25	1	1	4	6	8	10	15
" MULTIPLE DX	1237	7.5	43	1	2	6	9	15	21	35
TOTAL 65-69 YRS	559	6.2	34	1	2	5	7	11	16	29
70-74	465	6.7	53	1	2	5	8	13	18	38
75-79	352	6.9	30	1	2	6	9	13	16	28
80-84	211	7.1	46	1	2	5	8	15	20	35
85+	185	6.4	28	1	2	5	8	14	17	27
GRAND TOTAL	**1772**	**6.6**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	117	4.1	16	1	2	3	4	7	10	25
70-74	71	3.6	3	2	2	3	4	5	8	11
75-79	46	3.9	7	2	2	3	4	7	9	16
80-84	12	4.1	4	1	2	4	5	7	9	9
85+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	185	6.4	40	2	2	4	7	14	19	31
70-74	112	6.8	79	2	2	4	8	15	17	49
75-79	60	10.3	178	2	2	5	12	30	39	67
80-84	20	9.7	57	2	3	6	15	21	25	28
85+	8	7.0	51	2	2	4	9	20	22	22
TOT. SINGLE DX	248	3.9	10	2	2	3	4	6	8	18
" MULTIPLE DX	385	7.3	75	2	2	4	9	16	21	44
TOTAL 65-69 YRS	302	5.5	32	2	2	4	6	11	17	31
70-74	183	5.5	52	2	2	4	5	12	16	26
75-79	106	7.5	113	2	2	4	7	16	33	60
80-84	32	7.6	44	2	2	5	8	19	22	28
85+	10	6.1	43	2	2	3	4	18	22	22
GRAND TOTAL	**633**	**6.0**	**52**	**2**	**2**	**4**	**6**	**13**	**18**	**35**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	105	4.8	44	1	2	3	4	10	14	43
70-74	71	4.9	22	2	2	3	5	11	15	24
75-79	44	5.0	24	1	1	3	5	12	17	22
80-84	22	9.3	135	1	2	6	8	23	41	48
85+	7	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	250	6.4	41	2	2	4	8	14	20	31
70-74	166	8.8	108	2	2	5	12	18	25	56
75-79	78	8.8	54	2	2	7	12	18	22	41
80-84	42	8.0	84	2	2	5	9	15	25	52
85+	25	12.8	135	1	2	10	17	30	38	49
TOT. SINGLE DX	249	5.2	42	1	2	3	5	11	15	42
" MULTIPLE DX	561	7.8	72	2	2	5	10	17	23	48
TOTAL 65-69 YRS	355	5.9	42	1	2	3	7	13	19	36
70-74	237	7.6	85	2	2	4	10	17	23	54
75-79	122	7.4	47	1	2	5	10	16	21	31
80-84	64	8.4	100	1	2	5	9	17	33	51
85+	32	10.7	122	1	2	8	15	26	34	49
GRAND TOTAL	**810**	**7.0**	**64**	**1**	**2**	**4**	**9**	**16**	**21**	**47**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	248	2.9	25	1	1	2	2	4	5	37
70-74	151	2.6	7	1	1	2	3	4	5	22
75-79	95	2.3	3	1	1	2	2	3	5	11
80-84	67	2.9	5	1	2	2	3	5	8	13
85+	80	3.1	14	1	1	2	3	5	9	26
2. MULTIPLE DX										
65-69 YRS	1111	6.0	65	2	2	3	7	14	19	44
70-74	896	7.4	92	2	2	3	9	19	28	60
75-79	681	7.8	102	2	2	4	10	18	24	60
80-84	418	8.3	115	2	2	4	10	19	30	69
85+	301	9.5	137	2	2	5	12	25	40	99+
TOT. SINGLE DX	641	2.8	14	1	1	2	3	4	5	23
" MULTIPLE DX	3407	7.3	93	2	2	3	9	18	25	62
TOTAL 65-69 YRS	1359	5.4	59	1	2	3	5	13	18	41
70-74	1047	6.7	82	1	2	3	7	17	23	53
75-79	776	7.1	93	2	2	3	8	17	23	58
80-84	485	7.5	103	2	2	3	9	18	27	61
85+	381	8.2	118	1	2	3	10	22	34	99+
GRAND TOTAL	**4048**	**6.6**	**83**	**1**	**2**	**3**	**7**	**16**	**23**	**55**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	5.0	54	<1	<1	1	9	16	16	16
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	9	5.2	20	2	2	3	8	13	15	15
70-74	5	4.8	27	2	2	3	6	14	14	14
75-79										
80-84	3	4.0	19	1	1	2	7	9	9	9
85+	2	8.5	85	2	2	8	15	15	15	15
TOT. SINGLE DX	8	3.4	27	<1	<1	1	3	12	16	16
" MULTIPLE DX	19	5.3	23	1	2	3	9	14	15	15
TOTAL 65-69 YRS	13	5.2	27	<1	1	3	8	15	16	16
70-74	8	3.8	18	1	1	2	3	11	14	14
75-79										
80-84	3	4.0	19	1	1	2	7	9	9	9
85+	3	6.0	61	<1	<1	2	12	15	15	15
GRAND TOTAL	**27**	**4.7**	**24**	**<1**	**1**	**2**	**7**	**15**	**15**	**16**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.9	3	1	1	2	4	5	6	10
70-74	53	3.3	11	2	2	2	3	5	7	24
75-79	20	2.9	3	1	1	3	3	6	7	8
80-84	9	3.2	3	1	1	3	4	6	7	7
85+	10	5.5	16	2	2	4	6	12	14	14
2. MULTIPLE DX										
65-69 YRS	135	5.8	41	1	2	3	7	12	21	33
70-74	98	7.5	69	2	2	5	9	17	23	47
75-79	58	7.7	71	1	2	4	10	19	29	39
80-84	32	7.3	37	2	2	5	11	14	20	29
85+	28	9.3	51	2	3	7	11	20	27	28
TOT. SINGLE DX	196	3.2	6	1	2	2	4	5	7	13
" MULTIPLE DX	351	7.0	55	2	2	4	8	16	24	34
TOTAL 65-69 YRS	239	4.5	26	1	2	3	5	9	13	30
70-74	151	6.1	52	2	2	3	7	14	19	36
75-79	78	6.4	58	1	2	3	7	15	23	38
80-84	41	6.4	32	1	2	4	8	13	18	29
85+	38	8.3	44	2	2	6	10	18	25	28
GRAND TOTAL	**547**	**5.6**	**41**	**1**	**2**	**3**	**6**	**13**	**19**	**32**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	481	4.5	7	2	2	4	5	7	9	15
70-74	326	4.7	27	2	2	4	5	8	9	12
75-79	210	5.0	12	2	2	4	6	9	11	24
80-84	99	5.3	19	2	2	4	6	9	12	66
85+	63	5.3	13	2	2	5	7	9	12	20
2. MULTIPLE DX										
65-69 YRS	375	7.6	54	2	2	5	9	16	21	41
70-74	336	8.4	69	2	3	6	10	17	23	47
75-79	224	9.6	81	3	3	7	11	18	26	49
80-84	131	8.1	58	3	3	6	9	15	25	70
85+	101	9.8	91	3	4	7	11	17	27	61
TOT. SINGLE DX	1179	4.7	15	2	2	4	5	8	10	17
" MULTIPLE DX	1167	8.5	68	2	3	6	10	17	25	49
TOTAL 65-69 YRS	856	5.9	30	2	2	4	6	11	15	29
70-74	662	6.6	51	2	2	4	7	12	17	36
75-79	434	7.4	53	2	3	5	9	14	21	38
80-84	230	6.9	43	2	2	5	8	12	20	70
85+	164	8.1	65	2	3	6	9	15	20	50
GRAND TOTAL	**2346**	**6.6**	**44**	**2**	**2**	**5**	**7**	**12**	**17**	**36**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.5	13	3	3	5	8	8	8	8
70-74										
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	9	10.3	51	2	2	12	16	19	21	21
70-74	4	10.8	2	9	9	11	12	12	12	12
75-79	4	7.5	22	4	4	6	11	14	14	14
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	30.0	2191	1	1	5	64	84	84	84
TOT. SINGLE DX	6	5.0	7	2	2	5	8	8	8	8
" MULTIPLE DX	21	12.3	301	2	2	9	14	19	49	84
TOTAL 65-69 YRS	11	9.5	46	2	2	8	15	19	21	21
70-74	4	10.8	2	9	9	11	12	12	12	12
75-79	6	5.8	20	2	2	4	8	13	14	14
80-84	1	3.0		3	3	3	3	3	3	3
85+	5	20.8	1255	1	1	6	27	84	84	84
GRAND TOTAL	**27**	**10.7**	**243**	**2**	**2**	**8**	**12**	**17**	**30**	**84**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	516	4.3	21	1	1	3	5	9	14	22
70-74	415	4.5	30	1	1	3	5	9	11	32
75-79	285	4.7	39	1	1	3	5	9	14	37
80-84	170	4.9	32	1	2	3	6	9	12	36
85+	113	4.9	29	1	1	3	6	10	12	34
2. MULTIPLE DX										
65-69 YRS	774	8.7	123	1	2	5	11	20	28	64
70-74	638	9.0	118	1	2	5	11	22	31	65
75-79	471	8.6	98	1	2	6	10	18	25	63
80-84	249	10.6	139	2	2	7	13	24	34	69
85+	217	9.9	97	2	2	7	13	21	32	45
TOT. SINGLE DX	1499	4.5	29	1	1	3	5	9	13	31
" MULTIPLE DX	2349	9.1	116	1	2	5	11	21	30	65
TOTAL 65-69 YRS	1290	6.9	87	1	2	4	8	16	22	46
70-74	1053	7.2	88	1	2	4	8	16	24	57
75-79	756	7.2	79	1	2	4	8	16	22	53
80-84	419	8.3	103	1	2	5	10	18	30	59
85+	330	8.2	79	1	2	5	10	17	28	43
GRAND TOTAL	**3848**	**7.3**	**87**	**1**	**2**	**4**	**9**	**16**	**23**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	52	3.4	22	1	1	2	3	5	10	28
70-74	39	3.5	24	1	1	2	3	6	9	31
75-79	23	3.9	9	1	2	3	4	9	11	12
80-84	9	2.7	2	1	1	2	3	5	6	6
85+	26	2.5	2	1	2	2	2	4	5	9
2. MULTIPLE DX										
65-69 YRS	29	4.7	25	2	2	3	4	11	26	99+
70-74	10	3.9	7	2	2	3	5	8	9	9
75-79	15	9.4	231	1	2	3	13	18	49	60
80-84	3	3.0	3	2	2	2	4	5	5	5
85+	9	11.3	187	1	1	4	17	34	42	42
TOT. SINGLE DX	149	3.3	16	1	1	2	3	6	9	28
" MULTIPLE DX	66	6.5	93	1	2	3	8	17	28	93
TOTAL 65-69 YRS	81	3.9	23	1	1	2	4	9	17	77
70-74	49	3.6	20	1	2	2	3	7	9	31
75-79	38	6.1	100	1	2	3	6	14	18	60
80-84	12	2.8	2	1	1	2	3	5	6	6
85+	35	4.7	61	1	2	2	3	10	21	42
GRAND TOTAL	**215**	**4.3**	**41**	**1**	**2**	**2**	**4**	**9**	**15**	**48**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	1.5		<1	1	1	2	2	2	4
70-74	13	2.5	5	1	1	2	2	7	8	8
75-79	12	2.0	1	1	1	2	2	4	5	5
80-84	4	2.3		2	2	2	3	3	3	3
85+	50	1.9		1	1	2	2	3	3	99
2. MULTIPLE DX										
65-69 YRS	25	2.1	4	<1	1	2	2	2	5	11
70-74	8	1.9		1	1	2	2	3	3	3
75-79	6	1.5		1	1	1	2	2	2	2
80-84	3	2.0		2	2	2	2	2	2	2
85+	27	1.7		<1	<1	2	2	2	2	2
TOT. SINGLE DX	124	1.8	1	1	1	2	2	2	3	31
" MULTIPLE DX	69	1.9	1	<1	1	2	2	2	2	9
TOTAL 65-69 YRS	70	1.7	2	<1	1	2	2	2	2	10
70-74	21	2.2	3	1	1	2	2	5	7	8
75-79	18	1.8	1	1	1	2	2	3	4	5
80-84	7	2.1		2	2	2	2	3	3	3
85+	77	1.8		1	1	2	2	2	3	73
GRAND TOTAL	**193**	**1.8**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**10**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	16	1.5		<1	<1	1	2	2	3	3
70-74	3	4.3	33	1	1	1	9	11	11	11
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84										
85+	15	1.5		<1	<1	1	2	2	2	2
TOT. SINGLE DX	7	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	36	1.7	3	<1	<1	1	2	2	3	11
TOTAL 65-69 YRS	17	1.5		<1	<1	1	2	2	3	3
70-74	5	3.0	20	<1	<1	1	4	11	11	11
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	17	1.5		<1	<1	1	2	2	2	2
GRAND TOTAL	**43**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**11**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	175	6.3	60	1	2	3	7	16	24	42
70-74	107	6.1	53	1	1	3	8	13	22	38
75-79	59	6.0	34	1	1	3	8	16	19	23
80-84	36	5.1	29	<1	1	3	6	11	15	27
85+	26	7.8	52	<1	1	5	13	18	24	25
2. MULTIPLE DX										
65-69 YRS	212	10.5	157	1	2	6	15	26	30	66
70-74	180	10.8	156	2	2	7	14	23	33	71
75-79	128	15.2	264	2	2	9	21	40	53	91
80-84	67	11.0	122	2	2	8	13	22	34	58
85+	48	15.1	184	3	3	12	20	29	36	75
TOT. SINGLE DX	403	6.2	51	1	1	3	7	15	22	37
" MULTIPLE DX	635	11.9	179	2	2	8	15	28	39	75
TOTAL 65-69 YRS	387	8.6	117	1	2	5	10	21	28	53
70-74	287	9.0	123	1	2	5	12	21	30	60
75-79	187	12.3	209	2	2	7	16	35	44	80
80-84	103	8.9	97	1	2	6	11	18	28	55
85+	74	12.6	149	1	2	11	18	25	32	70
GRAND TOTAL	**1038**	**9.7**	**137**	**1**	**2**	**5**	**12**	**23**	**33**	**60**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	4.0	7	2	2	3	5	9	9	9
70-74	10	3.7	2	2	2	4	5	6	6	6
75-79	6	3.8	14	1	1	2	7	10	10	10
80-84	5	2.8	5	1	1	2	4	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	30	12.2	232	1	2	6	11	38	47	64
70-74	25	8.6	31	2	3	8	11	20	20	21
75-79	21	6.1	16	2	2	5	8	12	15	17
80-84	9	8.3	44	2	2	6	13	19	21	21
85+	16	7.4	52	1	2	5	9	18	25	28
TOT. SINGLE DX	37	3.7	6	1	1	3	5	8	9	10
" MULTIPLE DX	101	8.9	95	2	2	6	10	19	24	55
TOTAL 65-69 YRS	45	9.4	171	1	2	4	9	20	42	[illegible]
70-74	35	7.2	27	2	2	5	9	14	20	21
75-79	27	5.6	16	1	1	5	8	12	14	17
80-84	14	6.4	36	1	1	4	8	16	20	21
85+	17	7.1	50	1	2	5	8	18	25	28
GRAND TOTAL	**138**	**7.5**	**76**	**1**	**2**	**5**	**9**	**17**	**21**	**49**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	797	2.4	5	1	1	2	2	3	5	12
70-74	540	2.5	9	1	1	2	2	3	4	14
75-79	259	2.9	22	1	1	2	3	4	7	36
80-84	90	3.2	27	1	1	2	3	4	10	34
85+	54	2.9	10	1	1	2	3	4	9	19
2. MULTIPLE DX										
65-69 YRS	644	5.4	58	1	1	2	6	13	18	39
70-74	434	6.6	83	1	2	3	8	16	24	60
75-79	229	6.5	85	1	2	3	7	18	21	48
80-84	107	8.0	126	1	2	4	10	16	32	59
85+	56	7.7	191	2	2	3	9	19	26	99+
TOT. SINGLE DX	1740	2.5	10	1	1	2	2	3	5	17
" MULTIPLE DX	1470	6.2	80	1	1	3	7	15	22	53
TOTAL 65-69 YRS	1441	3.7	31	1	1	2	3	8	13	29
70-74	974	4.3	46	1	1	2	3	10	16	47
75-79	488	4.6	55	1	1	2	3	10	18	41
80-84	197	5.8	86	1	1	2	5	13	21	51
85+	110	5.3	107	1	2	2	4	13	19	99
GRAND TOTAL	**3210**	**4.2**	**45**	**1**	**1**	**2**	**3**	**9**	**16**	**38**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	11.6	155	1	2	9	16	24	32	74
70-74	54	15.3	132	2	2	14	19	29	44	98
75-79	26	11.8	58	1	2	12	18	21	23	26
80-84	5	6.6	20	2	2	8	10	12	12	12
85+	4	9.0	75	1	1	9	16	17	17	17
2. MULTIPLE DX										
65-69 YRS	96	17.3	269	2	2	13	22	44	57	89
70-74	72	14.0	204	2	2	12	19	27	31	97
75-79	33	22.1	253	2	4	17	32	47	55	56
80-84	9	18.2	315	<1	2	13	23	48	56	56
85+	7	12.6	113	3	4	10	26	80	99+	99+
TOT. SINGLE DX	170	12.6	129	2	2	11	17	26	33	77
" MULTIPLE DX	217	16.8	245	2	2	13	22	38	56	99+
TOTAL 65-69 YRS	177	14.7	224	2	2	11	18	34	54	81
70-74	126	14.6	172	2	2	12	19	29	42	99+
75-79	59	17.5	191	2	2	15	22	38	50	56
80-84	14	14.1	233	<1	2	9	18	39	52	56
85+	11	11.3	93	1	2	10	17	54	93	99+
GRAND TOTAL	**387**	**15.0**	**198**	**2**	**2**	**12**	**19**	**33**	**51**	**94**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	19.1	121	10	10	15	22	35	39	68
70-74	56	17.0	68	10	11	15	18	29	44	96
75-79	28	20.7	103	10	11	18	28	37	52	99+
80-84	7	27.7	115	15	15	26	35	43	45	45
85+	5	13.4	3	11	11	13	14	16	16	16
2. MULTIPLE DX										
65-69 YRS	172	26.5	238	12	12	21	31	47	60	82
70-74	118	26.8	307	10	11	21	34	55	63	95
75-79	65	28.7	363	11	13	22	36	64	92	99+
80-84	24	24.5	177	12	13	20	31	51	71	99+
85+	9	36.9	758	12	13	26	61	78	90	90
TOT. SINGLE DX	180	18.9	102	10	11	15	22	35	41	93
" MULTIPLE DX	388	27.1	287	11	12	21	34	54	66	99
TOTAL 65-69 YRS	256	24.1	211	11	12	19	29	43	55	80
70-74	174	23.6	250	10	11	18	29	49	58	98
75-79	93	26.3	297	11	11	21	34	58	87	99+
80-84	31	25.3	160	12	13	21	33	47	61	99+
85+	14	28.5	604	11	12	15	34	64	84	90
GRAND TOTAL	**568**	**24.5**	**243**	**10**	**11**	**19**	**30**	**46**	**61**	**99**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	18.8	172	8	8	16	21	41	48	48
70-74	7	19.1	207	7	7	8	34	37	38	38
75-79	4	15.3	329	2	2	8	26	42	42	42
80-84	5	11.0	19	6	6	12	14	16	16	16
85+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	57	33.4	532	6	8	31	52	87	99+	99+
70-74	44	30.4	330	5	9	33	55	99+	99+	99+
75-79	21	31.4	274	11	12	29	45	57	57	57
80-84	18	29.2	420	7	9	29	44	73	92	99+
85+	7	28.6	445	5	6	31	53	89	99+	99+
TOT. SINGLE DX	26	15.9	160	2	6	11	18	38	43	48
" MULTIPLE DX	147	31.5	409	5	9	31	52	93	99+	99+
TOTAL 65-69 YRS	65	31.6	508	7	8	26	50	85	99+	99+
70-74	51	28.9	324	5	7	32	50	99+	99+	99+
75-79	25	28.8	306	6	10	25	42	57	57	57
80-84	23	25.3	387	6	7	19	33	61	87	99+
85+	9	23.7	436	1	3	20	40	82	99+	99+
GRAND TOTAL	173	29.1	402	5	8	29	48	83	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	13.3	270	2	2	7	18	44	62	94
70-74	58	8.3	157	1	1	3	12	19	36	62
75-79	28	13.2	381	1	1	4	19	42	66	76
80-84	15	11.1	134	2	2	8	17	22	39	45
85+	10	10.5	63	1	1	8	18	22	25	25
2. MULTIPLE DX										
65-69 YRS	360	32.5	563	2	3	31	52	79	92	99+
70-74	301	35.3	571	3	5	35	53	79	95	99+
75-79	192	33.9	583	2	5	33	57	83	99+	99+
80-84	109	38.2	549	4	8	39	63	88	99+	99+
85+	62	29.4	376	2	3	28	42	57	80	99+
TOT. SINGLE DX	180	11.4	229	1	2	5	15	31	51	74
" MULTIPLE DX	1024	34.0	559	2	4	33	54	80	99+	99+
TOTAL 65-69 YRS	429	29.4	565	2	2	26	48	72	89	99+
70-74	359	30.9	602	2	2	29	49	76	92	99+
75-79	220	31.2	603	2	3	30	55	78	99+	99+
80-84	124	34.9	577	3	5	36	59	86	99+	99+
85+	72	26.8	374	2	3	24	41	56	74	99+
GRAND TOTAL	1204	30.6	574	2	3	29	50	76	95	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	797	8.2	75	1	1	6	11	17	23	43
70-74	651	8.8	76	1	2	7	12	19	25	48
75-79	437	9.9	94	2	2	7	13	22	29	50
80-84	193	10.4	80	2	2	8	14	21	27	46
85+	80	10.6	52	2	2	9	17	21	23	27
2. MULTIPLE DX										
65-69 YRS	2787	13.5	122	2	3	11	18	26	35	58
70-74	2443	13.8	126	2	3	11	18	27	34	58
75-79	1692	14.6	134	3	4	12	19	29	37	58
80-84	761	16.6	147	3	5	14	22	32	39	68
85+	365	17.1	172	3	5	14	22	32	44	71
TOT. SINGLE DX	2158	9.0	79	1	2	6	12	19	25	49
" MULTIPLE DX	8048	14.3	131	2	3	11	19	28	36	59
TOTAL 65-69 YRS	3584	12.3	116	2	2	10	16	25	33	57
70-74	3094	12.8	119	2	3	10	17	25	33	57
75-79	2129	13.7	130	2	3	11	18	28	36	57
80-84	954	15.3	140	2	4	13	20	30	37	59
85+	445	16.0	157	2	3	13	21	30	42	68
GRAND TOTAL	10206	13.2	125	2	3	10	17	26	34	58

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	9.5	5	8	8	9	11	11	11	11
70-74	4	7.5	23	2	2	8	11	12	12	12
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	10	15.1	61	7	7	13	23	26	27	27
70-74	3	8.3	86	2	2	4	15	19	19	19
75-79	2	11.5	13	9	9	11	14	14	14	14
80-84	1	20.0		20	20	20	20	20	20	20
85+	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	7	7.9	14	2	3	8	11	12	12	12
" MULTIPLE DX	17	13.9	57	3	5	14	19	25	26	27
TOTAL 65-69 YRS	12	14.2	55	7	7	11	21	26	27	27
70-74	7	7.9	40	2	2	5	12	18	19	19
75-79	3	9.7	16	6	6	9	13	14	14	14
80-84	1	20.0		20	20	20	20	20	20	20
85+	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	24	12.2	51	2	4	11	18	23	26	27

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	521	13.6	89	2	3	12	18	24	29	50
70-74	350	13.2	64	2	3	12	18	23	27	34
75-79	213	12.3	92	1	2	11	16	26	30	41
80-84	91	13.4	141	1	2	11	17	32	41	55
85+	29	11.0	71	1	1	9	17	21	25	36
2. MULTIPLE DX										
65-69 YRS	1441	18.0	150	4	6	15	23	33	41	69
70-74	1077	18.0	158	3	5	15	23	33	42	64
75-79	680	18.5	167	3	5	16	25	35	44	65
80-84	255	17.3	174	2	4	15	23	34	37	64
85+	110	17.7	112	4	5	17	24	32	40	48
TOT. SINGLE DX	1204	13.2	86	2	3	12	17	24	29	45
" MULTIPLE DX	3563	18.0	156	3	5	15	23	34	41	66
TOTAL 65-69 YRS	1962	16.8	137	3	5	14	22	31	39	66
70-74	1427	16.8	139	2	4	14	22	31	39	59
75-79	893	17.0	156	2	4	14	23	32	41	64
80-84	346	16.3	168	2	3	13	22	34	38	59
85+	139	16.3	110	2	4	15	22	31	38	46
GRAND TOTAL	4767	16.8	143	3	4	14	22	31	39	63

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	318	17.1	67	8	9	15	20	28	32	51
70-74	217	17.4	66	9	10	16	21	28	32	39
75-79	94	18.3	50	8	10	18	23	28	32	38
80-84	25	17.0	61	7	9	15	21	31	32	33
85+	5	27.6	645	9	9	19	39	71	71	71
2. MULTIPLE DX										
65-69 YRS	773	21.5	129	9	10	19	27	35	41	65
70-74	510	22.3	142	9	11	19	27	37	46	68
75-79	250	23.5	204	9	11	20	28	40	55	89
80-84	51	20.5	66	11	12	19	25	32	39	42
85+	3	16.3	72	8	8	16	23	25	25	25
TOT. SINGLE DX	659	17.5	68	8	9	16	21	28	32	49
" MULTIPLE DX	1587	22.0	144	9	10	19	27	36	43	73
TOTAL 65-69 YRS	1091	20.2	115	9	10	18	25	33	39	63
70-74	727	20.8	124	9	10	18	25	34	42	66
75-79	344	22.1	167	9	11	19	26	36	47	80
80-84	76	19.4	66	9	10	18	25	31	33	42
85+	8	23.4	423	8	8	17	26	58	71	71
GRAND TOTAL	2246	20.7	126	9	10	18	25	34	41	69

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	968	7.8	57	1	2	5	10	17	23	37
70-74	705	8.8	74	1	2	6	12	20	25	39
75-79	427	8.7	64	1	2	6	12	21	25	36
80-84	197	10.1	90	1	2	7	14	23	28	47
85+	89	10.1	82	1	2	8	14	21	23	49
2. MULTIPLE DX										
65-69 YRS	3028	13.1	130	2	3	10	17	26	35	59
70-74	2606	14.2	142	2	3	11	18	29	37	61
75-79	1851	15.1	161	2	3	12	20	31	40	75
80-84	996	16.0	154	3	4	13	21	30	42	68
85+	452	18.2	197	3	5	15	23	34	47	88
TOT. SINGLE DX	2386	8.5	67	1	2	6	11	19	24	38
" MULTIPLE DX	8933	14.4	148	2	3	11	19	29	38	67
TOTAL 65-69 YRS	3996	11.8	117	2	2	9	15	24	32	58
70-74	3311	13.0	132	2	3	10	17	27	35	58
75-79	2278	13.9	149	2	3	11	18	29	37	69
80-84	1193	15.0	148	2	3	12	20	29	39	64
85+	541	16.9	187	2	4	13	21	33	45	87
GRAND TOTAL	11319	13.2	136	2	3	10	17	27	35	61

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	9.2	57	1	1	7	14	20	23	31
70-74	23	18.5	555	1	3	10	22	46	83	98
75-79	29	15.0	186	2	2	10	19	30	50	60
80-84	7	12.4	118	1	2	9	16	31	34	34
85+	3	18.0	409	3	3	10	33	41	41	41
2. MULTIPLE DX										
65-69 YRS	131	15.3	146	3	4	12	20	32	41	64
70-74	99	17.4	266	2	3	13	22	36	57	95
75-79	73	18.3	215	3	4	14	25	35	52	66
80-84	49	16.7	239	2	3	12	21	38	56	65
85+	27	18.3	187	4	7	16	24	27	37	74
TOT. SINGLE DX	99	13.5	229	1	2	9	18	27	40	87
" MULTIPLE DX	379	16.8	205	3	4	13	22	35	45	74
TOTAL 65-69 YRS	168	14.0	133	2	3	11	19	27	39	59
70-74	122	17.6	316	2	3	12	22	36	61	99
75-79	102	17.3	207	2	3	13	23	34	51	65
80-84	56	16.2	224	2	3	11	19	37	54	65
85+	30	18.3	196	3	5	16	25	29	41	74
GRAND TOTAL	478	16.1	211	2	3	12	21	34	43	75

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	222	12.6	114	2	3	10	15	23	33	63
70-74	159	12.5	79	3	4	9	17	25	30	41
75-79	87	11.3	55	3	4	10	15	19	25	38
80-84	44	12.8	105	3	4	9	18	26	36	49
85+	31	10.6	81	2	3	7	14	24	30	39
2. MULTIPLE DX										
65-69 YRS	1137	17.1	171	4	5	13	22	33	43	68
70-74	918	17.4	177	4	5	14	23	34	45	75
75-79	644	18.3	184	4	5	14	25	36	48	71
80-84	340	17.3	147	4	5	15	22	33	45	64
85+	231	18.3	179	5	6	15	23	34	40	79
TOT. SINGLE DX	543	12.3	92	3	4	10	15	24	31	48
" MULTIPLE DX	3270	17.5	173	4	5	14	23	34	45	72
TOTAL 65-69 YRS	1359	16.3	164	4	5	13	21	32	42	67
70-74	1077	16.7	165	4	5	13	22	33	44	74
75-79	731	17.4	173	4	5	14	23	35	46	68
80-84	384	16.8	144	4	5	14	22	33	43	61
85+	262	17.4	173	4	5	14	23	33	39	79
GRAND TOTAL	3813	16.8	165	4	5	13	22	33	43	69

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	297	10.1	81	2	2	8	14	21	25	46
70-74	213	9.8	64	2	2	8	13	20	25	39
75-79	140	10.7	78	2	2	8	14	23	30	40
80-84	55	9.6	78	1	2	8	12	19	25	52
85+	42	9.2	60	1	2	7	13	20	29	31
2. MULTIPLE DX										
65-69 YRS	1021	15.7	160	2	3	13	21	31	41	65
70-74	842	15.5	151	2	3	12	20	31	39	63
75-79	633	16.4	170	3	4	13	22	32	41	67
80-84	365	16.7	124	4	5	14	22	32	43	65
85+	217	16.6	166	3	5	14	21	32	41	67
TOT. SINGLE DX	747	10.1	74	2	2	8	14	20	27	40
" MULTIPLE DX	3078	16.0	156	2	4	13	21	31	41	66
TOTAL 65-69 YRS	1318	14.4	148	2	3	11	19	29	39	62
70-74	1055	14.3	138	2	3	11	19	29	37	62
75-79	773	15.4	158	2	3	12	20	31	40	66
80-84	420	15.7	124	3	4	14	21	29	41	64
85+	259	15.4	156	2	3	13	20	30	40	65
GRAND TOTAL	3825	14.8	145	2	3	12	20	30	39	63

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	184	16.8	51	10	11	15	20	26	31	43
70-74	92	17.3	57	8	10	16	20	28	32	78
75-79	40	19.4	98	8	11	16	21	37	43	45
80-84	13	17.9	160	2	5	15	24	33	46	49
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	724	22.1	157	10	11	19	27	37	50	90
70-74	467	24.1	186	10	12	20	29	43	53	85
75-79	205	24.7	206	10	12	21	30	44	51	97
80-84	42	25.0	224	6	11	22	34	48	51	79
85+	8	20.6	189	4	5	17	30	42	43	43
TOT. SINGLE DX	330	17.3	63	8	11	15	20	28	33	48
" MULTIPLE DX	1446	23.2	176	10	12	20	28	41	51	90
TOTAL 65-69 YRS	908	21.0	140	10	11	18	25	35	45	86
70-74	559	23.0	171	10	12	19	28	42	49	85
75-79	245	23.8	191	10	12	20	30	43	49	95
80-84	55	23.3	215	5	8	20	30	47	50	78
85+	9	19.4	178	4	6	17	25	41	43	43
GRAND TOTAL	1776	22.1	160	10	11	19	27	39	48	87

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	910	15.2	45	9	9	13	18	23	27	43
70-74	357	15.9	38	9	10	14	18	23	28	40
75-79	78	15.9	34	8	9	16	19	24	26	31
80-84	8	18.0	168	4	6	16	18	39	48	48
85+	6	14.7	6	12	12	14	17	18	18	18
2. MULTIPLE DX										
65-69 YRS	3096	17.3	85	9	10	15	20	28	34	58
70-74	1389	19.6	113	10	11	17	23	32	42	69
75-79	392	20.5	97	10	11	18	25	34	42	61
80-84	57	21.4	178	8	9	19	26	37	42	74
85+	12	30.2	419	8	8	27	42	65	66	66
TOT. SINGLE DX	1359	15.5	43	9	10	14	18	23	27	42
" MULTIPLE DX	4946	18.3	97	9	10	15	22	30	37	64
TOTAL 65-69 YRS	4006	16.8	77	9	10	14	19	27	32	56
70-74	1746	18.8	100	9	10	16	22	31	39	64
75-79	470	19.7	89	9	11	17	24	32	39	59
80-84	65	21.0	176	8	9	18	25	38	44	73
85+	18	25.0	329	8	9	17	31	60	66	66
GRAND TOTAL	6305	17.7	87	9	10	15	21	28	35	59

573. Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1668	4.0	23	1	2	2	4	8	12	21
70-74	692	4.4	26	1	2	2	5	10	14	24
75-79	165	5.2	32	1	2	2	7	12	16	24
80-84	30	5.6	50	1	2	3	5	19	25	26
85+	15	6.0	50	2	2	3	7	12	25	29
2. MULTIPLE DX										
65-69 YRS	6076	6.6	50	2	2	4	9	15	20	34
70-74	2841	7.9	65	2	2	5	10	17	23	39
75-79	976	9.3	75	2	2	7	13	21	28	38
80-84	195	11.1	134	2	2	8	14	24	33	49
85+	74	10.9	103	2	2	9	15	19	29	56
TOT. SINGLE DX	2570	4.2	25	1	2	2	4	9	14	24
" MULTIPLE DX	10162	7.4	60	2	2	4	10	16	22	37
TOTAL 65-69 YRS	7744	6.1	45	2	2	3	8	14	19	32
70-74	3533	7.2	59	2	2	4	10	16	21	38
75-79	1141	8.7	71	2	2	6	12	20	26	38
80-84	225	10.4	126	2	2	7	13	24	31	48
85+	89	10.1	96	2	2	8	14	19	29	55
GRAND TOTAL	**12732**	**6.7**	**54**	**2**	**2**	**4**	**9**	**16**	**20**	**35**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	986	6.9	48	2	2	5	8	15	20	30
70-74	1349	6.3	31	1	2	5	8	13	18	27
75-79	1428	6.3	29	2	2	5	8	13	16	27
80-84	1178	6.3	33	1	2	5	8	13	17	26
85+	971	6.7	44	2	2	5	9	13	18	31
2. MULTIPLE DX										
65-69 YRS	3924	13.6	103	2	4	11	18	26	33	52
70-74	5321	13.2	104	2	3	11	18	26	32	54
75-79	6221	13.4	106	2	3	11	18	26	32	53
80-84	5263	13.6	118	2	3	11	18	28	36	53
85+	4230	13.3	108	2	3	11	18	26	34	54
TOT. SINGLE DX	5912	6.5	36	2	2	5	8	13	18	29
" MULTIPLE DX	24959	13.4	108	2	3	11	18	26	33	53
TOTAL 65-69 YRS	4910	12.3	99	2	3	10	17	24	31	50
70-74	6670	11.8	97	2	3	9	16	24	30	51
75-79	7649	12.1	99	2	3	9	16	25	31	49
80-84	6441	12.3	111	2	3	9	16	25	33	51
85+	5201	12.1	103	2	3	9	16	25	32	52
GRAND TOTAL	**30871**	**12.1**	**102**	**2**	**3**	**9**	**16**	**25**	**31**	**51**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	11.9	128	2	2	9	12	29	41	51
70-74	23	10.5	39	1	3	11	15	18	22	25
75-79	26	11.0	25	4	5	10	12	19	21	22
80-84	8	8.0	18	2	3	7	11	14	15	15
85+	4	5.8	35	1	1	4	10	14	14	14
2. MULTIPLE DX										
65-69 YRS	226	18.4	169	5	7	15	22	33	43	82
70-74	161	20.8	169	5	8	18	25	37	45	79
75-79	100	17.8	130	3	7	15	23	35	41	51
80-84	39	24.2	367	1	5	16	36	56	66	69
85+	25	18.0	80	6	6	18	21	31	34	42
TOT. SINGLE DX	102	10.8	70	2	3	10	13	19	26	46
" MULTIPLE DX	551	19.4	174	5	7	16	24	36	46	76
TOTAL 65-69 YRS	267	17.4	167	4	5	14	21	33	41	79
70-74	184	19.5	165	4	6	17	25	36	44	78
75-79	126	16.4	116	3	6	14	21	32	38	51
80-84	47	21.4	344	2	5	15	30	52	66	69
85+	29	16.3	91	2	6	16	21	30	32	42
GRAND TOTAL	**653**	**18.0**	**167**	**3**	**6**	**15**	**23**	**35**	**44**	**70**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	336	4.5	29	1	1	2	4	12	17	24
70-74	288	4.6	35	1	1	2	4	11	15	31
75-79	152	5.3	52	1	1	2	5	12	22	37
80-84	68	6.1	80	1	1	2	7	20	27	89
85+	39	9.1	102	2	2	4	14	26	35	37
2. MULTIPLE DX										
65-69 YRS	604	13.5	197	2	2	9	19	32	40	82
70-74	531	14.8	186	2	2	11	20	32	42	72
75-79	405	16.4	202	2	2	13	22	32	43	77
80-84	217	19.2	205	3	4	16	26	36	48	80
85+	179	20.0	244	2	4	16	28	38	53	89
TOT. SINGLE DX	883	5.0	42	1	1	2	5	13	19	35
" MULTIPLE DX	1936	15.7	205	2	2	12	21	33	43	81
TOTAL 65-69 YRS	940	10.3	156	1	2	5	15	25	36	74
70-74	819	11.2	156	1	2	6	16	28	36	60
75-79	557	13.3	186	2	2	10	18	29	39	70
80-84	285	16.0	206	2	2	13	24	33	44	89
85+	218	18.1	236	2	2	15	26	36	48	86
GRAND TOTAL	**2819**	**12.3**	**179**	**1**	**2**	**8**	**18**	**29**	**39**	**72**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	537	6.8	29	3	3	5	8	12	15	29
70-74	288	6.9	29	3	3	5	8	13	17	28
75-79	106	7.7	34	3	3	6	9	15	20	33
80-84	42	10.2	98	3	3	5	12	23	29	49
85+	15	13.3	212	2	3	7	19	27	49	57
2. MULTIPLE DX										
65-69 YRS	498	11.3	108	3	4	8	14	22	34	55
70-74	304	12.0	124	3	4	8	15	25	38	81
75-79	156	15.2	179	4	4	11	20	33	45	66
80-84	74	15.4	114	3	5	13	21	29	37	52
85+	32	19.4	248	3	4	16	23	42	52	70
TOT. SINGLE DX	988	7.2	36	3	3	5	8	13	19	32
" MULTIPLE DX	1064	12.6	131	3	4	9	16	26	38	61
TOTAL 65-69 YRS	1035	9.0	72	3	3	6	10	18	25	49
70-74	592	9.6	84	3	3	6	12	21	28	46
75-79	262	12.2	134	3	4	8	15	25	36	60
80-84	116	13.6	113	3	3	10	20	27	35	51
85+	47	17.4	239	3	3	13	22	39	53	70
GRAND TOTAL	2052	10.0	92	3	3	6	12	21	28	54

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	753	12.9	63	3	6	12	15	20	26	46
70-74	479	13.7	74	3	5	12	17	22	30	45
75-79	289	14.8	63	6	7	13	18	24	29	44
80-84	109	15.8	56	7	8	14	20	28	32	62
85+	53	19.1	151	8	9	18	22	31	44	77
2. MULTIPLE DX										
65-69 YRS	2743	19.3	188	6	8	15	24	37	50	82
70-74	2118	20.5	202	6	8	16	25	40	51	83
75-79	1298	22.6	234	7	9	19	28	43	57	92
80-84	579	23.5	198	8	10	19	30	44	56	99+
85+	287	24.5	187	9	11	21	33	46	54	99+
TOT. SINGLE DX	1683	13.8	70	4	6	12	17	23	29	46
" MULTIPLE DX	7025	20.9	204	6	8	17	26	40	53	90
TOTAL 65-69 YRS	3496	18.0	168	5	7	14	21	35	46	75
70-74	2597	19.3	186	5	7	16	23	37	48	78
75-79	1587	21.2	212	6	8	18	26	40	53	89
80-84	688	22.3	184	8	10	19	29	43	54	99+
85+	340	23.7	185	9	10	20	30	44	53	99+
GRAND TOTAL	8708	19.5	186	6	8	16	24	37	49	83

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	15.7	21	13	13	13	19	21	21	21
70-74	1	19.0		19	19	19	19	19	19	19
75-79	2	13.5	1	13	13	13	14	14	14	14
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	17	21.6	143	9	10	16	33	40	44	46
70-74	6	31.3	240	19	19	23	44	56	57	57
75-79	2	31.5	85	25	25	31	38	38	38	38
80-84										
85+										
TOT. SINGLE DX	6	15.5	13	13	13	14	19	21	21	21
" MULTIPLE DX	25	24.7	170	10	11	21	35	44	49	57
TOTAL 65-69 YRS	20	20.7	127	9	10	15	29	39	43	46
70-74	7	29.6	222	19	19	23	39	54	57	57
75-79	4	22.5	136	13	13	19	31	38	38	38
80-84										
85+										
GRAND TOTAL	31	22.9	152	10	12	19	31	42	46	57

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	5.6	25	1	1	4	7	10	14	31
70-74	36	5.9	58	<1	1	3	7	14	16	42
75-79	23	3.6	28	1	1	1	4	13	16	21
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	945	8.5	84	1	2	6	10	17	27	47
70-74	674	9.0	96	1	2	6	11	20	27	57
75-79	406	9.0	77	1	2	6	12	21	28	43
80-84	113	9.4	74	2	3	8	11	18	22	54
85+	31	10.4	125	<1	2	7	11	23	42	50
TOT. SINGLE DX	116	5.3	35	1	1	4	7	12	15	35
" MULTIPLE DX	2169	8.8	86	1	2	6	10	19	27	50
TOTAL 65-69 YRS	998	8.3	81	1	2	6	10	16	25	46
70-74	710	8.9	95	1	2	6	11	19	27	56
75-79	429	8.7	76	1	1	6	11	20	27	42
80-84	115	9.3	73	1	2	8	11	17	22	53
85+	33	10.0	120	<1	2	7	11	23	40	50
GRAND TOTAL	2285	8.6	84	1	2	6	10	18	27	49

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2104	11.0	55	3	4	10	14	19	24	40
70-74	1651	11.3	54	3	4	10	14	19	24	37
75-79	1048	11.9	55	3	4	11	15	21	26	42
80-84	444	11.9	68	3	5	10	15	20	26	40
85+	197	13.2	82	3	4	11	17	24	31	43
2. MULTIPLE DX										
65-69 YRS	6768	16.3	169	4	5	13	20	32	42	76
70-74	5810	17.0	166	4	5	14	21	34	44	74
75-79	3869	17.8	177	4	6	14	23	35	46	80
80-84	1867	18.8	189	4	6	15	24	36	47	80
85+	1018	19.4	203	4	6	16	25	40	50	92
TOT. SINGLE DX	5444	11.4	57	3	4	10	14	20	25	40
" MULTIPLE DX	19332	17.2	174	4	5	14	22	34	45	77
TOTAL 65-69 YRS	8872	15.0	147	3	5	12	18	29	38	71
70-74	7461	15.7	147	4	5	13	19	31	40	69
75-79	4917	16.5	156	4	5	13	21	32	43	75
80-84	2311	17.5	173	4	6	14	22	34	44	75
85+	1215	18.4	189	4	6	15	23	37	48	87
GRAND TOTAL	**24776**	**15.9**	**154**	**4**	**5**	**13**	**20**	**31**	**41**	**72**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	591	8.2	54	1	2	6	11	18	21	34
70-74	448	9.1	65	2	2	7	12	18	23	40
75-79	273	8.1	48	2	2	6	11	17	23	36
80-84	145	8.4	70	1	2	6	10	16	21	47
85+	77	8.5	70	2	2	6	11	18	28	44
2. MULTIPLE DX										
65-69 YRS	1545	12.5	117	2	3	10	17	25	34	61
70-74	1234	13.0	116	2	3	10	17	26	33	56
75-79	810	13.4	115	2	3	11	17	27	38	53
80-84	440	13.5	93	2	3	11	19	27	31	46
85+	289	15.6	157	2	3	13	22	31	41	99
TOT. SINGLE DX	1534	8.5	59	2	2	6	11	18	22	38
" MULTIPLE DX	4318	13.1	117	2	3	10	17	26	35	58
TOTAL 65-69 YRS	2136	11.3	103	2	2	9	15	23	31	57
70-74	1682	11.9	105	2	3	9	16	24	32	53
75-79	1083	12.1	103	2	3	10	16	25	34	50
80-84	585	12.2	92	2	3	10	17	25	30	46
85+	366	14.1	147	2	3	11	20	28	39	93
GRAND TOTAL	**5852**	**11.9**	**106**	**2**	**2**	**9**	**16**	**24**	**32**	**54**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	153	11.2	89	3	4	9	13	22	28	98
70-74	112	10.3	49	2	3	9	13	21	25	34
75-79	46	12.1	57	4	6	10	14	20	32	36
80-84	21	9.0	30	3	4	6	12	16	20	24
85+	14	9.5	31	1	4	9	13	17	21	22
2. MULTIPLE DX										
65-69 YRS	402	14.0	125	3	5	11	17	29	38	78
70-74	267	14.4	156	3	4	11	19	25	38	59
75-79	179	14.2	111	4	4	11	19	30	39	86
80-84	98	16.1	209	4	5	11	20	31	43	86
85+	56	14.4	161	4	4	9	18	35	42	66
TOT. SINGLE DX	346	10.8	66	3	4	9	13	21	27	55
" MULTIPLE DX	1002	14.4	141	3	5	11	18	29	38	75
TOTAL 65-69 YRS	555	13.2	116	3	5	10	16	27	37	94
70-74	379	13.2	127	3	4	10	17	24	35	53
75-79	225	13.8	101	4	5	11	17	30	38	67
80-84	119	14.8	185	4	5	10	18	29	40	86
85+	70	13.4	138	4	4	9	16	28	39	63
GRAND TOTAL	**1348**	**13.5**	**124**	**3**	**4**	**10**	**17**	**27**	**37**	**67**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	21.5	5	20	20	21	23	23	23	23
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX	1	3.0		3	3	3	3	3	3	3
" MULTIPLE DX	2	21.5	5	20	20	21	23	23	23	23
TOTAL 65-69 YRS	2	21.5	5	20	20	21	23	23	23	23
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
GRAND TOTAL	**3**	**15.3**	**116**	**3**	**3**	**20**	**22**	**23**	**23**	**23**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	714	10.8	92	2	3	8	13	22	29	49
70-74	642	10.9	88	2	3	8	14	23	29	51
75-79	436	11.2	104	2	3	8	14	22	28	51
80-84	271	11.4	81	2	3	9	15	21	29	41
85+	200	11.4	60	3	4	9	15	21	25	42
2. MULTIPLE DX										
65-69 YRS	4030	14.6	136	3	4	11	19	30	38	65
70-74	4154	14.6	136	3	4	11	18	29	38	70
75-79	3943	14.9	133	3	5	12	19	28	38	63
80-84	2882	15.7	153	4	5	12	20	30	39	73
85+	2145	16.1	141	4	5	13	20	31	40	63
TOT. SINGLE DX	2263	11.0	89	2	3	9	14	22	28	49
" MULTIPLE DX	17154	15.0	139	3	5	12	19	29	38	67
TOTAL 65-69 YRS	4744	14.0	131	3	4	11	18	29	37	63
70-74	4796	14.1	131	3	4	11	18	28	37	66
75-79	4379	14.5	131	3	4	11	18	28	37	62
80-84	3153	15.3	148	3	5	12	19	29	38	73
85+	2345	15.7	135	4	5	13	20	30	39	62
GRAND TOTAL	19417	14.6	135	3	4	11	18	29	37	65

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	26	17.2	155	2	3	14	28	37	38	39
70-74	14	10.7	48	2	4	8	16	21	23	23
75-79	7	15.9	290	2	2	9	32	41	41	41
80-84	4	13.0	227	<1	<1	8	22	35	35	35
85+	3	11.0	175	1	1	6	21	26	26	26
2. MULTIPLE DX										
65-69 YRS	153	20.2	251	4	5	16	28	40	60	81
70-74	143	20.5	232	4	7	16	26	42	53	95
75-79	112	21.1	253	5	6	17	27	43	54	76
80-84	91	23.8	283	5	7	20	29	48	61	75
85+	76	23.0	197	6	8	20	33	43	52	92
TOT. SINGLE DX	54	14.7	145	1	2	9	23	35	39	41
" MULTIPLE DX	575	21.4	245	5	6	17	28	43	54	84
TOTAL 65-69 YRS	179	19.8	237	3	5	16	28	38	56	81
70-74	157	19.6	223	4	5	16	25	39	52	94
75-79	119	20.8	254	4	5	16	27	43	53	75
80-84	95	23.3	283	4	6	19	29	46	60	75
85+	79	22.6	199	5	7	20	32	42	52	91
GRAND TOTAL	629	20.8	239	4	5	17	28	42	54	82

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	323	8.4	90	1	2	6	10	19	25	54
70-74	300	8.0	54	1	1	6	11	19	25	33
75-79	240	7.8	101	1	1	5	9	17	22	65
80-84	139	8.3	86	1	2	5	10	20	27	46
85+	112	8.2	59	1	2	6	11	15	25	39
2. MULTIPLE DX										
65-69 YRS	1352	11.6	134	2	2	8	15	24	34	64
70-74	1209	11.9	140	2	2	9	14	26	37	64
75-79	1014	12.1	133	2	2	9	15	25	35	63
80-84	665	12.6	151	2	3	9	15	27	38	79
85+	472	13.5	162	2	3	10	17	28	38	82
TOT. SINGLE DX	1114	8.1	79	1	1	5	10	18	25	44
" MULTIPLE DX	4712	12.1	141	2	2	9	15	25	36	67
TOTAL 65-69 YRS	1675	11.0	127	2	2	8	14	23	32	61
70-74	1509	11.1	125	1	2	8	14	24	35	59
75-79	1254	11.3	129	2	2	8	14	23	34	63
80-84	804	11.9	143	2	2	8	15	26	37	74
85+	584	12.5	147	2	2	9	16	26	35	78
GRAND TOTAL	5826	11.4	131	2	2	8	14	24	34	64

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	13.6	78	4	6	9	18	29	31	31
70-74	16	19.1	199	7	9	14	19	47	52	54
75-79	5	15.4	74	8	8	13	22	28	28	28
80-84	5	14.2	24	7	7	14	18	20	20	20
85+	2	39.5	1513	12	12	39	67	67	67	67
2. MULTIPLE DX										
65-69 YRS	41	17.0	87	5	8	15	21	39	61	99+
70-74	48	24.6	312	8	9	20	29	51	63	86
75-79	40	24.1	256	7	8	20	37	45	55	69
80-84	19	30.5	350	12	13	25	39	63	70	71
85+	15	25.7	177	10	11	27	40	91	99+	99+
TOT. SINGLE DX	39	17.5	182	6	7	13	20	33	51	67
" MULTIPLE DX	163	23.4	245	8	9	19	30	48	69	99+
TOTAL 65-69 YRS	52	16.3	85	5	7	14	21	35	40	99+
70-74	64	23.2	286	8	9	17	28	48	58	85
75-79	45	23.2	242	8	8	19	34	45	52	69
80-84	24	27.1	323	10	12	19	33	55	70	71
85+	17	27.3	271	10	11	27	43	87	99+	99+
GRAND TOTAL	**202**	**22.2**	**237**	**7**	**9**	**18**	**28**	**46**	**64**	**99+**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	17.9	131	5	6	16	24	33	44	52
70-74	39	25.8	357	6	8	20	35	61	67	81
75-79	26	15.5	68	3	5	14	18	29	33	35
80-84	21	21.2	301	7	7	17	22	43	65	78
85+	22	25.8	244	8	9	24	35	45	55	68
2. MULTIPLE DX										
65-69 YRS	229	26.9	342	7	10	23	35	59	76	99+
70-74	289	27.1	377	6	8	22	38	62	78	99+
75-79	288	28.1	371	7	8	25	40	67	90	99+
80-84	239	29.6	338	7	10	27	42	67	99	99+
85+	243	28.5	325	7	10	25	39	58	74	99+
TOT. SINGLE DX	157	21.0	227	6	7	17	27	39	53	77
" MULTIPLE DX	1288	28.0	352	7	9	24	39	61	79	99+
TOTAL 65-69 YRS	278	25.3	317	7	8	21	33	52	74	99+
70-74	328	27.0	374	6	8	22	37	62	77	99+
75-79	314	27.1	358	7	8	23	37	59	81	99+
80-84	260	29.0	339	7	10	25	42	65	93	99+
85+	265	28.3	318	7	10	25	39	58	69	99+
GRAND TOTAL	**1445**	**27.3**	**343**	**7**	**9**	**23**	**38**	**59**	**78**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	333	8.5	48	2	2	7	11	15	19	43
70-74	352	8.8	46	1	2	7	11	18	22	37
75-79	246	9.3	66	1	2	7	11	17	22	41
80-84	125	9.8	65	2	2	8	12	18	22	40
85+	112	11.0	49	2	4	9	15	20	23	35
2. MULTIPLE DX										
65-69 YRS	2[illegible]71	11.7	86	3	4	9	15	21	28	49
70-74	2186	11.9	82	3	4	10	15	22	28	49
75-79	1831	12.6	91	3	4	10	16	24	30	51
80-84	1191	14.1	107	3	5	12	17	27	33	60
85+	741	14.5	120	4	6	12	17	26	33	63
TOT. SINGLE DX	1168	9.1	54	2	2	7	11	17	22	39
" MULTIPLE DX	8120	12.6	93	3	4	10	16	23	30	54
TOTAL 65-69 YRS	2504	11.3	82	3	4	9	14	21	27	49
70-74	2538	11.5	78	3	4	9	14	21	27	47
75-79	2077	12.3	89	2	4	10	15	23	30	50
80-84	1316	13.7	105	3	4	11	17	26	32	60
85+	853	14.0	112	4	5	11	17	26	32	61
GRAND TOTAL	**9288**	**12.2**	**89**	**3**	**4**	**10**	**15**	**23**	**29**	**51**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	279	16.5	66	8	9	14	20	26	31	54
70-74	198	17.3	78	8	9	16	20	27	32	71
75-79	152	17.8	63	9	11	16	21	27	33	76
80-84	78	21.3	115	10	10	20	26	38	44	90
85+	42	21.2	86	11	12	18	26	34	41	49
2. MULTIPLE DX										
65-69 YRS	856	21.7	159	9	10	18	26	37	47	75
70-74	755	23.3	181	10	11	20	28	40	51	97
75-79	551	24.9	190	10	12	21	30	44	58	85
80-84	346	25.9	195	10	13	23	31	44	54	88
85+	179	27.5	174	12	13	24	34	48	59	91
TOT. SINGLE DX	749	17.7	77	9	10	16	21	28	34	60
" MULTIPLE DX	2687	23.7	180	10	11	20	29	41	52	85
TOTAL 65-69 YRS	1135	20.4	141	9	10	17	25	34	44	73
70-74	953	22.0	165	9	11	19	26	39	48	94
75-79	703	23.4	171	10	11	20	28	40	53	83
80-84	424	25.0	183	10	12	22	30	43	53	89
85+	221	26.3	163	12	13	24	33	45	56	79
GRAND TOTAL	**3436**	**22.4**	**164**	**9**	**11**	**19**	**27**	**39**	**50**	**82**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	23.7	175	10	12	21	27	34	59	70
70-74	33	21.9	77	13	13	18	25	34	42	50
75-79	12	22.7	317	6	11	17	26	43	70	75
80-84	11	24.6	49	15	16	23	29	34	38	38
85+	2	31.0	98	24	24	31	38	38	38	38
2. MULTIPLE DX										
65-69 YRS	147	27.4	244	12	13	23	33	52	62	91
70-74	116	27.7	248	12	14	22	35	52	63	89
75-79	65	29.3	235	10	13	27	36	57	58	97
80-84	24	34.2	256	13	15	31	48	66	77	99+
85+	11	36.5	212	14	20	38	44	57	65	66
TOT. SINGLE DX	87	23.1	136	12	13	21	27	34	44	73
" MULTIPLE DX	363	28.6	246	12	14	24	36	54	65	98
TOTAL 65-69 YRS	176	26.8	234	11	13	22	32	52	61	88
70-74	149	26.4	216	13	14	21	33	49	55	84
75-79	77	28.3	250	9	13	25	34	56	59	95
80-84	35	31.2	208	14	15	27	44	51	68	99+
85+	13	35.6	189	15	22	38	42	54	64	66
GRAND TOTAL	**450**	**27.5**	**229**	**12**	**13**	**23**	**34**	**51**	**61**	**91**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	14.4	55	7	8	12	18	22	27	49
70-74	85	13.9	49	8	8	13	15	21	24	49
75-79	43	15.4	68	7	8	13	18	25	30	53
80-84	20	16.0	41	7	8	15	20	25	28	29
85+	17	16.4	42	8	10	15	19	23	31	36
2. MULTIPLE DX										
65-69 YRS	289	19.8	144	8	9	16	24	38	47	65
70-74	224	21.1	163	9	10	17	25	38	49	67
75-79	163	23.9	178	10	11	20	29	42	51	87
80-84	107	24.5	146	10	12	22	32	43	51	99+
85+	55	26.9	193	12	13	25	32	43	51	88
TOT. SINGLE DX	279	14.6	53	8	8	13	17	22	27	50
" MULTIPLE DX	838	22.0	163	9	10	19	27	40	49	73
TOTAL 65-69 YRS	403	18.3	125	8	9	15	21	33	43	56
70-74	309	19.1	142	8	9	15	22	35	44	65
75-79	206	22.1	166	9	11	19	27	40	51	83
80-84	127	23.2	138	9	10	21	29	41	47	99+
85+	72	24.4	177	10	12	21	29	41	48	82
GRAND TOTAL	**1117**	**20.2**	**146**	**8**	**9**	**17**	**25**	**37**	**47**	**68**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	182	13.6	87	6	7	11	16	22	27	59
70-74	132	12.9	36	6	7	12	15	20	24	34
75-79	88	14.5	79	6	7	11	17	24	29	52
80-84	63	18.7	114	7	8	16	25	31	40	56
85+	61	19.1	132	7	9	16	22	35	38	63
2. MULTIPLE DX										
65-69 YRS	658	19.1	157	7	9	15	24	36	46	74
70-74	630	22.8	231	7	9	19	28	42	55	89
75-79	527	22.5	197	8	10	19	27	42	53	89
80-84	331	23.5	204	8	10	19	29	42	54	71
85+	237	23.4	159	10	12	20	29	38	46	72
TOT. SINGLE DX	526	14.8	86	6	8	12	18	25	30	55
" MULTIPLE DX	2383	21.9	195	8	9	18	27	40	52	82
TOTAL 65-69 YRS	840	17.9	146	7	8	14	22	33	43	74
70-74	762	21.1	211	7	8	17	26	39	50	85
75-79	615	21.4	188	8	9	18	26	40	52	86
80-84	394	22.7	193	8	9	19	28	40	53	70
85+	298	22.5	156	9	11	19	28	38	46	67
GRAND TOTAL	**2909**	**20.6**	**183**	**7**	**9**	**17**	**25**	**38**	**49**	**77**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	948	4.8	40	1	1	2	6	11	15	30
70-74	706	5.4	35	1	1	3	8	13	18	27
75-79	501	5.8	59	1	1	3	7	13	19	34
80-84	235	6.9	72	1	1	3	8	16	24	36
85+	100	7.4	46	1	1	4	11	17	21	30
2. MULTIPLE DX										
65-69 YRS	2581	10.1	78	1	2	8	14	21	26	46
70-74	2342	10.6	80	2	2	8	14	22	27	45
75-79	1792	12.0	116	2	2	10	16	23	32	60
80-84	1079	13.3	114	2	3	11	16	26	34	58
85+	694	15.8	168	2	3	12	21	32	42	69
TOT. SINGLE DX	2490	5.5	46	1	1	3	7	13	18	32
" MULTIPLE DX	8488	11.5	101	2	2	9	15	23	31	51
TOTAL 65-69 YRS	3529	8.6	73	1	2	6	12	19	24	44
70-74	3048	9.4	74	1	2	7	13	20	26	43
75-79	2293	10.6	110	1	2	8	14	22	30	54
80-84	1314	12.1	112	2	2	10	16	24	33	56
85+	794	14.7	161	2	3	12	19	31	40	67
GRAND TOTAL	**10978**	**10.1**	**95**	**1**	**2**	**8**	**14**	**21**	**28**	**48**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	91	16.6	185	7	7	13	19	28	42	98
70-74	84	17.2	109	8	10	14	20	27	33	69
75-79	67	15.5	51	7	8	13	19	24	26	46
80-84	53	15.9	53	8	9	14	20	27	30	38
85+	57	18.3	98	9	9	15	22	29	44	54
2. MULTIPLE DX										
65-69 YRS	573	23.7	252	8	9	19	28	46	59	99+
70-74	525	23.3	222	8	10	19	29	43	60	81
75-79	460	24.3	209	9	10	20	30	45	54	81
80-84	318	23.1	202	10	10	19	29	41	53	91
85+	245	23.5	177	10	11	20	29	45	52	99+
TOT. SINGLE DX	352	16.7	107	7	9	14	20	26	34	71
" MULTIPLE DX	2121	23.6	219	9	10	19	29	44	57	92
TOTAL 65-69 YRS	664	22.7	248	8	9	18	27	44	58	99+
70-74	609	22.4	211	8	10	18	28	41	57	79
75-79	527	23.2	197	9	10	19	29	43	53	79
80-84	371	22.0	187	9	10	18	27	39	48	87
85+	302	22.5	166	10	11	19	27	43	52	92
GRAND TOTAL	**2473**	**22.6**	**209**	**9**	**10**	**18**	**28**	**42**	**55**	**92**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1387	15.4	52	8	9	14	18	23	28	42
70-74	1181	15.7	50	9	10	14	18	23	28	44
75-79	903	17.3	69	9	10	15	20	28	34	50
80-84	517	18.3	91	9	10	16	21	28	35	53
85+	339	19.6	98	10	11	17	23	32	39	53
2. MULTIPLE DX										
65-69 YRS	4418	20.2	134	9	10	17	24	34	44	77
70-74	4362	20.8	132	10	11	18	24	35	44	68
75-79	3898	22.6	153	10	11	19	27	38	49	78
80-84	2556	23.7	151	11	12	21	28	40	49	72
85+	1667	24.9	154	11	13	22	31	41	49	80
TOT. SINGLE DX	4327	16.6	65	9	10	15	19	26	31	48
" MULTIPLE DX	16901	21.9	145	10	11	19	26	37	47	75
TOTAL 65-69 YRS	5805	19.0	118	9	10	16	22	32	40	71
70-74	5543	19.8	119	9	11	17	23	33	42	65
75-79	4801	21.6	142	10	11	18	26	37	46	73
80-84	3073	22.8	145	10	12	20	27	38	47	69
85+	2006	24.1	148	11	12	21	29	40	48	76
GRAND TOTAL	**21228**	**20.8**	**133**	**10**	**11**	**18**	**25**	**35**	**44**	**71**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	76	17.4	128	7	8	14	21	31	46	60
70-74	63	15.8	46	8	8	14	20	25	28	36
75-79	40	16.7	76	7	9	14	18	34	37	38
80-84	25	16.7	91	8	9	14	19	25	40	49
85+	22	19.3	105	8	9	17	24	39	66	99+
2. MULTIPLE DX										
65-69 YRS	319	23.3	222	8	10	20	30	44	51	96
70-74	319	22.6	230	8	10	18	26	43	59	95
75-79	251	25.6	246	9	11	21	32	44	61	86
80-84	161	24.1	137	10	12	22	31	41	47	71
85+	130	27.3	214	10	11	24	33	48	59	82
TOT. SINGLE DX	226	16.9	89	8	8	14	20	29	37	54
" MULTIPLE DX	1180	24.2	218	9	10	20	30	43	56	90
TOTAL 65-69 YRS	395	22.2	209	8	9	18	28	42	50	94
70-74	382	21.5	206	8	9	18	25	41	56	89
75-79	291	24.4	232	9	10	19	32	42	58	[illegible]
80-84	186	23.1	137	10	11	21	30	40	46	70
85+	152	26.1	206	9	11	24	32	48	[illegible]	99
GRAND TOTAL	**1406**	**23.0**	**205**	**8**	**10**	**19**	**29**	**42**	**54**	**86**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	431	11.6	29	4	7	10	14	18	22	32
70-74	377	12.1	64	5	6	11	13	20	25	57
75-79	240	12.6	54	4	6	11	14	20	27	50
80-84	147	12.5	48	4	6	11	15	19	26	43
85+	83	13.0	79	3	5	11	15	23	29	55
2. MULTIPLE DX										
65-69 YRS	954	16.8	144	6	7	13	20	31	41	71
70-74	1021	17.1	138	6	8	14	21	32	42	79
75-79	697	17.7	127	6	8	14	22	32	41	58
80-84	450	19.6	180	7	8	15	23	38	50	79
85+	282	19.0	133	8	9	16	24	34	40	73
TOT. SINGLE DX	1278	12.1	49	4	6	11	14	19	24	45
" MULTIPLE DX	3404	17.6	143	6	8	14	21	33	42	71
TOTAL 65-69 YRS	1385	15.2	114	6	7	12	18	27	35	64
70-74	1398	15.8	123	6	7	13	19	28	39	73
75-79	937	16.4	113	6	7	13	20	30	39	56
80-84	597	17.8	157	6	8	14	21	34	45	70
85+	365	17.6	127	6	8	15	22	33	39	66
GRAND TOTAL	**4682**	**16.1**	**124**	**6**	**7**	**13**	**19**	**29**	**39**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	102	18.9	138	6	9	16	24	32	39	69
70-74	99	20.8	151	7	9	18	25	37	45	90
75-79	94	20.7	120	9	11	18	25	32	38	71
80-84	59	22.1	140	6	9	20	28	40	48	56
85+	43	20.3	65	9	12	20	24	30	35	45
2. MULTIPLE DX										
65-69 YRS	640	24.9	212	10	11	21	31	46	58	99+
70-74	597	26.8	247	9	12	22	34	48	64	97
75-79	550	27.5	244	11	13	24	35	48	69	99+
80-84	400	27.4	217	10	13	24	35	51	61	99+
85+	316	27.8	209	11	14	24	34	47	60	79
TOT. SINGLE DX	397	20.4	129	8	10	18	25	34	41	75
" MULTIPLE DX	2503	26.7	228	10	12	23	34	48	62	99+
TOTAL 65-69 YRS	742	24.1	206	9	11	21	30	44	57	99+
70-74	696	25.9	237	9	11	22	32	48	63	97
75-79	644	26.5	232	11	12	23	33	46	66	99+
80-84	459	26.7	210	10	12	23	34	49	59	99+
85+	359	26.9	197	10	13	24	33	45	59	76
GRAND TOTAL	**2900**	**25.8**	**219**	**10**	**12**	**22**	**32**	**46**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	527	8.1	23	3	4	7	10	14	15	31
70-74	344	9.1	25	3	4	8	12	16	19	26
75-79	214	9.4	24	3	4	8	12	16	19	24
80-84	96	10.3	33	4	4	9	14	17	20	33
85+	95	12.1	126	2	4	10	15	21	25	73
2. MULTIPLE DX										
65-69 YRS	664	13.4	87	4	5	11	16	25	28	53
70-74	529	14.9	123	5	6	12	18	25	32	69
75-79	357	15.5	116	5	7	12	18	28	37	67
80-84	202	16.5	110	5	7	13	21	30	39	58
85+	159	17.0	90	5	7	15	22	28	34	53
TOT. SINGLE DX	1276	9.0	33	3	4	8	11	15	19	27
" MULTIPLE DX	1911	14.8	106	5	6	12	18	27	33	61
TOTAL 65-69 YRS	1191	11.1	65	4	4	9	14	20	26	44
70-74	873	12.6	92	4	5	10	16	22	28	56
75-79	571	13.2	90	4	5	11	16	23	31	60
80-84	298	14.5	93	4	5	12	18	28	36	57
85+	254	15.1	109	4	5	13	20	27	32	57
GRAND TOTAL	**3187**	**12.5**	**85**	**4**	**5**	**10**	**15**	**23**	**28**	**53**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	10.8	15	6	6	10	15	16	16	16
70-74	3	6.7		6	6	7	7	7	7	7
75-79	3	11.7	30	8	8	9	16	18	18	18
80-84	2	12.5	13	10	10	12	15	15	15	15
85+	3	9.3		9	9	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	15	13.0	33	6	6	13	19	22	77	99+
70-74	9	12.2	22	7	7	12	16	18	20	20
75-79	8	12.4	23	8	8	11	13	20	23	23
80-84	6	14.7	33	9	9	13	18	23	24	24
85+	5	12.6	18	8	8	12	15	19	19	19
TOT. SINGLE DX	21	10.3	13	6	6	9	13	16	17	18
" MULTIPLE DX	43	12.9	25	6	7	12	16	22	23	99+
TOTAL 65-69 YRS	25	12.1	26	6	6	12	16	22	38	99+
70-74	12	10.8	22	6	6	9	15	17	20	20
75-79	11	12.2	22	8	8	11	14	20	23	23
80-84	8	14.1	27	9	9	13	17	22	24	24
85+	8	11.4	13	8	8	10	13	17	19	19
GRAND TOTAL	**64**	**12.0**	**23**	**6**	**7**	**11**	**15**	**20**	**22**	**89**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	10.6	29	4	5	9	12	20	22	22
70-74	9	12.1	18	7	7	11	15	19	20	20
75-79	6	11.8	111	6	6	7	11	31	33	33
80-84	2	17.0	242	6	6	17	28	28	28	28
85+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	13	17.5	97	5	7	14	24	32	38	40
70-74	22	18.5	208	7	9	16	20	24	46	78
75-79	9	34.3	639	15	15	27	37	76	97	97
80-84	3	23.3	10	21	21	22	26	27	27	27
85+	9	19.4	37	11	12	20	23	29	31	31
TOT. SINGLE DX	28	11.9	47	5	6	9	13	21	28	33
" MULTIPLE DX	56	21.3	234	8	9	19	24	31	43	96
TOTAL 65-69 YRS	23	14.5	77	5	7	12	19	26	33	40
70-74	31	16.7	159	7	8	14	20	23	25	78
75-79	15	25.3	535	6	6	20	32	45	84	97
80-84	5	20.8	78	6	6	22	27	28	28	28
85+	10	18.8	37	11	12	18	22	28	31	31
GRAND TOTAL	84	18.1	190	6	7	15	22	29	36	91

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	458	5.4	28	1	2	4	7	11	15	28
70-74	429	6.1	51	1	2	4	7	13	18	35
75-79	319	6.0	32	2	2	4	7	12	19	29
80-84	261	7.3	50	1	2	5	9	15	20	43
85+	168	6.7	28	2	2	5	9	14	17	26
2. MULTIPLE DX										
65-69 YRS	1138	9.6	82	2	2	7	12	19	26	52
70-74	1025	10.7	79	2	3	8	14	22	28	52
75-79	951	11.9	114	2	3	9	15	25	33	60
80-84	714	13.7	143	3	4	10	17	28	38	62
85+	542	13.5	130	3	4	10	16	29	38	59
TOT. SINGLE DX	1635	6.1	38	1	2	4	8	13	18	30
" MULTIPLE DX	4370	11.5	107	2	3	8	15	23	32	57
TOTAL 65-69 YRS	1596	8.4	70	2	2	6	11	18	23	47
70-74	1454	9.3	75	2	2	7	13	19	26	47
75-79	1270	10.4	100	2	2	7	13	22	30	57
80-84	975	12.0	126	2	3	9	14	25	36	56
85+	710	11.9	114	2	3	9	15	25	33	57
GRAND TOTAL	6005	10.0	94	2	2	7	13	21	29	53

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	5.9	19	2	2	4	8	11	14	25
70-74	58	7.8	60	2	2	6	9	13	18	50
75-79	20	5.6	17	2	2	4	7	11	15	17
80-84	9	9.0	27	4	5	6	11	18	20	20
85+	6	9.8	221	2	2	4	6	37	40	40
2. MULTIPLE DX										
65-69 YRS	134	10.3	92	2	3	6	13	22	25	57
70-74	104	11.9	85	2	2	9	16	24	36	39
75-79	70	15.6	273	3	3	8	22	36	51	81
80-84	31	15.0	322	3	4	8	17	28	73	77
85+	26	15.9	203	2	4	11	18	40	49	53
TOT. SINGLE DX	180	6.7	39	2	2	5	8	13	16	37
" MULTIPLE DX	365	12.6	155	2	3	8	16	26	37	71
TOTAL 65-69 YRS	221	8.5	68	2	3	6	11	20	24	51
70-74	162	10.4	80	2	2	8	13	22	30	39
75-79	90	13.3	233	2	3	7	15	33	45	79
80-84	40	13.7	260	3	4	8	16	25	53	77
85+	32	14.8	205	2	3	10	17	40	47	53
GRAND TOTAL	545	10.6	124	2	3	7	13	23	32	57

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	416	18.0	63	9	11	17	21	28	32	49
70-74	347	19.7	82	9	11	18	24	30	36	56
75-79	231	19.6	82	6	10	19	24	30	33	49
80-84	110	20.8	71	12	12	19	24	30	35	51
85+	63	22.0	122	9	12	19	27	34	37	72
2. MULTIPLE DX										
65-69 YRS	946	22.8	150	10	11	20	28	39	48	84
70-74	946	23.9	151	10	12	21	29	39	49	69
75-79	690	25.1	161	10	12	22	31	43	52	72
80-84	396	26.6	215	10	13	23	32	44	59	84
85+	228	28.1	202	11	13	25	35	47	56	73
TOT. SINGLE DX	1167	19.3	77	9	11	18	23	30	35	50
" MULTIPLE DX	3206	24.5	167	10	12	22	30	42	51	75
TOTAL 65-69 YRS	1362	21.4	128	9	11	19	26	35	45	69
70-74	1293	22.8	136	9	12	20	28	36	45	67
75-79	921	23.7	147	9	12	21	29	39	49	69
80-84	506	25.3	189	11	13	22	30	42	54	80
85+	291	26.7	191	10	12	24	33	45	53	74
GRAND TOTAL	4373	23.1	148	10	12	20	28	38	48	72

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	204	7.6	45	1	2	6	11	14	20	31
70-74	168	7.8	37	1	2	6	11	16	20	31
75-79	128	9.3	62	1	2	8	11	18	21	41
80-84	73	7.5	46	1	1	5	11	16	19	36
85+	48	8.6	26	2	3	8	13	16	19	20
2. MULTIPLE DX										
65-69 YRS	1236	12.0	83	2	4	10	16	23	29	50
70-74	1058	13.2	117	2	3	10	17	25	34	57
75-79	877	13.6	111	3	4	11	17	24	38	57
80-84	537	15.0	102	3	4	13	19	27	33	54
85+	328	16.7	147	3	5	14	22	34	39	74
TOT. SINGLE DX	621	8.1	45	1	2	6	11	16	20	32
" MULTIPLE DX	4036	13.4	107	3	4	11	17	26	33	56
TOTAL 65-69 YRS	1440	11.4	80	2	3	9	15	22	28	48
70-74	1226	12.4	110	2	3	10	16	24	32	55
75-79	1005	13.1	107	2	4	11	16	23	36	55
80-84	610	14.1	101	2	4	12	18	27	32	51
85+	376	15.6	139	3	4	13	21	33	38	69
GRAND TOTAL	**4657**	**12.7**	**102**	**2**	**3**	**10**	**16**	**25**	**32**	**54**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	161	4.0	5	2	2	4	5	6	8	14
70-74	93	4.7	13	2	2	4	5	8	10	21
75-79	45	4.8	5	2	2	5	6	8	9	11
80-84	14	5.3	6	1	3	5	7	9	10	10
85+	9	8.3	39	3	3	4	15	18	18	18
2. MULTIPLE DX										
65-69 YRS	306	7.7	69	2	3	5	8	14	23	50
70-74	178	6.8	35	2	3	5	8	12	17	35
75-79	91	7.1	27	3	3	6	8	13	14	33
80-84	43	8.9	43	3	4	6	12	16	21	36
85+	19	13.3	141	3	3	9	19	28	40	49
TOT. SINGLE DX	322	4.5	9	2	2	4	5	7	10	19
" MULTIPLE DX	637	7.6	55	2	3	5	8	14	20	42
TOTAL 65-69 YRS	467	6.4	50	2	2	5	7	11	17	39
70-74	271	6.1	29	2	2	5	7	11	17	32
75-79	136	6.3	20	2	3	5	8	11	13	23
80-84	57	8.0	36	3	4	6	10	15	17	35
85+	28	11.7	111	3	3	8	17	25	31	49
GRAND TOTAL	**959**	**6.6**	**41**	**2**	**3**	**5**	**7**	**12**	**17**	**36**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	4.9	11	2	2	4	6	9	13	18
70-74	70	5.0	14	2	2	4	5	9	13	23
75-79	41	6.3	18	2	2	5	8	12	15	21
80-84	32	5.3	15	1	2	4	7	10	14	18
85+	12	9.5	79	1	2	6	14	21	30	32
2. MULTIPLE DX										
65-69 YRS	310	7.4	50	2	3	6	8	13	17	36
70-74	240	8.0	42	3	3	6	10	15	18	44
75-79	142	8.5	31	3	4	7	11	16	21	25
80-84	62	9.1	44	2	3	7	11	20	23	31
85+	41	11.0	95	3	3	9	12	21	32	50
TOT. SINGLE DX	269	5.4	17	2	2	4	6	10	14	20
" MULTIPLE DX	795	8.1	46	3	3	6	10	15	20	40
TOTAL 65-69 YRS	424	6.7	41	2	3	5	8	12	16	31
70-74	310	7.4	37	2	3	5	9	14	17	41
75-79	183	8.0	29	2	3	6	10	16	21	24
80-84	94	7.8	37	2	2	6	10	18	22	29
85+	53	10.6	90	2	3	9	12	20	31	50
GRAND TOTAL	**1064**	**7.4**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	324	5.7	8	2	3	5	7	9	11	16
70-74	198	6.1	10	2	3	6	7	10	11	18
75-79	103	6.9	10	3	4	6	8	11	14	16
80-84	39	6.6	17	1	2	6	8	12	16	19
85+	24	7.7	51	2	3	5	7	16	23	35
2. MULTIPLE DX										
65-69 YRS	2083	7.8	29	3	4	6	9	13	17	29
70-74	1295	8.3	35	3	4	7	10	15	20	30
75-79	746	9.4	48	3	4	8	11	17	21	38
80-84	290	10.5	58	3	4	8	13	19	26	40
85+	163	10.6	46	3	4	9	14	20	22	38
TOT. SINGLE DX	688	6.1	11	2	3	5	7	10	12	18
" MULTIPLE DX	4577	8.5	37	3	4	7	10	15	20	32
TOTAL 65-69 YRS	2407	7.6	27	3	4	6	9	13	16	27
70-74	1493	8.0	32	3	3	7	9	14	19	29
75-79	849	9.1	44	3	4	7	11	16	21	37
80-84	329	10.0	54	3	4	8	12	19	25	39
85+	187	10.2	47	3	4	8	14	20	22	37
GRAND TOTAL	**5265**	**8.2**	**34**	**3**	**4**	**7**	**10**	**15**	**19**	**31**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	163	5.3	23	1	2	4	6	9	12	29
70-74	110	6.4	30	2	2	5	8	14	17	29
75-79	89	6.2	16	2	3	5	7	10	15	22
80-84	54	7.4	24	2	2	6	9	15	18	23
85+	40	7.1	23	1	2	5	10	15	18	18
2. MULTIPLE DX										
65-69 YRS	365	8.8	58	2	3	6	11	17	24	41
70-74	271	8.5	47	2	3	6	11	17	21	40
75-79	183	10.9	90	3	3	8	13	21	31	50
80-84	103	12.9	176	2	3	9	15	26	42	72
85+	97	11.2	57	3	4	9	14	19	23	44
TOT. SINGLE DX	456	6.1	24	2	2	5	7	12	16	23
" MULTIPLE DX	1019	9.8	75	2	3	7	12	19	25	45
TOTAL 65-69 YRS	528	7.7	50	2	2	5	9	15	20	38
70-74	381	7.9	43	2	3	6	10	16	20	37
75-79	272	9.4	71	2	3	7	11	19	23	48
80-84	157	11.0	130	2	3	8	13	23	32	58
85+	137	10.0	50	3	4	9	13	18	22	43
GRAND TOTAL	1475	8.6	62	2	3	6	10	17	23	43

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	14.6	184	2	2	11	20	36	47	47
70-74	10	13.7	74	3	3	14	16	26	32	32
75-79	5	18.8	128	5	5	20	26	34	34	34
80-84										
85+	3	9.7	176	2	2	2	19	25	25	25
2. MULTIPLE DX										
65-69 YRS	74	19.2	189	3	4	15	28	40	48	53
70-74	47	18.0	185	3	4	15	23	37	45	60
75-79	50	20.9	230	5	6	16	32	40	45	78
80-84	20	18.5	193	3	4	18	21	42	48	52
85+	4	11.3	75	5	5	8	16	24	24	24
TOT. SINGLE DX	28	14.5	124	2	2	13	21	30	35	47
" MULTIPLE DX	195	19.1	196	3	4	16	27	40	46	57
TOTAL 65-69 YRS	84	18.7	188	3	4	14	27	40	47	53
70-74	57	17.3	167	3	4	15	23	35	43	60
75-79	55	20.7	219	5	6	16	32	40	45	76
80-84	20	18.5	193	3	4	18	21	42	48	52
85+	7	10.6	97	2	2	7	20	25	25	25
GRAND TOTAL	223	18.5	188	3	4	15	27	39	46	56

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	383	9.6	102	1	1	7	13	20	26	57
70-74	231	11.1	104	1	1	9	15	23	36	43
75-79	161	10.9	136	1	1	9	14	22	29	76
80-84	51	13.6	97	1	3	12	19	25	32	49
85+	29	12.9	79	1	3	12	17	24	29	41
2. MULTIPLE DX										
65-69 YRS	1771	14.1	128	2	3	12	19	28	35	61
70-74	1469	15.0	138	2	3	12	20	29	35	61
75-79	1023	16.0	138	2	4	13	21	31	38	61
80-84	486	16.5	124	3	5	14	21	31	40	67
85+	244	17.4	141	3	6	14	23	32	38	57
TOT. SINGLE DX	855	10.6	109	1	1	8	15	22	29	54
" MULTIPLE DX	4993	15.2	134	2	3	13	20	29	36	62
TOTAL 65-69 YRS	2154	13.3	127	1	2	11	18	27	34	60
70-74	1700	14.5	135	2	2	12	19	28	35	59
75-79	1184	15.3	141	2	3	12	20	30	37	61
80-84	537	16.2	122	3	5	14	21	31	39	65
85+	273	16.9	136	3	5	14	22	31	38	55
GRAND TOTAL	5848	14.5	133	2	3	12	19	28	36	60

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3742	10.1	22	6	6	9	12	16	18	27
70-74	2552	10.9	28	6	6	9	13	17	21	29
75-79	1430	11.8	26	6	7	11	14	18	21	29
80-84	674	13.2	37	7	7	12	16	21	24	35
85+	381	15.4	64	7	8	14	18	24	28	44
2. MULTIPLE DX										
65-69 YRS	8545	14.3	70	6	7	12	17	24	30	49
70-74	7101	15.6	80	7	8	13	19	26	32	51
75-79	5006	17.2	90	8	9	15	21	28	35	58
80-84	2783	19.8	113	8	9	17	24	33	40	59
85+	1812	21.2	136	9	10	19	26	34	43	67
TOT. SINGLE DX	8779	11.1	29	6	6	10	13	18	21	30
" MULTIPLE DX	25247	16.3	91	7	8	14	20	28	34	55
TOTAL 65-69 YRS	12287	13.0	59	6	7	11	16	21	27	45
70-74	9653	14.4	71	6	7	12	17	24	30	48
75-79	6436	16.0	81	7	8	14	19	27	33	52
80-84	3457	18.5	105	8	9	16	23	31	38	57
85+	2193	20.2	128	8	10	18	24	33	40	66
GRAND TOTAL	34026	15.0	80	6	7	13	18	25	32	51

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	227	14.7	64	2	4	14	18	25	28	41
70-74	197	16.4	129	2	3	15	21	27	34	58
75-79	189	15.9	75	3	4	16	21	28	32	47
80-84	117	18.9	100	5	7	18	24	31	39	53
85+	87	19.3	129	5	7	17	24	36	46	85
2. MULTIPLE DX										
65-69 YRS	704	20.3	133	8	10	18	24	34	43	67
70-74	763	21.6	164	7	10	19	26	37	47	79
75-79	679	22.9	157	8	10	20	28	39	48	76
80-84	532	23.2	120	10	12	21	29	38	45	60
85+	401	25.3	174	10	13	22	30	44	53	70
TOT. SINGLE DX	817	16.5	97	3	5	15	21	28	34	53
" MULTIPLE DX	3079	22.3	151	8	10	20	27	38	47	75
TOTAL 65-69 YRS	931	18.9	122	5	9	17	23	32	40	66
70-74	960	20.5	161	5	8	18	25	35	45	79
75-79	868	21.4	147	6	9	19	27	37	46	75
80-84	649	22.4	119	8	11	20	28	38	45	59
85+	488	24.2	171	8	12	22	29	43	53	71
GRAND TOTAL	**3896**	**21.1**	**146**	**6**	**9**	**19**	**26**	**36**	**45**	**70**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	14.4	161	1	2	12	23	29	40	51
70-74	108	15.9	202	1	2	13	23	31	36	78
75-79	66	16.3	226	1	2	11	21	38	50	62
80-84	37	13.9	139	1	2	12	20	29	36	51
85+	17	14.6	109	2	2	12	19	31	37	39
2. MULTIPLE DX										
65-69 YRS	365	21.4	295	3	4	18	29	43	56	94
70-74	321	20.6	212	2	5	17	30	43	53	99+
75-79	236	21.7	272	2	5	18	28	46	61	76
80-84	111	19.9	159	6	8	17	24	36	47	61
85+	81	21.5	254	3	6	18	26	40	54	88
TOT. SINGLE DX	326	15.2	181	1	2	12	23	31	40	62
" MULTIPLE DX	1114	21.1	249	3	5	18	28	42	54	90
TOTAL 65-69 YRS	463	19.9	274	2	3	16	27	39	51	92
70-74	429	19.4	213	2	3	16	27	41	50	88
75-79	302	20.5	266	2	4	16	27	44	56	74
80-84	148	18.4	160	3	4	16	24	35	47	60
85+	98	20.3	234	3	5	17	26	39	48	84
GRAND TOTAL	**1440**	**19.8**	**240**	**2**	**3**	**16**	**26**	**41**	**52**	**86**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	337	8.0	76	1	1	5	11	18	25	40
70-74	287	8.8	108	1	1	5	12	21	25	56
75-79	207	8.9	98	1	2	6	12	20	28	49
80-84	110	8.5	71	1	2	6	12	17	26	41
85+	69	9.8	69	2	2	8	13	21	24	44
2. MULTIPLE DX										
65-69 YRS	1394	11.5	85	2	3	9	15	23	30	47
70-74	1306	13.1	130	2	3	10	17	26	36	63
75-79	1103	14.0	138	2	3	11	18	28	37	61
80-84	719	15.2	140	3	4	12	19	31	42	63
85+	460	15.2	125	3	4	13	20	30	40	62
TOT. SINGLE DX	1010	8.6	88	1	2	5	12	19	25	45
" MULTIPLE DX	4982	13.3	122	2	3	10	17	27	35	59
TOTAL 65-69 YRS	1731	10.8	85	2	2	9	14	22	29	45
70-74	1593	12.3	129	2	2	9	16	25	34	61
75-79	1310	13.2	135	2	3	10	17	27	36	59
80-84	829	14.3	136	2	3	11	19	29	39	61
85+	529	14.5	121	3	4	12	19	28	39	61
GRAND TOTAL	**5992**	**12.5**	**120**	**2**	**2**	**10**	**16**	**26**	**34**	**58**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5378	5.0	7	2	3	5	6	7	9	13
70-74	4197	5.3	7	2	3	5	6	8	10	14
75-79	2781	5.7	10	3	3	5	7	9	11	16
80-84	1410	6.2	9	3	3	6	8	10	11	18
85+	816	6.6	11	3	3	6	8	10	13	19
2. MULTIPLE DX										
65-69 YRS	5363	7.2	25	3	3	6	8	12	16	28
70-74	4706	8.0	39	3	3	6	9	14	19	34
75-79	3696	8.9	44	3	4	7	11	16	21	36
80-84	2144	10.1	54	3	4	8	12	18	24	40
85+	1402	11.6	78	3	4	9	14	22	29	56
TOT. SINGLE DX	14582	5.4	8	2	3	5	6	8	10	15
" MULTIPLE DX	17311	8.5	43	3	4	7	10	15	20	36
TOTAL 65-69 YRS	10741	6.1	17	3	3	5	7	10	13	23
70-74	8903	6.7	26	3	3	5	8	11	15	27
75-79	6477	7.5	32	3	3	6	9	13	17	30
80-84	3554	8.5	40	3	4	7	10	15	20	35
85+	2218	9.7	59	3	4	8	12	18	25	48
GRAND TOTAL	**31893**	**7.1**	**29**	**3**	**3**	**6**	**8**	**12**	**16**	**29**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	760	5.8	6	3	3	5	7	9	10	15
70-74	605	6.0	7	3	3	6	7	9	11	15
75-79	375	6.5	7	3	4	6	8	10	11	16
80-84	174	7.2	10	3	4	6	9	11	13	18
85+	94	8.3	65	2	3	7	9	13	18	53
2. MULTIPLE DX										
65-69 YRS	937	7.6	20	3	4	6	9	12	17	27
70-74	756	8.6	41	3	4	7	10	15	20	36
75-79	585	9.6	58	4	4	8	11	17	21	40
80-84	348	10.8	52	4	5	9	13	19	24	42
85+	186	11.9	67	4	5	9	15	24	32	99+
TOT. SINGLE DX	2008	6.2	10	3	3	6	7	9	11	16
" MULTIPLE DX	2812	9.0	42	3	4	7	10	16	20	35
TOTAL 65-69 YRS	1697	6.8	15	3	4	6	8	11	14	24
70-74	1361	7.4	28	3	4	6	8	12	16	26
75-79	960	8.4	40	3	4	7	9	14	18	29
80-84	522	9.6	41	4	4	8	11	16	21	35
85+	280	10.7	69	3	5	8	13	21	29	91
GRAND TOTAL	**4820**	**7.8**	**31**	**3**	**4**	**6**	**9**	**13**	**17**	**29**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	284	6.1	14	2	3	5	7	10	12	21
70-74	236	6.4	9	3	3	6	8	10	12	14
75-79	230	6.8	14	3	3	6	8	10	11	29
80-84	156	8.3	24	3	4	8	10	14	19	32
85+	114	8.8	21	3	4	8	11	15	18	25
2. MULTIPLE DX										
65-69 YRS	320	8.9	38	3	4	7	10	17	21	31
70-74	346	9.6	42	3	4	8	12	18	24	35
75-79	314	10.9	84	3	4	9	13	19	25	54
80-84	244	12.9	98	5	5	10	15	25	32	63
85+	207	13.4	91	5	5	11	17	26	32	50
TOT. SINGLE DX	1020	7.0	16	3	3	6	8	11	14	25
" MULTIPLE DX	1431	10.8	69	3	4	8	13	20	26	46
TOTAL 65-69 YRS	604	7.6	29	3	3	6	9	13	18	30
70-74	582	8.3	31	3	4	7	10	15	20	32
75-79	544	9.2	59	3	4	7	10	16	23	35
80-84	400	11.1	74	4	5	9	13	20	27	55
85+	321	11.7	71	4	5	9	14	21	29	47
GRAND TOTAL	**2451**	**9.2**	**51**	**3**	**4**	**7**	**11**	**17**	**23**	**37**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	252	5.6	10	2	2	5	7	10	12	20
70-74	149	5.9	9	2	3	5	8	10	13	14
75-79	64	6.0	16	2	3	5	8	10	11	27
80-84	45	7.8	36	2	3	6	9	13	20	35
85+	34	7.6	27	2	3	7	9	13	16	28
2. MULTIPLE DX										
65-69 YRS	495	10.0	61	3	3	8	12	19	27	40
70-74	305	9.9	41	3	4	8	13	17	24	36
75-79	198	10.7	79	3	4	9	12	19	26	55
80-84	97	11.9	59	3	4	10	17	25	29	67
85+	71	13.3	73	4	5	11	16	27	31	48
TOT. SINGLE DX	544	6.0	14	2	3	5	8	11	12	23
" MULTIPLE DX	1166	10.4	60	3	4	8	13	19	27	41
TOTAL 65-69 YRS	747	8.5	48	2	3	7	10	17	23	37
70-74	454	8.5	34	3	3	7	11	16	20	32
75-79	262	9.6	68	3	3	8	11	16	25	46
80-84	142	10.6	55	3	4	8	14	23	28	39
85+	105	11.5	65	3	3	9	14	19	28	43
GRAND TOTAL	**1710**	**9.0**	**50**	**3**	**3**	**7**	**11**	**17**	**24**	**37**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1010	7.5	15	3	4	7	9	12	14	23
70-74	695	7.7	15	3	4	7	9	13	15	22
75-79	417	8.8	26	3	4	8	10	14	18	28
80-84	177	8.3	17	3	4	7	10	15	17	20
85+	79	9.0	29	3	4	8	11	14	18	31
2. MULTIPLE DX										
65-69 YRS	1544	10.8	53	4	5	9	13	19	24	39
70-74	1247	11.7	71	4	5	10	14	20	26	41
75-79	765	13.2	94	5	5	10	16	25	33	47
80-84	353	13.8	87	4	6	11	17	25	31	58
85+	181	14.5	111	5	6	11	17	30	38	63
TOT. SINGLE DX	2378	7.9	18	3	4	7	9	13	16	24
" MULTIPLE DX	4090	12.0	73	4	5	10	14	22	28	45
TOTAL 65-69 YRS	2554	9.5	41	3	4	8	11	17	22	35
70-74	1942	10.3	55	4	4	8	12	18	23	38
75-79	1182	11.7	74	4	5	9	13	22	28	46
80-84	530	11.9	70	4	5	10	14	21	27	49
85+	260	12.9	92	4	5	10	15	26	33	53
GRAND TOTAL	**6468**	**10.5**	**57**	**4**	**4**	**8**	**12**	**19**	**24**	**41**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	126	11.5	43	4	5	10	14	20	22	40
70-74	82	10.9	32	4	5	10	13	18	22	32
75-79	46	12.3	120	4	5	10	16	20	22	76
80-84	25	12.7	43	4	4	11	16	25	25	26
85+	17	13.8	120	4	4	11	20	27	40	46
2. MULTIPLE DX										
65-69 YRS	372	14.6	98	5	7	12	17	24	30	70
70-74	301	16.1	97	6	7	14	19	29	35	63
75-79	177	17.7	82	7	9	16	22	32	38	46
80-84	84	20.5	162	8	9	18	24	36	42	77
85+	65	19.1	106	8	9	17	22	30	40	59
TOT. SINGLE DX	296	11.7	56	4	5	10	14	21	24	42
" MULTIPLE DX	999	16.4	104	6	8	14	20	28	37	64
TOTAL 65-69 YRS	498	13.8	86	5	6	12	16	23	29	64
70-74	383	15.0	88	5	7	12	18	27	32	51
75-79	223	16.6	94	5	7	14	21	28	37	54
80-84	109	18.7	145	6	8	15	22	34	39	72
85+	82	18.0	112	5	8	15	22	30	41	58
GRAND TOTAL	1295	15.3	97	5	7	13	19	27	35	61

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	341	10.1	76	2	2	8	13	21	27	50
70-74	259	11.1	72	2	3	9	14	25	30	38
75-79	162	12.3	100	2	3	10	15	23	35	46
80-84	104	13.8	123	2	3	11	19	27	37	55
85+	56	13.2	152	2	2	10	19	27	32	75
2. MULTIPLE DX										
65-69 YRS	1073	17.1	165	3	5	14	22	33	43	68
70-74	918	18.6	183	4	5	15	24	36	45	73
75-79	694	18.9	160	4	5	16	25	35	44	66
80-84	369	19.8	180	4	7	17	26	36	44	75
85+	243	19.2	163	4	6	15	25	38	45	73
TOT. SINGLE DX	922	11.4	90	2	3	9	15	24	30	48
" MULTIPLE DX	3297	18.4	171	4	5	15	24	35	44	71
TOTAL 65-69 YRS	1414	15.4	153	2	4	12	20	31	41	67
70-74	1177	16.9	168	3	4	13	22	34	43	69
75-79	856	17.6	155	3	5	15	23	34	43	65
80-84	473	18.5	173	4	5	16	24	35	42	74
85+	299	18.1	166	3	5	15	23	36	44	75
GRAND TOTAL	4219	16.8	162	3	4	14	22	33	42	67

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	377	14.9	79	5	7	12	19	26	33	42
70-74	274	15.7	99	5	7	13	19	28	33	53
75-79	197	16.9	126	6	7	14	21	27	34	67
80-84	128	15.9	97	6	8	14	19	27	31	60
85+	73	17.3	103	5	8	16	22	30	36	57
2. MULTIPLE DX										
65-69 YRS	1244	21.1	183	7	8	18	26	40	50	83
70-74	1036	21.9	208	8	9	18	27	42	53	81
75-79	830	22.7	223	8	10	19	28	42	58	99
80-84	514	24.7	212	9	11	21	30	44	55	92
85+	342	23.9	194	8	10	21	31	43	51	96
TOT. SINGLE DX	1049	15.8	97	6	7	13	20	27	33	49
" MULTIPLE DX	3966	22.4	204	8	9	19	28	41	53	91
TOTAL 65-69 YRS	1621	19.6	166	7	8	16	24	37	46	78
70-74	1310	20.6	191	7	8	17	26	38	51	80
75-79	1027	21.6	209	7	9	18	26	39	52	94
80-84	642	23.0	202	8	10	19	28	42	54	87
85+	415	22.7	184	8	9	20	28	41	50	93
GRAND TOTAL	5015	21.0	189	7	9	17	26	38	50	86

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	5.6	38	1	1	3	6	14	21	25
70-74	39	4.7	37	<1	1	2	4	13	14	32
75-79	14	3.7	10	1	1	3	5	9	11	11
80-84	7	6.9	52	1	1	2	14	18	18	18
85+	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	116	12.0	168	2	2	8	15	29	35	63
70-74	97	16.2	193	2	2	12	23	35	46	64
75-79	52	14.8	165	2	3	12	19	36	52	99
80-84	30	14.9	159	2	2	12	22	36	56	99+
85+	18	14.9	155	1	2	10	20	38	41	41
TOT. SINGLE DX	103	5.0	33	1	1	2	6	13	17	28
" MULTIPLE DX	313	14.2	175	2	2	11	19	33	42	80
TOTAL 65-69 YRS	155	10.4	142	1	2	6	13	24	32	44
70-74	136	12.9	175	1	2	10	17	31	42	60
75-79	66	12.4	153	1	2	9	16	26	46	93
80-84	37	13.4	147	1	2	11	19	32	49	99+
85+	22	12.9	148	1	2	9	19	35	40	41
GRAND TOTAL	416	11.9	155	1	2	9	16	28	39	63

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	387	12.7	64	5	6	11	15	20	25	50
70-74	268	12.8	47	5	7	11	15	21	24	37
75-79	219	13.7	59	5	7	11	16	23	29	45
80-84	130	13.9	40	6	8	13	16	22	25	39
85+	89	15.3	48	8	8	14	19	24	29	40
2. MULTIPLE DX										
65-69 YRS	1021	18.3	168	6	7	14	22	36	47	85
70-74	934	19.4	138	7	8	16	25	35	44	75
75-79	707	20.3	170	7	9	17	25	39	50	68
80-84	452	20.9	162	8	10	17	25	36	47	71
85+	369	22.0	201	8	10	18	27	39	52	84
TOT. SINGLE DX	1093	13.3	55	5	7	11	16	22	27	43
" MULTIPLE DX	3483	19.7	165	7	8	16	24	36	47	74
TOTAL 65-69 YRS	1408	16.7	146	5	7	13	20	32	43	72
70-74	1202	17.9	125	7	8	15	22	33	40	64
75-79	926	18.8	152	7	8	15	22	35	45	67
80-84	582	19.3	143	7	9	16	24	33	44	69
85+	458	20.7	178	8	9	17	25	36	44	80
GRAND TOTAL	4576	18.2	146	6	8	15	22	34	44	69

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	205	14.0	34	8	8	13	17	22	27	32
70-74	167	14.9	36	8	9	14	18	23	26	35
75-79	128	16.3	45	9	10	14	20	25	28	40
80-84	63	17.9	83	9	10	16	22	29	34	58
85+	29	15.7	48	8	8	14	18	25	28	38
2. MULTIPLE DX										
65-69 YRS	728	19.0	130	8	9	16	22	31	42	70
70-74	700	19.5	125	8	9	17	23	33	41	71
75-79	448	20.8	123	9	11	18	25	34	39	70
80-84	251	23.3	143	9	11	20	30	39	47	62
85+	137	24.0	184	9	12	21	30	41	50	77
TOT. SINGLE DX	592	15.3	44	8	9	14	18	23	28	38
" MULTIPLE DX	2264	20.3	134	9	10	18	24	34	43	71
TOTAL 65-69 YRS	933	17.9	113	8	9	15	21	29	38	70
70-74	867	18.6	111	8	9	16	22	31	40	67
75-79	576	19.8	109	9	10	17	24	32	38	67
80-84	314	22.2	135	9	11	19	28	36	46	61
85+	166	22.6	170	9	10	20	28	38	46	71
GRAND TOTAL	2856	19.2	119	8	9	17	23	33	40	68

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	354	10.4	43	2	3	10	13	17	20	39
70-74	227	10.1	36	2	2	10	13	17	20	32
75-79	133	10.6	41	2	2	10	14	19	23	30
80-84	45	12.6	90	1	2	12	17	25	30	43
85+	23	11.1	79	1	2	10	15	22	30	40
2. MULTIPLE DX										
65-69 YRS	847	15.2	121	3	5	12	19	27	35	61
70-74	633	16.1	121	3	5	14	20	30	39	55
75-79	420	17.1	120	4	6	15	22	31	39	54
80-84	189	19.4	173	5	7	16	25	37	44	72
85+	84	19.3	223	4	6	16	23	40	52	78
TOT. SINGLE DX	782	10.5	44	2	2	10	13	17	22	35
" MULTIPLE DX	2173	16.4	131	3	5	14	21	30	39	60
TOTAL 65-69 YRS	1201	13.8	[illegible]	2	4	11	17	25	32	55
70-74	860	14.6	106	3	4	12	18	27	35	52
75-79	553	15.5	109	2	5	13	20	28	36	52
80-84	234	18.1	164	3	5	15	24	36	43	71
85+	107	17.5	203	2	4	15	22	37	46	72
GRAND TOTAL	2955	14.8	115	2	4	12	18	28	36	56

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	388	10.6	20	4	6	10	13	16	19	26
70-74	202	11.5	18	5	7	11	14	17	20	23
75-79	76	12.4	28	6	8	12	15	19	23	30
80-84	28	11.6	42	2	7	11	12	15	29	35
85+	13	11.8	24	4	6	11	14	19	21	21
2. MULTIPLE DX										
65-69 YRS	508	14.6	71	5	7	13	17	24	29	48
70-74	392	15.5	83	6	7	13	19	27	32	52
75-79	239	16.2	118	5	7	14	19	29	35	60
80-84	106	19.7	131	8	9	17	24	32	45	61
85+	42	16.9	60	7	8	16	22	30	31	33
TOT. SINGLE DX	707	11.1	22	5	6	10	13	17	20	27
" MULTIPLE DX	1287	15.6	90	6	8	13	19	27	32	55
TOTAL 65-69 YRS	896	12.8	53	5	7	11	15	22	25	40
70-74	594	14.1	64	6	7	12	17	24	29	49
75-79	315	15.3	99	6	7	13	18	26	32	57
80-84	134	18.0	123	7	8	15	23	31	43	61
85+	55	15.7	56	6	7	14	20	28	30	33
GRAND TOTAL	1994	14.0	70	5	7	12	16	23	30	48

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	16.2	80	7	9	14	18	29	34	48
70-74	30	17.4	46	5	7	18	22	27	28	29
75-79	18	20.8	127	9	12	18	22	37	49	55
80-84	7	19.4	182	5	5	23	26	39	42	42
85+										
2. MULTIPLE DX										
65-69 YRS	161	22.0	164	8	10	19	28	39	49	91
70-74	118	24.5	292	9	10	20	29	47	64	99
75-79	84	24.4	141	10	12	22	30	40	43	68
80-84	27	27.8	212	10	12	24	36	55	56	56
85+	12	16.2	182	2	3	9	29	34	37	37
TOT. SINGLE DX	103	17.6	85	6	8	16	21	28	36	51
" MULTIPLE DX	402	23.5	203	8	10	20	30	41	53	90
TOTAL 65-69 YRS	209	20.7	150	8	10	17	26	35	45	73
70-74	148	23.1	250	7	10	19	27	45	55	99
75-79	102	23.8	139	10	12	21	30	40	43	66
80-84	34	26.1	212	7	8	23	35	54	56	56
85+	12	16.2	182	2	3	9	29	34	37	37
GRAND TOTAL	505	22.3	184	7	10	19	28	40	49	85

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	310	6.5	22	2	2	5	8	12	15	23
70-74	181	6.5	23	2	2	5	9	12	15	23
75-79	100	6.0	20	2	2	5	8	11	16	22
80-84	34	8.6	24	2	4	7	12	17	19	20
85+	17	9.6	179	1	2	6	9	22	46	57
2. MULTIPLE DX										
65-69 YRS	389	9.3	56	2	3	7	12	18	24	40
70-74	322	10.6	67	2	3	8	13	19	30	42
75-79	188	12.7	100	2	3	10	18	25	27	54
80-84	93	12.2	64	3	4	10	16	24	28	36
85+	52	11.3	59	3	3	10	14	22	25	44
TOT. SINGLE DX	642	6.6	26	2	2	5	9	12	16	24
" MULTIPLE DX	1044	10.7	70	2	3	9	13	21	26	43
TOTAL 65-69 YRS	699	8.0	43	2	2	6	10	15	20	36
70-74	503	9.1	55	2	3	7	11	17	24	40
75-79	288	10.4	82	2	2	7	15	22	25	49
80-84	127	11.2	55	3	4	9	14	22	27	[illegible]
85+	69	10.9	87	2	3	9	13	22	25	55
GRAND TOTAL	1686	9.1	57	2	3	7	12	18	24	39

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3557	4.5	27	1	1	3	6	9	13	24
70-74	3075	4.6	26	1	1	3	6	10	14	27
75-79	2087	5.0	30	1	1	3	6	11	14	28
80-84	1261	5.5	37	1	1	3	7	13	17	32
85+	724	6.6	47	1	1	4	8	15	19	35
2. MULTIPLE DX										
65-69 YRS	9856	8.6	75	1	2	6	11	18	25	45
70-74	9522	9.5	92	1	2	7	12	21	28	49
75-79	7973	10.8	109	2	2	8	14	23	31	54
80-84	5335	11.5	108	2	2	9	15	24	31	54
85+	3861	12.6	114	2	3	10	17	26	33	56
TOT. SINGLE DX	10704	4.9	30	1	1	3	6	11	15	27
" MULTIPLE DX	36547	10.2	98	1	2	8	13	22	29	51
TOTAL 65-69 YRS	13413	7.5	65	1	1	5	10	17	23	43
70-74	12597	8.3	80	1	2	6	11	18	26	44
75-79	10060	9.6	98	1	2	7	13	21	28	50
80-84	6596	10.4	100	1	2	8	14	22	30	52
85+	4585	11.7	108	2	2	9	15	24	32	54
GRAND TOTAL	47251	9.0	87	1	2	6	12	20	27	47

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1994	4.8	18	1	2	4	6	9	11	23
70-74	2113	5.1	18	1	2	4	6	9	12	23
75-79	1642	5.4	29	2	2	4	6	10	13	24
80-84	1119	5.7	23	2	2	4	7	10	14	25
85+	714	6.3	23	2	2	5	8	12	15	24
2. MULTIPLE DX										
65-69 YRS	2884	7.2	47	2	2	5	9	14	20	36
70-74	3145	8.0	62	2	2	6	10	16	22	40
75-79	2861	9.1	75	2	2	7	11	19	25	46
80-84	2004	9.7	80	2	3	7	12	19	25	50
85+	1443	11.4	102	2	3	8	15	22	31	53
TOT. SINGLE DX	7582	5.3	22	1	2	4	6	10	13	23
" MULTIPLE DX	12337	8.7	71	2	2	6	11	18	24	45
TOTAL 65-69 YRS	4878	6.2	36	2	2	4	7	12	17	32
70-74	5258	6.8	46	2	2	5	8	14	19	34
75-79	4503	7.8	62	2	2	5	9	16	22	41
80-84	3123	8.3	64	2	2	6	10	17	22	43
85+	2157	9.7	82	2	2	7	12	19	26	45
GRAND TOTAL	**19919**	**7.4**	**55**	**2**	**2**	**5**	**9**	**15**	**21**	**39**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	637	8.6	72	1	2	5	12	19	25	39
70-74	581	9.2	78	1	2	7	13	19	25	38
75-79	467	8.8	75	1	2	6	12	19	24	43
80-84	219	9.4	74	1	2	7	14	19	26	40
85+	160	10.2	72	2	2	8	15	21	25	36
2. MULTIPLE DX										
65-69 YRS	1527	13.3	143	2	2	10	18	28	38	70
70-74	1539	13.8	148	2	3	11	18	29	39	64
75-79	1467	14.7	157	2	3	11	19	31	40	69
80-84	934	14.6	145	2	3	11	20	30	36	67
85+	804	16.8	168	3	4	13	23	34	45	67
TOT. SINGLE DX	2064	9.0	74	1	2	6	13	19	25	40
" MULTIPLE DX	6271	14.4	152	2	3	11	19	30	39	67
TOTAL 65-69 YRS	2164	11.9	126	2	2	9	16	26	33	64
70-74	2120	12.5	133	2	2	10	16	27	35	59
75-79	1934	13.3	144	2	2	10	18	29	37	65
80-84	1153	13.6	136	2	3	11	18	29	35	66
85+	964	15.7	158	3	4	12	21	31	42	63
GRAND TOTAL	**8335**	**13.1**	**138**	**2**	**2**	**10**	**17**	**28**	**36**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	3.1	6	1	1	2	3	8	9	10
70-74	10	4.7	19	1	1	3	8	12	13	13
75-79	8	4.8	20	2	2	3	5	12	15	15
80-84	6	4.3	10	<1	<1	4	5	9	10	10
85+	7	4.4	12	1	1	3	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	105	7.1	49	2	2	5	9	15	19	39
70-74	78	7.1	28	2	2	6	10	14	18	27
75-79	78	8.1	38	2	2	7	12	16	21	81
80-84	34	10.8	111	1	2	8	14	23	27	55
85+	16	10.1	54	2	3	9	14	21	26	28
TOT. SINGLE DX	59	3.9	11	1	1	2	5	9	11	15
" MULTIPLE DX	311	7.9	49	2	2	6	11	16	20	41
TOTAL 65-69 YRS	133	6.3	43	1	2	4	8	14	17	30
70-74	88	6.9	28	1	2	5	10	13	17	26
75-79	86	7.7	37	2	2	6	11	16	19	75
80-84	40	9.8	101	<1	1	7	12	21	26	55
85+	23	8.3	47	1	2	6	11	17	23	28
GRAND TOTAL	**370**	**7.3**	**45**	**1**	**2**	**5**	**10**	**15**	**19**	**32**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	218	5.2	24	1	2	4	7	10	12	30
70-74	175	5.1	15	2	2	4	6	10	13	20
75-79	128	5.5	26	1	2	4	7	10	17	32
80-84	59	4.3	8	1	2	4	6	8	9	16
85+	36	6.1	15	1	2	5	9	12	13	17
2. MULTIPLE DX										
65-69 YRS	429	7.3	67	2	2	5	8	15	20	43
70-74	436	8.0	61	2	2	5	11	17	23	37
75-79	342	8.4	51	2	2	6	11	16	25	34
80-84	163	7.9	58	2	2	5	10	17	23	44
85+	108	10.6	78	3	3	9	14	19	24	52
TOT. SINGLE DX	616	5.2	20	1	2	4	6	10	13	21
" MULTIPLE DX	1478	8.1	62	2	2	5	11	17	23	40
TOTAL 65-69 YRS	647	6.6	54	2	2	4	8	13	18	41
70-74	611	7.2	49	2	2	5	9	16	21	33
75-79	470	7.6	46	2	2	5	10	16	24	34
80-84	222	6.9	47	2	2	5	8	15	21	36
85+	144	9.5	66	2	3	8	12	17	20	45
GRAND TOTAL	**2094**	**7.2**	**51**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	357	4.2	24	1	1	3	5	9	13	21
70-74	328	4.5	16	1	2	3	5	9	12	22
75-79	211	5.3	43	1	1	3	7	9	15	41
80-84	150	4.6	20	1	1	3	5	10	16	22
85+	95	6.7	34	2	2	5	9	15	19	68
2. MULTIPLE DX										
65-69 YRS	1746	8.5	77	1	2	6	11	18	26	40
70-74	1736	8.8	81	1	2	6	11	19	24	46
75-79	1525	10.1	94	2	2	8	13	20	28	52
80-84	1079	10.4	77	2	2	8	13	21	28	44
85+	775	11.6	97	2	3	9	15	24	30	52
TOT. SINGLE DX	1141	4.7	26	1	1	3	6	9	14	25
" MULTIPLE DX	6861	9.6	85	2	2	7	12	20	27	46
TOTAL 65-69 YRS	2103	7.8	70	1	2	5	10	17	23	37
70-74	2064	8.1	73	1	2	5	10	17	23	41
75-79	1736	9.5	90	2	2	7	12	20	27	51
80-84	1229	9.7	73	2	2	7	13	20	28	43
85+	870	11.1	93	2	2	9	14	23	29	52
GRAND TOTAL	**8002**	**8.9**	**79**	**1**	**2**	**6**	**11**	**19**	**26**	**45**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	194	5.9	21	2	2	4	7	12	15	24
70-74	160	5.3	20	2	2	4	6	11	15	24
75-79	100	5.6	21	2	2	4	6	10	14	27
80-84	49	5.3	26	2	2	4	6	8	10	36
85+	21	7.6	36	1	1	5	12	16	18	20
2. MULTIPLE DX										
65-69 YRS	415	8.4	81	2	2	6	10	16	23	45
70-74	391	8.4	84	2	2	6	10	17	23	48
75-79	277	8.5	46	2	3	7	10	17	21	37
80-84	196	10.5	83	2	3	8	13	21	28	49
85+	110	11.4	107	2	3	9	15	22	30	57
TOT. SINGLE DX	524	5.7	22	2	2	4	7	11	15	24
" MULTIPLE DX	1389	8.9	78	2	2	6	11	18	23	46
TOTAL 65-69 YRS	609	7.6	63	2	2	5	9	15	20	36
70-74	551	7.5	67	2	2	5	9	15	21	43
75-79	377	7.7	41	2	2	6	10	15	21	35
80-84	245	9.4	76	2	3	7	12	21	25	47
85+	131	10.8	97	2	3	8	14	21	29	52
GRAND TOTAL	**1913**	**8.0**	**65**	**2**	**2**	**6**	**10**	**16**	**22**	**42**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	234	10.2	16	6	7	9	11	15	18	22
70-74	157	11.2	27	6	7	10	12	15	18	36
75-79	71	11.2	24	6	7	10	12	16	20	34
80-84	17	10.8	16	5	7	10	12	16	20	22
85+	9	12.6	21	6	7	12	14	20	22	22
2. MULTIPLE DX										
65-69 YRS	412	11.7	31	6	7	10	14	18	23	31
70-74	301	13.0	52	6	7	11	15	21	27	40
75-79	188	14.6	77	7	8	12	17	25	30	47
80-84	63	16.2	89	7	9	14	18	27	38	53
85+	17	17.5	73	7	9	15	21	31	34	36
TOT. SINGLE DX	488	10.7	21	6	7	10	12	16	19	32
" MULTIPLE DX	981	13.0	53	6	7	11	15	21	27	42
TOTAL 65-69 YRS	646	11.1	27	6	7	10	13	17	20	30
70-74	458	12.4	44	6	7	11	14	20	25	39
75-79	259	13.6	64	7	8	11	16	24	28	46
80-84	80	15.1	78	7	9	13	17	25	33	52
85+	26	15.8	59	6	9	14	20	30	32	36
GRAND TOTAL	**1469**	**12.3**	**43**	**6**	**7**	**10**	**14**	**19**	**24**	**39**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	10.0	22	4	5	9	13	17	18	24
70-74	33	9.6	16	1	5	10	12	15	17	18
75-79	20	10.2	15	4	6	10	12	16	17	17
80-84	13	10.8	12	5	5	11	12	15	17	17
85+	6	9.0	12	5	5	9	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	106	12.2	41	5	6	10	15	20	25	37
70-74	76	11.6	41	4	5	10	14	22	26	30
75-79	45	14.4	90	4	5	12	20	26	31	51
80-84	23	14.7	58	6	8	13	20	27	29	33
85+	7	14.1	85	6	6	12	16	30	33	33
TOT. SINGLE DX	121	10.0	17	4	5	9	12	16	17	23
" MULTIPLE DX	257	12.7	53	4	5	11	16	22	27	36
TOTAL 65-69 YRS	155	11.5	36	5	5	10	15	19	22	32
70-74	109	11.0	34	4	5	10	13	19	23	29
75-79	65	13.1	70	4	5	11	17	24	28	49
80-84	36	13.3	44	5	7	12	16	25	27	33
85+	13	11.8	55	5	6	11	14	20	30	33
GRAND TOTAL	**378**	**11.8**	**43**	**4**	**5**	**10**	**14**	**20**	**25**	**33**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	5.7	36	1	2	5	6	10	11	35
70-74	17	5.7	22	1	2	4	8	11	16	19
75-79	11	5.1	16	1	1	4	7	12	13	13
80-84	3	4.0	12	2	2	2	7	8	8	8
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	92	9.2	45	1	2	8	13	17	20	33
70-74	75	12.1	237	1	1	9	14	26	44	98
75-79	63	10.0	56	2	3	8	13	17	21	42
80-84	32	11.9	53	2	3	10	16	22	27	31
85+	20	13.0	64	2	2	11	17	25	28	31
TOT. SINGLE DX	65	5.5	26	1	2	4	7	11	12	33
" MULTIPLE DX	282	10.8	101	1	2	9	13	20	28	70
TOTAL 65-69 YRS	125	8.3	44	1	2	6	11	17	19	35
70-74	92	10.9	203	1	2	7	13	24	35	97
75-79	74	9.3	53	2	2	8	13	16	20	42
80-84	35	11.2	54	2	2	9	15	21	26	31
85+	21	12.6	63	2	2	11	16	25	28	31
GRAND TOTAL	**347**	**9.8**	**91**	**1**	**2**	**8**	**13**	**19**	**26**	**48**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	15.9	194	1	2	11	21	37	48	53
70-74	7	16.3	174	5	5	12	22	38	42	42
75-79	10	11.4	127	1	2	6	19	30	31	31
80-84	5	8.0	26	2	2	8	13	13	13	13
85+	2	22.0	200	2	12	22	32	32	32	32
2. MULTIPLE DX										
65-69 YRS	31	17.8	184	3	4	15	26	33	42	64
70-74	36	16.6	140	2	3	13	21	34	45	48
75-79	28	17.3	178	2	3	14	24	34	49	54
80-84	25	8.2	86	2	2	5	12	14	35	37
85+	24	13.2	121	2	3	10	17	32	36	42
TOT. SINGLE DX	40	14.2	150	1	2	11	18	31	40	53
" MULTIPLE DX	144	15.0	153	2	2	12	21	32	42	55
TOTAL 65-69 YRS	47	17.2	184	2	4	15	25	34	44	64
70-74	43	16.5	142	2	3	13	22	36	45	48
75-79	38	15.7	168	2	3	13	22	31	43	54
80-84	30	8.1	75	2	2	5	12	14	34	37
85+	26	13.9	125	2	3	11	18	32	35	42
GRAND TOTAL	**184**	**14.8**	**151**	**2**	**2**	**12**	**21**	**32**	**42**	**54**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5384	7.7	15	4	5	7	9	12	14	22
70-74	4881	8.1	16	4	5	7	9	12	15	22
75-79	3501	8.6	21	4	5	8	10	13	17	26
80-84	1904	9.3	25	4	5	9	11	15	18	29
85+	1074	10.2	30	5	5	9	12	16	20	34
2. MULTIPLE DX										
65-69 YRS	11029	10.5	54	4	5	8	12	19	24	41
70-74	11916	11.6	70	4	5	9	14	21	27	46
75-79	9995	12.6	79	5	5	10	15	23	30	49
80-84	6258	14.1	94	5	6	11	17	26	33	53
85+	4128	15.7	113	5	6	13	20	29	36	59
TOT. SINGLE DX	16744	8.4	19	4	5	7	10	13	16	25
" MULTIPLE DX	43326	12.3	78	5	5	10	15	22	29	49
TOTAL 65-69 YRS	16413	9.6	43	4	5	8	11	16	21	38
70-74	16797	10.6	57	4	5	8	12	18	24	42
75-79	13496	11.5	67	4	5	9	14	21	27	45
80-84	8162	13.0	82	5	6	10	16	24	30	49
85+	5202	14.6	101	5	6	12	18	27	34	54
GRAND TOTAL	**60070**	**11.2**	**65**	**4**	**5**	**9**	**13**	**20**	**26**	**45**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	806	12.6	26	6	8	12	15	19	22	28
70-74	575	12.4	19	7	8	12	15	18	20	26
75-79	389	13.3	26	6	8	12	16	20	23	28
80-84	186	14.8	52	6	8	13	18	23	29	41
85+	66	15.8	56	8	9	14	18	22	28	49
2. MULTIPLE DX										
65-69 YRS	1609	15.4	63	7	8	14	18	24	29	44
70-74	1566	16.0	73	7	8	14	19	26	32	54
75-79	1170	17.1	85	7	9	15	21	27	32	53
80-84	658	18.4	103	8	9	16	22	30	36	59
85+	353	20.5	107	8	10	18	25	35	41	58
TOT. SINGLE DX	2022	13.0	28	6	8	12	15	19	22	30
" MULTIPLE DX	5356	16.6	81	7	9	15	20	27	33	52
TOTAL 65-69 YRS	2415	14.4	52	7	8	13	17	22	27	39
70-74	2141	15.0	61	7	8	13	17	23	29	49
75-79	1559	16.2	73	7	8	14	19	25	31	49
80-84	844	17.6	94	7	9	15	21	29	35	51
85+	419	19.8	101	8	10	17	24	34	41	55
GRAND TOTAL	**7378**	**15.6**	**69**	**7**	**8**	**14**	**19**	**25**	**31**	**48**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1108	3.8	15	1	1	2	4	8	11	18
70-74	918	4.3	26	1	2	3	5	9	12	25
75-79	515	4.6	22	1	1	3	5	10	14	23
80-84	241	4.9	25	1	2	3	6	9	13	23
85+	136	6.7	45	1	2	4	8	14	21	38
2. MULTIPLE DX										
65-69 YRS	1418	7.2	57	1	2	5	9	15	20	38
70-74	1349	8.1	66	2	2	5	10	18	24	41
75-79	1093	9.4	78	2	2	6	13	21	26	44
80-84	571	12.2	119	2	3	9	16	25	34	65
85+	378	13.6	140	2	3	11	18	25	35	64
TOT. SINGLE DX	2918	4.3	22	1	1	3	5	9	12	23
" MULTIPLE DX	4809	9.0	82	2	2	6	12	20	25	44
TOTAL 65-69 YRS	2526	5.7	41	1	2	3	7	12	17	34
70-74	2267	6.6	53	1	2	4	8	15	20	38
75-79	1608	7.8	65	1	2	5	10	18	23	37
80-84	812	10.1	103	2	2	7	13	22	30	55
85+	514	11.8	124	2	2	9	15	23	32	62
GRAND TOTAL	**7727**	**7.2**	**65**	**1**	**2**	**4**	**9**	**16**	**22**	**40**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	117	4.7	8	2	2	4	6	8	10	17
70-74	79	5.4	17	2	2	4	6	11	14	24
75-79	32	5.7	16	2	2	5	7	10	13	21
80-84	31	4.4	7	2	2	4	6	7	10	13
85+	13	4.0	13	1	1	3	4	11	13	13
2. MULTIPLE DX										
65-69 YRS	182	9.4	87	2	3	6	12	20	30	49
70-74	136	10.1	99	2	3	6	13	25	30	54
75-79	107	12.5	109	2	4	10	16	24	35	57
80-84	59	11.5	93	3	4	9	14	22	30	53
85+	42	14.4	221	2	2	10	16	39	43	77
TOT. SINGLE DX	272	4.9	12	2	2	4	6	9	12	20
" MULTIPLE DX	526	10.8	108	2	3	7	14	23	31	52
TOTAL 65-69 YRS	299	7.6	61	2	2	5	8	16	24	44
70-74	215	8.4	74	2	2	5	10	19	27	41
75-79	139	10.9	95	2	3	9	15	21	29	52
80-84	90	9.1	75	2	2	6	11	18	23	51
85+	55	12.0	190	1	2	8	13	25	42	75
GRAND TOTAL	**798**	**8.8**	**83**	**2**	**2**	**5**	**10**	**19**	**27**	**49**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	266	6.4	33	2	2	4	8	12	18	32
70-74	293	6.4	34	2	2	5	8	12	15	29
75-79	266	7.5	33	2	3	5	10	16	19	25
80-84	117	6.6	20	2	2	5	9	14	16	20
85+	53	9.1	58	2	3	6	13	18	28	38
2. MULTIPLE DX										
65-69 YRS	623	10.7	93	2	3	8	14	22	29	55
70-74	738	10.9	88	2	3	8	15	22	28	41
75-79	664	11.6	106	2	3	9	15	22	29	57
80-84	413	11.8	93	3	4	9	15	24	31	48
85+	215	13.7	110	3	4	11	17	29	38	59
TOT. SINGLE DX	995	6.8	34	2	2	5	9	14	18	28
" MULTIPLE DX	2653	11.4	97	2	3	9	15	23	30	50
TOTAL 65-69 YRS	889	9.4	79	2	3	7	12	20	27	49
70-74	1031	9.6	77	2	3	7	13	20	26	39
75-79	930	10.4	88	2	3	8	14	21	26	48
80-84	530	10.6	82	2	3	8	14	21	28	38
85+	268	12.8	103	3	4	10	16	28	37	55
GRAND TOTAL	**3648**	**10.1**	**84**	**2**	**3**	**8**	**13**	**21**	**27**	**47**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	3.6	4	2	2	3	5	7	7	7
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	8	3.5	8	1	1	2	6	7	8	8
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	2	8.5	85	2	2	8	15	15	15	15
80-84	1	4.0		4	4	4	4	4	4	4
85+	5	12.2	276	2	2	4	19	41	41	41
TOT. SINGLE DX	10	3.7	6	1	1	3	4	8	9	9
" MULTIPLE DX	18	6.6	89	1	1	3	6	14	31	41
TOTAL 65-69 YRS	13	3.5	6	1	1	3	6	7	8	8
70-74	3	5.7	12	2	2	6	8	9	9	9
75-79	3	6.3	56	2	2	2	12	15	15	15
80-84	1	4.0		4	4	4	4	4	4	4
85+	8	8.6	183	1	1	3	8	32	41	41
GRAND TOTAL	**28**	**5.5**	**60**	**1**	**1**	**3**	**6**	**11**	**18**	**41**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	5.7	98	1	1	3	5	8	26	48
70-74	10	5.0	6	1	2	5	6	8	9	9
75-79	4	6.3	18	3	3	5	9	12	12	12
80-84	2	9.0	8	7	7	9	11	11	11	11
85+										
2. MULTIPLE DX										
65-69 YRS	16	7.2	30	2	2	5	9	14	20	22
70-74	16	10.3	226	2	2	5	9	25	51	62
75-79	14	16.4	211	3	4	11	22	42	50	52
80-84	4	15.5	374	2	2	9	29	43	43	43
85+	2	10.5	61	5	5	10	16	16	16	16
TOT. SINGLE DX	37	5.7	58	1	2	3	7	9	12	48
" MULTIPLE DX	52	11.4	166	2	2	6	14	26	43	62
TOTAL 65-69 YRS	37	6.3	67	1	2	4	7	13	19	48
70-74	26	8.3	145	2	2	5	8	11	34	62
75-79	18	14.2	183	3	3	10	17	36	48	52
80-84	6	13.3	237	2	2	9	15	40	43	43
85+	2	10.5	61	5	5	10	16	16	16	16
GRAND TOTAL	**89**	**9.0**	**128**	**2**	**2**	**5**	**10**	**20**	**41**	**58**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	9.7	24	4	5	8	12	18	20	21
70-74	14	9.8	23	1	3	10	13	15	18	19
75-79	14	9.7	27	2	3	8	13	17	19	20
80-84	8	5.5	12	<1	<1	6	8	10	10	10
85+	3	7.7	44	2	2	6	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	47	10.5	24	3	4	10	13	17	18	28
70-74	37	10.9	53	2	3	10	13	22	26	34
75-79	37	13.6	79	3	5	11	17	24	34	41
80-84	13	20.2	116	8	9	16	30	36	38	38
85+	8	12.4	87	1	2	10	17	27	29	29
TOT. SINGLE DX	57	9.0	24	1	3	8	12	16	19	21
" MULTIPLE DX	142	12.4	63	3	4	11	15	24	29	38
TOTAL 65-69 YRS	65	10.3	24	3	4	10	12	17	18	27
70-74	51	10.6	44	2	3	10	13	19	25	34
75-79	51	12.5	67	2	4	10	16	23	28	41
80-84	21	14.6	127	<1	2	10	22	33	36	38
85+	11	11.1	75	1	2	9	14	26	29	29
GRAND TOTAL	**199**	**11.4**	**54**	**2**	**4**	**10**	**14**	**21**	**27**	**38**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	369	4.2	7	2	2	4	5	7	9	13
70-74	222	4.2	7	2	2	4	5	7	8	17
75-79	127	4.5	7	2	2	4	6	8	10	14
80-84	46	4.9	10	1	2	4	6	9	11	16
85+	15	5.7	24	2	2	4	6	13	17	19
2. MULTIPLE DX										
65-69 YRS	499	6.2	25	2	2	5	7	11	15	23
70-74	324	6.9	30	2	3	5	8	12	17	33
75-79	192	7.8	38	2	3	6	10	16	21	40
80-84	75	8.0	44	2	3	7	9	16	21	40
85+	41	10.0	49	2	3	8	14	20	23	33
TOT. SINGLE DX	779	4.3	7	2	2	4	5	7	9	15
" MULTIPLE DX	1131	6.9	31	2	3	5	8	13	18	31
TOTAL 65-69 YRS	868	5.3	18	2	2	4	6	10	13	22
70-74	546	5.8	22	2	2	4	7	10	15	24
75-79	319	6.5	28	2	2	5	8	12	19	31
80-84	121	6.8	33	2	2	5	9	11	17	33
85+	56	8.9	45	2	2	6	13	19	22	32
GRAND TOTAL	**1910**	**5.8**	**23**	**2**	**2**	**4**	**7**	**11**	**15**	**25**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	5.8	22	1	2	4	7	11	17	24
70-74	60	7.0	52	1	2	5	8	14	18	47
75-79	36	6.8	21	1	2	5	11	14	15	18
80-84	13	6.7	20	1	2	7	9	13	15	16
85+	11	14.6	625	2	2	7	11	45	85	89
2. MULTIPLE DX										
65-69 YRS	166	7.2	36	2	2	5	9	14	18	29
70-74	109	9.7	70	2	2	7	13	20	29	37
75-79	69	12.6	157	2	3	9	17	26	31	74
80-84	36	11.3	121	2	3	8	14	21	39	53
85+	33	11.9	99	2	2	8	17	27	33	40
TOT. SINGLE DX	235	6.7	58	1	2	5	8	13	16	31
" MULTIPLE DX	413	9.5	81	2	2	7	12	19	27	45
TOTAL 65-69 YRS	281	6.6	31	2	2	5	8	12	17	27
70-74	169	8.8	65	2	2	6	11	17	27	37
75-79	105	10.6	117	2	2	7	14	24	28	61
80-84	49	10.1	97	2	2	8	13	19	22	53
85+	44	12.6	220	2	2	8	16	27	36	89
GRAND TOTAL	**648**	**8.5**	**75**	**2**	**2**	**6**	**10**	**17**	**24**	**44**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	11.8	19	5	6	11	15	18	19	20
70-74	22	9.8	20	2	3	9	13	15	17	20
75-79	22	9.1	5	7	7	9	10	13	14	14
80-84	11	12.4	38	3	6	11	16	21	26	27
85+	11	11.9	51	4	5	10	18	22	24	24
2. MULTIPLE DX										
65-69 YRS	107	16.9	82	7	8	14	21	28	33	48
70-74	86	18.2	233	7	8	13	22	33	45	92
75-79	75	19.7	120	7	9	18	24	34	44	91
80-84	49	20.1	105	8	9	18	26	33	39	99+
85+	37	22.4	226	6	8	19	28	47	54	73
TOT. SINGLE DX	94	10.8	23	4	6	10	14	17	20	26
" MULTIPLE DX	354	18.8	146	7	8	16	24	33	43	88
TOTAL 65-69 YRS	135	15.8	73	7	7	13	20	27	31	47
70-74	108	16.5	200	6	7	12	19	29	37	91
75-79	97	17.3	113	7	8	15	22	32	41	83
80-84	60	18.7	101	7	9	16	25	32	37	96
85+	48	20.0	204	5	6	17	25	36	51	73
GRAND TOTAL	**448**	**17.1**	**131**	**6**	**7**	**14**	**21**	**31**	**37**	**73**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	54	10.4	42	5	6	9	12	16	20	38
70-74	53	10.0	18	5	6	9	12	15	19	27
75-79	30	12.8	38	6	7	11	18	21	26	27
80-84	13	12.1	63	4	5	11	14	19	33	36
85+	12	13.0	31	5	5	13	16	21	22	22
2. MULTIPLE DX										
65-69 YRS	139	14.2	63	6	7	11	18	25	29	66
70-74	136	15.3	74	7	7	13	18	26	33	49
75-79	104	18.1	110	7	8	15	24	32	42	76
80-84	64	19.1	112	7	8	16	26	33	40	51
85+	50	19.3	122	7	8	17	23	34	37	66
TOT. SINGLE DX	162	11.1	35	5	6	10	14	18	21	36
" MULTIPLE DX	493	16.5	92	7	8	14	21	29	35	55
TOTAL 65-69 YRS	193	13.1	60	6	6	11	17	23	29	52
70-74	189	13.9	64	6	7	12	16	23	31	45
75-79	134	16.9	98	7	7	14	21	30	39	63
80-84	77	17.9	110	6	8	15	24	33	38	51
85+	62	18.0	110	6	8	16	22	31	36	64
GRAND TOTAL	**655**	**15.1**	**83**	**6**	**7**	**13**	**18**	**28**	**34**	**53**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	91	10.8	30	6	6	9	13	17	21	34
70-74	36	11.3	24	6	7	10	13	17	22	28
75-79	28	10.9	19	6	7	10	13	18	21	22
80-84	17	11.4	10	8	8	10	13	17	18	18
85+	9	11.9	18	5	6	11	15	18	19	19
2. MULTIPLE DX										
65-69 YRS	252	14.5	133	6	7	11	16	26	40	68
70-74	175	15.9	98	7	8	13	19	29	34	58
75-79	115	17.5	103	7	8	15	22	29	39	53
80-84	57	16.1	47	7	8	14	21	26	28	32
85+	38	21.0	277	7	8	16	22	55	65	69
TOT. SINGLE DX	181	11.0	24	6	6	10	13	17	21	28
" MULTIPLE DX	637	16.0	121	6	7	12	19	29	38	62
TOTAL 65-69 YRS	343	13.5	108	6	6	10	15	24	35	60
70-74	211	15.1	88	7	7	12	18	28	32	55
75-79	143	16.2	93	7	8	13	20	29	37	52
80-84	74	15.0	42	7	8	13	19	24	28	32
85+	47	19.2	239	6	8	15	20	41	62	69
GRAND TOTAL	**818**	**14.9**	**103**	**6**	**7**	**12**	**17**	**27**	**34**	**60**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	11.0	31	5	5	12	15	16	16	16
70-74	2	12.0	18	9	9	12	15	15	15	15
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	6	16.2	30	10	10	16	18	24	25	25
70-74	3	16.3	226	2	2	23	66	99+	99+	99+
75-79	4	21.3	75	10	10	23	28	29	29	29
80-84	3	23.3	265	12	12	16	35	42	42	42
85+	3	11.3	56	7	7	7	17	20	20	20
TOT. SINGLE DX	5	11.4	20	5	5	12	15	16	16	16
" MULTIPLE DX	19	17.6	98	4	7	17	26	37	71	99+
TOTAL 65-69 YRS	9	14.4	33	5	7	15	18	22	25	25
70-74	5	14.6	123	2	3	15	32	93	99+	99+
75-79	4	21.3	75	10	10	23	28	29	29	29
80-84	3	23.3	265	12	12	16	35	42	42	42
85+	3	11.3	56	7	7	7	17	20	20	20
GRAND TOTAL	**24**	**16.3**	**87**	**4**	**7**	**15**	**21**	**32**	**56**	**99+**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	10.5	5	9	9	10	12	12	12	12
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	6	12.0	21	7	7	10	16	19	19	19
70-74	5	12.6	36	6	6	14	17	20	20	20
75-79	10	20.3	426	6	6	14	19	52	76	76
80-84	3	24.0	283	5	5	30	35	37	37	37
85+	4	9.0	4	6	6	10	10	10	10	10
TOT. SINGLE DX	6	8.7	14	2	2	9	12	12	12	12
" MULTIPLE DX	28	15.9	199	6	6	12	17	30	41	76
TOTAL 65-69 YRS	8	11.6	16	7	8	10	14	18	19	19
70-74	6	10.8	47	2	2	10	16	20	20	20
75-79	11	19.4	393	6	6	14	18	48	74	76
80-84	3	24.0	283	5	5	30	35	37	37	37
85+	6	9.2	5	6	6	10	10	12	12	12
GRAND TOTAL	**34**	**14.6**	**173**	**5**	**6**	**11**	**16**	**29**	**36**	**76**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	3.6	15	1	1	3	4	7	9	25
70-74	72	3.1	5	1	1	3	3	6	9	11
75-79	37	3.8	17	1	2	3	4	6	10	25
80-84	16	3.7	10	1	2	3	4	9	12	13
85+	7	4.0	6	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	148	4.7	21	1	2	3	5	11	13	24
70-74	114	6.3	78	2	2	3	6	13	21	51
75-79	72	6.7	46	2	2	4	9	15	25	30
80-84	27	7.1	34	2	2	5	10	15	22	23
85+	12	6.6	31	2	2	4	8	17	18	18
TOT. SINGLE DX	222	3.5	11	1	1	3	4	6	9	16
" MULTIPLE DX	373	5.8	45	2	2	3	7	12	19	30
TOTAL 65-69 YRS	238	4.3	19	1	2	3	4	9	12	24
70-74	186	5.1	52	1	2	3	5	10	18	37
75-79	109	5.7	38	2	2	3	6	13	22	29
80-84	43	5.8	28	2	2	3	8	12	18	23
85+	19	5.6	23	1	2	4	7	14	18	18
GRAND TOTAL	**595**	**4.9**	**34**	**1**	**2**	**3**	**5**	**10**	**16**	**29**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	300	4.0	12	1	1	3	5	8	10	20
70-74	175	5.0	19	1	2	3	7	10	11	26
75-79	116	5.3	17	1	2	4	8	11	12	20
80-84	46	7.5	94	1	2	4	9	12	32	47
85+	40	9.1	125	2	2	7	10	14	38	56
2. MULTIPLE DX										
65-69 YRS	625	7.0	55	1	2	5	9	14	20	37
70-74	518	8.3	79	2	2	6	10	16	23	50
75-79	328	7.8	35	2	2	7	10	16	18	28
80-84	176	10.0	79	2	2	8	12	20	30	64
85+	102	9.5	49	2	2	8	13	21	29	99+
TOT. SINGLE DX	677	5.0	29	1	2	3	7	10	12	29
" MULTIPLE DX	1749	8.0	61	2	2	6	10	16	22	40
TOTAL 65-69 YRS	925	6.0	43	1	2	4	8	12	18	33
70-74	693	7.5	66	2	2	5	9	15	21	40
75-79	444	7.1	31	2	2	6	10	15	18	28
80-84	222	9.5	83	2	2	7	12	19	30	54
85+	142	9.4	70	2	2	8	12	19	30	99+
GRAND TOTAL	**2426**	**7.1**	**54**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	6.7	6	4	4	7	8	9	9	9
70-74	2	5.5	13	3	3	5	8	8	8	8
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	2	7.5	13	5	5	7	10	10	10	10
70-74	7	12.4	24	5	6	12	16	18	19	19
75-79	4	7.0	5	4	4	7	8	9	9	9
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	4.5	25	1	1	4	8	8	8	8
TOT. SINGLE DX	6	6.3	5	3	3	7	8	9	9	9
" MULTIPLE DX	16	9.1	23	2	4	8	11	16	18	19
TOTAL 65-69 YRS	5	7.0	7	4	4	7	9	10	10	10
70-74	9	10.9	29	3	4	10	16	18	19	19
75-79	4	7.0	5	4	4	7	8	9	9	9
80-84	2	7.0		7	7	7	7	7	7	7
85+	2	4.5	25	1	1	4	8	8	8	8
GRAND TOTAL	22	8.4	19	2	4	8	10	16	17	19

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	32	3.2	18	1	1	2	3	5	8	25
70-74	22	4.1	16	1	1	3	4	11	14	16
75-79	16	7.7	80	1	2	4	8	16	31	37
80-84	8	6.9	25	2	2	5	10	15	16	16
85+	3	7.0	13	4	4	6	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	91	7.4	79	2	2	4	9	18	30	45
70-74	87	9.6	87	2	2	6	15	22	26	47
75-79	43	8.2	67	2	2	6	9	27	30	99+
80-84	35	10.4	64	2	2	9	15	20	22	39
85+	22	14.1	275	2	3	9	16	31	52	77
TOT. SINGLE DX	81	4.8	32	1	2	3	5	11	16	33
" MULTIPLE DX	278	9.1	95	2	2	6	12	21	29	51
TOTAL 65-69 YRS	123	6.3	66	1	2	3	8	15	22	42
70-74	109	8.4	77	2	2	4	12	20	25	44
75-79	59	8.0	70	2	2	5	9	25	31	94
80-84	43	9.7	58	2	2	9	14	19	21	39
85+	25	13.2	247	2	3	9	14	29	46	77
GRAND TOTAL	359	8.1	84	2	2	4	10	19	28	49

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	695	9.6	18	6	6	8	11	14	17	28
70-74	453	10.0	19	6	6	9	11	15	18	28
75-79	220	11.2	37	6	7	9	13	16	18	37
80-84	109	10.9	15	6	7	10	13	16	19	59
85+	48	11.0	25	6	7	9	13	18	23	27
2. MULTIPLE DX										
65-69 YRS	2463	11.5	47	6	7	9	13	18	23	38
70-74	1515	12.5	57	6	7	10	14	21	27	46
75-79	904	13.9	68	7	7	11	16	24	30	44
80-84	342	14.5	63	7	8	12	18	24	31	49
85+	162	14.6	69	6	7	12	18	26	35	41
TOT. SINGLE DX	1525	10.1	21	6	6	9	11	15	18	28
" MULTIPLE DX	5386	12.5	56	6	7	10	14	21	26	43
TOTAL 65-69 YRS	3158	11.1	41	6	7	9	12	17	22	36
70-74	1968	11.9	49	6	7	10	13	19	26	43
75-79	1124	13.3	63	6	7	11	15	22	29	44
80-84	451	13.6	54	7	8	11	16	22	28	49
85+	210	13.8	61	6	7	11	17	24	30	41
GRAND TOTAL	6911	11.9	49	6	7	10	14	19	25	41

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	493	8.9	10	5	6	8	10	13	14	20
70-74	379	8.9	9	5	6	8	10	13	15	20
75-79	212	9.4	9	6	6	9	11	13	16	21
80-84	89	10.7	45	5	6	10	12	15	21	48
85+	43	9.5	10	5	6	9	11	14	16	18
2. MULTIPLE DX										
65-69 YRS	1660	9.9	23	6	6	9	11	14	18	28
70-74	1260	10.6	36	6	7	9	12	15	19	31
75-79	818	11.3	29	6	7	10	13	18	22	32
80-84	295	11.8	29	6	7	11	13	19	22	34
85+	125	14.0	92	6	7	11	15	22	33	58
TOT. SINGLE DX	1216	9.1	13	5	6	8	10	13	15	22
" MULTIPLE DX	4158	10.6	31	6	7	9	12	16	20	31
TOTAL 65-69 YRS	2153	9.7	20	6	6	9	11	14	17	27
70-74	1639	10.2	30	6	6	9	12	15	18	29
75-79	1030	10.9	26	6	7	10	12	17	21	31
80-84	384	11.5	33	6	7	10	13	18	22	34
85+	168	12.8	75	6	7	11	14	21	23	53
GRAND TOTAL	5374	10.3	27	6	6	9	12	15	19	30

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	16.3	21	10	10	16	21	23	23	23
70-74	15	19.4	85	4	10	18	26	32	35	36
75-79	2	27.5	181	18	18	27	37	37	37	37
80-84	3	11.7	58	5	5	10	17	20	20	20
85+										
2. MULTIPLE DX										
65-69 YRS	53	22.6	214	9	9	16	31	45	58	65
70-74	35	22.0	200	10	11	16	26	45	59	64
75-79	23	25.3	249	8	10	21	32	48	59	69
80-84	6	31.5	391	10	10	31	46	59	60	60
85+	2	13.0	8	11	11	13	15	15	15	15
TOT. SINGLE DX	35	17.9	64	6	10	17	23	27	35	37
" MULTIPLE DX	119	23.2	222	9	10	18	31	47	59	66
TOTAL 65-69 YRS	68	21.2	178	9	9	16	24	38	56	64
70-74	50	21.2	165	10	11	17	26	34	49	64
75-79	25	25.4	236	8	10	21	33	47	57	69
80-84	9	24.9	357	5	7	20	38	54	60	60
85+	2	13.0	8	11	11	13	15	15	15	15
GRAND TOTAL	**154**	**22.0**	**190**	**9**	**10**	**17**	**26**	**43**	**55**	**65**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1458	2.9	11	<1	1	2	3	5	9	14
70-74	942	3.3	18	1	1	2	3	6	9	17
75-79	510	3.9	17	1	1	2	4	8	11	23
80-84	216	4.3	27	1	2	3	5	9	12	20
85+	145	5.4	42	1	2	3	6	12	17	39
2. MULTIPLE DX										
65-69 YRS	2496	4.9	45	1	1	3	6	11	16	31
70-74	1592	5.7	55	1	2	3	6	13	19	39
75-79	1090	6.3	64	1	2	3	7	14	20	38
80-84	553	7.9	93	2	2	4	10	18	27	61
85+	317	7.9	81	2	2	5	9	17	25	47
TOT. SINGLE DX	3271	3.4	17	1	1	2	3	6	10	20
" MULTIPLE DX	6048	5.8	58	1	2	3	7	13	19	39
TOTAL 65-69 YRS	3954	4.2	33	1	1	2	4	9	13	27
70-74	2534	4.8	42	1	1	3	5	10	16	34
75-79	1600	5.5	50	1	2	3	6	12	17	32
80-84	769	6.9	77	1	2	4	8	15	23	53
85+	462	7.1	70	1	2	4	8	15	23	44
GRAND TOTAL	**9319**	**5.0**	**45**	**1**	**1**	**3**	**5**	**11**	**16**	**34**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	9	8.0	61	1	1	8	11	20	26	26
70-74	14	12.3	84	2	2	10	15	22	34	38
75-79	8	10.1	53	2	2	10	17	19	19	19
80-84	7	10.6	24	3	4	11	14	17	17	17
85+	3	13.7	105	5	5	11	21	25	25	25
TOT. SINGLE DX	3	5.0	28	1	1	3	9	11	11	11
" MULTIPLE DX	41	10.7	61	2	2	10	15	19	25	38
TOTAL 65-69 YRS	9	8.0	61	1	1	8	11	20	26	26
70-74	15	11.5	86	1	2	10	15	20	33	38
75-79	9	10.2	46	2	2	11	16	19	19	19
80-84	7	10.6	24	3	4	11	14	17	17	17
85+	4	11.0	99	3	3	8	18	25	25	25
GRAND TOTAL	**44**	**10.3**	**60**	**1**	**2**	**9**	**15**	**19**	**25**	**38**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	7.0	3	4	4	8	8	9	9	9
70-74	6	11.2	25	7	7	10	11	20	21	21
75-79	5	9.4	6	7	7	8	11	13	13	13
80-84	2	6.5	5	5	5	6	8	8	8	8
85+										
2. MULTIPLE DX										
65-69 YRS	11	8.8	9	5	5	9	12	40	91	99+
70-74	15	11.7	52	3	5	9	14	21	29	32
75-79	11	12.2	29	7	7	10	16	21	23	23
80-84	5	7.4	1	6	6	7	8	9	9	9
85+										
TOT. SINGLE DX	22	8.6	12	4	5	8	9	12	16	21
" MULTIPLE DX	42	10.6	30	5	6	9	13	19	26	99+
TOTAL 65-69 YRS	20	8.0	7	4	5	8	10	13	53	99+
70-74	21	11.6	42	4	6	9	13	21	26	32
75-79	16	11.3	22	7	7	10	13	19	22	23
80-84	7	7.1	2	5	5	7	8	9	9	9
85+										
GRAND TOTAL	**64**	**9.9**	**24**	**5**	**5**	**9**	**11**	**17**	**22**	**90**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	59	4.8	6	2	2	4	6	9	11	91
70-74	38	5.4	27	2	2	4	5	9	11	34
75-79	28	4.9	11	1	2	4	5	9	11	17
80-84	7	5.3	9	2	2	4	8	10	10	10
85+	7	4.3	2	3	3	4	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	66	5.0	10	2	3	4	5	10	12	87
70-74	56	6.5	37	2	3	4	7	11	15	39
75-79	37	6.4	31	2	2	4	7	14	20	27
80-84	15	8.6	126	3	3	4	9	14	39	47
85+	10	7.4	42	4	4	4	8	18	24	24
TOT. SINGLE DX	139	5.0	13	2	2	4	5	9	11	41
" MULTIPLE DX	184	6.2	34	2	3	4	6	12	15	45
TOTAL 65-69 YRS	125	4.9	8	2	3	4	5	10	12	99+
70-74	94	6.1	33	2	3	4	6	10	14	37
75-79	65	5.8	23	2	2	4	7	11	16	26
80-84	22	7.5	89	2	3	4	9	13	27	47
85+	17	6.1	27	3	3	4	6	12	20	24
GRAND TOTAL	**323**	**5.7**	**25**	**2**	**3**	**4**	**6**	**10**	**13**	**42**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	634	7.9	8	4	5	7	9	11	13	18
70-74	464	8.2	11	4	5	8	9	13	14	18
75-79	266	8.5	12	5	5	8	10	13	15	21
80-84	81	8.6	15	4	5	8	9	13	18	23
85+	22	8.7	13	3	4	8	10	12	16	21
2. MULTIPLE DX										
65-69 YRS	1164	9.8	21	5	5	9	11	15	18	28
70-74	832	10.0	29	5	6	9	11	16	20	30
75-79	463	10.5	36	5	6	9	13	16	21	36
80-84	177	11.5	44	5	6	10	14	19	25	40
85+	65	11.2	26	5	6	10	13	18	20	31
TOT. SINGLE DX	1467	8.2	10	4	5	8	9	12	14	20
" MULTIPLE DX	2701	10.1	28	5	6	9	12	16	20	30
TOTAL 65-69 YRS	1798	9.1	18	4	5	8	11	14	17	25
70-74	1296	9.3	23	5	5	8	11	14	17	28
75-79	729	9.7	28	5	5	8	11	15	18	32
80-84	258	10.6	37	4	5	9	12	18	21	39
85+	87	10.5	24	4	6	9	13	17	20	29
GRAND TOTAL	**4168**	**9.4**	**23**	**5**	**5**	**8**	**11**	**15**	**18**	**28**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	7.3	23	2	2	7	9	11	15	30
70-74	40	10.3	62	1	3	9	10	19	30	37
75-79	25	6.4	6	3	4	6	9	10	11	12
80-84	3	6.0	25	<1	<1	6	10	11	11	11
85+	4	7.8	20	2	2	8	11	13	13	13
2. MULTIPLE DX										
65-69 YRS	109	9.9	35	3	4	8	12	18	22	31
70-74	69	10.9	55	2	4	9	13	22	24	42
75-79	60	13.6	159	3	4	10	17	23	33	74
80-84	27	11.7	82	2	3	9	15	25	29	43
85+	12	12.5	93	1	3	9	16	28	33	34
TOT. SINGLE DX	140	8.0	33	2	2	7	10	13	17	36
" MULTIPLE DX	277	11.2	75	3	4	9	13	21	26	44
TOTAL 65-69 YRS	177	8.9	32	2	3	8	10	16	20	31
70-74	109	10.7	57	2	4	9	12	21	25	40
75-79	85	11.5	125	3	4	9	14	20	24	71
80-84	30	11.1	79	2	3	8	14	23	26	43
85+	16	11.3	76	1	2	8	14	25	32	34
GRAND TOTAL	**417**	**10.1**	**63**	**2**	**4**	**8**	**12**	**19**	**24**	**42**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	209	5.9	34	1	2	4	7	12	17	27
70-74	150	6.4	34	1	2	5	8	11	16	30
75-79	128	7.1	34	2	2	6	9	12	16	35
80-84	70	7.6	23	2	3	7	10	14	17	28
85+	53	7.6	43	2	3	6	10	13	14	44
2. MULTIPLE DX										
65-69 YRS	443	9.1	77	2	2	7	10	18	24	50
70-74	339	10.2	80	2	2	8	12	22	31	54
75-79	278	11.3	141	2	3	8	13	22	34	68
80-84	142	11.7	114	2	3	8	14	25	35	51
85+	89	17.1	331	3	4	11	19	35	53	97
TOT. SINGLE DX	610	6.6	34	1	2	5	8	13	16	31
" MULTIPLE DX	1291	10.7	117	2	2	8	12	22	31	58
TOTAL 65-69 YRS	652	8.1	65	2	2	6	9	17	22	49
70-74	489	9.0	69	2	2	7	10	18	27	50
75-79	406	10.0	111	2	2	7	11	19	28	59
80-84	212	10.3	87	2	3	8	12	22	31	49
85+	142	13.5	243	2	3	8	14	29	42	95
GRAND TOTAL	**1901**	**9.4**	**94**	**2**	**2**	**7**	**11**	**18**	**27**	**53**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	3.6	9	1	1	3	4	7	10	16
70-74	119	3.7	13	<1	1	3	4	7	9	22
75-79	86	4.6	23	1	2	3	6	9	14	25
80-84	43	5.5	35	1	1	4	7	11	21	28
85+	43	5.2	16	2	2	4	7	8	10	26
2. MULTIPLE DX										
65-69 YRS	243	7.4	88	1	2	4	9	17	22	49
70-74	169	9.1	113	1	2	5	11	21	28	51
75-79	131	9.5	99	2	2	6	12	22	31	51
80-84	99	10.9	139	2	2	7	13	27	39	85
85+	84	9.3	72	2	3	8	11	20	24	87
TOT. SINGLE DX	455	4.2	16	1	2	3	5	8	11	25
" MULTIPLE DX	726	8.9	102	2	2	5	11	20	28	58
TOTAL 65-69 YRS	407	5.9	59	1	2	3	7	13	18	39
70-74	288	6.9	78	1	2	4	8	15	24	49
75-79	217	7.6	75	2	2	4	9	19	24	46
80-84	142	9.3	113	1	2	6	11	24	33	72
85+	127	7.9	56	2	2	6	9	16	23	71
GRAND TOTAL	**1181**	**7.1**	**74**	**1**	**2**	**4**	**8**	**16**	**23**	**49**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	10.8	90	2	2	8	16	23	35	99+
70-74	45	10.8	102	2	3	9	12	23	27	60
75-79	27	11.8	99	2	2	11	16	23	56	99+
80-84	23	11.8	116	3	4	9	14	19	34	54
85+	15	14.1	118	3	5	10	17	27	39	43
2. MULTIPLE DX										
65-69 YRS	59	20.9	316	3	5	14	33	50	58	98
70-74	54	19.9	254	3	4	16	28	45	53	62
75-79	63	20.5	190	4	7	17	26	43	51	56
80-84	40	24.1	379	4	6	19	37	50	78	99+
85+	25	18.2	157	2	5	16	26	30	44	55
TOT. SINGLE DX	159	11.4	100	2	3	9	15	23	34	95
" MULTIPLE DX	241	20.8	261	3	5	16	29	48	52	97
TOTAL 65-69 YRS	108	16.3	237	2	3	11	21	42	51	99+
70-74	99	15.8	204	2	3	11	20	39	49	61
75-79	90	17.9	177	3	5	15	23	42	51	82
80-84	63	19.6	315	4	5	14	28	48	56	99+
85+	40	16.7	143	2	5	14	25	29	42	55
GRAND TOTAL	**400**	**17.1**	**218**	**3**	**4**	**12**	**23**	**42**	**51**	**98**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	4.8	14	1	1	3	7	11	12	12
70-74	8	5.9	19	1	1	5	8	13	14	14
75-79	1	6.0		6	6	6	6	6	6	6
80-84	3	10.3	16	6	6	11	13	14	14	14
85+										
2. MULTIPLE DX										
65-69 YRS	18	7.1	28	1	2	6	10	17	17	17
70-74	9	13.1	35	4	5	13	16	22	22	22
75-79	9	12.8	150	2	3	9	14	33	43	43
80-84	4	21.5	132	5	5	25	29	31	31	31
85+	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	26	5.8	17	1	1	5	8	12	14	14
" MULTIPLE DX	41	11.3	80	2	2	9	17	22	29	43
TOTAL 65-69 YRS	32	6.1	23	1	1	5	8	13	17	17
70-74	17	9.7	40	1	2	10	14	20	22	22
75-79	10	12.1	138	2	3	8	13	30	43	43
80-84	7	16.7	107	5	5	14	26	30	31	31
85+	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**67**	**9.2**	**62**	**1**	**2**	**7**	**13**	**18**	**24**	**41**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	5.3	33	2	2	2	10	12	12	12
70-74	2	4.0		4	4	4	4	4	4	4
75-79	1	9.0		9	9	9	9	9	9	9
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	7	5.4	29	1	1	4	6	15	17	17
70-74	5	5.8	25	2	2	3	10	13	13	13
75-79	7	6.3	14	2	2	7	9	11	11	11
80-84	3	10.0	148	2	2	4	19	24	24	24
85+	3	4.0	12	2	2	2	7	8	8	8
TOT. SINGLE DX	9	5.0	13	1	1	4	7	11	12	12
" MULTIPLE DX	25	6.1	31	1	2	4	8	13	19	24
TOTAL 65-69 YRS	10	5.4	27	1	1	3	6	14	17	17
70-74	7	5.3	17	2	2	4	8	12	13	13
75-79	8	6.6	13	2	2	7	9	11	11	11
80-84	5	8.2	80	2	2	5	10	24	24	24
85+	4	3.3	10	1	1	2	5	8	8	8
GRAND TOTAL	**34**	**5.8**	**26**	**1**	**2**	**4**	**8**	**12**	**16**	**24**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	4.1	15	1	2	2	5	10	12	21
70-74	40	5.3	29	1	2	3	6	13	19	22
75-79	34	7.4	46	1	2	5	11	15	19	33
80-84	14	19.8	380	3	4	12	32	52	64	68
85+	8	16.5	339	2	3	8	21	49	58	58
2. MULTIPLE DX										
65-69 YRS	123	10.2	118	2	2	5	14	24	39	99+
70-74	71	10.7	104	2	2	6	16	26	32	44
75-79	57	12.3	148	2	2	10	16	26	32	64
80-84	36	15.6	177	3	4	12	20	29	63	99+
85+	17	12.8	76	2	3	13	18	22	29	33
TOT. SINGLE DX	142	7.5	100	1	2	4	9	16	24	59
" MULTIPLE DX	304	11.5	127	2	2	8	16	25	37	79
TOTAL 65-69 YRS	169	8.5	97	2	2	4	12	21	36	91
70-74	111	8.8	83	2	2	4	13	21	28	41
75-79	91	10.5	115	2	2	8	14	20	29	62
80-84	50	16.8	231	3	4	12	21	40	64	99+
85+	25	14.0	153	2	3	10	18	27	39	58
GRAND TOTAL	**446**	**10.2**	**121**	**2**	**2**	**6**	**14**	**23**	**33**	**64**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	6.8	25	1	2	6	9	16	18	18
70-74	9	8.7	77	2	2	5	10	24	27	27
75-79	10	11.0	106	3	3	7	15	28	35	35
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	32	11.7	162	2	3	7	15	25	49	54
70-74	22	11.0	90	2	3	9	15	19	30	45
75-79	8	17.5	159	4	4	16	25	37	40	40
80-84	5	48.4	1132	10	10	56	74	89	89	89
85+	5	12.4	196	2	2	5	21	35	35	35
TOT. SINGLE DX	41	8.0	56	1	2	5	9	19	24	35
" MULTIPLE DX	72	14.7	277	2	3	8	17	36	54	85
TOTAL 65-69 YRS	51	9.9	115	1	2	6	13	19	31	54
70-74	31	10.4	85	2	3	7	15	20	27	45
75-79	18	13.9	133	3	3	8	22	33	38	40
80-84	6	40.8	1249	3	4	37	69	87	89	89
85+	7	9.7	152	2	2	3	14	31	35	35
GRAND TOTAL	**113**	**12.3**	**206**	**2**	**3**	**7**	**16**	**27**	**44**	**76**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	7.0	103	1	2	4	7	13	34	43
70-74	5	5.8	48	1	1	4	8	18	18	18
75-79	10	6.0	6	3	3	6	7	10	12	12
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	39	10.4	113	2	2	6	13	25	34	50
70-74	27	14.2	122	3	4	11	19	34	38	40
75-79	29	8.0	29	2	2	7	11	15	18	23
80-84	12	13.5	86	1	2	12	23	26	28	28
85+	7	25.4	1059	3	3	15	68	97	99+	99+
TOT. SINGLE DX	34	6.2	56	1	2	4	7	12	17	43
" MULTIPLE DX	114	11.9	156	2	2	8	16	26	37	93
TOTAL 65-69 YRS	55	9.4	111	2	2	5	10	23	35	50
70-74	32	12.9	118	2	3	9	18	31	38	40
75-79	39	7.5	24	2	2	7	10	14	17	23
80-84	14	12.1	86	1	2	10	22	25	27	28
85+	8	22.5	976	2	2	6	57	96	99+	99+
GRAND TOTAL	**148**	**10.6**	**138**	**2**	**2**	**7**	**13**	**25**	**36**	**90**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	5.7	13	1	2	5	7	12	14	14
70-74	27	7.6	59	1	2	5	9	20	26	32
75-79	24	7.7	47	1	2	6	8	19	24	30
80-84	12	7.3	36	2	2	5	9	19	20	20
85+	5	7.4	22	3	3	7	11	14	14	14
2. MULTIPLE DX										
65-69 YRS	89	11.5	100	3	3	9	13	25	32	57
70-74	68	13.6	150	1	4	9	16	35	44	51
75-79	61	15.1	120	3	4	12	18	31	38	52
80-84	29	16.2	289	2	3	10	18	42	64	69
85+	20	12.5	89	3	4	9	16	30	32	33
TOT. SINGLE DX	105	6.9	35	1	2	5	8	14	20	31
" MULTIPLE DX	267	13.4	137	3	4	10	15	30	39	59
TOTAL 65-69 YRS	126	9.8	81	2	3	8	12	15	28	54
70-74	95	11.9	131	1	3	8	14	25	42	50
75-79	85	13.0	110	2	3	10	16	30	33	50
80-84	41	13.6	228	2	3	9	17	29	54	69
85+	25	11.4	78	3	3	8	14	29	31	33
GRAND TOTAL	**372**	**11.6**	**117**	**2**	**3**	**8**	**14**	**25**	**34**	**53**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	6.0	25	1	1	5	8	14	17	17
70-74	7	6.6	48	1	1	4	12	17	18	18
75-79	3	2.7	4	<1	<1	2	4	5	5	5
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	17	8.6	70	1	2	6	11	19	29	34
70-74	11	18.5	821	3	3	8	17	62	96	99
75-79	6	6.8	11	2	2	6	10	11	11	11
80-84	2	40.0	450	25	25	40	55	55	55	55
85+	2	7.5	85	<1	<1	7	14	14	14	14
TOT. SINGLE DX	22	5.7	27	<1	1	4	8	16	17	18
" MULTIPLE DX	38	12.8	333	1	2	7	12	31	48	99
TOTAL 65-69 YRS	27	7.7	53	1	1	6	11	16	23	34
70-74	18	13.9	536	1	2	6	15	33	75	99
75-79	9	5.4	12	<1	1	5	8	11	11	11
80-84	3	29.7	545	9	9	25	47	55	55	55
85+	3	5.7	52	<1	<1	2	11	14	14	14
GRAND TOTAL	**60**	**10.2**	**231**	**1**	**1**	**6**	**11**	**20**	**36**	**95**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	238	9.1	63	2	3	7	11	17	28	49
70-74	170	9.5	59	2	3	7	12	19	25	36
75-79	67	14.0	180	2	3	9	19	27	46	64
80-84	50	15.7	158	3	4	13	20	29	45	67
85+	34	19.0	216	3	4	15	21	46	55	59
2. MULTIPLE DX										
65-69 YRS	363	11.4	132	2	3	8	14	22	31	73
70-74	254	14.2	195	2	3	10	18	32	44	94
75-79	154	17.7	260	3	4	12	23	37	56	96
80-84	107	18.2	180	3	4	17	23	36	47	89
85+	63	24.8	373	3	7	20	31	63	88	99+
TOT. SINGLE DX	559	11.0	102	2	3	8	14	22	31	59
" MULTIPLE DX	941	14.8	204	2	3	10	19	32	45	93
TOTAL 65-69 YRS	601	10.5	106	2	3	8	13	20	30	63
70-74	424	12.3	145	2	3	9	15	26	37	80
75-79	221	16.5	237	3	4	11	22	36	51	82
80-84	157	17.4	173	3	4	15	22	35	46	80
85+	97	22.8	323	3	5	19	29	52	73	99+
GRAND TOTAL	**1500**	**13.4**	**170**	**2**	**3**	**9**	**17**	**29**	**41**	**82**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	494	5.4	12	2	3	5	6	8	10	17
70-74	227	5.4	9	2	3	5	7	8	10	15
75-79	140	5.7	10	2	3	5	7	9	11	19
80-84	52	6.3	12	2	3	5	8	12	13	17
85+	21	6.0	30	1	2	4	7	11	18	26
2. MULTIPLE DX										
65-69 YRS	1751	6.1	19	2	3	5	7	10	13	25
70-74	1020	6.7	30	2	3	5	8	11	14	32
75-79	497	8.0	53	3	3	6	9	15	20	41
80-84	182	8.4	71	3	3	6	9	13	19	52
85+	66	13.0	207	3	4	7	13	31	41	72
TOT. SINGLE DX	934	5.5	11	2	3	5	7	9	11	17
" MULTIPLE DX	3516	6.8	34	3	3	5	8	11	15	33
TOTAL 65-69 YRS	2245	6.0	17	2	3	5	7	9	12	22
70-74	1247	6.5	26	2	3	5	7	11	14	29
75-79	637	7.5	44	3	3	6	8	13	19	36
80-84	234	7.9	59	3	3	6	9	13	18	51
85+	87	11.3	172	2	3	7	11	28	39	71
GRAND TOTAL	**4450**	**6.5**	**30**	**2**	**3**	**5**	**7**	**11**	**14**	**30**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	861	7.4	69	2	2	5	9	15	21	48
70-74	593	8.5	105	2	2	5	10	17	26	49
75-79	380	8.6	81	1	2	6	11	18	23	47
80-84	157	9.7	55	2	3	7	14	21	26	32
85+	104	11.9	106	2	3	9	17	26	36	73
2. MULTIPLE DX										
65-69 YRS	1530	13.3	191	2	3	9	18	30	42	80
70-74	1160	15.3	226	2	3	11	20	36	50	93
75-79	801	17.3	273	2	3	12	23	40	58	99+
80-84	387	17.4	203	3	4	14	24	38	45	79
85+	278	19.0	239	3	4	15	25	43	52	86
TOT. SINGLE DX	2095	8.3	83	2	2	5	10	18	24	48
" MULTIPLE DX	4156	15.4	224	2	3	11	21	36	49	92
TOTAL 65-69 YRS	2391	11.2	155	2	2	6	15	26	37	70
70-74	1753	13.0	195	2	2	8	16	31	43	85
75-79	1181	14.5	227	2	3	10	19	34	48	98
80-84	544	15.2	172	2	3	11	21	32	43	75
85+	382	17.1	212	3	4	13	22	39	50	85
GRAND TOTAL	**6251**	**13.0**	**188**	**2**	**2**	**8**	**17**	**30**	**42**	**80**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	215	12.3	71	3	4	11	15	20	29	48
70-74	200	15.6	129	3	5	13	19	30	36	54
75-79	218	16.1	74	4	5	15	21	28	32	48
80-84	232	18.6	133	5	9	16	21	30	44	63
85+	268	18.2	108	6	9	16	22	29	36	81
2. MULTIPLE DX										
65-69 YRS	286	18.9	189	4	5	15	24	38	46	77
70-74	343	21.3	189	5	7	18	27	40	51	99+
75-79	392	22.6	217	8	10	19	27	41	59	95
80-84	379	21.4	187	7	9	18	26	41	53	99+
85+	452	21.5	149	8	10	18	28	38	48	99+
TOT. SINGLE DX	1133	16.3	108	4	6	15	20	28	35	59
" MULTIPLE DX	1852	21.3	186	6	9	18	27	40	50	99
TOTAL 65-69 YRS	501	16.0	149	3	5	13	19	33	41	62
70-74	543	19.2	174	4	6	16	25	37	47	84
75-79	610	20.3	175	5	8	17	24	36	44	88
80-84	611	20.3	168	6	9	17	24	38	49	88
85+	720	20.3	136	7	9	17	25	35	42	90
GRAND TOTAL	**2985**	**19.4**	**162**	**5**	**7**	**16**	**24**	**36**	**44**	**86**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	646	5.8	60	1	2	3	6	12	19	37
70-74	506	6.7	57	1	2	4	8	17	21	35
75-79	409	8.1	81	2	2	5	10	18	23	44
80-84	255	9.4	109	1	2	6	13	19	25	50
85+	228	10.8	107	2	2	9	14	21	26	74
2. MULTIPLE DX										
65-69 YRS	475	13.7	228	2	2	8	17	33	49	79
70-74	476	14.8	219	2	3	10	20	34	51	79
75-79	465	15.7	184	2	3	12	22	35	46	87
80-84	380	17.7	198	3	4	15	24	36	49	95
85+	325	18.4	230	4	5	15	23	39	55	95
TOT. SINGLE DX	2044	7.5	77	1	2	4	9	17	23	43
" MULTIPLE DX	2121	15.8	214	2	3	12	21	35	49	83
TOTAL 65-69 YRS	1121	9.2	146	1	2	5	11	23	34	66
70-74	982	10.6	152	2	2	6	14	24	35	69
75-79	874	12.2	150	2	2	8	16	28	39	67
80-84	635	14.4	178	2	3	11	20	30	44	84
85+	553	15.3	193	3	4	11	20	33	45	93
GRAND TOTAL	**4165**	**11.7**	**164**	**2**	**2**	**7**	**16**	**27**	**39**	**71**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	237	15.9	55	6	8	15	19	23	28	46
70-74	301	17.5	93	7	9	15	20	29	37	53
75-79	387	18.4	107	7	9	16	22	30	39	68
80-84	417	18.8	93	8	10	17	23	31	41	99+
85+	517	18.4	92	8	10	16	22	30	38	64
2. MULTIPLE DX										
65-69 YRS	365	21.4	140	9	10	19	26	39	49	85
70-74	497	22.8	186	8	10	20	28	43	54	80
75-79	692	23.6	221	9	11	20	28	45	56	97
80-84	800	22.9	175	10	11	19	27	40	53	99
85+	1120	22.3	173	9	11	19	27	38	51	92
TOT. SINGLE DX	1859	18.0	91	7	9	16	21	29	37	63
" MULTIPLE DX	3474	22.7	182	9	11	19	27	40	53	94
TOTAL 65-69 YRS	602	19.2	113	7	10	17	22	34	44	63
70-74	798	20.8	157	8	10	17	25	37	51	75
75-79	1079	21.7	186	8	10	18	25	37	53	93
80-84	1217	21.5	151	9	11	18	26	38	47	99+
85+	1637	21.1	150	9	10	18	25	35	46	84
GRAND TOTAL	**5333**	**21.0**	**155**	**8**	**10**	**18**	**25**	**36**	**48**	**86**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	954	17.1	86	8	9	15	20	26	34	70
70-74	1288	17.9	78	8	9	16	21	27	33	56
75-79	1661	18.8	98	9	10	17	22	29	35	73
80-84	1954	19.2	86	9	11	17	22	30	36	58
85+	2581	19.4	99	8	10	17	23	31	38	63
2. MULTIPLE DX										
65-69 YRS	1796	22.6	182	9	11	19	27	39	54	97
70-74	2488	23.2	169	10	11	20	28	40	52	96
75-79	3451	24.1	187	10	12	21	29	43	55	96
80-84	4149	23.4	171	10	12	20	28	40	52	93
85+	5678	23.1	176	10	12	19	28	41	53	99+
TOT. SINGLE DX	8438	18.8	92	8	10	17	22	29	36	64
" MULTIPLE DX	17562	23.3	177	10	12	20	28	41	53	98
TOTAL 65-69 YRS	2750	20.7	155	8	10	18	24	36	48	90
70-74	3776	21.4	144	9	11	18	25	36	47	82
75-79	5112	22.4	164	9	11	19	27	39	51	88
80-84	6103	22.0	148	10	11	19	26	37	48	90
85+	8259	21.9	155	9	11	19	26	38	48	92
GRAND TOTAL	**26000**	**21.8**	**154**	**9**	**11**	**19**	**26**	**37**	**48**	**90**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	19.8	205	5	6	15	23	47	49	64
70-74	79	21.9	325	5	7	17	26	43	62	92
75-79	73	22.0	293	5	5	17	27	39	59	92
80-84	86	23.0	316	5	7	18	26	47	63	92
85+	123	18.6	198	4	6	16	21	34	57	83
2. MULTIPLE DX										
65-69 YRS	104	27.3	405	5	8	20	37	63	71	95
70-74	104	28.1	386	7	8	23	39	58	88	99+
75-79	135	27.8	345	7	10	23	37	54	66	83
80-84	157	23.8	274	6	8	20	31	49	61	99+
85+	217	22.8	245	4	7	19	30	45	64	99+
TOT. SINGLE DX	414	20.9	265	5	6	17	25	39	59	88
" MULTIPLE DX	717	25.4	317	6	8	20	34	54	67	99+
TOTAL 65-69 YRS	157	24.8	348	5	8	18	34	55	65	91
70-74	183	25.4	367	6	8	20	32	54	84	99+
75-79	208	25.7	333	5	8	21	34	53	64	84
80-84	243	23.5	288	6	8	19	30	48	63	99+
85+	340	21.3	232	4	7	17	26	44	61	99+
GRAND TOTAL	**1131**	**23.7**	**302**	**5**	**7**	**19**	**31**	**49**	**64**	**97**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	365	6.1	42	1	1	4	8	12	17	32
70-74	238	6.3	50	1	1	4	7	15	21	39
75-79	179	8.4	70	1	2	5	11	22	26	38
80-84	113	12.7	179	2	2	9	15	27	37	71
85+	99	10.3	77	1	2	7	17	24	29	33
2. MULTIPLE DX										
65-69 YRS	267	12.5	186	1	2	8	16	30	43	68
70-74	231	14.0	166	2	3	10	20	30	37	78
75-79	223	14.3	184	2	3	10	20	28	44	75
80-84	131	16.7	257	3	3	13	21	33	55	95
85+	131	18.5	227	3	4	15	23	48	55	75
TOT. SINGLE DX	994	7.7	73	1	2	5	10	17	25	40
" MULTIPLE DX	983	14.6	199	2	3	10	20	31	48	80
TOTAL 65-69 YRS	632	8.8	112	1	2	5	10	20	30	58
70-74	469	10.1	122	1	2	6	14	24	32	59
75-79	402	11.6	142	2	2	8	16	25	34	67
80-84	244	14.8	224	2	3	10	19	30	47	90
85+	230	15.0	179	2	2	13	21	31	49	66
GRAND TOTAL	**1977**	**11.2**	**147**	**1**	**2**	**7**	**15**	**25**	**34**	**66**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1000	8.9	51	2	3	7	11	16	21	36
70-74	768	9.8	66	2	3	8	12	18	23	45
75-79	508	11.4	86	2	3	9	15	20	26	42
80-84	343	13.4	129	3	4	11	17	25	28	78
85+	269	14.4	103	3	5	12	19	26	31	46
2. MULTIPLE DX										
65-69 YRS	1177	14.2	157	3	4	10	17	28	41	64
70-74	1000	15.2	153	3	4	12	20	30	39	68
75-79	791	17.7	194	4	5	14	22	36	47	88
80-84	503	19.1	189	5	6	16	24	35	48	90
85+	456	21.4	226	5	7	18	26	42	57	82
TOT. SINGLE DX	2888	10.6	79	2	3	8	14	20	25	43
" MULTIPLE DX	3927	16.6	181	3	5	13	21	33	45	74
TOTAL 65-69 YRS	2177	11.7	115	3	4	8	14	23	32	59
70-74	1768	12.8	122	3	4	10	16	25	34	66
75-79	1299	15.2	161	3	4	12	19	30	41	78
80-84	846	16.8	173	3	5	14	21	31	41	81
85+	725	18.8	191	4	6	16	23	35	48	76
GRAND TOTAL	**6815**	**14.1**	**147**	**3**	**4**	**11**	**18**	**28**	**38**	**69**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1280	5.0	27	1	1	3	6	11	15	29
70-74	1083	5.3	34	1	1	3	7	12	15	27
75-79	797	6.1	49	1	1	4	7	14	19	34
80-84	511	6.7	61	1	1	4	9	14	19	38
85+	416	7.2	52	1	1	5	9	17	22	35
2. MULTIPLE DX										
65-69 YRS	1284	10.1	111	1	2	7	13	23	32	64
70-74	1280	10.5	113	1	2	7	14	23	30	63
75-79	1249	11.4	123	2	2	8	15	25	35	76
80-84	916	12.2	140	2	3	9	15	27	37	73
85+	798	12.4	145	2	3	9	16	26	34	68
TOT. SINGLE DX	4087	5.7	40	1	1	4	7	13	17	32
" MULTIPLE DX	5527	11.1	124	2	2	8	14	24	33	68
TOTAL 65-69 YRS	2564	7.5	75	1	1	5	9	17	24	49
70-74	2363	8.1	83	1	1	5	10	18	25	50
75-79	2046	9.3	101	1	2	6	12	21	30	58
80-84	1427	10.2	119	1	2	7	13	22	31	63
85+	1214	10.6	119	1	2	7	14	23	30	61
GRAND TOTAL	**9614**	**8.8**	**96**	**1**	**2**	**6**	**11**	**20**	**28**	**56**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	262	4.3	39	<1	1	2	5	10	15	27
70-74	247	4.9	49	<1	1	2	6	12	19	46
75-79	201	6.6	88	1	1	3	7	16	25	51
80-84	118	7.5	72	1	1	4	10	19	26	41
85+	111	6.7	37	1	1	5	10	15	18	27
2. MULTIPLE DX										
65-69 YRS	301	9.7	152	1	1	6	12	23	32	65
70-74	282	10.1	161	1	1	6	12	22	29	79
75-79	258	11.2	155	1	1	7	15	27	36	62
80-84	205	12.0	187	1	2	7	16	26	41	70
85+	167	14.0	195	2	2	9	20	29	39	94
TOT. SINGLE DX	939	5.7	57	1	1	3	6	14	20	41
" MULTIPLE DX	1213	11.1	168	1	1	7	14	26	35	72
TOTAL 65-69 YRS	563	7.2	106	1	1	4	8	16	25	60
70-74	529	7.7	115	1	1	4	9	19	27	75
75-79	459	9.2	130	1	1	5	12	23	33	55
80-84	323	10.3	149	1	1	6	14	25	33	62
85+	278	11.1	145	1	2	8	15	26	32	74
GRAND TOTAL	**2152**	**8.7**	**127**	**1**	**1**	**5**	**11**	**21**	**29**	**62**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	88	10.2	79	2	2	8	13	21	32	43
70-74	87	10.3	55	2	3	8	16	21	24	33
75-79	76	14.8	100	3	3	14	20	30	40	86
80-84	52	17.5	110	4	5	17	21	31	36	56
85+	63	17.0	78	4	7	16	21	28	36	44
2. MULTIPLE DX										
65-69 YRS	109	15.5	198	3	4	10	21	33	47	64
70-74	98	17.2	179	3	5	14	21	33	47	73
75-79	88	18.3	142	4	5	16	23	36	43	86
80-84	80	23.9	256	7	11	21	27	40	57	91
85+	102	23.5	234	10	11	18	31	39	56	82
TOT. SINGLE DX	366	13.4	90	2	3	12	18	24	33	44
" MULTIPLE DX	477	19.5	211	4	5	16	24	37	50	80
TOTAL 65-69 YRS	197	13.1	151	2	3	9	17	30	42	62
70-74	185	14.0	132	3	3	12	19	26	34	60
75-79	164	16.7	125	3	5	15	21	33	41	94
80-84	132	21.4	207	4	8	18	25	36	54	82
85+	165	21.0	183	6	10	17	24	36	42	80
GRAND TOTAL	**843**	**16.9**	**168**	**3**	**4**	**14**	**21**	**34**	**42**	**67**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	273	11.0	126	2	2	7	14	25	35	61
70-74	212	12.0	148	2	2	7	16	26	39	61
75-79	141	14.2	178	2	2	11	20	32	44	99+
80-84	72	16.5	254	2	3	13	22	35	54	77
85+	55	18.7	235	3	5	15	23	39	49	79
2. MULTIPLE DX										
65-69 YRS	416	16.5	305	3	3	11	21	40	56	84
70-74	338	17.2	209	3	4	14	23	37	49	85
75-79	228	23.3	385	4	5	17	31	53	64	96
80-84	162	23.7	298	4	6	20	30	47	61	78
85+	108	22.2	231	5	6	19	31	45	62	99+
TOT. SINGLE DX	753	13.0	167	2	2	8	18	28	41	72
" MULTIPLE DX	1252	19.4	295	3	4	14	26	43	58	92
TOTAL 65-69 YRS	689	14.4	241	2	3	9	18	32	46	83
70-74	550	15.2	192	2	3	11	20	34	44	71
75-79	369	19.8	325	2	3	15	27	44	61	99
80-84	234	21.5	294	3	4	18	27	45	59	78
85+	163	21.0	233	4	6	18	28	42	58	97
GRAND TOTAL	**2005**	**17.0**	**256**	**2**	**3**	**12**	**23**	**39**	**53**	**85**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1007	14.5	58	6	7	13	18	24	28	41
70-74	456	16.3	99	7	8	14	19	26	34	59
75-79	174	16.9	80	6	8	15	21	27	34	44
80-84	51	18.6	77	8	9	16	23	30	37	43
85+	31	18.4	198	4	7	13	27	36	53	59
2. MULTIPLE DX										
65-69 YRS	1078	18.9	136	7	8	16	23	32	42	69
70-74	687	21.7	154	8	10	19	26	38	49	69
75-79	313	23.1	195	8	9	20	30	42	50	73
80-84	125	27.0	193	10	12	25	33	47	56	92
85+	35	25.8	228	7	9	23	37	44	49	76
TOT. SINGLE DX	1719	15.4	76	6	8	13	19	26	31	47
" MULTIPLE DX	2238	20.9	159	8	9	18	26	37	47	71
TOTAL 65-69 YRS	2085	16.8	103	7	8	14	20	28	35	62
70-74	1143	19.5	139	8	9	17	24	33	43	68
75-79	487	20.9	162	8	9	18	26	38	46	72
80-84	176	24.6	173	9	11	22	30	44	50	83
85+	66	22.3	224	6	7	18	32	41	51	73
GRAND TOTAL	**3957**	**18.5**	**130**	**7**	**8**	**16**	**23**	**32**	**41**	**66**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	356	6.4	15	2	3	6	7	10	14	23
70-74	162	7.0	16	3	4	6	9	12	16	23
75-79	63	6.9	13	2	3	6	9	12	14	17
80-84	22	8.1	16	2	3	9	10	13	16	18
85+	23	5.7	8	2	3	5	7	10	12	13
2. MULTIPLE DX										
65-69 YRS	596	8.3	47	3	3	7	9	15	20	38
70-74	297	9.3	52	2	4	7	11	17	24	40
75-79	145	10.6	92	3	4	8	12	25	29	83
80-84	40	12.3	113	4	4	9	14	23	35	56
85+	17	8.2	37	2	3	7	8	18	23	25
TOT. SINGLE DX	626	6.6	15	2	3	6	8	11	14	22
" MULTIPLE DX	1095	9.0	57	3	3	7	10	17	24	41
TOTAL 65-69 YRS	952	7.6	36	3	3	6	8	13	17	33
70-74	459	8.5	40	3	4	6	10	16	21	36
75-79	208	9.5	71	2	3	8	11	17	27	57
80-84	62	10.8	82	3	4	9	12	19	24	55
85+	40	6.8	21	2	3	6	7	12	17	25
GRAND TOTAL	**1721**	**8.1**	**43**	**3**	**3**	**6**	**9**	**15**	**20**	**37**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	401	5.4	48	1	1	3	6	12	17	31
70-74	232	5.8	44	1	2	3	6	13	22	29
75-79	131	7.4	96	1	2	4	9	16	23	46
80-84	49	9.2	79	1	1	7	12	20	25	48
85+	38	11.6	315	<1	1	5	12	29	59	77
2. MULTIPLE DX										
65-69 YRS	539	8.8	94	2	2	5	10	20	28	45
70-74	355	10.4	125	2	2	7	14	24	34	56
75-79	182	10.6	109	2	2	6	16	24	28	42
80-84	102	13.1	129	2	3	9	21	31	36	77
85+	59	16.2	228	2	4	11	23	34	49	75
TOT. SINGLE DX	851	6.3	70	1	1	3	7	14	22	36
" MULTIPLE DX	1237	10.2	117	2	2	6	13	24	32	55
TOTAL 65-69 YRS	940	7.3	77	1	2	4	9	16	25	44
70-74	587	8.6	98	1	2	5	11	22	28	50
75-79	313	9.3	105	2	2	5	12	22	27	42
80-84	151	11.8	116	2	2	9	17	27	33	56
85+	97	14.4	265	1	2	8	20	29	49	77
GRAND TOTAL	**2088**	**8.6**	**101**	**1**	**2**	**5**	**10**	**21**	**28**	**51**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	60	12.7	41	5	6	11	17	23	24	30
70-74	24	16.2	100	7	8	12	22	30	36	46
75-79	10	14.8	100	3	3	13	23	29	34	34
80-84	2	16.5	5	15	15	16	18	18	18	18
85+	2	13.0	18	10	10	13	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	122	20.8	174	6	8	18	30	44	54	99+
70-74	61	24.6	361	6	8	20	42	66	99+	99+
75-79	27	23.4	159	8	9	21	33	43	48	48
80-84	13	28.2	265	10	11	28	34	48	66	70
85+	7	28.0	150	12	12	29	38	42	43	43
TOT. SINGLE DX	98	13.8	61	5	6	11	19	24	29	40
" MULTIPLE DX	230	22.8	228	6	8	20	31	52	67	99+
TOTAL 65-69 YRS	182	18.1	145	5	7	15	24	37	50	99+
70-74	85	22.2	300	6	8	17	29	58	80	99+
75-79	37	21.1	155	5	8	18	29	40	46	48
80-84	15	26.7	245	10	11	24	34	42	63	70
85+	9	24.7	158	10	11	28	34	42	43	43
GRAND TOTAL	**328**	**20.1**	**194**	**6**	**7**	**16**	**27**	**43**	**55**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	291	6.9	63	2	2	4	8	15	19	48
70-74	189	7.5	54	2	2	5	9	17	19	41
75-79	117	7.6	53	2	2	4	10	19	25	31
80-84	55	10.4	92	2	2	6	15	23	35	37
85+	28	13.7	269	1	2	8	22	29	35	80
2. MULTIPLE DX										
65-69 YRS	359	8.8	54	2	2	6	12	19	24	36
70-74	235	11.9	151	2	3	7	15	26	36	69
75-79	156	10.5	96	2	2	7	15	22	29	49
80-84	79	13.1	99	2	3	10	21	24	31	46
85+	41	17.2	187	2	3	14	23	35	47	58
TOT. SINGLE DX	680	7.8	71	2	2	5	10	17	24	43
" MULTIPLE DX	870	10.7	102	2	2	7	15	24	29	50
TOTAL 65-69 YRS	650	7.9	59	2	2	5	10	17	23	36
70-74	424	9.9	112	2	2	6	13	22	29	52
75-79	273	9.3	80	2	2	6	13	21	28	43
80-84	134	12.0	98	2	2	8	18	24	34	41
85+	69	15.8	220	2	2	12	23	33	39	76
GRAND TOTAL	**1550**	**9.4**	**91**	**2**	**2**	**6**	**12**	**21**	**27**	**49**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1600	16.5	42	9	10	16	19	23	28	42
70-74	1438	17.5	50	10	11	16	20	25	30	46
75-79	1050	18.7	59	10	12	17	21	27	32	48
80-84	541	19.9	75	11	12	18	23	29	35	61
85+	293	19.7	83	10	12	18	23	30	36	52
2. MULTIPLE DX										
65-69 YRS	1557	20.6	127	10	11	18	23	32	43	84
70-74	1696	22.0	129	11	12	19	25	37	45	75
75-79	1406	23.4	145	11	13	20	28	39	50	79
80-84	836	25.4	172	12	14	22	30	43	53	85
85+	550	25.2	175	11	13	22	29	44	53	99
TOT. SINGLE DX	4922	17.8	55	10	11	16	20	26	31	46
" MULTIPLE DX	6045	22.7	145	11	12	19	26	38	49	81
TOTAL 65-69 YRS	3157	18.5	88	9	11	16	21	28	36	61
70-74	3134	20.0	98	10	12	17	23	31	40	65
75-79	2456	21.4	114	11	12	18	25	34	43	69
80-84	1377	23.2	141	11	13	20	26	38	49	80
85+	843	23.3	150	11	12	20	27	38	48	92
GRAND TOTAL	**10967**	**20.5**	**111**	**10**	**12**	**18**	**23**	**33**	**41**	**70**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	693	17.1	62	9	10	16	20	26	31	53
70-74	974	17.6	68	9	10	16	21	26	31	50
75-79	1226	18.5	68	9	11	17	21	28	33	53
80-84	1216	19.1	71	9	11	17	22	29	35	49
85+	1331	19.0	82	9	11	17	22	30	35	57
2. MULTIPLE DX										
65-69 YRS	1073	21.5	129	9	11	19	25	37	46	75
70-74	1741	22.8	156	10	12	19	27	38	50	90
75-79	2183	22.8	151	10	12	20	27	38	47	87
80-84	2508	23.5	157	10	12	20	28	40	50	76
85+	2964	23.4	160	10	12	20	28	40	50	84
TOT. SINGLE DX	5440	18.4	72	9	11	17	21	28	33	52
" MULTIPLE DX	10469	23.0	154	10	12	20	27	39	49	81
TOTAL 65-69 YRS	1766	19.8	107	9	11	17	23	33	42	67
70-74	2715	20.9	131	10	11	18	25	34	43	76
75-79	3409	21.2	126	10	12	18	25	34	44	73
80-84	3724	22.1	134	10	12	19	26	37	45	71
85+	4295	22.0	140	10	12	19	26	37	46	77
GRAND TOTAL	**15909**	**21.4**	**131**	**10**	**11**	**19**	**25**	**35**	**45**	**74**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1193	17.3	56	8	10	16	20	26	31	43
70-74	1116	17.9	52	9	10	17	21	27	31	41
75-79	822	19.0	61	9	11	18	22	29	34	45
80-84	320	19.6	72	9	11	18	23	30	36	54
85+	118	20.8	130	5	10	19	24	34	41	69
2. MULTIPLE DX										
65-69 YRS	1111	20.9	125	9	11	18	24	34	44	69
70-74	1239	21.6	117	10	11	19	26	35	43	66
75-79	948	23.0	135	10	12	20	27	38	46	68
80-84	382	24.3	161	10	12	21	29	41	49	74
85+	138	24.5	132	9	12	23	32	38	45	56
TOT. SINGLE DX	3569	18.2	61	9	10	17	22	28	33	44
" MULTIPLE DX	3818	22.1	130	9	11	19	26	36	45	68
TOTAL 65-69 YRS	2304	19.0	92	8	10	17	23	30	36	60
70-74	2355	19.9	90	9	11	18	24	31	38	56
75-79	1770	21.2	105	10	11	19	25	34	41	63
80-84	702	22.1	126	9	12	19	26	35	44	65
85+	256	22.8	134	8	11	21	28	37	44	61
GRAND TOTAL	**7387**	**20.2**	**100**	**9**	**11**	**18**	**24**	**32**	**39**	**61**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	362	6.5	28	2	2	5	8	12	16	30
70-74	233	7.2	28	2	2	5	10	15	17	25
75-79	122	8.5	58	1	2	6	11	21	24	37
80-84	46	10.0	48	2	3	9	13	18	26	30
85+	19	15.2	241	3	3	11	21	41	53	57
2. MULTIPLE DX										
65-69 YRS	497	8.3	56	2	3	6	9	16	25	45
70-74	330	10.5	112	2	3	7	13	24	32	62
75-79	186	11.7	160	2	3	7	15	24	38	60
80-84	89	11.5	102	2	2	9	15	27	35	46
85+	35	14.6	124	2	3	16	21	30	31	46
TOT. SINGLE DX	782	7.4	41	2	2	5	9	15	20	31
" MULTIPLE DX	1137	9.9	97	2	3	7	12	22	30	50
TOTAL 65-69 YRS	859	7.5	45	2	2	5	9	15	21	39
70-74	563	9.1	80	2	3	6	11	20	27	49
75-79	308	10.4	122	2	2	7	13	23	29	54
80-84	135	11.0	84	2	3	9	15	24	30	44
85+	54	14.8	161	3	3	12	22	30	43	57
GRAND TOTAL	**1919**	**8.9**	**76**	**2**	**2**	**6**	**10**	**19**	**26**	**47**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	296	3.1	10	<1	<1	2	3	7	10	21
70-74	146	3.7	19	<1	1	2	4	8	12	36
75-79	98	3.3	10	<1	1	2	4	7	10	16
80-84	33	5.8	96	<1	1	3	6	9	32	48
85+	36	7.7	77	<1	1	4	12	17	20	45
2. MULTIPLE DX										
65-69 YRS	227	9.3	111	1	2	5	14	22	27	67
70-74	171	11.2	156	2	2	7	14	26	43	77
75-79	114	15.5	294	2	2	10	22	38	51	99
80-84	55	14.9	184	1	2	11	18	41	44	98
85+	43	20.5	348	2	3	17	30	40	80	99+
TOT. SINGLE DX	609	3.7	22	<1	1	2	4	8	12	27
" MULTIPLE DX	610	12.3	191	1	2	8	17	29	43	95
TOTAL 65-69 YRS	523	5.8	63	<1	1	3	6	16	22	52
70-74	317	7.7	107	1	1	4	9	18	30	63
75-79	212	9.9	199	1	1	4	12	24	39	88
80-84	88	11.5	169	1	1	7	17	35	42	85
85+	79	14.6	263	1	2	11	19	38	44	98
GRAND TOTAL	**1219**	**8.0**	**124**	**<1**	**1**	**4**	**9**	**20**	**31**	**71**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	515	4.3	29	1	1	3	5	8	12	30
70-74	362	4.5	42	<1	1	3	4	9	16	27
75-79	203	5.5	45	1	1	3	6	12	21	28
80-84	74	5.7	31	1	2	4	7	13	19	28
85+	53	5.0	26	1	1	3	5	11	16	26
2. MULTIPLE DX										
65-69 YRS	571	9.5	125	2	2	6	12	21	31	70
70-74	435	11.3	131	2	2	8	15	25	33	65
75-79	261	12.3	193	1	2	8	16	24	41	89
80-84	143	13.2	151	2	2	9	17	32	45	63
85+	76	13.2	130	2	3	9	18	34	40	85
TOT. SINGLE DX	1207	4.6	36	1	1	3	5	9	14	28
" MULTIPLE DX	1486	11.1	143	2	2	7	14	25	35	71
TOTAL 65-69 YRS	1086	7.0	86	1	2	4	8	16	25	49
70-74	797	8.2	102	1	2	4	11	21	27	55
75-79	464	9.3	139	1	2	6	11	22	28	67
80-84	217	10.6	122	2	2	7	14	27	37	55
85+	129	9.8	103	2	2	6	12	27	36	55
GRAND TOTAL	**2693**	**8.2**	**105**	**1**	**2**	**4**	**10**	**20**	**28**	**55**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	511	2.8	2	1	2	2	3	4	5	9
70-74	323	2.9	4	1	1	2	3	5	6	11
75-79	166	2.9	4	1	1	3	3	5	6	9
80-84	50	2.9	3	1	2	3	3	4	5	13
85+	12	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	290	4.7	24	1	2	3	5	10	14	28
70-74	207	4.7	39	2	2	3	5	9	14	29
75-79	102	6.0	103	2	2	4	6	11	13	71
80-84	28	7.5	102	2	2	4	9	17	27	50
85+	15	10.4	91	2	2	8	14	21	33	37
TOT. SINGLE DX	1062	2.8	3	1	1	2	3	5	6	10
" MULTIPLE DX	642	5.2	47	2	2	3	5	11	14	37
TOTAL 65-69 YRS	801	3.5	11	1	2	3	4	6	9	21
70-74	530	3.6	18	1	2	3	4	6	9	20
75-79	268	4.1	44	1	1	3	4	7	11	21
80-84	78	4.6	43	1	2	3	4	9	14	43
85+	27	7.1	64	1	2	4	9	17	23	37
GRAND TOTAL	**1704**	**3.7**	**21**	**1**	**2**	**3**	**4**	**6**	**10**	**22**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	130	2.7	3	<1	1	2	3	5	7	9
70-74	90	3.0	10	<1	1	2	3	6	8	19
75-79	44	3.0	6	1	1	2	4	6	8	11
80-84	12	4.1	25	1	1	2	4	11	18	19
85+	6	3.7	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	147	4.4	22	1	1	3	5	9	11	30
70-74	81	5.6	42	1	1	3	7	12	15	39
75-79	40	5.6	26	1	1	4	7	12	16	24
80-84	25	7.8	75	1	2	6	8	20	32	34
85+	21	13.7	436	2	2	7	13	27	63	98
TOT. SINGLE DX	282	2.9	6	<1	1	2	3	5	8	16
" MULTIPLE DX	314	5.8	64	1	1	3	7	11	18	35
TOTAL 65-69 YRS	277	3.6	14	<1	1	3	4	7	10	23
70-74	171	4.2	27	1	1	3	4	9	13	22
75-79	84	4.3	17	1	1	3	5	10	12	22
80-84	37	6.6	61	1	1	4	7	18	27	34
85+	27	11.4	354	2	2	6	11	20	44	98
GRAND TOTAL	**596**	**4.4**	**39**	**1**	**1**	**3**	**5**	**9**	**12**	**31**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	328	5.2	26	1	2	4	6	9	12	26
70-74	193	5.2	15	1	2	4	7	10	14	99+
75-79	94	5.8	17	1	1	5	8	11	16	18
80-84	38	8.2	60	2	2	6	10	16	26	39
85+	14	5.7	14	1	2	5	9	12	12	12
2. MULTIPLE DX										
65-69 YRS	337	8.2	73	2	2	6	10	17	24	64
70-74	199	9.9	136	2	2	6	12	20	29	73
75-79	107	10.4	125	1	2	7	13	24	32	58
80-84	42	11.6	107	2	2	9	16	28	35	39
85+	33	11.9	78	2	3	10	17	24	31	38
TOT. SINGLE DX	667	5.4	24	1	2	4	7	11	14	31
" MULTIPLE DX	718	9.3	101	2	2	6	11	20	29	60
TOTAL 65-69 YRS	665	6.7	52	1	2	5	8	13	19	44
70-74	392	7.6	82	2	2	5	9	16	23	79
75-79	201	8.2	80	1	2	6	10	17	25	57
80-84	80	10.0	87	2	2	7	13	24	34	39
85+	47	10.1	66	2	2	8	14	21	25	38
GRAND TOTAL	**1385**	**7.5**	**68**	**1**	**2**	**5**	**9**	**15**	**22**	**57**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	6.1	28	1	2	5	7	11	13	30
70-74	88	8.1	35	2	2	7	10	16	19	31
75-79	38	9.2	116	2	3	7	10	12	23	67
80-84	24	10.0	89	1	2	7	12	20	30	45
85+	8	6.0	6	2	3	6	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	153	10.0	124	2	2	6	11	24	38	56
70-74	91	14.8	298	2	3	10	16	39	62	97
75-79	47	13.7	162	3	4	8	16	34	41	53
80-84	29	10.9	57	2	3	10	16	20	25	30
85+	10	15.1	273	2	3	9	18	43	56	56
TOT. SINGLE DX	304	7.3	46	2	2	6	9	13	18	38
" MULTIPLE DX	330	12.1	179	2	3	7	14	30	40	71
TOTAL 65-69 YRS	299	8.1	80	1	2	6	8	15	27	48
70-74	179	11.5	179	2	3	8	12	22	41	89
75-79	85	11.7	145	3	3	7	12	30	36	62
80-84	53	10.5	70	2	3	8	14	20	25	45
85+	18	11.1	169	2	3	7	10	26	46	56
GRAND TOTAL	**634**	**9.8**	**121**	**2**	**2**	**7**	**11**	**19**	**32**	**64**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	94	3.1	15	1	1	2	3	7	11	22
70-74	49	4.1	26	<1	1	2	5	9	13	30
75-79	37	4.9	50	1	1	2	4	14	24	31
80-84	23	5.6	32	1	2	4	6	13	22	23
85+	22	3.7	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
65-69 YRS	129	6.1	71	1	1	3	6	16	22	48
70-74	78	9.7	232	1	2	4	8	30	53	91
75-79	65	11.3	197	1	1	6	14	34	46	95
80-84	38	8.4	133	1	1	4	8	21	33	58
85+	38	13.1	164	1	2	8	17	35	43	53
TOT. SINGLE DX	225	3.9	24	1	1	2	4	9	13	28
" MULTIPLE DX	348	8.9	152	1	1	4	9	24	40	69
TOTAL 65-69 YRS	223	4.9	50	1	1	2	5	12	19	39
70-74	127	7.5	159	1	1	3	7	20	47	77
75-79	102	9.0	152	1	1	3	11	29	40	84
80-84	61	7.3	95	1	1	4	7	19	27	55
85+	60	9.6	126	<1	1	6	11	23	38	52
GRAND TOTAL	**573**	**6.9**	**107**	**1**	**1**	**3**	**7**	**19**	**31**	**57**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	10.9	193	3	3	6	10	33	47	47
70-74	5	13.8	115	2	2	11	21	30	30	30
75-79	8	11.0	36	1	3	10	17	18	18	18
80-84	7	7.9	24	1	2	7	9	16	17	17
85+	4	13.5	57	5	5	13	19	23	23	23
2. MULTIPLE DX										
65-69 YRS	26	21.0	261	1	2	18	31	53	70	99+
70-74	16	26.8	580	2	3	20	45	61	74	79
75-79	14	22.6	261	2	5	16	37	44	56	59
80-84	13	21.5	437	3	5	16	25	45	75	82
85+	14	23.4	452	4	6	15	36	45	73	81
TOT. SINGLE DX	33	11.0	85	1	3	8	15	19	29	47
" MULTIPLE DX	83	22.9	367	2	4	16	34	50	69	94
TOTAL 65-69 YRS	35	18.4	257	1	2	14	27	46	62	99+
70-74	21	23.7	490	2	2	16	42	54	70	79
75-79	22	18.4	207	1	4	15	20	39	49	59
80-84	20	16.8	328	2	4	9	24	32	59	82
85+	18	21.2	373	4	5	15	32	41	65	81
GRAND TOTAL	**116**	**19.5**	**314**	**2**	**3**	**14**	**29**	**42**	**61**	**88**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	94	8.8	111	1	2	5	11	21	29	56
70-74	103	11.7	159	2	3	6	14	34	44	77
75-79	99	10.3	117	1	2	7	12	20	31	61
80-84	66	11.9	113	3	3	8	16	27	35	56
85+	50	13.6	113	2	3	10	19	29	34	45
2. MULTIPLE DX										
65-69 YRS	645	22.0	296	3	5	18	30	45	59	92
70-74	637	23.5	333	3	5	18	33	52	63	99
75-79	499	23.4	331	4	5	18	33	52	69	99+
80-84	321	25.4	348	3	5	21	36	51	72	99+
85+	270	23.9	359	5	6	19	31	52	69	99
TOT. SINGLE DX	412	10.9	126	2	2	7	14	26	36	58
" MULTIPLE DX	2372	23.4	328	3	5	19	32	50	65	99+
TOTAL 65-69 YRS	739	20.3	291	2	4	16	29	43	58	91
70-74	740	21.9	326	3	4	17	31	49	61	99
75-79	598	21.2	319	3	4	16	30	49	68	99+
80-84	387	23.1	333	3	4	19	33	50	65	99+
85+	320	22.3	334	4	6	17	29	47	66	98
GRAND TOTAL	**2784**	**21.5**	**318**	**3**	**4**	**17**	**30**	**47**	**63**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	27.1	246	9	11	24	38	49	57	99
70-74	50	26.7	282	7	10	24	35	51	70	99+
75-79	52	30.0	309	10	13	24	38	58	70	80
80-84	34	21.6	193	7	7	17	29	35	55	61
85+	38	20.0	109	8	10	16	26	32	45	49
2. MULTIPLE DX										
65-69 YRS	791	32.7	377	10	13	28	45	66	86	99+
70-74	802	33.6	385	11	14	29	44	66	84	99+
75-79	722	32.8	327	11	14	29	44	66	80	99+
80-84	517	30.7	349	10	12	26	41	62	79	99+
85+	443	28.1	289	8	11	23	39	52	67	99+
TOT. SINGLE DX	232	25.7	247	8	10	23	33	47	60	93
" MULTIPLE DX	3275	32.0	355	10	13	28	43	64	80	99+
TOTAL 65-69 YRS	849	32.3	370	10	12	28	44	63	86	99+
70-74	852	33.2	382	11	13	29	44	66	84	99+
75-79	774	32.6	326	11	13	29	44	65	79	99+
80-84	551	30.2	344	10	12	26	39	61	78	99+
85+	481	27.4	280	8	11	23	38	51	66	99+
GRAND TOTAL	**3507**	**31.6**	**350**	**10**	**12**	**27**	**43**	**63**	**80**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	55	21.5	158	8	9	19	27	43	49	54
70-74	62	20.5	181	6	9	18	26	34	51	74
75-79	69	22.3	215	7	8	19	29	44	54	97
80-84	59	20.0	216	5	8	17	24	34	45	92
85+	76	17.1	155	4	6	14	20	31	45	94
2. MULTIPLE DX										
65-69 YRS	562	30.1	399	9	11	25	42	68	87	99+
70-74	722	30.1	363	9	11	25	39	58	79	99+
75-79	763	27.8	323	9	11	23	38	62	78	99+
80-84	681	26.5	283	8	10	23	36	54	74	99+
85+	887	24.8	282	7	9	20	33	50	67	99+
TOT. SINGLE DX	321	20.2	186	6	8	17	26	38	49	89
" MULTIPLE DX	3615	27.6	329	8	10	23	37	58	78	99+
TOTAL 65-69 YRS	617	29.4	384	9	10	24	41	65	86	99+
70-74	784	29.3	355	9	11	25	39	56	78	99+
75-79	832	27.4	316	8	10	23	37	59	77	99+
80-84	740	26.0	281	8	10	22	35	53	72	99+
85+	963	24.2	276	7	9	20	31	48	67	99+
GRAND TOTAL	**3936**	**27.0**	**322**	**8**	**10**	**22**	**36**	**56**	**77**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	27.5	303	6	8	30	38	63	83	99+
70-74	9	27.2	342	12	12	20	35	56	70	70
75-79	16	22.6	579	4	6	15	25	65	85	92
80-84	10	27.4	360	7	9	22	49	55	58	58
85+	7	18.4	104	5	6	16	27	33	34	34
2. MULTIPLE DX										
65-69 YRS	216	33.1	390	8	12	30	44	66	85	99+
70-74	138	34.9	425	10	14	31	45	73	93	99+
75-79	159	31.0	392	6	10	27	42	64	76	99
80-84	96	34.8	369	11	15	30	43	67	78	99
85+	85	31.4	379	11	13	24	42	62	73	88
TOT. SINGLE DX	64	25.3	354	6	8	18	34	58	71	99
" MULTIPLE DX	694	33.0	393	9	12	29	43	66	79	99+
TOTAL 65-69 YRS	238	32.6	383	8	11	30	43	65	84	99+
70-74	147	34.5	421	11	13	30	44	71	93	99+
75-79	175	30.2	412	6	9	26	40	64	77	98
80-84	106	34.1	369	11	13	30	43	66	77	99
85+	92	30.4	368	11	13	24	40	60	71	87
GRAND TOTAL	**758**	**32.4**	**394**	**8**	**11**	**28**	**42**	**66**	**79**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	3.3	7	1	1	2	5	7	7	7
70-74	4	2.5	3	1	1	2	4	5	5	5
75-79	4	8.8	105	2	2	4	14	24	24	24
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	6	4.3	17	<1	<1	2	8	11	11	11
70-74	4	26.0	754	4	4	17	45	65	65	65
75-79	2	9.0	32	5	5	9	13	13	13	13
80-84	2	18.5	1	18	18	18	19	19	19	19
85+										
TOT. SINGLE DX	12	4.8	40	1	1	3	5	12	22	24
" MULTIPLE DX	14	13.2	277	<1	1	9	18	29	57	65
TOTAL 65-69 YRS	10	3.9	12	<1	<1	2	7	9	11	11
70-74	8	14.3	482	1	1	4	17	53	65	65
75-79	6	8.8	69	2	2	5	13	23	24	24
80-84	2	18.5	1	18	18	18	19	19	19	19
85+										
GRAND TOTAL	**26**	**9.3**	**180**	**1**	**1**	**4**	**11**	**23**	**33**	**65**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	65	9.4	93	1	1	7	12	24	30	45
70-74	37	10.6	67	2	2	9	14	18	26	43
75-79	33	13.5	140	2	3	8	22	32	34	46
80-84	23	13.1	189	2	3	11	15	24	41	69
85+	16	10.1	36	2	2	10	13	18	22	24
2. MULTIPLE DX										
65-69 YRS	131	17.3	247	3	3	12	23	45	52	67
70-74	116	16.5	247	2	3	12	22	36	55	99+
75-79	79	21.0	244	3	6	17	29	44	50	76
80-84	58	21.0	312	4	6	16	25	41	65	83
85+	46	19.4	137	5	7	18	24	32	38	70
TOT. SINGLE DX	174	11.0	104	1	2	8	14	26	31	46
" MULTIPLE DX	430	18.5	245	3	4	14	24	40	51	83
TOTAL 65-69 YRS	196	14.7	209	2	2	10	18	35	48	63
70-74	153	15.1	209	2	3	12	19	33	44	99
75-79	112	18.8	224	3	4	13	27	41	47	70
80-84	81	18.7	287	3	5	14	23	38	64	81
85+	62	17.0	127	3	6	15	23	29	36	66
GRAND TOTAL	**604**	**16.3**	**216**	**2**	**3**	**12**	**22**	**36**	**46**	**79**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	10.5	81	4	4	6	14	25	32	33
70-74	9	12.0	34	3	4	15	17	18	18	18
75-79	3	22.7	49	16	16	22	28	30	30	30
80-84	3	30.7	390	13	13	27	46	52	52	52
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	10	15.0	170	4	5	11	25	68	97	99+
70-74	10	24.7	518	7	7	15	33	65	66	66
75-79	7	15.7	117	4	5	17	28	81	99+	99+
80-84	4	33.0	431	8	8	34	49	55	55	55
85+	5	28.2	259	12	12	28	38	52	52	52
TOT. SINGLE DX	27	14.9	122	4	4	15	18	29	36	52
" MULTIPLE DX	36	21.7	307	5	6	16	34	62	86	99+
TOTAL 65-69 YRS	21	12.7	122	4	4	8	19	37	68	99+
70-74	19	18.7	316	4	6	15	18	52	66	66
75-79	10	17.8	100	4	6	19	28	62	97	99+
80-84	7	32.0	347	8	9	27	50	54	55	55
85+	6	26.3	228	12	12	22	34	50	52	52
GRAND TOTAL	**63**	**18.7**	**236**	**4**	**5**	**15**	**26**	**52**	**65**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1950	3.6	16	1	2	2	4	7	11	20
70-74	1339	3.9	16	1	2	3	4	8	11	17
75-79	744	4.2	17	1	2	3	5	9	12	23
80-84	380	5.3	30	1	2	3	6	11	14	33
85+	258	5.8	48	1	2	4	7	12	22	44
2. MULTIPLE DX										
65-69 YRS	2016	7.1	69	2	2	4	9	16	23	42
70-74	1617	7.5	61	2	2	5	10	17	22	41
75-79	1080	8.5	76	2	2	5	11	19	25	45
80-84	658	9.3	74	2	2	7	12	20	26	46
85+	434	12.1	141	2	2	9	16	26	35	70
TOT. SINGLE DX	4671	4.1	19	1	2	3	4	9	12	24
" MULTIPLE DX	5805	8.1	76	2	2	5	10	18	25	45
TOTAL 65-69 YRS	3966	5.4	46	1	2	3	6	12	17	36
70-74	2956	5.9	43	2	2	3	7	13	18	35
75-79	1824	6.8	56	2	2	4	8	15	21	39
80-84	1038	7.8	62	2	2	5	10	17	22	41
85+	692	9.7	115	2	2	6	13	22	29	65
GRAND TOTAL	**10476**	**6.3**	**55**	**2**	**2**	**3**	**8**	**14**	**20**	**39**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	203	6.5	50	2	2	5	8	11	15	28
70-74	178	7.1	34	2	2	6	9	13	14	37
75-79	195	8.0	34	2	3	6	10	14	18	37
80-84	187	8.7	30	2	3	8	11	15	19	32
85+	179	8.5	20	2	3	8	10	14	16	24
2. MULTIPLE DX										
65-69 YRS	323	10.4	62	2	3	8	13	20	27	41
70-74	340	10.8	72	2	3	9	14	20	27	43
75-79	308	11.8	87	3	4	9	14	22	29	60
80-84	289	12.5	93	3	5	10	15	23	29	55
85+	314	13.3	115	4	5	11	16	24	32	94
TOT. SINGLE DX	942	7.7	34	2	2	7	10	14	17	33
" MULTIPLE DX	1574	11.7	86	3	4	9	14	22	28	56
TOTAL 65-69 YRS	526	8.9	61	2	2	7	11	17	24	40
70-74	518	9.5	62	2	3	8	12	18	26	42
75-79	503	10.3	70	2	3	8	13	19	26	51
80-84	476	11.0	71	3	3	9	13	21	26	49
85+	493	11.5	85	3	4	9	14	20	26	64
GRAND TOTAL	**2516**	**10.2**	**70**	**2**	**3**	**8**	**13**	**19**	**26**	**48**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1406	9.2	15	5	5	9	11	14	16	22
70-74	1088	9.5	16	5	6	9	11	14	17	23
75-79	766	9.8	17	5	6	9	11	15	17	25
80-84	370	9.9	16	5	6	9	12	15	18	23
85+	189	10.1	20	5	5	9	12	16	17	25
2. MULTIPLE DX										
65-69 YRS	1933	11.7	43	5	6	10	14	19	24	38
70-74	1665	12.4	65	5	6	10	14	20	27	47
75-79	1212	12.9	62	5	6	11	15	21	28	49
80-84	661	12.9	66	5	7	11	14	20	28	46
85+	347	13.5	63	5	6	11	16	23	31	44
TOT. SINGLE DX	3819	9.5	16	5	6	9	11	14	17	23
" MULTIPLE DX	5818	12.4	57	5	6	10	14	20	27	44
TOTAL 65-69 YRS	3339	10.7	33	5	6	9	12	17	21	34
70-74	2753	11.3	47	5	6	10	13	18	23	40
75-79	1978	11.7	47	5	6	10	14	19	24	43
80-84	1031	11.8	50	5	6	10	13	18	23	42
85+	536	12.3	50	5	6	11	15	20	25	39
GRAND TOTAL	**9637**	**11.3**	**43**	**5**	**6**	**10**	**13**	**18**	**23**	**39**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	143	4.5	8	2	2	4	5	9	11	14
70-74	81	4.9	10	2	2	4	6	9	12	16
75-79	48	4.1	8	2	2	3	5	8	10	14
80-84	21	6.3	41	1	2	4	9	13	20	28
85+	17	5.9	33	1	2	5	6	14	21	24
2. MULTIPLE DX										
65-69 YRS	182	7.0	52	2	2	5	8	13	20	38
70-74	87	8.3	115	2	2	5	8	15	32	60
75-79	57	8.0	68	2	2	5	9	17	29	38
80-84	26	10.6	154	2	2	6	10	31	41	50
85+	32	12.2	218	3	3	7	13	30	42	74
TOT. SINGLE DX	310	4.7	12	2	2	4	6	9	12	16
" MULTIPLE DX	384	8.1	90	2	2	5	9	16	27	53
TOTAL 65-69 YRS	325	5.9	34	2	2	4	7	11	14	26
70-74	168	6.6	67	2	2	4	7	11	17	52
75-79	105	6.2	44	2	2	4	7	13	18	37
80-84	47	8.7	106	2	2	4	10	24	33	50
85+	49	10.0	161	2	2	5	11	22	34	74
GRAND TOTAL	694	6.6	58	2	2	4	7	13	19	42

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	4.7	16	1	1	4	5	11	15	17
70-74	19	5.4	23	1	1	4	6	14	17	18
75-79	12	7.2	86	2	2	4	7	17	33	36
80-84	6	6.2	48	1	1	4	5	18	20	20
85+	10	4.2	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	36	11.1	220	2	3	8	12	18	25	91
70-74	30	11.5	140	1	2	8	14	25	45	49
75-79	14	10.1	40	2	4	8	15	19	24	25
80-84	6	10.3	27	4	5	12	17	84	99+	99+
85+	8	11.5	32	4	4	11	15	19	20	20
TOT. SINGLE DX	77	5.3	29	1	1	4	6	11	17	32
" MULTIPLE DX	94	11.1	136	2	3	8	14	20	28	96
TOTAL 65-69 YRS	66	8.2	136	1	2	5	11	15	18	81
70-74	49	9.1	102	1	1	6	11	19	30	49
75-79	26	8.7	61	2	2	6	10	18	27	36
80-84	12	8.3	39	1	3	7	14	36	88	99+
85+	18	7.4	30	1	2	5	11	16	19	20
GRAND TOTAL	171	8.5	96	1	2	6	11	17	22	82

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1395	4.6	36	<1	1	3	5	10	16	33
70-74	1014	4.9	32	<1	1	3	5	12	17	27
75-79	757	5.2	44	<1	1	3	6	12	19	36
80-84	406	6.0	50	<1	1	3	7	14	20	31
85+	395	6.0	51	1	1	3	7	14	21	45
2. MULTIPLE DX										
65-69 YRS	2894	9.9	104	2	2	7	13	22	29	57
70-74	2458	11.0	129	2	2	8	14	24	34	60
75-79	1944	11.3	112	2	2	8	14	24	33	56
80-84	1404	12.0	119	2	2	9	16	25	33	69
85+	1257	12.5	134	2	2	9	16	26	36	71
TOT. SINGLE DX	3967	5.1	40	<1	1	3	6	12	18	33
" MULTIPLE DX	9957	11.1	118	2	2	8	14	24	33	61
TOTAL 65-69 YRS	4289	8.2	88	1	2	5	11	19	26	50
70-74	3472	9.2	108	1	2	6	12	21	29	54
75-79	2701	9.6	101	1	2	7	12	22	30	51
80-84	1810	10.6	110	1	2	8	14	23	30	59
85+	1652	10.9	122	1	2	8	14	24	34	69
GRAND TOTAL	13924	9.4	103	1	2	6	12	21	29	56

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1001	8.3	89	1	1	5	11	19	27	53
70-74	856	9.6	128	1	1	5	12	23	36	49
75-79	655	9.7	123	1	2	6	13	22	33	55
80-84	417	10.7	158	1	2	6	14	27	36	67
85+	357	11.0	178	1	2	6	14	26	37	85
2. MULTIPLE DX										
65-69 YRS	3025	14.9	235	1	2	10	20	36	51	99+
70-74	2846	16.1	260	2	2	11	22	39	57	93
75-79	2478	16.7	270	2	3	12	23	41	58	99+
80-84	2011	16.9	273	2	3	12	24	41	57	99+
85+	1998	16.1	249	2	3	11	21	39	56	99+
TOT. SINGLE DX	3286	9.5	125	1	2	5	12	22	33	57
" MULTIPLE DX	12358	16.0	256	2	2	11	22	39	56	99+
TOTAL 65-69 YRS	4026	13.2	207	1	2	9	17	32	47	92
70-74	3702	14.6	236	1	2	9	20	36	50	89
75-79	3133	15.2	247	2	2	10	21	38	54	99+
80-84	2428	15.9	259	2	2	11	22	38	55	99+
85+	2355	15.3	241	2	2	10	21	37	53	97
GRAND TOTAL	15644	14.7	236	1	2	10	20	36	51	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	268	15.5	206	1	2	12	22	32	39	72
70-74	232	17.5	230	2	3	14	25	37	55	99+
75-79	182	19.9	287	2	3	17	28	39	51	96
80-84	128	19.6	152	3	6	17	27	36	39	58
85+	119	19.9	204	2	3	19	28	41	54	99+
2. MULTIPLE DX										
65-69 YRS	544	24.1	299	3	5	21	33	50	61	99+
70-74	541	26.9	329	4	7	24	36	55	65	99+
75-79	513	26.6	339	4	7	23	36	54	65	99+
80-84	354	28.9	307	7	9	26	39	53	70	99+
85+	270	29.6	367	5	9	26	39	59	72	99
TOT. SINGLE DX	929	18.0	223	2	3	15	25	37	48	91
" MULTIPLE DX	2222	26.8	328	4	7	24	36	54	65	99+
TOTAL 65-69 YRS	812	21.3	285	2	3	18	30	44	58	92
70-74	773	24.1	318	3	5	21	33	52	62	99+
75-79	695	24.8	333	3	6	22	34	50	64	99+
80-84	482	26.5	282	6	8	23	36	47	59	98
85+	389	26.7	336	3	7	24	35	55	67	99+
GRAND TOTAL	**3151**	**24.2**	**313**	**3**	**5**	**21**	**33**	**50**	**62**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	56	9.5	153	1	1	4	13	27	42	53
70-74	39	12.2	198	1	2	6	17	36	44	56
75-79	27	13.2	195	1	2	8	17	34	40	60
80-84	20	15.0	190	2	3	10	26	39	41	42
85+	12	24.6	448	2	2	23	41	57	58	58
2. MULTIPLE DX										
65-69 YRS	126	20.2	475	1	2	13	27	61	75	99+
70-74	97	21.9	503	1	2	16	35	63	88	99+
75-79	74	25.5	555	1	2	22	47	74	99	99+
80-84	50	26.5	752	2	2	19	53	93	99+	99+
85+	30	33.2	703	3	5	30	76	99+	99+	99+
TOT. SINGLE DX	154	12.7	209	1	2	6	17	37	45	58
" MULTIPLE DX	377	23.5	560	2	2	17	37	74	96	99+
TOTAL 65-69 YRS	182	16.9	399	1	2	8	24	54	68	94
70-74	136	19.1	433	1	2	11	31	51	78	99+
75-79	101	22.2	486	1	2	16	34	66	90	99+
80-84	70	23.2	614	2	2	15	40	84	99	99+
85+	42	30.7	633	2	5	29	62	98	99+	99+
GRAND TOTAL	**531**	**20.4**	**482**	**1**	**2**	**13**	**33**	**63**	**84**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	417	3.4	20	1	1	3	4	6	8	17
70-74	199	4.2	48	1	1	3	4	6	14	58
75-79	121	4.4	35	1	1	3	4	7	14	39
80-84	48	4.7	30	<1	1	3	4	11	18	29
85+	37	4.8	21	1	2	3	6	8	14	25
2. MULTIPLE DX										
65-69 YRS	705	7.3	73	1	2	4	9	15	20	55
70-74	508	8.4	83	2	2	5	11	18	24	58
75-79	383	10.4	112	2	2	7	13	21	33	72
80-84	218	11.1	83	2	3	9	14	22	31	43
85+	177	13.9	151	3	3	10	18	28	35	60
TOT. SINGLE DX	82[illegible]	3.9	30	1	1	3	4	7	10	28
" MULTIPLE DX	1991	9.2	95	1	2	6	12	20	27	57
TOTAL 65-69 YRS	1122	5.8	57	1	1	3	7	13	17	49
70-74	707	7.2	77	1	2	4	9	17	23	58
75-79	504	9.0	100	1	2	6	12	20	27	56
80-84	266	10.0	79	2	2	8	12	20	30	41
85+	214	12.3	140	2	3	9	15	27	34	58
GRAND TOTAL	**2813**	**7.6**	**82**	**1**	**2**	**4**	**10**	**17**	**24**	**51**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

Distribution Tables

Table 1 displays total U.S. geriatric patients and days of care (after exclusions*) in each of the diagnosis groups containing patients 65 and older. Also shown is the corresponding rate per 10,000 geriatric discharges and the rate per 10,000 days of care.

Table 1

Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Group U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	5,512	21.9	39	14.6
2	Respiratory tuberculosis	1,389	5.5	25	9.2
3	Nonrespiratory tuberculosis	246	1.0	5	1.8
4.	Streptococcal sore throat and scarlet fever	130	0.5	1	0.3
5	Septicemia	4,638	18.4	78	29.2
6	Miscellaneous bacterial diseases	888	3.5	11	4.3
7	Poliomyelitis and other enteroviral diseases of central nervous system	80	0.3	1	0.4
8	Viral diseases with exanthem	4,410	17.5	47	17.6
9	Viral hepatitis	666	2.6	8	3.2
10	Infectious mononucleosis	41	0.2	<1	0.1
11	Viral warts	173	0.7	1	0.3
12	Miscellaneous viral diseases	2,612	10.4	19	7.0
13	Rickettsioses and other arthropod-borne diseases	75	0.3	1	0.3
14	Syphilis and other venereal diseases	335	1.3	3	1.2
15	Mycoses	696	2.8	9	3.4
16	Helminthiases	71	0.3	1	0.2
17	Miscellaneous infective and parasitic diseases	378	1.5	4	1.7
18	Late effects of infectious and parasitic diseases	105	0.4	1	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	4,827	19.2	52	19.5
20	Malignant neoplasm of esophagus	1,995	7.9	30	11.4
21	Malignant neoplasm of stomach	4,569	18.2	81	30.4
22	Malignant neoplasm of small intestine	420	1.7	8	2.8
23	Malignant neoplasm of colon	20,249	80.5	366	137.6
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	10,620	42.2	192	72.2
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	2,845	11.3	50	18.6
26	Malignant neoplasm of pancreas	4,142	16.5	76	28.4
27	Malignant neoplasm of bronchus, lung, and trachea	25,404	101.0	346	129.9
28	Other malignant neoplasm of respiratory system and thoracic cavity	3,159	12.6	35	13.1
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	1,902	7.6	24	9.0
30	Malignant melanoma of skin, excluding genital organs	1,667	6.6	15	5.8
31	Other malignant neoplasm of skin, excluding genital organs	6,916	27.5	40	15.2
32	Malignant neoplasm of breast (female) (male)	18,668	74.2	212	79.8
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	2,682	10.7	25	9.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	7,019	27.9	67	25.1
35 Malignant neoplasm of ovary	3,753	14.9	49	18.4
36 Malignant neoplasm of other female genital organs	1,186	4.7	16	5.9
37 Malignant neoplasm of prostate	28,288	112.4	306	114.9
38 Malignant neoplasm of male genitalia, except prostate	322	1.3	4	1.3
39 Malignant neoplasm of bladder	20,496	81.5	162	68.2
40 Malignant neoplasm of kidney and other urinary organs	3,460	13.8	55	20.7
41 Malignant neoplasm of eye	292	1.2	2	0.8
42 Malignant neoplasm of brain	1,376	5.5	30	11.2
43 Malignant neoplasm of other parts of nervous system	104	0.4	2	0.9
44 Malignant neoplasm of endocrine glands	845	3.4	10	3.7
45 Malignant neoplasm of ill-defined and secondary sites	30,100	119.6	395	148.4
46 Hodgkin's disease	786	3.1	10	3.8
47 Lymphoid leukemia	2,464	9.8	28	10.4
48 Leukemia, except lymphoid	3,309	13.2	37	13.8
49 Lymphatic and hematopietic neoplasm, except Hodgkin's disease and leukemia	10,689	42.5	140	52.4
50 Benign neoplasm of lip, oral cavity, and pharynx	1,116	4.4	6	2.1
51 Benign neoplasm of other parts of digestive system	8,236	32.7	60	22.5
52 Benign neoplasm of respiratory system and intrathoracic organs	637	2.5	4	1.7
53 Benign neoplasm of bone, muscle, and connective tissue	3,285	13.1	17	6.3

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	1,434	5.7	9	3.4
55	Benign neoplasm of breast	1,131	4.5	5	1.8
56	Uterine leiomyoma	1,084	4.3	11	4.1
57	Benign neoplasm of uterus, except leiomyoma	141	0.6	1	0.3
58	Benign neoplasm of ovary	886	3.5	11	4.1
59	Benign neoplasm of female genitalia, except uterus and ovary	100	0.4	1	0.2
60	Benign neoplasm of male genital organ	137	0.5	1	0.4
61	Benign neoplasm of urinary organ	706	2.8	3	1.3
62	Benign neoplasm of eye	64	0.3	<1	0.1
63	Benign neoplasm of central nervous system	1,016	4.0	21	7.7
64	Benign neoplasm of thyroid glands	1,005	4.0	7	2.7
65	Benign neoplasm of endocrine glands, except thyroid	441	1.8	6	2.3
66	Carcinoma in situ of cervix	541	2.2	4	1.5
67	Carcinoma in situ, except cervix uteri	1,828	7.3	16	5.8
68	Neoplasms of uncertain behavior and unspecified nature	7,884	31.3	72	27.2
69	Simple and non-toxic nodular goiter	1,683	6.7	12	4.6
70	Other diseases of thyroid gland	3,359	13.3	37	13.8
71	Diabetes mellitus without complication	29,588	117.6	310	116.6
72	Diabetic acidosis or coma	3,214	12.8	41	15.4
73	Other complicated diabetes mellitus	17,645	70.1	238	89.3
74	Ovarian dysfunction	15	0.1	<1	0.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	5,328	21.2	49	18.4
76	Nutritional deficiencies	1,897	7.5	27	10.3
78	Obesity of nonendocrine origin	314	1.2	3	1.1
79	Miscellaneous metabolic disorders	2,003	8.0	20	7.5
80	Gout	2,146	8.5	18	6.8
81	Disorders of fluid, electrolyte, and acid-base balance	15,706	62.4	174	65.2
82	Iron deficiency anemia	8,824	35.1	82	30.7
83	Sickle-cell anemia and trait	41	0.2	<1	0.1
84	Anemia except iron deficiency and sickle-cell	16,044	63.8	147	55.2
85	Hemophilia (congenital factor VIII disorder)	40	0.2	1	0.2
86	Disease of hematopoietic system, except anemia and hemophilia	4,374	17.4	45	17.1
87	Nonspecific mesenteric lymphadenitis	58	0.2	<1	0.1
88	Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	274	1.1	2	0.7
89	Transient organic psychotic conditions	560	2.2	8	2.8
90	Chronic organic brain syndrome, except arteriosclerotic dementia	16,295	64.8	226	84.9
91	Arteriosclerotic dementia	2,156	8.6	30	11.2
92	Alcoholic psychoses	1,269	5.0	14	5.4
93	Drug psychoses	326	1.3	3	1.2
94	Paranoid schizophrenia	571	2.3	12	4.4
95	Acute schizophrenic episode	25	0.1	<1	0.2
96	Miscellaneous schizophrenia	1,141	4.5	23	8.5

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	7.2	68	1	1	5	9	16	22	42
70-74	41	9.5	160	1	1	5	12	22	40	58
75-79	33	6.7	15	2	2	7	9	11	15	17
80-84	23	10.7	86	2	3	9	13	16	28	48
85+	15	12.0	56	3	3	11	16	22	27	29
2. MULTIPLE DX										
65-69 YRS	218	11.4	116	2	3	8	15	22	31	80
70-74	203	11.3	95	2	3	8	13	25	32	47
75-79	154	13.1	124	3	4	10	16	26	30	62
80-84	117	13.4	110	3	4	11	19	28	34	76
85+	86	15.8	244	4	4	12	18	37	43	88
TOT. SINGLE DX	201	8.4	81	1	1	6	10	17	24	51
" MULTIPLE DX	778	12.5	127	3	3	9	16	25	34	64
TOTAL 65-69 YRS	307	10.2	105	1	2	7	13	21	29	63
70-74	244	11.0	106	2	3	8	13	25	31	53
75-79	187	11.9	111	2	3	10	15	24	30	57
80-84	140	12.9	107	3	4	10	16	27	34	68
85+	101	15.2	217	4	4	11	17	35	42	87
GRAND TOTAL	**979**	**11.6**	**120**	**2**	**3**	**8**	**15**	**24**	**32**	**57**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1086	7.3	51	1	1	5	10	16	20	38
70-74	616	7.6	50	1	2	5	10	16	21	35
75-79	246	7.3	46	1	2	5	10	15	19	37
80-84	78	8.4	57	1	2	6	12	22	24	33
85+	37	10.8	83	1	2	8	16	25	31	34
2. MULTIPLE DX										
65-69 YRS	1914	11.1	96	2	2	9	15	23	28	48
70-74	1204	12.5	115	2	2	10	17	25	32	52
75-79	675	13.8	131	2	3	11	19	28	36	59
80-84	272	14.6	134	2	3	12	18	28	38	53
85+	107	14.7	102	2	3	13	18	31	36	67
TOT. SINGLE DX	2063	7.5	51	1	2	5	10	16	21	36
" MULTIPLE DX	4172	12.3	111	2	2	10	16	25	32	52
TOTAL 65-69 YRS	3000	9.7	83	1	2	8	13	21	26	46
70-74	1820	10.8	98	2	2	8	15	23	30	47
75-79	921	12.1	116	2	2	9	16	25	34	56
80-84	350	13.3	123	2	3	11	18	26	36	50
85+	144	13.7	99	2	2	13	18	30	34	46
GRAND TOTAL	**6235**	**10.7**	**96**	**1**	**2**	**8**	**15**	**22**	**29**	**48**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1139	5.6	41	1	2	4	7	12	16	30
70-74	798	6.2	65	1	2	4	7	13	20	35
75-79	481	5.6	41	1	2	3	7	11	16	37
80-84	157	6.6	57	1	1	4	8	14	20	43
85+	43	7.2	66	1	2	4	9	16	21	44
2. MULTIPLE DX										
65-69 YRS	2897	9.5	97	2	2	7	12	20	28	51
70-74	2304	10.1	104	2	2	7	12	23	30	51
75-79	1398	10.8	111	2	2	8	14	22	34	57
80-84	519	10.6	93	2	2	8	13	22	28	49
85+	210	12.0	91	2	3	9	16	26	32	57
TOT. SINGLE DX	2618	5.9	50	1	2	4	7	12	17	35
" MULTIPLE DX	7328	10.1	102	2	2	7	13	22	30	52
TOTAL 65-69 YRS	4036	8.4	84	2	2	6	10	17	25	48
70-74	3102	9.1	97	2	2	6	11	21	28	50
75-79	1879	9.5	98	2	2	6	12	20	28	53
80-84	676	9.7	88	2	2	7	12	21	26	49
85+	253	11.2	90	2	2	8	15	25	31	56
GRAND TOTAL	**9946**	**9.0**	**92**	**2**	**2**	**6**	**11**	**20**	**27**	**50**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	183	4.0	11	1	2	3	5	9	11	18
70-74	66	5.3	69	1	1	3	5	12	14	56
75-79	23	4.3	13	1	2	3	5	10	14	15
80-84	3	3.0	1	2	2	3	4	4	4	4
85+	2	15.5	1	15	15	15	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	809	6.0	33	1	2	4	8	13	17	32
70-74	348	7.4	58	2	2	5	10	15	20	38
75-79	118	8.2	60	2	2	6	10	20	26	37
80-84	14	13.2	133	2	2	7	23	30	31	32
85+	8	7.4	62	2	2	4	12	20	20	20
TOT. SINGLE DX	277	4.4	26	1	2	3	5	10	13	20
" MULTIPLE DX	1297	6.7	44	2	2	4	9	14	20	33
TOTAL 65-69 YRS	992	5.6	30	1	2	3	8	12	16	31
70-74	414	7.0	60	1	2	4	9	14	20	42
75-79	141	7.6	55	2	2	5	9	18	25	36
80-84	17	11.4	124	2	2	5	23	29	31	32
85+	10	9.0	60	2	2	5	16	20	20	20
GRAND TOTAL	**1574**	**6.3**	**42**	**1**	**2**	**4**	**8**	**13**	**19**	**32**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1658	5.5	30	1	2	3	8	13	16	26
70-74	1300	5.8	29	1	2	4	8	13	16	25
75-79	786	6.4	49	1	2	4	9	14	18	31
80-84	353	8.1	73	1	2	5	11	18	22	38
85+	167	7.1	36	1	2	5	9	16	19	25
2. MULTIPLE DX										
65-69 YRS	5339	9.0	72	2	2	7	12	19	25	43
70-74	4515	9.9	83	2	2	8	13	20	27	48
75-79	3143	10.7	94	2	2	8	14	22	29	51
80-84	1713	11.3	89	2	2	9	15	23	30	49
85+	974	13.2	123	2	3	11	17	26	33	58
TOT. SINGLE DX	4264	6.1	37	1	2	4	8	14	17	28
" MULTIPLE DX	15684	10.1	86	2	2	8	13	21	27	48
TOTAL 65-69 YRS	6997	8.2	64	1	2	6	11	17	23	40
70-74	5815	9.0	73	2	2	7	12	19	25	43
75-79	3929	9.9	88	2	2	7	13	21	28	50
80-84	2066	10.8	88	2	2	9	14	22	29	48
85+	1141	12.3	115	2	3	10	16	24	32	54
GRAND TOTAL	**19948**	**9.3**	**78**	**2**	**2**	**7**	**12**	**19**	**26**	**45**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	870	6.8	52	1	2	5	9	14	19	41
70-74	629	7.6	55	2	2	6	10	15	19	35
75-79	449	8.1	70	2	2	6	10	17	24	40
80-84	243	9.0	91	1	2	6	12	18	23	51
85+	141	9.6	102	2	3	7	12	18	23	47
2. MULTIPLE DX										
65-69 YRS	3332	11.4	105	2	2	9	14	24	31	57
70-74	3014	12.0	116	2	3	9	15	25	32	58
75-79	2445	13.8	144	2	3	10	17	29	37	63
80-84	1509	14.1	143	3	4	11	18	28	39	64
85+	995	13.4	118	2	4	10	17	27	35	58
TOT. SINGLE DX	2332	7.7	64	1	2	6	10	16	21	40
" MULTIPLE DX	11295	12.6	124	2	3	10	16	26	35	60
TOTAL 65-69 YRS	4202	10.5	98	2	2	8	13	22	30	55
70-74	3643	11.2	109	2	2	8	14	23	31	56
75-79	2894	12.9	136	2	3	10	16	28	36	61
80-84	1752	13.4	139	2	3	10	17	26	38	63
85+	1136	12.9	118	2	3	10	16	26	34	57
GRAND TOTAL	**13627**	**11.8**	**117**	**2**	**2**	**9**	**15**	**24**	**33**	**58**

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	224	6.6	39	1	2	5	8	14	18	38
70-74	116	8.6	124	1	2	5	10	17	22	66
75-79	54	7.7	43	2	2	5	11	17	22	32
80-84	32	13.6	253	2	2	8	18	26	43	83
85+	16	13.3	149	2	3	8	17	37	39	40
2. MULTIPLE DX										
65-69 YRS	314	16.0	196	2	4	12	20	34	49	86
70-74	253	16.5	197	2	4	13	21	37	53	99+
75-79	232	17.5	185	3	5	14	23	37	45	72
80-84	143	21.5	321	3	5	16	29	44	76	99+
85+	98	19.0	163	4	6	16	25	38	45	85
TOT. SINGLE DX	442	8.0	84	1	2	5	10	17	23	45
" MULTIPLE DX	1040	17.5	210	3	4	14	23	38	50	92
TOTAL 65-69 YRS	538	12.1	152	2	2	8	15	27	39	70
70-74	369	14.0	187	2	2	10	18	33	49	95
75-79	286	15.6	172	2	3	12	21	32	42	65
80-84	175	20.1	316	3	4	15	28	43	67	98
85+	114	18.2	164	3	5	15	25	38	44	80
GRAND TOTAL	**1482**	**14.7**	**192**	**2**	**3**	**11**	**19**	**34**	**44**	**83**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	8.3	103	1	1	5	11	18	26	44
70-74	103	10.6	132	2	2	7	14	23	29	64
75-79	92	9.6	63	2	2	7	13	21	29	34
80-84	49	13.2	124	2	3	11	20	25	40	49
85+	29	12.2	160	1	3	9	15	30	64	99+
2. MULTIPLE DX										
65-69 YRS	719	14.8	170	2	3	11	18	32	43	77
70-74	719	14.8	179	2	3	11	19	32	41	72
75-79	628	14.8	163	2	3	11	19	31	42	71
80-84	363	15.1	140	3	4	11	21	32	39	57
85+	292	15.0	174	3	4	11	18	32	46	95
TOT. SINGLE DX	413	10.0	109	1	2	7	13	22	29	60
" MULTIPLE DX	2721	14.9	167	2	4	11	19	32	42	76
TOTAL 65-69 YRS	859	13.7	165	2	2	10	17	28	41	75
70-74	822	14.3	175	2	3	11	18	30	41	70
75-79	720	14.2	153	2	3	11	18	30	39	68
80-84	412	14.9	138	3	4	11	20	32	40	54
85+	321	14.7	173	3	4	11	17	32	46	99+
GRAND TOTAL	**3134**	**14.2**	**162**	**2**	**3**	**11**	**18**	**31**	**41**	**70**

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
98 Major depressive psychoses	4,928	19.6	104	39.0
99 Other affective psychoses	1,392	5.5	29	11.0
100 Miscellaneous psychoses	3,818	15.2	59	22.2
101 Anxiety states	2,648	10.5	18	6.7
102 Neurotic depression	5,392	21.4	78	29.2
103 Miscellaneous neuroses and personality disorders	1,070	4.3	11	4.0
104 Alcoholic dependence syndrome	6,350	25.2	74	27.7
105 Opioid dependence	52	0.2	1	0.3
106 Drug dependence except opioid	121	0.5	2	0.7
107 Nondependent abuse of alcohol	416	1.7	2	0.9
108 Nondependent abuse of drugs, except alcohol	95	0.4	1	0.3
109 Psychophysiologic disorder	1,270	5.0	9	3.4
110 Adjustment reactions and acute reactions to stress	1,014	4.0	9	3.3
111 Miscellaneous mental disorders	3,374	13.4	39	14.8
112 Mental retardation	55	0.2	1	0.2
113 Inflammatory diseases of central nervous system	519	2.1	10	3.9
114 Parkinson's disease	5,883	23.4	78	29.3
115 Multiple sclerosis	333	1.3	4	1.6
116 Epilepsy	2,920	11.6	25	9.3
117 Miscellaneous disease of central nervous system	12,750	50.7	170	63.9
118 Migraine	594	2.4	4	1.4
119 Carpal tunnel syndrome and other lesions of median nerve	5,067	20.1	19	7.0
120 Peripheral nervous system disorder, except sciatica	7,926	31.5	71	26.7
121 Retinal detachment and defects	4,440	17.6	27	10.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	4,141	16.5	19	7.2
123	Other glaucoma	1,858	7.4	10	3.6
124	Senile cataract	99,889	397.0	388	145.7
125	Cataract, except senile	1,655	6.6	6	2.3
126	Strabismus	755	3.0	4	1.4
127	Miscellaneous disorders of superficial structures of eye	8,644	34.4	31	11.8
128	Miscellaneous disorders of deep structures of eye	5,992	23.8	30	11.3
129	Other disorders of eye	724	2.9	4	1.6
130	Otitis media, chronic and unspecified	1,476	5.9	6	2.2
131	Other inflammation of ear and mastoid	689	2.7	5	1.9
132	Vertiginous syndromes	7,174	28.5	43	16.1
133	Otosclerosis	1,089	4.3	3	1.2
134	Miscellaneous diseases of ear	1,582	6.3	6	2.3
135	Rheumatic fever, acute	408	1.6	5	1.8
136	Chronic rheumatic heart disease	3,789	15.1	44	16.7
137	Essential hypertension	18,320	72.8	152	57.2
138	Hypertensive heart disease	18,668	74.2	197	74.1
139	Miscellaneous hypertensive disease	2,674	10.6	32	11.9
140	Acute myocardial infarction	55,789	221.7	886	332.9
141	Angina pectoris	31,636	125.7	230	86.5
142	Other acute and subacute forms of ischemic heart disease	23,161	92.0	212	79.6
143	Miscellaneous ischemic heart disease	69,352	275.6	690	259.2
144	Pulmonary embolism and infarction	7,428	29.5	113	42.5
145	Acute and subacute endocarditis	508	2.0	17	6.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146 Paroxysmal supraventricular tachycardia	3,539	14.1	23	8.6
147 Atrial fibrillation and flutter	20,696	82.2	173	64.9
148 Other arrhythmia and conduction disorders	34,086	135.5	328	123.1
149 Heart failure	103,573	411.6	1,182	444.0
150 Miscellaneous diseases of heart	15,957	63.4	172	64.4
151 Cardiovascular disease, unspecified	12,379	49.2	134	50.5
152 Subarachnoid hemorrhage without paralysis	447	1.8	11	4.3
153 Subarachnoid hemorrhage with paralysis	40	0.2	1	0.5
154 Intracerebral hemorrhage without paralysis	2,124	8.4	41	15.4
155 Intracerebral hemorrhage with paralysis	460	1.8	13	4.7
156 Precerebral artery occlusion without paralysis	9,662	38.4	99	37.3
157 Precerebral occlusion with paralysis	481	1.9	9	3.4
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	12,383	49.2	191	71.6
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	4,987	19.8	104	39.0
160 Transient cerebral ischemia without paralysis	36,779	146.2	296	111.1
161 Acute, but ill-defined, cerebrovascular disease without paralysis	31,380	124.7	489	183.6
162 Acute, but ill-defined, cerebrovascular disease with paralysis	10,335	41.1	210	78.8

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	26,448	105.1	291	109.2
164	Atherosclerosis	13,501	53.7	185	69.7
165	Aortic aneurysm	7,383	29.3	109	41.0
166	Aneurysm except aortic	1,147	4.6	16	6.2
167	Arterial embolism and thrombosis	8,690	34.5	128	48.1
168	Miscellaneous diseases of arteries	9,749	38.7	134	50.5
169	Phlebitis and thrombophlebitis	15,421	61.3	181	67.9
170	Varicose veins of lower extremities	6,131	24.4	93	34.9
171	Hemorrhoids	7,000	27.8	51	19.0
172	Miscellaneous diseases of veins and circulatory system	9,283	36.9	100	37.7
173	Acute URI except streptococcal	5,617	22.3	41	15.4
174	Bronchitis and bronchiolitis, acute	18,287	72.7	157	59.1
175	Deviated nasal septum	1,139	4.5	4	1.4
176	Nasal polyp	1,220	4.8	4	1.4
177	Chronic disease of tonsils and adenoids	437	1.7	1	0.5
178	Miscellaneous diseases of upper respiratory system	5,143	20.4	25	9.3
179	Pneumonia	59,555	236.7	708	265.8
180	Influenza	3,313	13.2	24	8.9
181	Bronchitis, chronic and unspecified	15,533	61.7	142	53.4
182	Emphysema	8,826	35.1	94	35.4
183	Asthma	16,958	67.4	148	55.7
184	Miscellaneous obstructive lung diseases	38,772	154.1	408	153.4
185	Spontaneous pneumothorax	1,564	6.2	20	7.7
186	Miscellaneous lung and pleural diseases	23,192	92.2	260	97.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	3,984	15.8	16	5.9
188	Disease of mouth, except dental	2,320	9.2	15	5.5
189	Diseases of esophagus	11,603	46.1	97	36.6
190	Gastric ulcer without complication	7,079	28.1	69	25.9
191	Gastric ulcer with hemorrhage or perforation	5,848	23.2	71	26.8
192	Nongastric peptic ulcer without complication	9,681	38.5	83	31.1
193	Nongastric peptic ulcer with hemorrhage or perforation	9,461	37.6	108	40.7
194	Peptic ulcer with obstruction	1,632	6.5	27	10.2
195	Gastritis and duodenitis	16,365	65.0	127	47.7
196	Disease of stomach and duodenum, except ulcer and inflammation	4,678	18.6	48	18.2
197	Acute appendicitis without peritonitis	1,168	4.6	11	4.1
198	Acute appendicitis with peritonitis	1,971	7.8	30	11.4
199	Disease of appendix, except acute appendicitis	299	1.2	3	1.1
200	Inguinal hernia without complication	33,423	132.8	222	83.5
201	Inguinal hernia, complicated	3,888	15.5	36	13.7
202	Umbilical hernia without complication	1,104	4.4	8	3.1
203	Ventral hernia without complication	5,771	22.9	54	20.2
204	Diaphragmatic hernia without complication	13,834	55.0	102	38.1
205	Other hernia of abdominal cavity without complication	1,498	6.0	12	4.4
206	Complicated hernia of abdominal cavity, except inguinal	4,703	18.7	54	20.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207 Intestinal obstruction without mention of hernia	17,139	68.1	226	84.7
208 Noninfectious gastroenteritis and colitis	24,963	99.2	182	68.3
209 Diverticula of intestine	37,086	147.5	344	129.1
210 Anal fissure, fistula, and abscess	3,331	13.2	26	9.6
211 Miscellaneous diseases of intestine and peritoneum	31,126	123.7	294	110.3
212 Alcoholic liver disease	2,449	9.7	36	13.4
213 Other cirrhosis and chronic liver disease	4,002	15.9	55	20.5
214 Miscellaneous diseases of liver	2,692	10.7	36	13.4
215 Gallbladder disease with calculus	35,467	141.0	434	163.1
216 Gallbladder disease without mention of calculus	11,681	46.4	132	49.5
217 Diseases of bile ducts with calculus	4,597	18.3	69	25.9
218 Diseases of bile ducts without mention of calculus	3,075	12.2	45	17.0
219 Diseases of pancreas	6,810	27.1	83	31.3
220 Gastrointestinal hemorrhage	18,247	72.5	178	66.8
221 Intestinal malabsorption	653	2.6	9	3.4
222 Chronic glomerulonephritis and nephrotic syndrome	1,219	4.8	16	6.0
223 Miscellaneous nephritis and functional disorders	153	0.6	2	0.8
224 Chronic renal failure	4,578	18.2	51	19.2
225 Other renal failure	2,996	11.9	47	17.6
226 Acute Pyelonephritis	3,169	12.6	33	12.2
227 Miscellaneous kidney infections	3,983	15.8	43	16.0
228 Calculus of kidney	4,697	18.7	43	16.2
229 Calculus of ureter	7,952	31.6	60	22.4
230 Miscellaneous diseases of kidney and ureter	5,789	23.0	60	22.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	2,362	9.4	22	8.1
232	Cystitis	11,019	43.8	82	30.7
233	Urethral stricture	7,466	29.7	49	18.4
234	Miscellaneous urinary diseases	37,954	150.8	342	128.3
235	Hyperplasia of prostate	59,306	235.7	574	215.8
236	Diseases of prostate, except hypertrophy	3,065	12.2	21	7.9
237	Hydrocele	1,922	7.6	11	4.2
238	Orchitis and epididymitis	1,778	7.1	15	5.5
239	Redundant prepuce and phimosis	1,354	5.4	6	2.3
240	Miscellaneous diseases of male genital organs	1,736	6.9	11	4.2
241	Benign mammary dysplasia	4,325	17.2	16	6.1
242	Miscellaneous diseases of breast	2,218	8.8	10	3.9
243	Ovarian cyst	529	2.1	6	2.2
244	Pelvic inflammatory disease	467	1.9	6	2.3
245	Endometriosis	211	0.8	2	0.7
246	Inflammatory disease of cervix uteri	637	2.5	3	1.3
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	723	2.9	5	1.8
248	Genital prolapse	12,335	49.0	117	43.9
251	Menopausal and postmenopausal disorders	4,712	18.7	18	6.8
252	Miscellaneous diseases of female genitalia	4,846	19.3	30	11.1
253	Signs and symptoms referable to female genital organs	2,190	8.7	23	8.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	11,991	47.7	144	54.0
292	Miscellaneous infections of skin and subcutaneous tissue	2,816	11.2	33	12.6
293	Pilonidal cyst	138	0.5	1	0.4
294	Sebaceous cyst	901	3.6	4	1.3
295	Miscellaneous diseases of skin and subcutaneous tissue	17,064	67.8	248	93.2
296	Diffuse diseases of connective tissue	1,245	4.9	18	6.6
297	Rheumatoid arthritis, except spine	7,720	30.7	104	39.0
298	Osteoarthrosis (osteoarthritis), except spine	27,300	108.5	393	147.8
299	Other arthropathies	4,265	16.9	52	19.6
300	Internal derangement of knee joint	1,516	6.0	11	4.2
301	Other disorders of joint	3,592	14.3	37	13.8
302	Ankylosing spondylitis	165	0.7	2	0.6
303	Spondylosis and allied disorders	12,644	50.2	129	48.6
304	Derangement and displacement of lumbar disc	8,543	34.0	109	40.8
305	Derangement and displacement of intervertebral disc, except lumbar	2,767	11.0	30	11.4
306	Sacroiliac joint disorder	945	3.8	9	3.4
307	Sciatica	1,735	6.9	19	7.1
308	Other dorsopathies	10,372	41.2	112	42.0
309	Bursitis and synovitis, except spine	5,336	21.2	34	12.8
310	Bunion and deformities of toe	6,437	25.6	37	13.9
311	Ganglion and cyst	1,421	5.6	6	2.4
312	Osteomyelitis	1,734	6.9	34	12.9
313	Localized disorders of bone and cartilage	16,759	66.6	217	81.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	675	2.7	7	2.7
315	Neuralgia, neuritis, and radiculitis, unspecified	824	3.3	9	3.2
316	Miscellaneous disorders of musculoskeletal system	8,027	31.9	62	23.2
317	Somatic dysfunction	108	0.4	1	0.4
318	Congenital anomaly of nervous system	83	0.3	1	0.3
319	Congenital anomaly of eye, ear, face, and neck	1,371	5.4	5	1.9
320	Congenital anomaly of heart and circulatory system	706	2.8	7	2.8
321	Cleft palate and lip	7	0.0	<1	0.0
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	675	2.7	7	2.5
324	Undescended testicle	36	0.1	<1	0.1
325	Miscellaneous congenital anomalies of genitourinary system	904	3.6	7	2.8
326	Clubfoot	126	0.5	1	0.3
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	1,416	5.6	15	5.6
329	Convulsions	5,973	23.7	50	18.8
330	Pyrexia of unknown origin	3,991	15.9	38	14.3
331	Headache	2,231	8.9	15	5.6
332	Epistaxis	5,153	20.5	28	10.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	1,753	7.0	15	5.7
334	Gangrene	5,571	22.1	132	49.6
335	Chest pain	15,383	61.1	86	32.5
336	Other signs and symptoms referable to respiratory system and chest	5,511	21.9	45	16.8
337	Signs and symptoms referable to urinary system	7,286	29.0	67	25.2
338	Abdominal pain	14,004	55.7	93	35.0
339	Other signs and symptoms referable to upper GI tract and abdomen	6,535	26.0	55	20.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	38,121	151.5	311	116.7
341	Fracture of vault of skull	386	1.5	5	2.1
342	Fracture of base of skull	335	1.3	5	1.7
343	Fracture of face bones	1,704	6.8	14	5.3
344	Fracture of vertebral column without mention of spinal cord injury	12,056	47.9	158	59.4
345	Fracture of vertebral column with cord injury	469	1.9	7	2.7
346	Fracture of ribs, sternum, larynx and trachea	7,441	29.6	75	28.0
347	Fracture of pelvis	7,611	30.2	127	47.6
348	Fracture of humerus	9,664	38.4	103	38.8
349	Fracture of radius and ulna	7,845	31.2	52	19.4
350	Miscellaneous fractures of upper extremity	1,726	6.9	11	4.3
351	Fracture of neck of femur	53,259	211.7	1,110	416.9
352	Other femoral fracture	4,588	18.2	122	45.9
353	Fracture of tibia and fibula	4,172	16.6	60	22.6
354	Miscellaneous fractures of lower extremity	8,540	33.9	92	34.5
355	Fracture of other bones	1,238	4.9	13	4.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	63	0.3	1	0.5
357	Dislocation of shoulder	1,159	4.6	6	2.3
358	Dislocation of knee	903	3.6	7	2.8
359	Other dislocation	867	3.4	9	3.4
360	Sprains and strains of knee and leg	953	3.8	9	3.2
361	Sprains and strains of sacroiliac region	4,721	18.8	44	16.7
362	Sprains and strains of other and unspecified parts of back	3,427	13.6	29	10.9
363	Other sprains and strains	2,365	9.4	18	6.6
364	Concussion	4,320	17.2	33	12.3
365	Intracranial injury, except concussion	2,586	10.3	36	13.4
366	Internal injury to thoracic region	603	2.4	7	2.7
367	Internal injury, except chest	686	2.7	9	3.3
368	Laceration or enucleation of eye	392	1.6	2	0.9
369	Other laceration of head and neck	3,172	12.6	23	8.5
370	Other laceration of trunk and multiple and unspecified sites	426	1.7	4	1.5
371	Open wound of upper limb	1,800	7.2	9	3.6
372	Open wound of lower limb	1,145	4.6	13	5.1
373	Injury to blood vessels	109	0.4	1	0.5
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	1,659	6.6	21	7.9
375	Contusion of eye and adnexa	280	1.1	2	0.8
376	Other superficial injuries	13,429	53.4	113	42.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	162	0.6	2	0.7
378	Foreign body on external eye	12	0.0	<1	0.0
379	Foreign body entering through other body orifice	2,090	8.3	10	3.6
380	Third degree burns	684	2.7	18	6.9
381	Other burns	1,093	4.3	18	6.8
382	Injury to nerve and spinal cord	412	1.6	5	1.8
383	Certain traumatic complications and unspecified injuries	2,035	8.1	20	7.7
384	Poisoning by drugs, medicinal, and biological substances	7,273	28.9	61	22.8
385	Toxic effects of substances chiefly nonmedicinal as to source	1,046	4.2	7	2.6
386	Miscellaneous adverse effects	3,863	15.4	33	12.4
387	Complications peculiar to certain specified procedures	16,055	63.8	166	62.2
388	Hemorrhage or hematoma complicating a procedure	2,961	11.8	17	6.5
389	Postoperative wound infection	2,164	8.6	28	10.5
390	Other complications of surgical procedures	3,843	15.3	43	16.1
391	Other complications of medical care, except drugs	210	0.8	2	0.6
392	Admission for prophylactic sterilization	78	0.3	<1	0.1
396	Aftercare for removal of internal fixation device	2,134	8.5	16	6.0
397	Aftercare involving intermittent dialysis	1,199	4.8	2	0.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	32,626	129.7	229	86.0
All patients except deliveries and newborn	2,516,246	10,000.0	26,625	10,000.0

Tables 2 and 3 display frequency rankings of U.S. geriatric patients and total stay according to diagnosis group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Also excluded are groups containing no geriatric patients.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Geriatric Discharges U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
149 Heart failure	103,573	1
124 Senile cataract	99,889	2
143 Miscellaneous ischemic heart disease	69,352	3
179 Pneumonia	59,555	4
235 Hyperplasia of prostate	59,306	5
140 Acute myocardial infarction	55,789	6
351 Fracture of neck of femur	53,259	7
184 Miscellaneous obstructive lung diseases	38,772	8
340 Miscellaneous signs, symptoms, and ill-defined conditions	38,121	9
234 Miscellaneous urinary diseases	37,954	10
209 Diverticula of intestine	37,086	11
160 Transient cerebral ischemia without paralysis	36,779	12
215 Gallbladder disease with calculus	35,467	13
148 Other arrhythmia and conduction disorders	34,086	14
200 Inguinal hernia without complication	33,423	15
398 Admission for special examinations and miscellaneous reasons	32,626	16
141 Angina pectoris	31,636	17
161 Acute, but ill-defined, cerebrovascular disease without paralysis	31,380	18
211 Miscellaneous diseases of intestine and peritoneum	31,126	19
45 Malignant neoplasm of ill-defined and secondary sites	30,100	20
71 Diabetes mellitus without complication	29,588	21
37 Malignant neoplasm of prostate	28,288	22
298 Osteoarthrosis (osteoarthritis), except spine	27,300	23

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
163	Other and ill-defined cerebrovascular disease	26,448	24
27	Malignant neoplasm of bronchus, lung, and trachea	25,404	25
208	Noninfectious gastroenteritis and colitis	24,963	26
186	Miscellaneous lung and pleural diseases	23,192	27
142	Other acute and subacute forms of ischemic heart disease	23,161	28
147	Atrial fibrillation and flutter	20,696	29
39	Malignant neoplasm of bladder	20,496	30
23	Malignant neoplasm of colon	20,249	31
32	Malignant neoplasm of breast (female) (male)	18,668	32
138	Hypertensive heart disease	18,668	33
137	Essential hypertension	18,320	34
174	Bronchitis and bronchiolitis, acute	18,287	35
220	Gastrointestinal hemorrhage	18,247	36
73	Other complicated diabetes mellitus	17,645	37
207	Intestinal obstruction without mention of hernia	17,139	38
295	Miscellaneous diseases of skin and subcutaneous tissue	17,064	39
183	Asthma	16,958	40
313	Localized disorders of bone and cartilage	16,759	41
195	Gastritis and duodenitis	16,365	42
90	Chronic organic brain syndrome, except arteriosclerotic dementia	16,295	43
387	Complications peculiar to certain specified procedures	16,055	44
84	Anemia except iron deficiency and sickle-cell	16,044	45
150	Miscellaneous diseases of heart	15,957	46
81	Disorders of fluid, electrolyte, and acid-base balance	15,706	47
181	Bronchitis, chronic and unspecified	15,533	48
169	Phlebitis and thrombophlebitis	15,421	49
335	Chest pain	15,383	50

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
338 Abdominal pain	14,004	51
204 Diaphragmatic hernia without complication	13,834	52
164 Atherosclerosis	13,501	53
376 Other superficial injuries	13,429	54
117 Miscellaneous disease of central nervous system	12,750	55
303 Spondylosis and allied disorders	12,644	56
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	12,383	57
151 Cardiovascular disease, unspecified	12,379	58
248 Genital prolapse	12,335	59
344 Fracture of vertebral column without mention of spinal cord injury	12,056	60
291 Cellulitis and abscess, except digit	11,991	61
216 Gallbladder disease without mention of calculus	11,681	62
189 Diseases of esophagus	11,603	63
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	10,689	65
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	10,620	66
308 Other dorsopathies	10,372	67
162 Acute, but ill-defined, cerebrovascular disease with paralysis	10,335	68
168 Miscellaneous diseases of arteries	9,749	69
192 Nongastric peptic ulcer without complication	9,681	70
348 Fracture of humerus	9,664	71
156 Precerebral artery occlusion without paralysis	9,662	72
193 Nongastric peptic ulcer with hemorrhage or perforation	9,461	73
172 Miscellaneous diseases of veins and circulatory system	9,283	74
182 Emphysema	8,826	75
82 Iron deficiency anemia	8,824	76
167 Arterial embolism and thrombosis	8,690	77

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
127	Miscellaneous disorders of superficial structures of eye	8,644	78
304	Derangement and displacement of lumbar disc	8,543	79
354	Miscellaneous fractures of lower extremity	8,540	80
51	Benign neoplasm of other parts of digestive system	8,236	81
316	Miscellaneous disorders of musculoskeletal system	8,027	82
229	Calculus of ureter	7,952	83
120	Peripheral nervous system disorder, except sciatica	7,926	84
68	Neoplasms of uncertain behavior and unspecified nature	7,884	85
349	Fracture of radius and ulna	7,845	86
297	Rheumatoid arthritis, except spine	7,720	87
347	Fracture of pelvis	7,611	88
233	Urethral stricture	7,466	89
346	Fracture of ribs, sternum, larynx and trachea	7,441	90
144	Pulmonary embolism and infarction	7,428	91
165	Aortic aneurysm	7,383	92
337	Signs and symptoms referable to urinary system	7,286	93
384	Poisoning by drugs, medicinal, and biological substances	7,273	94
132	Vertiginous syndromes	7,174	95
190	Gastric ulcer without complication	7,079	96
34	Malignant neoplasm of corpus uteri	7,019	97
171	Hemorrhoids	7,000	98
31	Other malignant neoplasm of skin, excluding genital organs	6,916	99
219	Diseases of pancreas	6,810	100
339	Other signs and symptoms referable to upper GI tract and abdomen	6,535	101
310	Bunion and deformities of toe	6,437	102
104	Alcoholic dependence syndrome	6,350	103
170	Varicose veins of lower extremities	6,131	104
128	Miscellaneous disorders of deep structures of eye	5,992	105

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
329	Convulsions	5,973	106
114	Parkinson's disease	5,883	107
191	Gastric ulcer with hemorrhage or perforation	5,848	108
230	Miscellaneous diseases of kidney and ureter	5,789	109
203	Ventral hernia without complication	5,771	110
173	Acute URI except streptococcal	5,617	111
334	Gangrene	5,571	112
1	Intestinal infectious disease	5,512	113
336	Other signs and symptoms referable to respiratory system and chest	5,511	114
102	Neurotic depression	5,392	115
309	Bursitis and synovitis, except spine	5,336	116
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	5,328	117
332	Epistaxis	5,153	118
178	Miscellaneous diseases of upper respiratory system	5,143	119
119	Carpal tunnel syndrome and other lesions of median nerve	5,067	120
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	4,987	121
98	Major depressive psychoses	4,928	122
252	Miscellaneous diseases of female genitalia	4,846	123
19	Malignant neoplasm of lip, oral cavity, and pharynx	4,827	124
361	Sprains and strains of sacroiliac region	4,721	125
251	Menopausal and postmenopausal disorders	4,712	126
206	Complicated hernia of abdominal cavity, except inguinal	4,703	127
228	Calculus of kidney	4,697	128
196	Disease of stomach and duodenum, except ulcer and inflammation	4,678	129
5	Septicemia	4,638	130
217	Diseases of bile ducts with calculus	4,597	131

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
352	Other femoral fracture	4,588	132
224	Chronic renal failure	4,578	133
21	Malignant neoplasm of stomach	4,569	134
121	Retinal detachment and defects	4,440	135
8	Viral diseases with exanthem	4,410	136
86	Disease of hematopoietic system, except anemia and hemophilia	4,374	137
241	Benign mammary dysplasia	4,325	138
364	Concussion	4,320	139
299	Other arthropathies	4,265	140
353	Fracture of tibia and fibula	4,172	141
26	Malignant neoplasm of pancreas	4,142	142
122	Open angle and primary closure glaucoma	4,141	143
213	Other cirrhosis and chronic liver disease	4,002	144
330	Pyrexia of unknown origin	3,991	145
187	Disease of teeth and jaws	3,984	146
227	Miscellaneous kidney infections	3,983	147
201	Inguinal hernia, complicated	3,888	148
386	Miscellaneous adverse effects	3,863	149
390	Other complications of surgical procedures	3,843	150
100	Miscellaneous psychoses	3,818	151
136	Chronic rheumatic heart disease	3,789	152
35	Malignant neoplasm of ovary	3,753	153
301	Other disorders of joint	3,592	154
146	Paroxysmal supraventricular tachycardia	3,539	155
40	Malignant neoplasm of kidney and other urinary organs	3,460	156
362	Sprains and strains of other and unspecified parts of back	3,427	157
111	Miscellaneous mental disorders	3,374	158
70	Other diseases of thyroid gland	3,359	159
210	Anal fissure, fistula, and abscess	3,331	160
180	Influenza	3,313	161
48	Leukemia, except lymphoid	3,309	162
53	Benign neoplasm of bone, muscle, and connective tissue	3,285	163
72	Diabetic acidosis or coma	3,214	164

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
369 Other laceration of head and neck	3,172	165
226 Acute pyelonephritis	3,169	166
28 Other malignant neoplasm of respiratory system and thoracic cavity	3,159	167
218 Diseases of bile ducts without mention of calculus	3,075	168
236 Diseases of prostate, except hypertrophy	3,065	169
225 Other renal failure	2,996	170
388 Hemorrhage or hematoma complicating a procedure	2,961	171
116 Epilepsy	2,920	172
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	2,845	173
292 Miscellaneous infections of skin and subcutaneous tissue	2,816	174
305 Derangement and displacement of intervertebral disc, except lumbar	2,767	175
214 Miscellaneous diseases of liver	2,692	176
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	2,682	177
139 Miscellaneous hypertensive disease	2,674	178
101 Anxiety states	2,648	179
12 Miscellaneous viral diseases	2,612	180
365 Intracranial injury, except concussion	2,586	181
47 Lymphoid leukemia	2,464	182
212 Alcoholic liver disease	2,449	183
363 Other sprains and strains	2,365	184
231 Urinary calculus, except kidney and ureter	2,362	185
188 Disease of mouth, except dental	2,320	186
331 Headache	2,231	187
242 Miscellaneous diseases of breast	2,218	188
253 Signs and symptoms referable to female genital organs	2,190	189
389 Postoperative wound infection	2,164	190
91 Arteriosclerotic dementia	2,156	191
80 Gout	2,146	192

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
396 Aftercare for removal of internal fixation device	2,134	193
154 Intracerebral hemorrhage without paralysis	2,124	194
379 Foreign body entering through other body orifice	2,090	195
383 Certain traumatic complications and unspecified injuries	2,035	196
79 Miscellaneous metabolic disorders	2,003	197
20 Malignant neoplasm of esophagus	1,995	198
198 Acute appendicitis with peritonitis	1,971	199
237 Hydrocele	1,922	200
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	1,902	201
76 Nutritional deficiencies	1,897	202
123 Other glaucoma	1,858	203
67 Carcinoma in situ, except cervix uteri	1,828	204
371 Open wound of upper limb	1,800	205
238 Orchitis and epididymitis	1,778	206
333 Signs and symptoms referable to the cardiovascular system, except gangrene	1,753	207
240 Miscellaneous diseases of male genital organs	1,736	208
307 Sciatica	1,735	209
312 Osteomyelitis	1,734	210
350 Miscellaneous fractures of upper extremity	1,726	211
343 Fracture of face bones	1,704	212
69 Simple and non-toxic nodular goiter	1,683	213
30 Malignant melanoma of skin, excluding genital organs	1,667	214
374 Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	1,659	215
125 Cataract, except senile	1,655	216

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
194	Peptic ulcer with obstruction	1,632	217
134	Miscellaneous diseases of ear	1,582	218
185	Spontaneous pneumothorax	1,564	219
300	Internal derangement of knee joint	1,516	220
205	Other hernia of abdominal cavity without complication	1,498	221
130	Otitis media, chronic and unspecified	1,476	222
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	1,434	223
311	Ganglion and cyst	1,421	224
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	1,416	225
99	Other affective psychoses	1,392	226
2	Respiratory tuberculosis	1,389	227
42	Malignant neoplasm of brain	1,376	228
319	Congenital anomaly of eye, ear, face, and neck	1,371	229
239	Redundant prepuce and phimosis	1,354	230
109	Psychophysiologic disorder	1,270	231
92	Alcoholic psychoses	1,269	232
296	Diffuse diseases of connective tissue	1,245	233
355	Fracture of other bones	1,238	234
176	Nasal polyp	1,220	235
222	Chronic glomerulonephritis and nephrotic syndrome	1,219	236
397	Aftercare involving intermittent dialysis	1,199	237
36	Malignant neoplasm of other female genital organs	1,186	238
197	Acute appendicitis without peritonitis	1,168	239
357	Dislocation of shoulder	1,159	240
166	Aneurysm except aortic	1,147	241
372	Open wound of lower limb	1,145	242
96	Miscellaneous schizophrenia	1,141	243
175	Deviated nasal septum	1,139	244
55	Benign neoplasm of breast	1,131	245
50	Benign neoplasm of lip, oral cavity, and pharynx	1,116	246

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
202	Umbilical hernia without complication	1,104	247
381	Other burns	1,093	248
133	Otosclerosis	1,089	249
56	Uterine leiomyoma	1,084	250
103	Miscellaneous neuroses and personality disorders	1,070	251
385	Toxic effects of substances chiefly nonmedicinal as to source	1,046	252
63	Benign neoplasm of central nervous system	1,016	253
110	Adjustment reactions and acute reactions to stress	1,014	254
64	Benign neoplasm of thyroid glands	1,005	255
360	Sprains and strains of knee and leg	953	256
306	Sacroiliac joint disorder	945	257
325	Miscellaneous congenital anomalies of genitourinary system	904	258
358	Dislocation of knee	903	259
294	Sebaceous cyst	901	260
6	Miscellaneous bacterial diseases	888	261
58	Benign neoplasm of ovary	886	262
359	Other dislocation	867	263
44	Malignant neoplasm of endocrine glands	845	264
315	Neuralgia, neuritis, and radiculitis, unspecified	824	265
46	Hodgkin's disease	786	266
126	Strabismus	755	267
129	Other disorders of eye	724	268
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	723	269
61	Benign neoplasm of urinary organ	706	270
320	Congenital anomaly of heart and circulatory system	706	271
15	Mycoses	696	272
131	Other inflammation of ear and mastoid	689	273
367	Internal injury, except chest	686	274
380	Third degree burns	684	275

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
314	Acquired deformities of limbs, except toe	675	276
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	675	277
9	Viral hepatitis	666	278
221	Intestinal malabsorption	653	279
52	Benign neoplasm of respiratory system and intrathoracic organs	637	280
246	Inflammatory disease of cervix uteri	637	281
366	Internal injury to thoracic region	603	282
118	Migraine	594	283
94	Paranoid schizophrenia	571	284
89	Transient organic psychotic conditions	560	285
66	Carcinoma in situ of cervix	541	286
243	Ovarian cyst	529	287
113	Inflammatory diseases of central nervous system	519	288
145	Acute and subacute endocarditis	508	289
157	Precerebral occlusion with paralysis	481	290
345	Fracture of vertebral column with cord injury	469	291
244	Pelvic inflammatory disease	467	292
155	Intracerebral hemorrhage with paralysis	460	293
152	Subarachnoid hemorrhage without paralysis	447	294
65	Benign neoplasm of endocrine glands, except thyroid	441	295
177	Chronic disease of tonsils and adenoids	437	296
370	Other laceration of trunk and multiple and unspecified sites	426	297
22	Malignant neoplasm of small intestine	420	298
107	Nondependent abuse of alcohol	416	299
382	Injury to nerve and spinal cord	412	300
135	Rheumatic fever, acute	408	301
368	Laceration or enucleation of eye	392	302
341	Fracture of vault of skull	386	303

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
17	Miscellaneous infective and parasitic diseases	378	304
14	Syphilis and other venereal diseases	335	305
342	Fracture of base of skull	335	306
115	Multiple sclerosis	333	307
93	Drug psychoses	326	308
38	Malignant neoplasm of male genitalia, except prostate	322	309
78	Obesity of nonendocrine origin	314	310
199	Disease of appendix, except acute appendicitis	299	311
41	Malignant neoplasm of eye	292	312
375	Contusion of eye and adnexa	280	313
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	274	314
3	Nonrespiratory tuberculosis	246	315
245	Endometriosis	211	316
391	Other complications of medical care, except drugs	210	317
11	Viral warts	173	318
302	Ankylosing spondylitis	165	319
377	Miscellaneous crushing injury	162	320
223	Miscellaneous nephritis and functional disorders	153	321
57	Benign neoplasm of uterus, except leiomyoma	141	322
293	Pilonidal cyst	138	323
60	Benign neoplasm of male genital organ	137	324
4	Streptococcal sore throat and scarlet fever	130	325
326	Clubfoot	126	326
106	Drug dependence except opioid	121	327
373	Injury to blood vessels	109	328
317	Somatic dysfunction	108	329
18	Late effects of infectious and parasitic diseases	105	330
43	Malignant neoplasm of other parts of nervous system	104	331
59	Benign neoplasm of female genitalia, except uterus and ovary	100	332

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
108 Nondependent abuse of drugs, except alcohol	95	333
318 Congenital anomaly of nervous system	83	334
7 Poliomyelitis and other enteroviral diseases of central nervous system	80	335
392 Admission for prophylactic sterilization	78	336
13 Rickettsioses and other arthropod-borne diseases	75	337
16 Helminthiases	71	338
62 Benign neoplasm of eye	64	339
356 Fracture of multiple bones	63	340
87 Nonspecific mesenteric lymphadenitis	58	341
112 Mental retardation	55	342
105 Opioid dependence	52	343
10 Infectious mononucleosis	41	344
83 Sickle-cell anemia and trait	41	345
85 Hemophilia (congenital factor VIII disorder)	40	346
153 Subarachnoid hemorrhage with paralysis	40	347
324 Undescended testicle	36	348
95 Acute schizophrenic episode	25	349
74 Ovarian dysfunction	15	350
378 Foreign body on external eye	12	351
321 Cleft palate and lip	7	352
All geriatric patients	2,516,246	

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
Geriatric Patients
U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
149	Heart failure	1,182	1
351	Fracture of neck of femur	1,110	2
140	Acute myocardial infarction	886	3
179	Pneumonia	708	4
143	Miscellaneous ischemic heart disease	690	5
235	Hyperplasia of prostate	574	6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	489	7
215	Gallbladder disease with calculus	434	8
184	Miscellaneous obstructive lung diseases	408	9
45	Malignant neoplasm of ill-defined and secondary sites	395	10
298	Osteoarthrosis (osteoarthritis), except spine	393	11
124	Senile cataract	388	12
23	Malignant neoplasm of colon	366	13
27	Malignant neoplasm of bronchus, lung, and trachea	346	14
209	Diverticula of intestine	344	15
234	Miscellaneous urinary diseases	342	16
148	Other arrhythmia and conduction disorders	328	17
340	Miscellaneous signs, symptoms, and ill-defined conditions	311	18
71	Diabetes mellitus without complication	310	19
37	Malignant neoplasm of prostate	306	20
160	Transient cerebral ischemia without paralysis	296	21
211	Miscellaneous diseases of intestine and peritoneum	294	22
163	Other and ill-defined cerebrovascular disease	291	23
186	Miscellaneous lung and pleural diseases	260	24
295	Miscellaneous diseases of skin and subcutaneous tissue	248	25

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
73	Other complicated diabetes mellitus	238	26
141	Angina pectoris	230	27
398	Admission for special examinations and miscellaneous reasons	229	28
90	Chronic organic brain syndrome, except arteriosclerotic dementia	226	29
207	Intestinal obstruction without mention of hernia	226	30
200	Inguinal hernia without complication	222	31
313	Localized disorders of bone and cartilage	217	32
32	Malignant neoplasm of breast (female) (male)	212	33
142	Other acute and subacute forms of ischemic heart disease	212	34
162	Acute, but ill-defined, cerebrovascular disease with paralysis	210	35
138	Hypertensive heart disease	197	36
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	192	37
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	191	38
164	Atherosclerosis	185	39
208	Noninfectious gastroenteritis and colitis	182	40
39	Malignant neoplasm of bladder	182	41
169	Phlebitis and thrombophlebitis	181	42
220	Gastrointestinal hemorrhage	178	43
81	Disorders of fluid, electrolyte, and acid-base balance	174	44
147	Atrial fibrillation and flutter	173	45
150	Miscellaneous diseases of heart	172	46
117	Miscellaneous disease of central nervous system	170	47
387	Complications peculiar to certain specified procedures	166	48
344	Fracture of vertebral column without mention of spinal cord injury	158	49

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
174	Bronchitis and bronchiolitis, acute	157	50
137	Essential hypertension	152	51
183	Asthma	148	52
84	Anemia except iron deficiency and sickle-cell	147	53
291	Cellulitis and abscess, except digit	144	54
181	Bronchitis, chronic and unspecified	142	55
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	140	56
151	Cardiovascular disease, unspecified	134	57
168	Miscellaneous diseases of arteries	134	58
334	Gangrene	132	59
216	Gallbladder disease without mention of calculus	132	60
303	Spondylosis and allied disorders	129	61
167	Arterial embolism and thrombosis	128	62
195	Gastritis and duodenitis	127	63
347	Fracture of pelvis	127	64
352	Other femoral fracture	122	65
248	Genital prolapse	117	66
376	Other superficial injuries	113	67
144	Pulmonary embolism and infarction	113	68
308	Other dorsopathies	112	69
165	Aortic aneurysm	109	70
304	Derangement and displacement of lumbar disc	109	71
193	Nongastric peptic ulcer with hemorrhage or perforation	108	72
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	104	73
98	Major depressive psychoses	104	74
297	Rheumatoid arthritis, except spine	104	75
348	Fracture of humerus	103	76
204	Diaphragmatic hernia without complication	102	77
172	Miscellaneous diseases of veins and circulatory system	100	78

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
156	Precerebral artery occlusion without paralysis	99	79
189	Diseases of esophagus	97	80
182	Emphysema	94	81
338	Abdominal pain	93	82
170	Varicose veins of lower extremities	93	83
354	Miscellaneous fractures of lower extremity	92	84
335	Chest pain	86	85
219	Diseases of pancreas	83	86
192	Nongastric peptic ulcer without complication	83	87
82	Iron deficiency anemia	82	88
232	Cystitis	82	89
21	Malignant neoplasm of stomach	81	90
114	Parkinson's disease	78	91
102	Neurotic depression	78	92
5	Septicemia	78	93
26	Malignant neoplasm of pancreas	76	94
346	Fracture of ribs, sternum, larynx and trachea	75	95
104	Alcoholic dependence syndrome	74	96
68	Neoplasms of uncertain behavior and unspecified nature	72	97
191	Gastric ulcer with hemorrhage or perforation	71	98
120	Peripheral nervous system disorder, except sciatica	71	99
190	Gastric ulcer without complication	69	100
217	Diseases of bile ducts with calculus	69	101
337	Signs and symptoms referable to urinary system	67	102
34	Malignant neoplasm of corpus uteri	67	103
316	Miscellaneous disorders of musculoskeletal system	62	104
384	Poisoning by drugs, medicinal, and biological substances	61	105
353	Fracture of tibia and fibula	60	106
230	Miscellaneous diseases of kidney and ureter	60	107

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
51	Benign neoplasm of other parts of digestive system	60	108
229	Calculus of ureter	60	109
100	Miscellaneous psychoses	59	110
40	Malignant neoplasm of kidney and other urinary organs	55	111
339	Other signs and symptoms referable to upper GI tract and abdomen	55	112
213	Other cirrhosis and chronic liver disease	55	113
206	Complicated hernia of abdominal cavity, except inguinal	54	114
203	Ventral hernia without complication	54	115
299	Other arthropathies	52	116
19	Malignant neoplasm of lip, oral cavity, and pharynx	52	117
349	Fracture of radius and ulna	52	118
224	Chronic renal failure	51	119
171	Hemorrhoids	51	120
329	Convulsions	50	121
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	50	122
233	Urethral stricture	49	123
35	Malignant neoplasm of ovary	49	124
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	49	125
196	Disease of stomach and duodenum, except ulcer and inflammation	48	126
8	Viral diseases with exanthem	47	127
225	Other renal failure	47	128
86	Disease of hematopoietic system, except anemia and hemophilia	45	129
218	Diseases of bile ducts without mention of calculus	45	130
336	Other signs and symptoms referable to respiratory system and chest	45	131
136	Chronic rheumatic heart disease	44	132
361	Sprains and strains of sacroiliac region	44	133
228	Calculus of kidney	43	134

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
132	Vertiginous syndromes	43	135
300	Other complications of surgical procedures	43	136
227	Miscellaneous kidney infections	43	137
154	Intracerebral hemorrhage without paralysis	41	138
173	Acute URI except streptococcal	41	139
72	Diabetic acidosis or coma	41	140
31	Other malignant neoplasm of skin, excluding genital organs	40	141
111	Miscellaneous mental disorders	39	142
1	Intestinal infectious disease	39	143
330	Pyrexia of unknown origin	38	144
310	Bunion and deformities of toe	37	145
301	Other disorders of joint	37	146
48	Leukemia, except lymphoid	37	147
70	Other diseases of thyroid gland	37	148
201	Inguinal hernia, complicated	36	149
365	Intracranial injury, except concussion	36	150
212	Alcoholic liver disease	36	151
214	Miscellaneous diseases of liver	36	152
28	Other malignant neoplasm of respiratory system and thoracic cavity	35	153
312	Osteomyelitis	34	154
309	Bursitis and synovitis, except spine	34	155
292	Miscellaneous infections of skin and subcutaneous tissue	33	156
386	Miscellaneous adverse effects	33	157
364	Concussion	33	158
226	Acute pyelonephritis	33	159
139	Miscellaneous hypertensive disease	32	160
127	Miscellaneous disorders of superficial structures of eye	31	161
20	Malignant neoplasm of esophagus	30	162
198	Acute appendicitis with peritonitis	30	163
305	Derangement and displacement of intervertebral disc, except lumbar	30	164
128	Miscellaneous disorders of deep structures of eye	30	165

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
42	Malignant neoplasm of brain	30	166
91	Arteriosclerotic dementia	30	167
252	Miscellaneous diseases of female genitalia	30	168
99	Other affective psychoses	29	169
362	Sprains and strains of other and unspecified parts of back	29	170
332	Epistaxis	28	171
389	Postoperative wound infection	28	172
47	Lymphoid leukemia	28	173
76	Nutritional deficiencies	27	174
121	Retinal detachment and defects	27	175
194	Peptic ulcer with obstruction	27	176
210	Anal fissure, fistula, and abscess	26	177
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	25	178
116	Epilepsy	25	179
178	Miscellaneous diseases of upper respiratory system	25	180
2	Respiratory tuberculosis	25	181
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	24	182
180	Influenza	24	183
146	Paroxysmal supraventricular tachycardia	23	184
253	Signs and symptoms referable to female genital organs	23	185
369	Other laceration of head and neck	23	186
96	Miscellaneous schizophrenia	23	187
231	Urinary calculus, except kidney and ureter	22	188
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	21	189
236	Diseases of prostate, except hypertrophy	21	190
63	Benign neoplasm of central nervous system	21	191

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
383	Certain traumatic complications and unspecified injuries	20	192
185	Spontaneous pneumothorax	20	193
79	Miscellaneous metabolic disorders	20	194
122	Open angle and primary closure glaucoma	19	195
307	Sciatica	19	196
119	Carpal tunnel syndrome and other lesions of median nerve	19	197
12	Miscellaneous viral diseases	19	198
380	Third degree burns	18	199
251	Menopausal and postmenopausal disorders	18	200
381	Other burns	18	201
80	Gout	18	202
101	Anxiety states	18	203
296	Diffuse diseases of connective tissue	18	204
363	Other sprains and strains	18	205
388	Hemorrhage or hematoma complicating a procedure	17	206
53	Benign neoplasm of bone, muscle, and connective tissue	17	207
145	Acute and subacute endocarditis	17	208
166	Aneurysm except aortic	16	209
241	Benign mammary dysplasia	16	210
222	Chronic glomerulonephritis and nephrotic syndrome	16	211
396	Aftercare for removal of internal fixation device	16	212
187	Disease of teeth and jaws	16	213
36	Malignant neoplasm of other female genital organs	16	214
67	Carcinoma in situ, except cervix uteri	16	215
30	Malignant melanoma of skin, excluding genital organs	15	216
333	Signs and symptoms referable to the cardiovascular system, except gangrene	15	217
331	Headache	15	218

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	15	219
188	Disease of mouth, except dental	15	220
238	Orchitis and epididymitis	15	221
92	Alcoholic psychoses	14	222
343	Fracture of face bones	14	223
372	Open wound of lower limb	13	224
155	Intracerebral hemorrhage with paralysis	13	225
355	Fracture of other bones	13	226
69	Simple and non-toxic nodular goiter	12	227
205	Other hernia of abdominal cavity without complication	12	228
94	Paranoid schizophrenia	12	229
152	Subarachnoid hemorrhage without paralysis	11	230
6	Miscellaneous bacterial diseases	11	231
350	Miscellaneous fractures of upper extremity	11	232
237	Hydrocele	11	233
240	Miscellaneous diseases of male genital organs	11	234
300	Internal derangement of knee joint	11	235
56	Uterine leiomyoma	11	236
197	Acute appendicitis without peritonitis	11	237
58	Benign neoplasm of ovary	11	238
103	Miscellaneous neuroses and personality disorders	11	239
242	Miscellaneous diseases of breast	10	240
113	Inflammatory diseases of central nervous system	10	241
46	Hodgkin's disease	10	242
44	Malignant neoplasm of endocrine glands	10	243
379	Foreign body entering through other body orifice	10	244
123	Other glaucoma	10	245
371	Open wound of upper limb	9	246
157	Precerebral occlusion with paralysis	9	247

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
221	Intestinal malabsorption	9	248
306	Sacroiliac joint disorder	9	249
359	Other dislocation	9	250
15	Mycoses	9	251
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	9	252
109	Psychophysiologic disorder	9	253
367	Internal injury, except chest	9	254
110	Adjustment reactions and acute reactions to stress	9	255
315	Neuralgia, neuritis, and radiculitis, unspecified	9	256
360	Sprains and strains of knee and leg	9	257
9	Viral hepatitis	8	258
202	Umbilical hernia without complication	8	259
22	Malignant neoplasm of small intestine	8	260
89	Transient organic psychotic conditions	8	261
325	Miscellaneous congenital anomalies of genitourinary system	7	262
358	Dislocation of knee	7	263
320	Congenital anomaly of heart and circulatory system	7	264
366	Internal injury to thoracic region	7	265
345	Fracture of vertebral column with cord injury	7	266
64	Benign neoplasm of thyroid glands	7	267
314	Acquired deformities of limbs, except toe	7	268
385	Toxic effects of substances chiefly nonmedicinal as to source	7	269
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	7	270
311	Ganglion and cyst	6	271
244	Pelvic inflammatory disease	6	272
134	Miscellaneous diseases of ear	6	273
65	Benign neoplasm of endocrine glands, except thyroid	6	274
125	Cataract, except senile	6	275
357	Dislocation of shoulder	6	276

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
239	Redundant prepuce and phimosis	6	277
243	Ovarian cyst	6	278
130	Otitis media, chronic and unspecified	6	279
50	Benign neoplasm of lip, oral cavity, and pharynx	6	280
341	Fracture of vault of skull	5	281
319	Congenital anomaly of eye, ear, face, and neck	5	282
131	Other inflammation of ear and mastoid	5	283
135	Rheumatic fever, acute	5	284
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	5	285
55	Benign neoplasm of breast	5	286
382	Injury to nerve and spinal cord	5	287
3	Nonrespiratory tuberculosis	5	288
342	Fracture of base of skull	5	289
17	Miscellaneous infective and parasitic diseases	4	290
52	Benign neoplasm of respiratory system and intrathoracic organs	4	291
129	Other disorders of eye	4	292
115	Multiple sclerosis	4	293
370	Other laceration of trunk and multiple and unspecified sites	4	294
66	Carcinoma in situ of cervix	4	295
176	Nasal polyp	4	296
126	Strabismus	4	297
118	Migraine	4	298
175	Deviated nasal septum	4	299
38	Malignant neoplasm of male genitalia, except prostate	4	300
294	Sebaceous cyst	4	301
61	Benign neoplasm of urinary organ	3	302
246	Inflammatory disease of cervix uteri	3	303
14	Syphilis and other venereal diseases	3	304
93	Drug psychoses	3	305
133	Otosclerosis	3	306
78	Obesity of nonendocrine origin	3	307

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
199	Disease of appendix, except acute appendicitis	3	308
43	Malignant neoplasm of other parts of nervous system	2	309
397	Aftercare involving intermittent dialysis	2	310
368	Laceration or enucleation of eye	2	311
107	Nondependent abuse of alcohol	2	312
41	Malignant neoplasm of eye	2	313
223	Miscellaneous nephritis and functional disorders	2	314
375	Contusion of eye and adnexa	2	315
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	2	316
106	Drug dependence except opioid	2	317
245	Endometriosis	2	318
377	Miscellaneous crushing injury	2	319
302	Ankylosing spondylitis	2	320
391	Other complications of medical care, except drugs	2	321
373	Injury to blood vessels	1	322
153	Subarachnoid hemorrhage with paralysis	1	323
356	Fracture of multiple bones	1	324
177	Chronic disease of tonsils and adenoids	1	325
18	Late effects of infectious and parasitic diseases	1	326
317	Somatic dysfunction	1	327
293	Pilonidal cyst	1	328
7	Poliomyelitis and other enteroviral diseases of central nervous system	1	329
60	Benign neoplasm of male genital organ	1	330
4	Streptococcal sore throat and scarlet fever	1	331
318	Congenital anomaly of nervous system	1	332
326	Clubfoot	1	333

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
57	Benign neoplasm of uterus, except leiomyoma	1	334
13	Rickettsioses and other arthropod-borne diseases	1	335
11	Viral warts	1	336
108	Nondependent abuse of drugs, except alcohol	1	337
105	Opioid dependence	1	338
112	Mental retardation	1	339
16	Helminthiases	1	340
59	Benign neoplasm of female genitalia, except uterus and ovary	1	341
85	Hemophilia (congenital factor VIII disorder)	1	342
10	Infectious mononucleosis	<1	343
62	Benign neoplasm of eye	<1	344
74	Ovarian dysfunction	<1	345
83	Sickle-cell anemia and trait	<1	346
87	Nonspecific mesenteric lymphadenitis	<1	347
95	Acute schizophrenic episode	<1	348
321	Cleft palate and lip	<1	349
324	Undescended testicle	<1	350
378	Foreign body on external eye	<1	351
392	Admission for prophylactic sterilization	<1	352
	All diagnosis groups	26,625	

Table 4 displays total U.S. geriatric patients and days of care (after exclusions*) in each of the operation groups containing patients 65 and older, except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated geriatric discharges and the rate per 10,000 days of care.

Table 4

Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	2,075	20.2	53	43.8
502	Craniotomy and craniectomy	1,574	15.3	41	33.6
503	Cranioplasty	113	1.1	2	1.4
504	Ventricular shunt, extracranial	618	6.0	17	13.8
505	Miscellaneous operations on brain and cerebral meninges	319	3.1	7	5.7
506	Exploration and decompression of spinal canal structures	2,348	22.9	51	42.2
507	Operations on spinal cord structures, except exploration	625	6.1	14	11.2
508	Excision or destruction of lesion of cranial or peripheral nerve	1,803	17.6	10	8.3
509	Miscellaneous operations on cranial and other peripheral nerves	5,839	56.9	26	21.2
510	Sympathectomy	1,537	15.0	29	24.3
511	Miscellaneous operations on sympathetic nerves and ganglia	278	2.7	4	3.1
513	Thyroidectomy	3,015	29.4	25	20.2

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	852	8.3	10	8.3
515	Operations on endocrine glands, except parathyroid and thyroid	243	2.4	5	4.1
517	Excision or destruction of lesion or tissue of eyelid	1,738	16.9	8	6.3
518	Miscellaneous operations on eyelid	5,200	50.6	20	16.1
519	Operations on lacrimal system	890	8.7	3	2.8
520	Operations on conjunctiva	236	2.3	1	0.8
521	Corneal transplant	1,528	14.9	9	7.2
522	Miscellaneous operations on cornea	1,011	9.8	4	3.3
523	Operations for regulation of intraocular pressure	2,730	26.6	13	10.9
524	Other operations on iris, ciliary body, sclera and anterior chamber	3,111	30.3	14	11.7
525	Intracapsular extraction of lens	85,293	830.6	356	293.5
526	Other lens extraction	14,690	143.1	46	38.2
527	Miscellaneous operations on lens	4,522	44.0	15	12.4
528	Repair of retina	4,598	44.8	28	23.0
529	Miscellaneous operations on retina, choroid, and vitreous	1,264	12.3	6	5.3
530	Resection and recession of ocular muscle	414	4.0	1	0.8
531	Miscellaneous operations on ocular muscle	25	0.2	<1	0.2
532	Operations on orbit and eyeball	1,521	14.8	9	7.3
534	Operations on external ear	1,513	14.7	10	8.0
535	Stapes mobilization and stapedectomy	1,162	11.3	3	2.8
536	Tympanoplasty	1,071	10.4	3	2.4
537	Myringotomy	566	5.5	3	2.2

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	605	5.9	3	2.7
539	Miscellaneous operations on middle ear and inner ear	456	4.4	2	1.9
541	Submucous resection of nasal septum	494	4.8	2	1.6
542	Rhinoplasty	1,292	12.6	5	4.4
543	Other incision, excision of nose	3,431	33.4	18	14.8
544	Miscellaneous operations on nose	1,772	17.3	12	9.6
545	Radical maxillary antrotomy	633	6.2	4	3.1
546	Miscellaneous operations on accessory sinus	810	7.9	6	4.7
547	Tooth extraction	4,048	39.4	27	22.0
548	Tooth restoration and orthodontia	27	0.3	<1	0.1
549	Operations on teeth and gums except extraction and restoration	547	5.3	3	2.5
550	Operations on salivary glands and ducts	2,346	22.8	15	12.7
551	Palatoplasty	27	0.3	<1	0.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	3,848	37.5	28	23.2
553	Tonsillectomy without adenoidectomy	215	2.1	1	0.8
554	Tonsillectomy with adenoidectomy	193	1.9	<1	0.3
555	Adenoidectomy without tonsillectomy	43	0.4	<1	0.1
556	Operations on pharynx except tonsillectomy and adenoidectomy	1,038	10.1	10	8.3
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	138	1.3	1	0.9

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	3,210	31.3	14	11.2
559	Partial laryngectomy and local excision of lesion of trachea	387	3.8	6	4.8
560	Complete laryngectomy	568	5.5	14	11.5
561	Permanent tracheostomy	173	1.7	5	4.2
562	Operations on larynx and trachea except excision and permanent tracheostomy	1,204	11.7	37	30.4
563	Incision and local excision or destruction of lesion of bronchus	10,206	99.4	135	110.9
564	Bronchial resection and miscellaneous operations on bronchus	24	0.2	<1	0.2
565	Local excision or destruction of lesion or tissue of lung	4,767	46.4	80	66.0
566	Lobectomy and complete pneumonectomy	2,246	21.9	46	38.3
567	Bronchoscopy (using natural orifice)	11,319	110.2	149	122.8
568	Miscellaneous operations on lung	478	4.7	8	6.4
569	Thoracotomy	3,813	37.1	64	52.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	3,825	37.3	57	46.7
571	Open heart operations	1,776	17.3	39	32.4
572	Direct heart revascularization	6,305	61.4	111	91.8
573	Cardiac catheterization	12,732	124.0	86	70.7
574	Pacemaker insertion, replacement, removal, and repair	30,871	300.6	373	307.8
575	Miscellaneous operations on heart	653	6.4	12	9.7
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	2,819	27.5	35	28.6

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577 Ligation and stripping of varicose veins	2,052	20.0	21	16.9
578 Systemic shunt or graft bypass	8,708	84.8	170	140.0
579 Extracorporeal circulation	31	0.3	1	0.6
580 Hemodialysis	2,285	22.3	20	16.3
581 Other operations on blood vessels	24,776	241.3	395	325.5
582 Incision, excision of lymphatic structures	5,852	57.0	70	57.4
583 Radical excision of lymph nodes	1,348	13.1	18	15.0
584 Miscellaneous operations on lymphatic system	3	0.0	<1	0.0
585 Bone marrow transplant	1	0.0	<1	0.0
586 Miscellaneous operations on spleen and bone marrow	19,417	189.1	283	233.1
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	629	6.1	13	10.8
588 Operations on esophagus	5,826	56.7	66	54.5
590 Gastrotomy, pyloromyotomy	202	2.0	4	3.7
591 Gastrostomy	1,445	14.1	39	32.5
592 Local excision or destruction of lesion or tissue of stomach	9,288	90.5	113	93.1
593 Partial gastrectomy	3,436	33.5	77	63.5
594 Total gastrectomy	450	4.4	12	10.2
595 Vagotomy	1,117	10.9	23	18.6
596 Miscellaneous operations on stomach	2,909	28.3	60	49.4
597 Local excision or destruction of intestinal lesion or tissue	10,978	106.9	111	91.7
598 Resection of small intestine	2,473	24.1	56	46.1
599 Colectomy	21,228	206.7	442	364.5
600 Other incision, resection of intestine	1,406	13.7	32	26.7

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	4,682	45.6	76	62.3
602	Ileostomy, colostomy, and other enterostomy	2,900	28.2	75	61.8
603	Appendectomy	3,187	31.0	40	32.9
604	Incidental appendectomy	64	0.6	1	0.6
605	Operations on appendix except appendectomy	84	0.8	2	1.3
606	Local excision or destruction of lesion or tissue of rectum	6,005	58.5	60	49.7
607	Other incision of rectum and incision or excision of perirectal tissue	545	5.3	6	4.8
608	Proctectomy	4,373	42.6	101	83.3
609	Miscellaneous operations on intestine	4,657	45.4	59	48.8
610	Incision or excision of anal fistula	959	9.3	6	5.2
611	Local excision or destruction of lesion or tissue of anus	1,064	10.4	8	6.5
612	Hemorrhoidectomy	5,265	51.3	43	35.5
613	Miscellaneous operations on anus	1,475	14.4	13	10.5
614	Incision of liver	223	2.2	4	3.4
615	Miscellaneous operations on liver	5,848	57.0	85	69.9
616	Cholecystectomy	34,026	331.4	510	420.5
617	Operations on biliary tract and gallbladder except cholecystectomy	3,896	37.9	82	67.8
618	Operations on pancreas	1,440	14.0	28	23.5
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	5,992	58.4	75	62.0
620	Unilateral repair of inguinal hernia	31,893	310.6	226	186.4
621	Bilateral repair of inguinal hernia	4,820	46.9	38	31.1

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	2,451	23.9	23	18.7
623	Repair of umbilical hernia	1,710	16.7	15	12.7
624	Repair of other hernia of anterior abdominal wall	6,468	63.0	68	55.8
625	Repair of diaphragmatic and other hernia	1,295	12.6	20	16.4
626	Incision, excision of abdominal wall and peritoneum except laparotomy	4,219	41.1	71	58.5
627	Laparotomy	5,015	48.8	105	86.8
628	Laparoscopy (excluding that for destruction of fallopian tubes)	416	4.1	5	4.1
630	Miscellaneous operations on abdominal wall and peritoneum	4,576	44.6	83	68.6
631	Complete nephrectomy	2,856	27.8	55	45.3
632	Miscellaneous operations on kidney	2,955	28.8	44	36.1
633	Ureterotomy	1,994	19.4	28	23.1
634	Ureteral diversion	505	4.9	11	9.3
635	Miscellaneous operations on ureter	1,686	16.4	15	12.7
636	Cystoscopy and urethroscopy	47,251	460.2	424	349.9
637	Transurethral excision or destruction of bladder lesion	19,919	194.0	148	121.9
638	Miscellaneous operations on bladder	8,335	81.2	109	89.7
639	Urethral meatotomy	370	3.6	3	2.2
640	Excision of urethral lesion, repair of urethra	2,094	20.4	15	12.5
641	Urethral dilation	8,002	77.9	71	58.6
642	Miscellaneous operations on urethra	1,913	18.6	15	12.7
643	Urethral suspension	1,469	14.3	18	14.8
644	Other repair of stress incontinence	378	3.7	4	3.7
645	Ureteral catheterization	347	3.4	3	2.8

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	184	1.8	3	2.2
648	Transurethral prostatectomy	60,070	585.0	673	555.2
649	Other prostatectomy	7,378	71.9	115	95.1
650	Miscellaneous operations on prostate and seminal vesicles	7,727	75.3	56	46.2
651	Operations on scrotum and tunica vaginalis	798	7.8	7	5.8
652	Orchiectomy	3,648	35.5	37	30.5
653	Orchiopexy	28	0.3	<1	0.1
654	Miscellaneous operations on testis	89	0.9	1	0.7
655	Interruption of vas deferens	199	1.9	2	1.9
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,910	18.6	11	9.2
658	Miscellaneous operations on penis	648	6.3	6	4.5
660	Local excision or destruction of ovarian lesion or tissue	448	4.4	8	6.3
661	Unilateral oophorectomy or salpingo-oophorectomy	655	6.4	10	8.2
662	Bilateral oophorectomy or salpingo-oophorectomy	818	8.0	12	10.0
663	Miscellaneous operations on ovary	24	0.2	<1	0.3
666	Miscellaneous operations on fallopian tube	34	0.3	<1	0.4
667	Conization of cervix	595	5.8	3	2.4
668	Other excision or destruction of lesion or tissue of cervix	2,426	23.6	17	14.3
669	Repair and plastic operations on cervix	22	0.2	<1	0.2
670	Hysterotomy and excision of lesion of uterus	359	3.5	3	2.4
671	Abdominal hysterectomy	6,911	67.3	82	68.0
672	Vaginal hysterectomy	5,374	52.3	55	45.6
673	Radical hysterectomy and pelvic evisceration	154	1.5	3	2.8

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
675	Other dilation and curettage	9,319	90.8	46	38.1
677	Other aspiration curettage	44	0.4	<1	0.4
678	Repair and plastic operations on supporting structures of uterus	64	0.6	1	0.5
679	Miscellaneous operations on uterus, cervix, and supporting structures	323	3.1	2	1.5
680	Plastic repair of cystocele and rectocele	4,168	40.6	39	32.4
681	Other colporrhaphy	417	4.1	4	3.5
682	Miscellaneous operations on vagina	1,901	18.5	18	14.7
683	Incision and excision of lesion of vulva and perineum	1,181	11.5	8	6.9
684	Vulvectomy	400	3.9	7	5.6
685	Miscellaneous operations on vulva and perineum	67	0.7	1	0.5
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	34	0.3	<1	0.2
698	Excision of facial bone	446	4.3	5	3.8
699	Repair and plastic operations on facial bones	113	1.1	1	1.1
700	Closed reduction of maxillofacial fractures	148	1.4	2	1.3
701	Open reduction of maxillofacial fractures	372	3.6	4	3.6
702	Miscellaneous maxillofacial surgery	60	0.6	1	0.5
703	Incision and division of bones except facial	1,500	14.6	20	16.6
704	Bunionectomy	4,450	43.3	29	24.0
705	Excision of bone except facial	6,251	60.9	81	67.1
706	Repair and plastic operation on bone except facial	2,985	29.1	58	47.7
707	Removal of internal fixation device	4,165	40.6	49	40.3

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
708	Closed reduction of fracture of femur with internal fixation	5,333	51.9	112	92.5
709	Open reduction of fracture of femur with internal fixation	26,000	253.2	568	468.1
710	Reduction of fracture of femur without internal fixation	1,131	11.0	27	22.1
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	1,977	19.3	22	18.2
712	Open reduction of fracture with internal fixation, except maxillofacial and femur	6,815	66.4	96	79.1
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	9,614	93.6	85	70.0
714	Closed reduction of dislocation	2,152	21.0	19	15.5
715	Open reduction of dislocation	843	8.2	14	11.7
716	Arthrotomy and division of joint capsule	2,005	19.5	34	28.0
717	Excision of intervertebral disc	3,957	38.5	73	60.5
718	Excision of semilunar cartilage of knee joint	1,721	16.8	14	11.6
719	Miscellaneous excisions of joint structures	2,088	20.3	18	14.9
720	Spinal fusion	328	3.2	7	5.4
721	Arthrodesis and stabilization of joint	1,550	15.1	15	12.0
722	Total hip replacement	10,967	106.8	225	185.6
723	Other arthroplasty of hip	15,909	154.9	341	281.0
724	Arthroplasty of knee	7,387	71.9	149	123.3
725	Repair of other joint	1,919	18.7	17	14.1

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
726	Incision and division of muscle, tendon, fascia and bursa	1,219	11.9	10	8.0
727	Excision of lesion of muscle, tendon, fascia, and bursa	2,693	26.2	22	18.2
728	Division and resection of muscle, tendon, and fascia of hand	1,704	16.6	6	5.2
729	Repair and plastic operations on hand	596	5.8	3	2.2
730	Resection and suture of muscle, tendon, and fascia, except hand	1,385	13.5	10	8.5
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	634	6.2	6	5.1
732	Amputation of fingers and thumb	573	5.6	4	3.3
733	Amputation of hand, forearm, and upper arm	116	1.1	2	1.9
734	Amputation of toes	2,784	27.1	60	49.4
735	Below-knee amputation	3,507	34.2	111	91.3
736	Above-knee amputation	3,936	38.3	106	87.7
737	Other amputation of lower extremity	758	7.4	25	20.2
738	Reattachment of extremity	26	0.3	<1	0.2
739	Revision of amputation stump	604	5.9	10	8.1
740	Miscellaneous operations on musculoskeletal system	63	0.6	1	1.0
742	Local excision or destruction of lesion of breast	10,476	102.0	66	54.4
743	Simple mastectomy	2,516	24.5	26	21.2
744	Extended simple mastectomy and radical mastectomy	9,637	93.9	109	89.5
745	Miscellaneous operations on breast	694	6.8	5	3.8
746	Incision and excision of pilonidal cyst or sinus	171	1.7	1	1.2

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	13,924	135.6	130	107.5
748	Other incision, excision, and suture of skin	15,644	152.4	229	189.1
749	Free skin grafts	3,151	30.7	76	62.9
750	Pedicle graft of skin	531	5.2	11	8.9
751	Miscellaneous operations on skin and subcutaneous tissue	2,813	27.4	21	17.7
753	Encephalography and ventriculography	979	9.5	11	9.4
754	Myelography	6,235	60.7	67	54.9
755	Cerebral arteriography	9,946	96.9	89	73.7
756	Coronary arteriography	1,574	15.3	10	8.1
757	Other arteriography and phlebography	19,948	194.3	185	152.2
758	Other radiography and special diagnostic procedures	13,627	132.7	160	132.2
760	Special therapies and rehabilitation	1,482	14.4	22	17.9
764	Miscellaneous diagnostic and therapeutic procedures	3,134	30.5	45	36.7
	All patients in operation groups	1,026,826	10,000.0	12,128	10,000.0

Tables 5 and 6 display frequency rankings of U.S. geriatric patients and total stay according to operation group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Also excluded are groups containing no geriatric patients, as well as those consisting solely of UHDDS class 2-4 procedures (see explanation for Table 4).

Table 5

Ranking of *ICD-9-CM* List B Operation Groups by Live Geriatric Discharges U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
525	Intracapsular extraction of lens	85,293	1
648	Transurethral prostatectomy	60,070	2
636	Cystoscopy and urethroscopy	47,251	3
616	Cholecystectomy	34,026	4
620	Unilateral repair of inguinal hernia	31,893	5
574	Pacemaker insertion, replacement, removal, and repair	30,871	6
709	Open reduction of fracture of femur with internal fixation	26,000	7
581	Other operations on blood vessels	24,776	8
599	Colectomy	21,228	9
757	Other arteriography and phlebography	19,948	10
637	Transurethral excision or destruction of bladder lesion	19,919	11
586	Miscellaneous operations on spleen and bone marrow	19,417	12
723	Other arthroplasty of hip	15,909	13
748	Other incision, excision, and suture of skin	15,644	14
526	Other lens extraction	14,690	15
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	13,924	16
758	Other radiography and special diagnostic procedures	13,627	17
573	Cardiac catheterization	12,732	18
567	Bronchoscopy (using natural orifice)	11,319	19
597	Local excision or destruction of intestinal lesion or tissue	10,978	20

Table 5 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
722	Total hip replacement	10,967	21
742	Local excision or destruction of lesion of breast	10,476	22
563	Incision and local excision or destruction of lesion of bronchus	10,206	23
755	Cerebral arteriography	9,946	24
744	Extended simple mastectomy and radical mastectomy	9,637	25
713	Other reduction of fracture without internal fixation, femur	9,614	26
675	Other dilation and curettage	9,319	27
592	Local excision or destruction of lesion or tissue of stomach	9,288	28
578	Systemic shunt or graft bypass	8,708	29
638	Miscellaneous operations on bladder	8,335	30
641	Urethral dilation	8,002	31
650	Miscellaneous operations on prostate and seminal vesicles	7,727	32
724	Arthroplasty of knee	7,387	33
649	Other prostatectomy	7,378	34
671	Abdominal hysterectomy	6,911	35
712	Open reduction of fracture with internal fixation, femur	6,815	36
624	Repair of other hernia of anterior abdominal wall	6,468	37
572	Direct heart revascularization	6,305	38
705	Excision of bone except facial	6,251	39
754	Myelography	6,235	40
606	Local excision or destruction of lesion or tissue of rectum	6,005	41
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	5,992	42
582	Incision, excision of lymphatic structures	5,852	43
615	Miscellaneous operations on liver	5,848	44
509	Miscellaneous operations on cranial and other peripheral nerves	5,839	45
588	Operations on esophagus	5,826	46

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
672	Vaginal hysterectomy	5,374	47
708	Closed reduction of fracture of femur with internal fixation	5,333	48
612	Hemorrhoidectomy	5,265	49
518	Miscellaneous operations on eyelid	5,200	50
627	Laparotomy	5,015	51
621	Bilateral repair of inguinal hernia	4,820	52
565	Local excision or destruction of lesion or tissue of lung	4,767	53
601	Intestinal anastomosis or repair	4,682	54
609	Miscellaneous operations on intestine	4,657	55
528	Repair of retina	4,598	56
630	Miscellaneous operations on abdominal wall and peritoneum	4,576	57
527	Miscellaneous operations on lens	4,522	58
704	Bunionectomy	4,450	59
608	Proctectomy	4,373	60
626	Incision, excision of abdominal wall and peritoneum except laparotomy	4,219	61
680	Plastic repair of cystocele and rectocele	4,168	62
707	Removal of internal fixation device	4,165	63
547	Tooth extraction	4,048	64
717	Excision of intervertebral disc	3,957	65
736	Above-knee amputation	3,936	66
617	Operations on biliary tract and gallbladder except cholecystectomy	3,896	67
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	3,848	68
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	3,825	69
569	Thoracotomy	3,813	70
652	Orchiectomy	3,648	71
735	Below-knee amputation	3,507	72
593	Partial gastrectomy	3,436	73
543	Other incision, excision of nose	3,431	74
558	Excision of lesion of larynx	3,210	75

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
603	Appendectomy	3,187	76
749	Free skin grafts	3,151	77
764	Miscellaneous diagnostic and therapeutic procedures	3,134	78
524	Other operations on iris, ciliary body, sclera and anterior chamber	3,111	79
513	Thyroidectomy	3,015	80
706	Repair and plastic operation on bone except facial	2,985	81
632	Miscellaneous operations on kidney	2,955	82
596	Miscellaneous operations on stomach	2,909	83
602	Ileostomy, colostomy, and other enterostomy	2,900	84
631	Complete nephrectomy	2,856	85
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	2,819	86
751	Miscellaneous operations on skin and subcutaneous tissue	2,813	87
734	Amputation of toes	2,784	88
523	Operations for regulation of intraocular pressure	2,730	89
727	Excision of lesion of muscle, tendon, fascia, and bursa	2,693	90
743	Simple mastectomy	2,516	91
598	Resection of small intestine	2,473	92
622	Unilateral or bilateral repair of femoral hernia	2,451	93
668	Other excision or destruction of lesion or tissue of cervix	2,426	94
506	Exploration and decompression of spinal canal structures	2,348	95
550	Operations on salivary glands and ducts	2,346	96
580	Hemodialysis	2,285	97
566	Lobectomy and complete pneumonectomy	2,246	98
714	Closed reduction of dislocation	2,152	99
640	Excision of urethral lesion, repair of urethra	2,094	100

Table 5 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
719 Miscellaneous excisions of joint structures	2,088	101
501 Incision, excision of skull, brain, and cerebral meninges	2,075	102
577 Ligation and stripping of varicose veins	2,052	103
716 Arthrotomy and division of joint capsule	2,005	104
633 Ureterotomy	1,994	105
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	1,977	106
725 Repair of other joint	1,919	107
642 Miscellaneous operations on urethra	1,913	108
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,910	109
682 Miscellaneous operations on vagina	1,901	110
508 Excision or destruction of lesion of cranial or peripheral nerve	1,803	111
571 Open heart operations	1,776	112
544 Miscellaneous operations on nose	1,772	113
517 Excision or destruction of lesion or tissue of eyelid	1,738	114
718 Excision of semilunar cartilage of knee joint	1,721	115
623 Repair of umbilical hernia	1,710	116
728 Division and resection of muscle, tendon, and fascia of hand	1,704	117
635 Miscellaneous operations on ureter	1,686	118
502 Craniotomy and craniectomy	1,574	119
756 Coronary arteriography	1,574	120
721 Arthrodesis and stabilization of joint	1,550	121
510 Sympathectomy	1,537	122
521 Corneal transplant	1,528	123
532 Operations on orbit and eyeball	1,521	124
534 Operations on external ear	1,513	125
703 Incision and division of bones except facial	1,500	126
760 Special therapies and rehabilitation	1,482	127
613 Miscellaneous operations on anus	1,475	128

Table 5 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
643	Urethral suspension	1,469	129
591	Gastrostomy	1,445	130
618	Operations on pancreas	1,440	131
600	Other incision, resection of intestine	1,406	132
730	Resection and suture of muscle, tendon, and fascia, except hand	1,385	133
583	Radical excision of lymph nodes	1,348	134
625	Repair of diaphragmatic and other hernia	1,295	135
542	Rhinoplasty	1,292	136
529	Miscellaneous operations on retina, choroid, and vitreous	1,264	137
726	Incision and division of muscle, tendon, fascia and bursa	1,219	138
562	Operations on larynx and trachea except excision and permanent tracheostomy	1,204	139
683	Incision and excision of lesion of vulva and perineum	1,181	140
535	Stapes mobilization and stapedectomy	1,162	141
710	Reduction of fracture of femur without internal fixation	1,131	142
595	Vagotomy	1,117	143
536	Tympanoplasty	1,071	144
611	Local excision or destruction of lesion or tissue of anus	1,064	145
556	Operations on pharynx except tonsillectomy and adenoidectomy	1,038	146
522	Miscellaneous operations on cornea	1,011	147
753	Encephalography and ventriculography	979	148
610	Incision or excision of anal fistula	959	149
519	Operations on lacrimal system	890	150
514	Operations on parathyroid and thyroid, except thyroidectomy	852	151
715	Open reduction of dislocation	843	152
662	Bilateral oophorectomy or salpingo-oophorectomy	818	153

Table 5 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
546	Miscellaneous operations on accessory sinus	810	154
651	Operations on scrotum and tunica vaginalis	798	155
737	Other amputation of lower extremity	758	156
745	Miscellaneous operations on breast	694	157
661	Unilateral oophorectomy or salpingo-oophorectomy	655	158
575	Miscellaneous operations on heart	653	159
658	Miscellaneous operations on penis	648	160
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	634	161
545	Radical maxillary antrotomy	633	162
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	629	163
507	Operations on spinal cord structures, except exploration	625	164
504	Ventricular shunt, extracranial	618	165
538	Mastoidectomy	605	166
739	Revision of amputation stump	604	167
729	Repair and plastic operations on hand	596	168
667	Conization of cervix	595	169
732	Amputation of fingers and thumb	573	170
560	Complete laryngectomy	568	171
537	Myringotomy	566	172
549	Operations on teeth and gums except extraction and restoration	547	173
607	Other incision of rectum and incision or excision of perirectal tissue	545	174
750	Pedicle graft of skin	531	175
634	Ureteral diversion	505	176
541	Submucous resection of nasal septum	494	177
568	Miscellaneous operations on lung	478	178
539	Miscellaneous operations on middle ear and inner ear	456	179
594	Total gastrectomy	450	180
660	Local excision or destruction of ovarian lesion or tissue	448	181

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
698	Excision of facial bone	446	182
681	Other colporrhaphy	417	183
628	Laparoscopy (excluding that for destruction of fallopian tubes)	416	184
530	Resection and recession of ocular muscle	414	185
684	Vulvectomy	400	186
559	Partial laryngectomy and local excision of lesion of trachea	387	187
644	Other repair of stress incontinence	378	188
701	Open reduction of maxillofacial fractures	372	189
639	Urethral meatotomy	370	190
670	Hysterotomy and excision of lesion of uterus	359	191
645	Ureteral catheterization	347	192
720	Spinal fusion	328	193
679	Miscellaneous operations on uterus, cervix, and supporting structures	323	194
505	Miscellaneous operations on brain and cerebral meninges	319	195
511	Miscellaneous operations on sympathetic nerves and ganglia	278	196
515	Operations on endocrine glands, except parathyroid and thyroid	243	197
520	Operations on conjunctiva	236	198
614	Incision of liver	223	199
553	Tonsillectomy without adenoidectomy	215	200
590	Gastrotomy, pyloromyotomy	202	201
655	Interruption of vas deferens	199	202
554	Tonsillectomy with adenoidectomy	193	203
646	Miscellaneous operations on urinary tract	184	204
561	Permanent tracheostomy	173	205
746	Incision and excision of pilonidal cyst or sinus	171	206
673	Radical hysterectomy and pelvic evisceration	154	207

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
700	Closed reduction of maxillofacial fractures	148	208
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	138	209
733	Amputation of hand, forearm, and upper arm	116	210
503	Cranioplasty	113	211
699	Repair and plastic operations on facial bones	113	212
654	Miscellaneous operations on testis	89	213
605	Operations on appendix except appendectomy	84	214
685	Miscellaneous operations on vulva and perineum	67	215
604	Incidental appendectomy	64	216
678	Repair and plastic operations on supporting structures of uterus	64	217
740	Miscellaneous operations on musculoskeletal system	63	218
702	Miscellaneous maxillofacial surgery	60	219
677	Other aspiration curettage	44	220
555	Adenoidectomy without tonsillectomy	43	221
666	Miscellaneous operations on fallopian tube	34	222
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	34	223
579	Extracorporeal circulation	31	224
653	Orchiopexy	28	225
548	Tooth restoration and orthodontia	27	226
551	Palatoplasty	27	227
738	Reattachment of extremity	26	228
531	Miscellaneous operations on ocular muscle	25	229
564	Bronchial resection and miscellaneous operations on bronchus	24	230

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
663	Miscellaneous operations on ovary	24	231
669	Repair and plastic operations on cervix	22	232
584	Miscellaneous operations on lymphatic system	3	233
585	Bone marrow transplant	1	234
	All geriatric patients in operation groups	1,026,826	

Table 6

Ranking of *ICD-9-CM* List B Operation Groups by Days of Care
Geriatric Patients
U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
648	Transurethral prostatectomy	673	1
709	Open reduction of fracture of femur with internal fixation	568	2
616	Cholecystectomy	510	3
599	Colectomy	442	4
636	Cystoscopy and urethroscopy	424	5
581	Other operations on blood vessels	395	6
574	Pacemaker insertion, replacement, removal, and repair	373	7
525	Intracapsular extraction of lens	356	8
723	Other arthroplasty of hip	341	9
586	Miscellaneous operations on spleen and bone marrow	283	10
748	Other incision, excision, and suture of skin	229	11
620	Unilateral repair of inguinal hernia	226	12
722	Total hip replacement	225	13
757	Other arteriography and phlebography	185	14
578	Systemic shunt or graft bypass	170	15
758	Other radiography and special diagnostic procedures	160	16
724	Arthroplasty of knee	149	17
567	Bronchoscopy (using natural orifice)	149	18
637	Transurethral excision or destruction of bladder lesion	148	19
563	Incision and local excision or destruction of lesion of bronchus	135	20
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	130	21
649	Other prostatectomy	115	22
592	Local excision or destruction of lesion or tissue of stomach	113	23

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
708	Closed reduction of fracture of femur with internal fixation	112	24
572	Direct heart revascularization	111	25
597	Local excision or destruction of intestinal lesion or tissue	111	26
735	Below-knee amputation	111	27
638	Miscellaneous operations on bladder	109	28
744	Extended simple mastectomy and radical mastectomy	109	29
736	Above-knee amputation	106	30
627	Laparotomy	105	31
608	Proctectomy	101	32
712	Open reduction of fracture with internal fixation, femur	96	33
755	Cerebral arteriography	89	34
573	Cardiac catheterization	86	35
713	Other reduction of fracture without internal fixation, femur	85	36
615	Miscellaneous operations on liver	85	37
630	Miscellaneous operations on abdominal wall and peritoneum	83	38
671	Abdominal hysterectomy	82	39
617	Operations on biliary tract and gallbladder except cholecystectomy	82	40
705	Excision of bone except facial	81	41
565	Local excision or destruction of lesion or tissue of lung	80	42
593	Partial gastrectomy	77	43
749	Free skin grafts	76	44
601	Intestinal anastomosis or repair	76	45
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	75	46
602	Ileostomy, colostomy, and other enterostomy	75	47
717	Excision of intervertebral disc	73	48
641	Urethral dilation	71	49

Table 6 (Continued)

	Operation Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
626	Incision, excision of abdominal wall and peritoneum except laparotomy	71	50
582	Incision, excision of lymphatic structures	70	51
624	Repair of other hernia of anterior abdominal wall	68	52
754	Myelography	67	53
588	Operations on esophagus	66	54
742	Local excision or destruction of lesion of breast	66	55
569	Thoracotomy	64	56
606	Local excision or destruction of lesion or tissue of rectum	60	57
734	Amputation of toes	60	58
596	Miscellaneous operations on stomach	60	59
609	Miscellaneous operations on intestine	59	60
706	Repair and plastic operation on bone except facial	58	61
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	57	62
650	Miscellaneous operations on prostate and seminal vesicles	56	63
598	Resection of small intestine	56	64
672	Vaginal hysterectomy	55	65
631	Complete nephrectomy	55	66
501	Incision, excision of skull, brain, and cerebral meninges	53	67
506	Exploration and decompression of spinal canal structures	51	68
707	Removal of internal fixation device	49	69
566	Lobectomy and complete pneumonectomy	46	70
526	Other lens extraction	46	71
675	Other dilation and curettage	46	72
764	Miscellaneous diagnostic and therapeutic procedures	45	73
632	Miscellaneous operations on kidney	44	74

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
612	Hemorrhoidectomy	43	75
502	Craniotomy and craniectomy	41	76
603	Appendectomy	40	77
591	Gastrostomy	39	78
680	Plastic repair of cystocele and rectocele	39	79
571	Open heart operations	39	80
621	Bilateral repair of inguinal hernia	38	81
652	Orchiectomy	37	82
562	Operations on larynx and trachea except excision and permanent tracheostomy	37	83
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	35	84
716	Arthrotomy and division of joint capsule	34	85
600	Other incision, resection of intestine	32	86
510	Sympathectomy	29	87
704	Bunionectomy	29	88
618	Operations on pancreas	28	89
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	28	90
633	Ureterotomy	28	91
528	Repair of retina	28	92
710	Reduction of fracture of femur without internal fixation	27	93
547	Tooth extraction	27	94
509	Miscellaneous operations on cranial and other peripheral nerves	26	95
743	Simple mastectomy	26	96
737	Other amputation of lower extremity	25	97
513	Thyroidectomy	25	98
622	Unilateral or bilateral repair of femoral hernia	23	99
595	Vagotomy	23	100

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	22	101
727	Excision of lesion of muscle, tendon, fascia, and bursa	22	102
760	Special therapies and rehabilitation	22	103
751	Miscellaneous operations on skin and subcutaneous tissue	21	104
577	Ligation and stripping of varicose veins	21	105
703	Incision and division of bones except facial	20	106
625	Repair of diaphragmatic and other hernia	20	107
580	Hemodialysis	20	108
518	Miscellaneous operations on eyelid	20	109
714	Closed reduction of dislocation	19	110
583	Radical excision of lymph nodes	18	111
719	Miscellaneous excisions of joint structures	18	112
643	Urethral suspension	18	113
543	Other incision, excision of nose	18	114
682	Miscellaneous operations on vagina	18	115
668	Other excision or destruction of lesion or tissue of cervix	17	116
725	Repair of other joint	17	117
504	Ventricular shunt, extracranial	17	118
550	Operations on salivary glands and ducts	15	119
623	Repair of umbilical hernia	15	120
642	Miscellaneous operations on urethra	15	121
635	Miscellaneous operations on ureter	15	122
640	Excision of urethral lesion, repair of urethra	15	123
527	Miscellaneous operations on lens	15	124
721	Arthrodesis and stabilization of joint	15	125
524	Other operations on iris, ciliary body, sclera and anterior chamber	14	126
715	Open reduction of dislocation	14	127

Table 6 (Continued)

	Operation Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
718	Excision of semilunar cartilage of knee joint	14	128
560	Complete laryngectomy	14	129
507	Operations on spinal cord structures, except exploration	14	130
558	Excision of lesion of larynx	14	131
523	Operations for regulation of intraocular pressure	13	132
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	13	133
613	Miscellaneous operations on anus	13	134
594	Total gastrectomy	12	135
662	Bilateral oophorectomy or salpingo-oophorectomy	12	136
575	Miscellaneous operations on heart	12	137
544	Miscellaneous operations on nose	12	138
753	Encephalography and ventriculography	11	139
634	Ureteral diversion	11	140
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	11	141
750	Pedicle graft of skin	11	142
730	Resection and suture of muscle, tendon, and fascia, except hand	10	143
514	Operations on parathyroid and thyroid, except thyroidectomy	10	144
508	Excision or destruction of lesion of cranial or peripheral nerve	10	145
556	Operations on pharynx except tonsillectomy and adenoidectomy	10	146
661	Unilateral oophorectomy or salpingo-oophorectomy	10	147
756	Coronary arteriography	10	148
739	Revision of amputation stump	10	149
726	Incision and division of muscle, tendon, fascia and bursa	10	150
534	Operations on external ear	10	151
532	Operations on orbit and eyeball	9	152
521	Corneal transplant	9	153

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
683	Incision and excision of lesion of vulva and perineum	8	154
611	Local excision or destruction of lesion or tissue of anus	8	155
568	Miscellaneous operations on lung	8	156
517	Excision or destruction of lesion or tissue of eyelid	8	157
660	Local excision or destruction of ovarian lesion or tissue	8	158
651	Operations on scrotum and tunica vaginalis	7	159
505	Miscellaneous operations on brain and cerebral meninges	7	160
684	Vulvectomy	7	161
720	Spinal fusion	7	162
529	Miscellaneous operations on retina, choroid, and vitreous	6	163
728	Division and resection of muscle, tendon, and fascia of hand	6	164
610	Incision or excision of anal fistula	6	165
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	6	166
559	Partial laryngectomy and local excision of lesion of trachea	6	167
607	Other incision of rectum and incision or excision of perirectal tissue	6	168
546	Miscellaneous operations on accessory sinus	6	169
658	Miscellaneous operations on penis	6	170
542	Rhinoplasty	5	171
561	Permanent tracheostomy	5	172
515	Operations on endocrine glands, except parathyroid and thyroid	5	173
628	Laparoscopy (excluding that for destruction of fallopian tubes)	5	174
745	Miscellaneous operations on breast	5	175
698	Excision of facial bone	5	176
590	Gastrotomy, pyloromyotomy	4	177
644	Other repair of stress incontinence	4	178

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
701	Open reduction of maxillofacial fractures	4	179
681	Other colporrhaphy	4	180
614	Incision of liver	4	181
522	Miscellaneous operations on cornea	4	182
732	Amputation of fingers and thumb	4	183
545	Radical maxillary antrotomy	4	184
511	Miscellaneous operations on sympathetic nerves and ganglia	4	185
535	Stapes mobilization and stapedectomy	3	186
519	Operations on lacrimal system	3	187
645	Ureteral catheterization	3	188
673	Radical hysterectomy and pelvic evisceration	3	189
538	Mastoidectomy	3	190
549	Operations on teeth and gums except extraction and restoration	3	191
536	Tympanoplasty	3	192
667	Conization of cervix	3	193
670	Hysterotomy and excision of lesion of uterus	3	194
646	Miscellaneous operations on urinary tract	3	195
639	Urethral meatotomy	3	196
729	Repair and plastic operations on hand	3	197
537	Myringotomy	3	198
655	Interruption of vas deferens	2	199
733	Amputation of hand, forearm, and upper arm	2	200
539	Miscellaneous operations on middle ear and inner ear	2	201
541	Submucous resection of nasal septum	2	202
679	Miscellaneous operations on uterus, cervix, and supporting structures	2	203
503	Cranioplasty	2	204

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
700	Closed reduction of maxillofacial fractures	2	205
605	Operations on appendix except appendectomy	2	206
746	Incision and excision of pilonidal cyst or sinus	1	207
699	Repair and plastic operations on facial bones	1	208
740	Miscellaneous operations on musculoskeletal system	1	209
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	1	210
530	Resection and recession of ocular muscle	1	211
520	Operations on conjunctiva	1	212
553	Tonsillectomy without adenoidectomy	1	213
654	Miscellaneous operations on testis	1	214
604	Incidental appendectomy	1	215
579	Extracorporeal circulation	1	216
678	Repair and plastic operations on supporting structures of uterus	1	217
685	Miscellaneous operations on vulva and perineum	1	218
702	Miscellaneous maxillofacial surgery	1	219
531	Miscellaneous operations on ocular muscle	<1	220
548	Tooth restoration and orthodontia	<1	221
551	Palatoplasty	<1	222
554	Tonsillectomy with adenoidectomy	<1	223
555	Adenoidectomy without tonsillectomy	<1	224
564	Bronchial resection and miscellaneous operations on bronchus	<1	225
584	Miscellaneous operations on lymphatic system	<1	226
585	Bone marrow transplant	<1	227

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
653	Orchiopexy	<1	228
663	Miscellaneous operations on ovary	<1	229
666	Miscellaneous operations on fallopian tube	<1	230
669	Repair and plastic operations on cervix	<1	231
677	Other aspiration curettage	<1	232
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	<1	233
738	Reattachment of extremity	<1	234
	All operation groups	12,128	

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658 81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	**Title**
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
396	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Infracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other